2218

Section **A** for the entry of

AIR MINISTR

FORM 1090.

REGIS

COPY FOR OFFICIAL USE.

L ORGANIZATION.

2218

ROSS-ON-WYE

ASHELEIGH

1931 —— 40

780403

Kept at Ashe Leig

in the County of St

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea l

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

ollowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1		·05		·15		·03			·36	·08			1
2	09			·72	·02			·05	·65		·18	·25	2
3								·03	·48		1·51	·14	3
4			·05	·08		·02	·44	·55	·10		·07		4
5		·02		·03	·04	·75	·30	·01	·04		·08	·47	5
6		·12		·12	·08	·02	·13	·02		·28	·37	·09	6
7		·01		·04		·04	·10	·72		·04	·33	·03	7
snow 8	·04				·02	·15		·49			·03	·02	8
9		·15						·04			·53		9
10		·03			·04	·01		·10			·40		10
11	·12	·45				·04		·03	·12		·35	·02	11
12		·09					·52		·04	·02			12
13			·01		·08		·15	·05	·05				13
14		·05			·05	·91	·84	1·18	·03		·33		14
15	·01	·04		·05	·12		1·02	·49	·05			·03	15
16				·03	·31	·61		·86	·06				16
17	·05			·17	·16	·05	·14	·05	·06		·04		17
18	·03	·24	·05	·22		·10	·03	·33	·02		·24		18
19	·02	·04		·03		·31	·02	·27	·02		·02		19
20		·07	·16	·01				·20			·07	·03	20
21	·20		·02		·35								21
22	·21		·03		·14			·01			·01		22
23	·11			·52	·53	21					·35	·28	23
24	·02	·01		·33	·17		·21				·01	·01	24
25	·17			·45			·62				·07		25
26				·03			·05				·39		26
27		·46	·05		·90		·04				·07		27
28	·05	05	·10	·07	·24		·31			·03		·10	28
29	·02		·03		·26					·09	·10		29
30		×											30
snow 31	·15	×		×	13	×			×		×	·03	31
TOTAL	1·29	1·88	·50	3·00	3·59	3·25	4·72	5·48	2·08	·54	5·55	1·50	YEAR'S TOTAL 33·38
*Days with ·01 in. or more.	15	16	9	17	18	14	16	19	14	6	22	13	179
*Days with ·04 in. or more.	10	12	5	11	14	10	14	14	11	4	18	6	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W E R

[P.T.O.

2218

Section **A** for the entry of [redacted] OPY FOR OFFICIAL USE.
AIR MINISTR [redacted] L ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Ashe Leigh Ross

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 220 ft.

dafro

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·15		·03			·36	·08			1
2	09			·72	·02			·05	·65		·18	·25	2
3								·03	·48		1·51	·14	3
4			·05	·08		·02	·44	·55	·10		·07		4
5		·02		·03	·04	·75	·30	·01	·04		·08	·47	5
6		·12		·12	·08	·02	·13	·02		·28	·37	·09	6
7		·01		·04		·04	·10	·72		·04	·33	·03	7
snow 8	·04				·02	·15		·49			·03	·02	8
9		·16						·04			·53		9
10		·33			·04	·01		·10			·40		10
11	·12	·45				·04		·03	·12		·35	·02	11
12		·09					·52		·04	·02			12
13			·01		·08		·15	·05	·05				13
14		·05			·05	·91	·84	1·18	·03		·33		14
15	·01	·04		·05	·12		1·02	·49	·05			·03	15
16				·03	·31	·61		·86	·06				16
17	·05			·17	·16	·05	·14	·05	·06		·04		17
18	·03	·24	·05	·22		·10	·03	·33	·02		·24		18
19	·02	·04		·03		·31	·02	·27	·02		·02		19
20		·07	·16	·01				·20			·07	·03	20
21	·20		·02		·35								21
22	·21		·03		·14			·01			·01		22
23	·11			·52	·53	21					·35	·28	23
24	·02	·01		·33	·17		·21				·01	·01	24
25	·17			·45			·62				·07		25
26				·03			·05				·39		26
27		·46	·05		·90		·04				·07		27
28	·05	05	·10	·07	·24		·31			·08		·10	28
29	·02		·03		·26					·09	·10		29
30		×											30
snow 31	·15	×		×	13	×			×		×	·03	31
													YEAR'S TOTAL
TOTAL	1·29	1·88	·50	3·00	3·44 56	3·25	4·72	5·48	2·08	·54	5·55	1·50	33·38
*Days with ·01 in. or more.	15	16	9	17	18	14	16	19	14	6	[illegible]	13	179
*Days with ·04 in. or more.	10	12	5	11	14	10	14	14	11	4	18	6	129

40-9999

(Signed) W. E. R. Cox

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ashe Leigh, Ross
in the County of Herefordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·02	–	·06	·88	–	–	·08	·04	·17	·01	–	1
2	–	–	–	·07	–	–	–	·02	·10	–	–	·12	2
3	–	·01	–	·65	·20	–	·02	–	–	–	–	·03	3
4	–	–	–	·22	·06	–	–	–	·06	–	·63	–	4
5	·47	–	·08	–	–	–	–	–	·22	–	–	–	5
6	·40	–	·02	·08	–	–	–	–	·34	–	–	–	6
7	·06	–	–	–	·03	–	–	–	–	1·05	–	–	7
8	–	–	·22	–	–	–	–	–	·56	·41	–	–	8
9	·80	–	–	·06	·09	–	–	–	–	·40	–	–	9
10	·64	SNOW ·03	·02	·16	·06	·12	–	–	·10	·24	–	–	10
11	–	–	–	–	–	–	·05	–	·03	–	·02	·09	11
12	·27	–	–	–	·37	–	–	–	·16	·14	·03	–	12
13	·10	·02	–	·09	·05	–	·52	·17	–	·04	·04	·15	13
14	·44	–	–	·03	·53	–	·04	·13	–	·01	·05	·10	14
15	·01	–	–	·02	·10	–	·03	–	–	–	–	·02	15
16	·31	–	–	·24	–	–	·26	–	–	–	–	·04	16
17	–	–	–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	–	·16	–	–	–	·11	–	·25	–	18
19	·04	–	–	·05	·04	–	–	–	·04	·04	–	–	19
20	–	–	–	·38	·96	–	·09	·58	–	·70	·05	–	20
21	·01	–	·15	·10	·26	–	–	1·36	–	·45	·01	–	21
22	–	–	·02	·05	·06	–	·15	–	·82	·12	·10	·02	22
23	–	·05	·01	·04	·56	–	–	–	·07	·29	·02	·08	23
24	·04	·03	–	–	·02	–	·02	–	·14	·04	·03	–	24
25	–	–	–	–	·03	–	·04	–	–	·20	–	–	25
26	–	–	·09	·03	–	–	·05	–	–	·30	·01	–	26
27	–	–	·60	·17	·52	–	·06	–	–	–	–	·05	27
28	–	–	·09	·06	·10	–	·08	–	–	·45	·02	–	28
29	–	–	·34	·07	·60	·20	·05	·23	·36	–	·01	·50	29
30	–	×	·07	·06	–	1·12	·45	·10	·64	–	·31	·11	30
31	–	×	–	×	·03	×	·35	–	×	–	×	·39	31
TOTAL	3·64	0·16	1·71	2·69	5·71	1·44	2·26	2·67	3·79	5·05	1·59	1·70	YEAR'S TOTAL 32·41
*Days with ·01 in. or more.	14	6	12	21	22	3	16	8	16	17	16	13	164
*Days with .04 in. or more.	12	1	8	18	18	3	13	7	14	16	7	10	127

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

2218

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** ~~2218~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ashe Leigh - Ross

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·55	·10	·05		·02					·12		·06		1
2	·40	·08	·35		·10	·05						·02		2
3	·05		·10		·04									3
4	·16		·03		·13									4
5	·06		·30		·02									5
6		·18			·41					·14				6
7	·02				·01					·23		·03		7
8			·05		·13		·28			·10				8
9							·14			·45	·04			9
10	·07	·07					·12	·02		1·57	·03			10
11	·06				·04	·02	·45	·03		·03				11
12					·02		·14		·27					12
13					·07		·26			·05	·08			13
14	·05						·10	·05		·10	·10			14
15	·35		·04			·09	·40	·12		·06		·03		15
16			·69			·02	·08	·02		·04	·03	·02		16
17	·06		·29			·04	·01	·04	·03		·02			17
18	·05		·04			·08					·03			18
19			·30			·04			·46		·30			19
20		·03	·07			·40			·37		·02	·02		20
21					·13	·17		·02	·02	·05	·01			21
22				·02				·22	·13	·08				22
23				·15		·13			·30	·38				23
24		·78		·12	·03	·88			·04					24
25		·15		·16	·02	·28			·42	·24		·05		25
26		1·37		·04	·22				·79			·01		26
27				·34	·80				·02	·04				27
28		·20			·05					·05		·27		28
29	·09			·15						·02		·09		29
30	·04	×	·04				·05		·10			·16		30
31	·35	×	·03	×		×		·05	×	·03	×			31
TOTAL	2·36	2·96	2·38	0·98	2·24	2·20	2·03	0·57	2·95	3·78	0·66	0·76	Year's Total 23·87	
*Days with ·01 in. or more.	15	9	14	7	17	12	11	9	12	19	10	11	146	
*Days with ·04 in. or more.	14	8	12	6	11	10	10	5	9	16	4	5	110	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. A. Rlix

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ashe Leigh Ross on Wye

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04							·27	·02		·06	·23		1
2	·11				·07				·33	·02	·01	·11		2
3	·04	·02						·14	·08	·20		·20		3
4	·03		·04	·02	·37				·10	·12	·07	·30		4
5			·03		·10			·45		·03	·24	·48		5
6	·02		·05		·44			·06		·13		·35		6
7	·05			·03				·08		·11	·03	·53		7
8					·23			·03			·09	·35		8
9	·01		·21								·55	·09		9
10	·20		·12	·35				·04			·16	·02		10
11	1·27			·34			·12	·05			·02	·22		11
12	·02		·06				·10	·03				·03		12
13	·55		·02	·18			·09					·15		13
14	·04		·44	·02		·01					·16	·10		14
15			·04		·09					·02	·35	·08		15
16	·10		·30					·04			·08			16
17	·03		·02	·05			·03		·38			·24		17
18	·20		·10	·26					·07	·02	·01	·33		18
19			·23			·02			·05	·07		·14		19
20			·07	·03		·02	·03	·05		·06				20
21						·09	·05	·17		·07		·03		21
22			·05		·03			·11	·10	·11		·32		22
23			·06	·10		·35			·02	·07	·02	·03		23
24		·35	·04	·14		·17			·17	·02				24
25	·21	·02		·20		·02			·01	·38		·40		25
26	·02		·10	·10		·10			·04	·03		·12		26
27	·03			·05		·02				·01	·01	·15		27
28				·08		·05		·15	·13		·01	·38		28
29								·03	·14			·32		29
30	·02	X						·25	·02			·13		30
31		X		X		X			X	·03	X	·05		31
													Year's Total	
TOTAL	2·99	·39	1·98	1·95	1·23	·85	·42	1·95	1·66	1·50	1·87	5·55	22·44	
*Days with ·01 in. or more.	19	3	18	15	7	10	6	16	15	18	16	28	171	
*Days with .04 in. or more.	11	1	15	11	6	5	4	13	11	10	9	23	119	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. S. Rlox

[P.T.O.

2218

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ASHE LEIGH ROSS

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02		·03		·05	·03	·03		·09	·07	·18	·04		1
2		·02				·05			·03	·08	·04	·05		2
3						·07			·22	·27	·22			3
4	·03		·03	·09		·08			·09	·17	·10	·07		4
5		·17	·15			·14			·07	·36				5
6			·02	·11		·41					·16	·17		6
7				·28		·13				·10	·05	·12		7
8				·48				·23		·09	·30	·16		8
SNOW 9	·05	·01		·57		·20				·51	·20			9
10	·03			·22							·05	·03		10
11	·24	·01				·12					·34	·02		11
12	·05	·04				·20					·03			12
13	·07	·03		·16	·09				·03		·04			13
14				·05	·05	·12			·20		1·09	·10		14
15		·06		·55	·12	·13			·27		·12	·08		15
16		·01	·10	·32					·44	·03	·84			16
17				·05		·11	·08	·02	·05		·22			17
18		·02		·12			·06		·20	·04	·01			18
19		·01		·14	·16	·14	·10		·02	·05	·09	·05	snow	19
20		·29		·17	·28	·04	·03				·88			20
21		·36	·03	·04					·72	·03				21
22		·08	·03	·02					·23		·06			22
23		·03	·05					·11	·02	·62				23
24	·07	·39	·04					·06	·54	·15		·30	snow	24
25	·13	·10		·18		·94				·02		·10		25
26		·28						·24	·10	·01		·54		26
27		·05			·04				·09		·04	·51		27
28	·02	·02			·03			·04	·10	·02		·02		28
29	·03							·30	·15		·20	·41		29
30	·06	×		·25		·01		·40	·13	·35	·49	·12		30
31		×		×		×		·03	×	·42	×	·28		31
													Year's Total.	
TOTAL	·80	1·98	·48	3·80	·82	2·92	·30	1·43	3·79	3·39	5·75	3·17	28·63	
* Days with .01 in. or more.	12	19	9	18	8	17	5	9	21	19	23	19	179	
* Days with .04 in. or more.	7	10	4	17	7	15	3	7	17	14	21	16	138	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W.S. R[illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ASHE LEIGH ROSS-ON-WYE

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·07	·01	·39		·17	·21				·06	·02		1
2	·03			·05		·40	·26	·01			·18			2
3	03		·12			·51	·02		·80		·05	·03		3
4	·08		·15			·04			·21		·06	·25		4
5	·49	·07	·05		·12		·06	·03	·02			·05		5
6	·10		·03			·02	·53	·04	·06		·19			6
7	·03		·12				1·04		·02		·23	·07		7
8	·24		·09				·08				·68			8
9	·55		·40			·03	·43		·04		·02			9
10	·07		·01				·68				·03	·02		10
11		snow ·15		·10		·12	·08		·12		·43			11
12					·33	·51	·28		·37		·03	·21		12
13				·04		·03	·03			·06	·02	1·05		13
14		·02		·33		·05	·29		·07	·02	·02	·79		14
15				·02					·17		·08	·15		15
SNOW 16	·16	·20		·05	·05		·04			·05	·12			16
17	·11	·67		·04	·03		·18				·04	·47		17
18		·09				·03	·45	·02		·10		·08		18
19	·54	·15	·02	·05		·04		·04				·01		19
20	·07	·14	·12	·08		1·06		·03	·63					20
21			·05	·71		·12	·02		·10		·01			21
22	·03	·52	·12		·12		·18							22
23	·10	·02	·31	·08	·16		·17		·02	·03				23
24	·16	·05	·01	·31	·03		·20		·13	·23				24
25	·08		·32	·26			·19		·28	·18	·03	·02		25
26	·18	·06	·21			·11				·01	·01			26
27	·05		·03				·04		·04	·05				27
28	·52	·04	·27	·02			·01			·04	·02	·05		28
29	·03	·05	·06			·56				·03	·04	·20		29
30	·34	✕				·24	·15			·68				30
31	·44	✕	·33	✕	·05	✕	·19		✕	·30	✕	·18		31
TOTAL	4·14	2·30	2·83	2·23	·89	4·04	6·81	·17	3·08	1·73	2·35	3·65	Year's Total 33·22	33·22 ✓ ✓
* Days with .01 in. or more.	23	15	21	15	8	17	25	6	16	13	21	17	197	✓
* Days with .04 in. or more.	19	13	15	12	6	13	21	2	13	9	12	12	147	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W S R Cox

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at ASHE LEIGH ROSS ON WYE
in the County of HEREFORD
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	·04		·15					·08	·03	·06	·60		1
2	·01	·25		·06							·02	·06		2
3		·15	·02	·08	·51							·20		3
4	·05	·20		·02	·03									4
5	·12		·16	·01			·31				·01			5
6	·03	·13	·08	·21	·07		·04			·04	·02			6
7		·65	·03	·10		·04								7
8		·07	·04		·11	·02					·28			8
9				·25	·07		·03		·42			SNOW ·05		9
10	·02		·44	·09		·03						·14		10
11			·28		·44	·16	·13							11
12	·25	·12	·05		·02	·05	·01	·20	·04			·45		12
13		·05	·20	·06		·38		·18						13
14		·02	·21	·03				·06	·02					14
15	·10	·14	·03	·25			2·05					·25		15
16	·01	·02	·46	·05		·02		·10	·12					16
17	·30	·06	·43						·22		·01			17
18	·53	·04	·30	·02			·08		·63	·01	·28	·26		18
19	·15	·02	·04	·03		·10	·48		·03		·05			19
20	·40	·04	·41	·30	·02	·03						·06		20
21	·16	·25	·15	·01	·06		·10					·01		21
22	·07	·05	·08		·16	·07	·24			·41	·35	·04		22
23	·14	·07	·03		·28		·05			·16	·07			23
24	·54	·22			·02		·02		·04	·53		·02		24
25		·45			·19				·05	·29		·03		25
26		·54			·41							·02		26
27		·31		·10						·60				27
28		·05								·18		·03		28
29						·02				·95	·05	·02		29
SNOW 30	·23	✕				·01			·01		·08			30
31	·17	✕		✕		✕			✕	·45	✕			31
TOTAL	3·36	3·94	3·84	1·92	2·38	·93	3·22	·54	1·86	3·65	1·28	2·24	Year's Total 29·06	✓
* Days with .01 in. or more.	19	24	19	18	14	12	12	4	11	11	12	16	172	✓
* Days with .04 in. or more.	15	21	15	12	10	6	7	4	8	9	8	10	125	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W S Rlox

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at ASHE LEIGH, ROSS

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·42		·10		·20		·19		1
2	·08			·05	·05	·01	·03			·13	·01	·19		2
3	·01				·18	·07				·50				3
4	·01		·01	·01			·10	·54		·31		·22		4
5						·02	·03		·02	·01				5
6	·07					·05	·92		·07	·15		·10		6
7	·02	·02					·36	·25	·02	·10		·07		7
8	·42						·03	·33		·27		·04		8
9	·14						·02	·02				·82		9
10	·05						·02	·15				·45		10
11	·18						·01	·02			·20	·22		11
12	·24				·13			·09		·20	·40	·02		12
13										·01	·21	·65		13
14	·21				·04		·62							14
15	·20				·05		·04					·32		15
16		·01	·03								·02	·01		16
17		·05							·05	·12				17
18	·04							·05	·01	·02	·27			18
19						·01		·10	·01		·23	·04	snow	19
20	·02										·27			20
21	·02							·04	·11		·07	·13	snow	21
22				·02		·03		·15	·09		·31	·12	snow	22
23				·01	·02				·08					23
24			02		·06			·16	·03		·11			24
25	·05	·30			·18		·03			·15	·43	·02	sleet	25
26	·05	·35			·07	·01			·01	·18		·14		26
27		·01			·60	·20	·29	·28	·23	·19	·18			27
28					·13	·26	·02	·42			·09	·02		28
29					·32		·01		·14	·07	·06			29
30	·15	✕			·01	·02			·20	·02	·38	·08		30
31	·16	✕		✕	·25	✕			✕	·15	✕	·15		31
													Year's Total	
TOTAL	2·07	·74	·06	·09	2·09	1·10	2·45	2·70	1·07	2·78	3·24	3·81	22·20	✓
* Days with .01 in. or more.	19	6	3	4	14	11	15	15	14	18	16	20	155	✓
* Days with .04 in. or more.	13	3	0	1	12	5	6	13	8	14	14	16	105	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W.S. Rlox

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ashe Leigh Ross

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 2205 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	·04	·13	·12	—	—	—	·09	—	·05	·04		1
2	—	—	—	—	—	—	—	·16	—	—	·15	—		2
snow 3	·05	—	—	·16	—	—	—	·07	—	—	·17	·25		3
" 4	·14	—	·20	·45	·13	—	·17	·26	·11	·15	·04	·11		4
5	—	—	—	·47	—	—	·18	·15	—	·13	·59	·02		5
6	·40	—	—	·03	·01	—	·10	·02	—	—	·15	—		6
7	·01	·08	—	—	—	—	·52	·01	—	—	·33	·33		7
8	·02	·15	·33	—	·01	—	·64	·08	—	·76	·31	·15		8
9	—	·10	·01	—	—	—	—	·15	—	·30	·01	·08		9
10	·41	—	·03	—	—	·05	—	·12	·01	·11	—	·11		10
11	—	·02	·11	—	—	·01	—	—	—	·31	—	—		11
12	—	·09	—	—	—	·08	—	—	—	·04	—	—		12
13	—	—	—	·04	·02	—	·25	—	·03	·28	·02	—		13
14	·45	—	—	—	·13	·09	·20	—	—	·08	·20	—		14
15	·61	—	·02	—	·09	·33	·35	—	—	—	·38	—		15
16	·67	—	·03	—	·17	—	·06	—	—	·02	·34	·02		16
17	·51	·01	—	·02	·01	·02	—	—	—	—	·03	—		17
18	·32	·08	·02	—	—	·14	·10	—	—	·02	·33	—		18
19	·15	—	—	—	—	—	·12	—	—	—	—	—		19
20	·44	—	—	—	—	—	·13	·20	—	—	—	·02		20
21	·07	·16	·15	·01	—	—	·72	·06	·02	—	—	—		21
22	·30	·28	—	—	—	·30	—	·01	—	·05	·03	—		22
23	—	—	·06	·03	—	·05	·22	—	—	—	·73	—		23
snow 24	·08	—	·02	·02	—	·14	·03	—	—	—	—	—		24
25	·84	·10	—	—	—	—	·25	·02	—	·07	·16	—		25
26	·13	·01	—	—	—	—	—	·10	—	·05	·35	—		26
27	—	·34	·07	·01	—	·03	·05	—	—	·01	·03	·13	Snow	27
28	·01	·08	·10	—	—	·16	·18	·04	—	—	·08	—		28
29	—	—	—	·26	—	—	·03	—	—	·12	·02	·03	Snow	29
30	—	×	—	·46	—	·10	—	·05	—	—	—	—		30
31	—	×	—	×	—	×	—	·37	×	·13	×	·20	Snow	31
													Year's Total	
TOTAL	5·64	1·45	1·19	2·12	·69	1·50	4·20	1·87	·26	2·63	4·50	1·49	27·54	
* Days with .01 in. or more.	20	13	14	13	9	13	19	17	5	17	22	13	175	
* Days with .04 in. or more.	16	9	8	7	5	10	17	13	2	14	16	9	126	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W S Ross

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 2218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at ASHE LEIGH ROSS

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·15	·17						·14			1
2				·02			·03				·96			2
3		·29								·20	1·10	·02		3
4		·08					·01			·10	·19	·05		4
5		·09			·12					·14	·31	·04		5
6	·11	·27								·28	·02	·07		6
7		·21		·01			·02		·11	·01		·02		7
8	·02			·03			·02			·25	·05	·09		8
9							·16	·16		·23	·30	·15		9
10			·01				·41			·18	·02	·23		10
11				·02		·14	·10		·04		·46			11
12			·15			·02	·07				·01			12
13		snow ·02	snow ·46				·08				·05			13
14			·02	·03	·54			·01	·07	·19		·50		14
15			·03		1·05	·06	·01		·13	·23	·08			15
16		snow ·39	·16				·20		·08	1·00	·58			16
17			·17				·01							17
snow 18	·15	snow ·33	·39	·65						·07	·05	·10		18
19		·11	·12	·26			·81		·34		·13			19
20			·04	·02			·02			·24	·02	·01		20
21			·03		·13	·25	·18				1·39			21
22		·01		·11	·01	·22								22
23		·02	·05	·02	·06						·04			23
24							·26							24
25	·03										·01			25
26	·90	·18			·05		·53							26
27	·78	·19			·09		·05				·02			27
snow 28	·22	·08		1·88	·10							·01		28
snow 29	·51		·04	·53	·01	·04	·03							29
sleet 30	·17	✗		·33						·53	·01	·11		30
31	·07	✗	·03	✗		✗			✗	·63	✗	·01		31
TOTAL	2·96	2·22	1·70	4·06	2·33	·73	3·00	·17	·77	4·28	5·94	1·41	Year's Total 29·57	✓
* Days with .01 in. or more.	10	14	14	14	11	6	19	2	6	15	22	14	150	✓
* Days with .04 in. or more.	8	10	9	7	9	5	11	1	6	14	15	9	104	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. S. Rlva

P.T.O.

Section **A** for the ent
AIR MIN

FORM 1090.

REC

No 2220

KENTCHURCH RECTORY

1931 – 38

780403

2220

FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

1931 .

Kept at Kentchurc
in the County of Her

Diameter of Funnel of Gauge
Height of top of Gauge above
,, Ground ,,

780403

THE MORNING M OUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.02	—	.16	.02	.07	—	—	.47	.13	—	—	1
2	.11	—	—	.81	.08	—	—	.08	.50	.03	.27	.35	2
3	.03	—	.04	—	—	—	—	.09	.02	—	2.31	.09	3
4	—	—	.15	.05	—	.03	.57	.54	.15	—	.02	—	4
5	—	.12	—	.01	.16	1.03	.05	—	—	—	—	.55	5
6	—	.08	—	.14	.06	—	.29	—	.03	.21	.36	.20	6
7	—	.02	—	—	—	—	.34	.80	—	.09	.34	—	7
8	.03	.08	—	.02	—	.15	.01	.45	—	—	.04	—	8
9	—	.21	—	—	—	.03	—	.01	.01	.01	1.15	—	9
10	.01	.01	—	—	.04	.08	.02	—	—	—	.83	—	10
11	.03	.41	—	—	—	.05	.21	—	.04	—	.16	—	11
12	.06	.14	—	—	—	—	.10	—	.05	—	—	—	12
13	—	—	.03	—	.10	—	.49	.25	.01	—	—	—	13
14	—	.01	—	—	.06	.96	.47	.58	.01	—	.40	—	14
15	—	.07	—	.03	.19	.02	.35	.55	.01	—	—	.04	15
16	.08	.20	—	.03	.21	.66	—	.34	.14	—	—	—	16
17	.04	.08	—	.11	.15	.06	.16	.12	—	—	.05	—	17
18	.01	.01	.04	.30	—	.24	—	.50	.03	—	.37	—	18
19	.03	.08	—	.04	—	.03	—	.70	—	—	.08	—	19
20	—	—	.10	.05	—	—	—	.18	—	—	.11	.03	20
21	.25	—	—	—	.28	—	—	—	—	—	.14	—	21
22	.37	.02	.03	—	.10	—	—	.09	—	—	—	—	22
23	.09	—	—	1.01	.65	.18	—	—	—	—	.40	.04	23
24	.10	—	—	.59	.21	—	.35	—	—	—	.01	—	24
25	.24	—	—	.28	—	—	.14	—	—	—	.09	—	25
26	—	—	—	.02	—	—	.02	—	—	—	.44	—	26
27	.11	.40	.05	—	1.30	—	.03	—	—	—	.19	.03	27
28	.06	.09	.11	.02	.29	—	—	—	—	.03	—	.14	28
29	.03	×	.11	—	.25	—	.37	—	.01	.03	.12	—	29
30	.01	×	—	—	—	—	—	—	.02	—	—	—	30
31	.68	×	—	×	.12	×	—	—	×	—	×	.02	31
TOTAL	2.37	2.05	0.66	3.67	4.27	3.59	3.97	5.28	1.50	0.53	7.88	1.49	YEAR'S TOTAL 37.26
*Days with .01 in. or more.	20	18	9	17	18	14	17	15	15	7	21	10	181
*Days with .04 in. or more.	12	12	7	11	17	10	13	14	6	3	19	7	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R P Dansey [P.T.O.

2220

Section **A** for the ent[redacted] **FOR OFFICIAL USE.**
AIR MIN RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Kentchurch Rectory
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 220 ft.

780403

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	—	·16	·02	·07	—	—	·47	·13	—	—	1
2	·11	—	—	·81	·08	—	—	·08	·50	·03	·27	·35	2
3	·03	—	·04	—	—	—	—	·09	·02	—	2·31	·09	3
4	—	—	·15	·05	—	·03	·57	·54	·15	—	·02	—	4
5	—	·12	—	·01	·16	1·03	·05	—	—	—	—	·55	5
6	—	·08	—	·14	·06	—	·29	—	·03	·21	·36	·20	6
7	—	·02	—	—	—	—	·34	·80	—	·09	·34	—	7
8	·03	·08	—	·02	—	·15	·01	·45	—	—	·04	—	8
9	—	·21	—	—	—	·03	—	·01	·01	·01	1·15	—	9
10	·01	·01	—	—	·04	·08	·02	—	—	—	·83	—	10
11	·03	·41	—	—	—	·05	·21	—	·04	—	·16	—	11
12	·06	·14	—	—	—	—	·10	—	·05	—	—	—	12
13	—	—	·03	—	·10	—	·49	·25	·01	—	—	—	13
14	—	·01	—	—	·06	·96	·47	·58	·01	—	·40	—	14
15	—	·07	—	·03	·19	·02	·35	·55	·01	—	—	·04	15
16	·08	·20	—	·03	·21	·66	—	·34	·14	—	—	—	16
17	·04	·08	—	·11	·15	·06	·16	·12	—	—	·05	—	17
18	·01	·01	·04	·30	—	·24	—	·50	·03	—	·37	—	18
19	·03	·08	—	·04	—	·03	—	·70	—	—	·08	—	19
20	—	—	·10	·05	—	—	—	·18	—	—	·11	·03	20
21	·25	—	—	—	·28	—	—	—	—	—	·14	—	21
22	·37	·02	·03	—	·10	—	—	·09	—	—	—	—	22
23	·09	—	—	1·01	·65	·18	—	—	—	—	·40	·04	23
24	·10	—	—	·59	·21	—	·35	—	—	—	·01	—	24
25	·24	—	—	·28	—	—	·14	—	—	—	·09	—	25
26	—	—	—	·02	—	—	·02	—	—	—	·44	—	26
27	·11	·40	·05	—	1·30	—	·03	—	—	—	·19	·03	27
28	·06	·09	·11	·02	·29	—	—	—	—	·03	—	·14	28
29	·03	×	·11	—	·25	—	·37	—	·01	·03	·12	—	29
30	·01	×	—	—	—	—	—	—	·02	—	—	—	30
31	·68	×	—	×	·12	×	—	—	×	—	×	·02	31
TOTAL	2·37	2·05	0·66	3·67	4·27	3·59	3·97	5·28	1·50	0·53	7·88	1·49	YEAR'S TOTAL 37·26
*Days with ·01 in. or more.	20	18	9	17	18	14	17	15	15	7	21	10	181
*Days with ·04 in. or more.	12	12	7	11	17	10	13	14	6	3	19	7	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R P Dauncey

P.T.O.

2220

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Kentchurch Rectory

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 220 ft.

Station No 2220

File No 833578/28

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·01	—	·08	·83	·01	—	·10	·01	·11	·01	·04	1
2	·01	—	—	·02	·19	—	—	·03	·16	—	—	·15	2
3	—	·02	—	1·20$^{R.S}$	—	—	·02	—	—	·01	·04	·01	3
4	—	—	—	·14^{s}	—	—	·02	—	·01	—	·53	—	4
5	·63	—	·15	—	—	—	—	—	·21	—	—	—	5
6	·38	—	—	·12	—	—	—	—	·51	·01	—	—	6
7	·12	—	·10	·06	·07	—	—	—	·56	1·90	—	—	7
8	—	—	·25	·02	—	—	—	—	·89	·10	—	—	8
9	1·97	·04^{s}	—	·08	·01	—	—	—	—	—	—	—	9
10	·64	—	—	·18	·08	·08	—	—	·17	·16	—	—	10
11	—	·01^{s}	—	·04	—	—	·03	—	—	—	·02	·15	11
12	·39	—	—	—	·39	—	·01	—	·16	·15	·03	—	12
13	·14	·02^{s}	—	·15	·04	—	·56	·27	—	·05	·01	·27	13
14	·49	—	—	·09	·05	—	·08	·06	—	·02	·13	·07	14
15	·03	—	—	·01	·38	—	—	—	—	·06	·06	·02	15
16	·53	[illegible]	—	·40	·01	—	·36	—	—	—	—	—	16
17	—	—	—	—	—	—	·02	—	—	·01	—	—	17
18	—	—	—	—	·24	—	—	—	·07	—	·47	—	18
19	·03	—	—	·08	·23	—	—	—	·01	·19	—	—	19
20	—	—	—	·36	·85	—	·01	·62	—	·74	·09	·05	20
21	—	—	·15	·06	·09	—	—	·96	—	·72	·01	·25	21
22	·01 b	—	—	·02	·05	—	·03	—	·76	·11	·13	·13	22
23	—	·02	·10	—	·44	—	·01	—	·10	·22	·04	·14	23
24	·03	·03	—	—	—	—	·05	—	·22	·05	—	—	24
25	·01	—	—	·01	·02	—	·01	—	·06	·23	·02	—	25
26	—	—	·08	·05	·09	—	·02	—	·01	·05	—	—	26
27	—	·01^{s}	·65	·35	·54	—	·09	—	—	·15	—	·07	27
28	—	—	·21	—	·24	—	·09	·03	—	—	—	·01	28
29	—	—	·65	·07	·41	·17	·07	·24	·39	·55	·05	·65	29
30	—	×	·10	·15	—	1·69	·54	—	·45	·04	·38	·05	30
31	—	×	·04	×	·01	×	·26	·02	×	—	×	·46	31
TOTAL	5·55	0·16	2·48	3·74	5·26	1·95	2·28	2·33	4·75	5·63	2·02	2·52	YEAR'S TOTAL 38·67
*Days with ·01 in. or more.	16	8	11	23	22	4	19	9	18	22	16	16	184
*Days with ·04 in. or more.	10	1	11	18	18	3	9	6	14	18	10	13	131

40-9999

Years Fall + 2·09 (Av 26 yrs 1907-1932 36·58)

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

2220

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Kentchurch Rectory

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 220 ft.

Station No 2220
File No 833578/28

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·55	·05	·09	—	—	—	—	—	·01	·19	—	·40	1
2	·73	—	·50	—	·19	·05	—	—	—	—	·02	—	2
3	·02	·10	·11	—	·09	—	—	—	—	—	—	—	3
4	·19	—	—	—	·22	—	—	—	—	—	—	—	4
5	·13	—	·43	—	·09	—	—	—	—	—	—	—	5
6	·01	·24	·02	—	·21	—	—	—	—	·20	—	—	6
7	·02	—	·02	—	·03	—	·02	—	—	·10	—	·04	7
8	—	—	·06	—	·07	—	·46	—	—	·05	—	—	8
9	—	·01	—	—	·02	—	·23	—	—	·82	·01	—	9
10	·09	·13	—	—	—	—	·17	·04	—	2·50	·01	—	10
11	·01	—	—	—	—	·08	·05	·02	—	—	—	—	11
12	—	—	—	—	·02	—	·21	—	·23	—	—	·02	12
13	—	—	—	—	·06	·02	·26	—	·01	·26	·07	—	13
14	·16	—	—	—	—	—	·25	·28	—	·01	·17	—	14
15	·38	—	·12	—	—	·07	·15	·16	—	·16	—	·08	15
16	·02	—	·71	—	—	·02	—	·01	—	·10	·05	—	16
17	·01	·19 R+S	·40	—	—	·05	·01	·03	·08	—	·02	—	17
18	·08	—	·09	—	—	·10	—	—	—	—	·01	—	18
19	—	·01 S	·14	—	—	·02	·09	·01	·57	—	·34	·08	19
20	—	·04	·05	—	—	·02	—	—	·50	—	·01	—	20
21	—	·02 S	—	—	·46	·32	—	—	—	·13	·01	—	21
22	—	—	—	·02	·02	—	—	·17	·20	·06	—	—	22
x See over 23	—	x S {1·65	—	·11	—	·20	—	—	·21	·22	—	—	23
24	—		—	·15	—	1·19	—	—	·04	·15	—	—	24
25	—	·76 S	—	·28	·03	·45	—	—	·26	—	—	·07	25
26	—	·81 R	—	·08	·55	—	—	—	·82	·10	—	·01	26
27	—	·05	—	—	·31	—	—	—	·01	·01	—	·33	27
28	·02	·09	—	·38	·02	—	·02	—	·01	—	—	·08	28
29	·08	X	—	·07	—	—	·07	—	—	—	—	·01	29
30	·03	×	·05	—	—	—	·06	—	·17	·01	—	·10	30
31	·34	×	·07	×	—	×	—	·08	×	·02	×	—	31
TOTAL	2·87	4·15	2·86	1·09	2·39	2·59	2·05	0.80	3·12	5·09	0.72	1·22	YEAR'S TOTAL 28·95
*Days with ·01 in. or more.	17	15	15	7	16	13	14	9	14	18	11	11	160
*Days with ·04 in. or more.	10	12	13	6	10	9	11	5	10	13	4	8	111

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) R P Dansey. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

FILE NO 833578/28

Kept at Kentchurch Rectory

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	—	—	—	—	—	·47	—	·01	·06	·29	1
2	·03	—	—	—	—	—	—	—	·54	·06	—	·11	2
3	—	·01	—	—	·02	—	—	—	·09	·40	—	·55	3
4	·03	—	·10	·01	·25	—	—	—	·13	·16	·11	·56	4
5	—	—	·04	·01	·16	—	—	1·17	—	·09	·34	·31	5
6	·02	—	·05	·01	·57	—	—	·01	·01	·18	—	·52	6
7	·07	—	—	—	—	—	—	·11	—	·13	—	·62	7
8	—	—	—	—	·34	—	—	·03	·11	—	·14	·50	8
9	·01	—	·45	·04	—	—	—	·04	—	—	·77	·05	9
10	·39	—	·18	·67	—	—	—	·03	—	—	·20	—	10
11	1·34	—	—	·32	—	—	·14	·03	—	—	·01	·38	11
12	·03	—	·02	—	—	—	·02	·05	—	—	—	·01	12
13	1·11	—	·05	·29	—	—	—	—	—	—	—	·08	13
14	·06	—	·73	·04	—	·04	—	—	·01	·09	·22	·25	14
15	·02	—	·07	—	·12	—	—	—	—	·02	·44	·10	15
16	·18	—	·62	—	·01	—	—	—	·01	—	·08	—	16
17	·04	—	—	·18	—	—	·08	—	·28	—	—	·32	17
18	·20	—	·18	·77	—	·01	·03	—	·02	—	—	·34	18
19	·01	—	·24	—	—	·06	—	·01	·09	·12	—	·18	19
20	—	—	·08	·03	—	·02	·27	—	—	·01	—	—	20
21	—	—	—	—	—	·09	·01	·09	—	·10	—	·05	21
22	·01	—	·09	·07	·06	—	—	·23	·13	·20	—	·34	22
23	—	—	·05	·16	—	·61	—	—	·09	·03	—	—	23
24	—	·28	·01	·12	—	·18	—	—	·12	·04	—	·02	24
25	·36	·03	—	·05	—	—	—	—	·03	·54	—	1·06	25
26	·02	—	·02	·40	—	·06	—	—	·05	·03	—	·13	26
27	—	—	—	·08	—	—	—	·01	·01	·03	—	·19	27
28	—	—	—	·62	—	·24	—	·20	·11	—	—	·47	28
29	—	×	—	—	—	—	—	·04	·10	—	·01	·02	29
30	·03	×	—	—	—	—	·05	·06	·08	·01	—	·22	30
31	·01	×	—	×	—	×	—	·01	×	·05	×	·01	31
TOTAL	4·04	0.32	2·98	3.87	1·53	1·31	0.60	2·59	2·01	2·30	2·38	7·68	YEAR'S TOTAL 31·61
*Days with ·01 in. or more.	21	3	17	18	8	9	7	17	19	20	11	27	177
*Days with .04 in. or more.	10	1	14	14	6	7	4	10	13	13	9	23	124

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) R P Dawson

P.T.O.

2220

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Kentchurch Rectory

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·08	·06	·02	·03	·09	—	·47	·06	·06	·07		1
2	—	—	—	—	—	·19	—	—	·41	·21	·21	·02		2
3	—	·02	·01	—	—	·20	—	—	·30	·37	·32	·02		3
4	·02	—	—	·09	—	·09	—	—	·10	·19	·13	·25		4
5	·04	·18	·06	·01	—	·01	—	—	·08	·09	·05	—		5
6	—	—	·03	·53	—	·93	—	—	—	·06	·03	·19		6
7	—	—	—	·24	—	·11	—	—	—	·19	·02	·13		7
8	—	—	—	·56	—	—	—	—	—	·02	·31	·06		8
9	·09	·01	—	·62	—	·19	—	—	—	·58	·37	—		9
10	·05	—	—	·12	—	·04	—	—	—	·01	·01	—		10
11	·21	·02	—	—	—	·17	—	—	·01	—	·53	·03		11
12	·02	·04	—	—	—	·06	—	·05	—	—	·02	—		12
13	·06	·01	—	·43	·06	—	—	—	·12	—	·23	—		13
14	—	·05	—	·03	·03	·31	—	—	·21	—	1·20	·11		14
15	—	·18	—	·90	·13	·23	—	—	·20	—	·03	·08		15
16	—	·03	·10	·57	—	·04	—	—	1·01	·01	·99	·02		16
17	—	—	—	·03	—	·16	·03	·03	·07	—	·10	—		17
18	—	·01	—	·19	·06	·05	—	—	·28	·02	—	—		18
19	—	·06	—	·14	·17	·18	·15	—	·01	·10	·23	·04		19
20	·01	·44	—	·21	·14	·01	—	—	—	—	·76	—		20
21	—	·69	—	·08	—	—	—	—	·45	·01	·05	—		21
22	·01	·01	·11	·05	—	—	—	—	·07	—	·02	—		22
23	·01	·05	·17	·03	·02	—	—	·01	·02	·57	—	·28		23
24	·10	·50	·02	—	—	—	—	·04	·36	·20	—	·42		24
25	·23	·28	—	·20	—	·88	—	—	—	—	—	·29		25
26	—	·41	—	—	—	—	—	·37	·09	—	·01	·58		26
27	—	·36	—	—	·04	—	·01	—	·13	—	·05	·21		27
28	·02	·01	—	—	—	—	—	·04	·19	—	—	—		28
29	·01	×	—	—	—	—	—	·14	·10	·04	·26	·70		29
30	·12	×	—	·18	—	·04	—	·41	·10	·28	·64	·33		30
31	—	×	—	×	·03	×	—	·01	×	·35	×	·53		31
TOTAL	1.00	3.36	0.58	5.27	0.70	3.92	0.28	1.10	4.78	3.36	6.63	4.36	Year's Total. 35.34	
* Days with .01 in. or more.	15	20	8	21	10	20	4	9	22	19	25	20	193	
* Days with .04 in. or more.	8	12	5	17	6	17	2	6	19	14	18	16	140	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) R P Dansey

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Kentchurch Rectory

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·07	—	·33	—	·20	·24	·08	—	~~·08~~	·02	·01		1
2	·01	·03	—	·08	—	·21	·05	·04	—	~~·04~~	·13	—		2
3	·01	—	—	·02	—	·13	·14	—	·37	—	·03	—		3
4	—	·01	·08	—	—	·16	—	—	·13	—	·05	·19		4
5	·69	·04	·16	—	·09	—	·10	·01	—	—	·01	·08		5
6	·38	—	·05	—	—	·02	·36	·04	·21	—	·79	—		6
7	·02	—	·09	—	—	—	·69	—	·03	—	·44	·01		7
8	·51	—	·21	—	—	—	·10	—	—	—	·90	—		8
9	·73	—	·25	—	—	·03	·56	—	·06	—	·01	—		9
10	·03	·05	—	—	—	—	·22	—	—	—	—	—		10
11	—	·10	—	·12	—	·11	·02	·01	·04	—	1·02	—		11
12	—	—	—	·03	·06	·52	·45	—	·40	—	·05	·21		12
13	—	—	—	·12	—	·03	·07	—	—	·05	·02	1·24		13
14	—	—	—	·30	—	·03	·18	·03	·13	—	·01	·44		14
15	—	—	—	—	·26	—	·02	—	·53	—	·16	·29		15
16	·20	·25	—	·08	·13	—	·09	—	—	—	·07	·06		16
17	·19	1·01	—	—	·04	—	·24	—	—	·09	·04	·71		17
18	—	·31	—	—	—	·05	·58	·02	—	·18	—	·06		18
19	·78	·03	·04	·16	—	·22	—	·06	—	—	—	—		19
20	·09	·20	·16	·04	—	1·06	—	—	·80	—	—	·01		20
21	·03	—	·09	·86	—	·21	—	—	·03	—	—	—		21
22	·01	·78	·28	—	·58	—	·43	—	—	—	—	·02		22
23	·05	—	·22	·10	·08	—	·19	—	—	·02	—	—		23
24	·35	·06	—	·01	·10	—	·32	—	·29	·33	—	—		24
25	·49	—	·38	·32	—	—	·11	—	·40	·21	·03	—		25
26	·45	·05	·28	—	—	·01	—	—	—	·01	—	—		26
27	·08	—	·23	—	—	—	·04	—	·03	·09	—	·01		27
28	·47	·09	·67	·04	—	—	·14	—	—	—	·03	·25		28
29	·01	·07	·02	—	·04	1·05	·12	—	—	—	·05	·12		29
30	·04	✕	—	—	·05	·06	—	—	—	·87	—	—		30
31	·37	✕	·28	✕	·08	✕	26	—	✕	·04	✕	·52		31
TOTAL	6·04	3·15	3·49	2·61	1·51	4·10	5·72	0·29	3·45	1·89	3·86	4·23	Year's Total 40·34	✓
* Days with .01 in. or more.	24	16	17	15	11	17	25	8	14	10	19	17	193	✓
* Days with .04 in. or more.	17	13	16	12	11	12	23	4	11	8	11	12	150	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) R P Dansey

[P.T.O.

~~[illegible]~~

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. ~~2220~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

2220

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Kentchurch Rectory

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.08	.03	—	.19	—	—	—	—	.14	.09	.22	.86		1
2	.05	.42	—	.07	—	—	—	—	.04	—	—	.06		2
3	—	.29	.04	.21	.59	—	.06	—	.02	—	—	—		3
4	.03	.27	—	—	.05	—	—	.01	—	—	—	.40		4
5	.40	—	.11	.01	—	—	.01	—	—	—	—	.01		5
6	.10	.24	.13	.29	.08	—	.16	—	—	.08	.02	—		6
7	—	.86	.09	.12	—	.08	—	—	—	—	.01	—		7
8	—	.06	—	—	.25	.05	.02	—	.04	—	.36	—		8
9	—	—	—	.14	.17	—	—	—	.40	—	—	.05		9
10	.07	—	.60	.03	—	.02	—	—	—	—	—	.36		10
11	.03	—	.35	—	.45	.18	.22	—	—	—	—	.03		11
12	.45	.15	.04	—	—	.10	.01	.97	.09	—	—	.70		12
13	.05	.08	.30	.13	—	.24	—	.25	—	—	—	—		13
14	—	—	.06	.03	—	—	.41	.06	.01	—	—	.03		14
15	.35	.28	.11	.39	—	—	1.29	—	.11	—	—	.07		15
16	.09	.02	1.14	.02	—	.06	—	.16	.18	—	—	—		16
17	.83	.05	.68	—	—	—	—	—	.16	—	.02	—		17
18	.27	.07	.27	.06	—	—	.08	—	.61	—	.23	.14		18
19	.18	.02	.05	.03	—	.13	.31	—	.01	—	.68	.02		19
20	.80	.12	.92	.27	.02	—	—	—	.07	—	—	.16		20
21	.54	.30	.31	—	.10	—	.09	—	—	.08	.03	.01		21
22	.14	.05	.10	—	.24	.01	.30	—	—	.47	.78	.08		22
23	.26	.22	—	—	.14	—	.01	—	—	.23	.11	—		23
24	.56	.41	.01	—	—	—	.01	—	.01	.60	—	.03		24
25	.01	.83	—	—	.09	—	—	—	.05	.65	—	.01		25
26	—	.43	.04	—	.31	—	—	—	—	—	—	.01		26
27	—	.43	—	.11	—	—	—	—	—	.70	.01	—		27
28	—	.02	—	—	—	—	—	—	—	.20	—	.03		28
29	.03	✕	—	—	—	.01	—	—	—	.77	.01	.01		29
30	.25	✕	—	—	—	—	—	—	—	—	.10	—		30
31	.22	✕		✕	—	✕	—	—	✕	.59	✕	—		31
TOTAL	5.79	5.65	5.35	2.10	2.49	0.88	2.98	1.45	1.94	4.46	1.98	3.07	Year's Total 38.~~[illegible]~~	38.14 ✓
* Days with .01 in. or more.	23	23	19	16	12	10	14	5	15	11	13	20	181	✓
* Days with .04 in. or more.	19	19	18	11	11	7	9	4	11	11	7	10	137	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R P Dawson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~9225~~ 2220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Kentchurch Rectory

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 220 ft.

~~Retn in R13 file~~

June entries estimated from nearby stns

Inc

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·02	—	—	—									1
2	·02	—	—	04	·07	·89								2
3	·02	—	—	—	·22	—								3
4	—	·04	—	01	—	·05								4
5	—	·01	—	—	—	·01								5
6	·13	—	—	—	—	·07								6
7	·01	—	—	—	—	—								7
8	·43	—	—	—	—	—								8
9	·15	—	—	—	—	—								9
10	·02	—	—	—	—	·05								10
11	·19	—	—	—	—	—								11
12	·26	—	—	—	·16	—								12
13	·02	—	—	—	·07	—								13
14	·80	—	—	—	·08	—								14
15	·27	—	·01	—	·08	—								15
16	·25	—	—	—	—	—								16
17	—	·08	—	—	·01	—								17
18	·10	—	—	—	·04	·04								18
19	—	—	—	—	—	—								19
20	·09	—	—	—	—									20
21	—	—	—	—	—									21
22	—	—	—	·11	—	✓								22
23	—	—	—	02	—									23
24	·07	—	·01	—	·09									24
25	·02	·26	·01	—	·10									25
26	·15	·29	—	—	·20	·55 ✗								26
27	·02	·02	—	—	·32	✗								27
28	·10	·02	—	—	·08	✗								28
29	·14	X	—	—	·49	✓								29
30	·02	✕	—	—	·07	✓								30
31	·19	✕	—	✕	·40	✕			✕		✕			31
TOTAL	3·47 ✓	0·74 ✓	0·03 ✓	0·18 ✓	2·48 ✓	(1·66)							Year's Total	
* Days with .01 in. or more.	23 ✓	8 ✓	3 ✓	~~2~~4	16 ✓	(12)								
* Days with .04 in. or more.	~~8~~15 ✓	4 ✓	0 ✓	2 ✓	15 ✓	(8)								

GB
4/4/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

2221

Section **A** for the entry of
AIR MINISTRY
FORM 1090.
REGIST

OPY FOR OFFICIAL USE.
ORGANIZATION.

2221
How Caple
The Chantry
1931 —— 40

780403

Kept at The Chantry,
in the County of Herefor

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

llowing

Jan. 1, following

Date	**Jan.**	**Feb.**	**March**								**Nov.**	**Dec.**	*Date*
	in.	in.	in.								in.	in.	
1		03		17	03	09	01		39	08			**1**
2	11	01			05			04	56	02	17	12	**2**
3	02			75				10	13		1.30	17	**3**
4			04	03		03	57	71	10		06		**4**
5		03		07	02	83	01		02		03	41	**5**
6		12		15	02	01	45	03			34	10	**6**
7						03	13	75	10	39	33	01	**7**
8		03		03	13	14	04	61		08	04	01	**8**
9	04	16				01		03	03		49		**9**
10	01				04	01	02	07			34		**10**
11	13	34				04			09		32		**11**
12		02			08		26		12	02			**12**
13							09	12	04				**13**
14		06	01		04	63	53	1.15	03		36		**14**
15		05		08	13		74	38	04		01	07	**15**
16		24		05	39	61		90	10				**16**
17	01	08		12	26	04	16	05	08	02	04		**17**
18	05	01	03	27		09	03	35	02		24		**18**
19		05		05		43	01	24			01		**19**
20		07	17					14			02	03	**20**
21	20			01	37						05		**21**
22	14		04		12			14					**22**
23	10			36	77	22					31	20	**23**
24	01	02		25	16		23						**24**
25	14			54			36				04	01	**25**
26				01			04				38		**26**
27	10	49	04		90		15				06		**27**
28	05	08	08	08	17		33			01		06	**28**
29	02		02		29					13	06	02	**29**
30		×											**30**
31	20	×		×	03	×			×		×	02	**31**
TOTAL	1.33	1.89	.43	3.02	4.00	3.21	4.16	5.81	1.85	.75	5.00	1.23	YEAR'S TOTAL 32.68
*Days with ·01 in. or more.	16	18	8	17	19	15	19	17	15	8	22	13	187
*Days with ·04 in. or more.	11	11	5	13	15	10	14	15	11	4	18	7	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. J. Maclean. [P.T.O.

2221

Section **A** for the entry of
AIR MINISTRY

OPY FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Chantry, How Caple,
in the County of Hereford.

Station No. 2221.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
„ Ground „ Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		03		17	03	09	01		39	08			1
2	11	01			05			04	56	02	17	12	2
3	02			75				10	13		1.30	17	3
4			04	03		03	57	71	10		06		4
5		03		07	02	83	01		02		03	41	5
6		12		15	02	01	45	03			34	10	6
7						03	13	75	10	39	33	01	7
8		03		03	13	14	04	61		08	04	01	8
9	04	16				01		03	03		49		9
10	01				04	01	02	07			34		10
11	13	34				04			09		32		11
12		02			08		26		12	02			12
13							09	12	04				13
14		06	01		04	63	53	1.15	03		36		14
15		05		08	13		74	38	04		01	07	15
16		24		05	39	61		90	10				16
17	01	08		12	26	04	16	05	08	02	04		17
18	05	01	03	27		09	03	35	02		24		18
19		05		05		43	01	24			01		19
20		07	17					14			02	03	20
21	20			01	37						05		21
22	14		04		12			14					22
23	10			36	77	22					31	20	23
24	01	02		25	16		23						24
25	14			54			36				04	01	25
26				01			04				38		26
27	10	49	04		90		15				06		27
28	05	08	08	08	17		33			01		06	28
29	02		02		29					13	06	02	29
30		×											30
31	20	×		×	03	×			×		×	02	31
TOTAL	1.33	1.89	.43	3.02	4.00	3.21	4.16	5.81	1.85	.75	5.00	1.23	YEAR'S TOTAL 32.68
*Days with ·01 in. or more.	16	18	8	17	19	15	19	17	15	8	22	13	187
*Days with ·04 in. or more.	11	11	5	13	15	10	14	15	11	4	18	7	134

40-9999

(Signed) M. I. Maclean. [P.T.O.

*See Instruction 2 (*f*) on other side.

2221

Section **A**

COPY FOR OFFICIAL USE.

for the entry of Daily Observations.

Station No 2221

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Chantry, How Caple

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·01		·03	·88			·08	·03	·21	·02		1
2				·10	·17			·01				·08	2
3	·01	·01		·79	·01		·01		·12	·01	·02	·02	3
4				·13					·01		·61		4
5	·32	·02	·07		·01				·11				5
6	·34		·02	·07	·04				·40				6
7	·06		·11	·04	·08				·13	1·05			7
8			·15						·49	·32			8
9	·70	·03			·15					·01			9
10	·66			·03	·04	·04			·08	·20			10
11	·01		·02	·15	·01	·03	·04		·02		·02	·08	11
12	·23			·01	·37		·06		·19	·19	·05	·01	12
13	·06	·02		·10	·07		·70	·12		·01	·02	·13	13
14	·41			·01	·01		·02	·20		·02	·06	·07	14
15				·02	·56		·04			·03	·05	·02	15
16	·29			·26	·25		·19						16
17							·01				·01		17
18					·13				·16		·17		18
19	·03			·02	·05				·04	·04			19
20				·34	·91		·04	·12		·61	·05	·04	20
21	·01		·14	·11	·28			1·54		·42	·02	·12	21
22	·01			·04	·08		·11		·82	·08	·06	·01	22
23		·03			·45		·01		·07	·30	·04	·07	23
24	·03	·02					·03		·16	·05		·02	24
25	·01				·04		·01			·24	·04		25
26			·08	·06	·46		·15			·09			26
27			·57	·17	·15		·07			·24		·05	27
28			·07	·06	·25		·08	·22			·01		28
29			·32	·11	·46	·16	·03		·32	·33		·47	29
30		✕	·06	·09		1·00	·58	·11	·69		·25	·12	30
31		✕	·02	✕		✕	·33		✕		✕	·31	31
TOTAL	3·24	·14	1·63	2·74	5·91	1·23	2·51	2·40	3·84	4·45	1·50	1·62	YEAR'S TOTAL 31·21
*Days with ·01 in. or more.	17	7	12	22	25	4	19	8	17	20	17	16	184
*Days with .04 in. or more.	10	-	9	16	21	3	12	7	14	15	10	11	128

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) M. F. Maclean

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2221~~ 2221

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Chantry, Ross

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·48	·10	·06							·09	·01	·06		1
2	·33		·34		·15	·11								2
3	·03	·10			·02									3
4	·14		·08		·13									4
5	·06		·31		·01						·01			5
6		·22			·31					·14				6
7	·02		·01		·05		·05			·25		·03		7
8	·02		·09		·11		·24			·19				8
9		·09			·01		·13			·35	·02			9
10	·08						·12	·03		1·57	·03			10
11	·06					·22	·61	·05		·01				11
12	·03				·01		·16		·22	·03				12
13					·08	·03	·28			·02	·12			13
14	·05						·07	·07		·18	·12			14
15	·42		·02			·14	·04	·11		·07	·01	·07		15
16	·08		·69			·03	·08	·03	·01	·03	·02	·02		16
17	·03		·29			·04	·02	·09	·02		·02			17
18	·06		·02			·13					·04			18
19		·01	·24			·05		·01	·34		·25	·03		19
20			·06			·21			·08		·03	·01		20
21					·05	·16		·06		·03	·02			21
22				·01				30	·16	·07		·02		22
23		·18		·14		12			·47	·58				23
24		·95		·12	·02	·95			·06	·24	·01			24
25		·72		·20	·20	·35			·39			·09		25
26		·92		·05	·26				·61	·05				26
27					·78				·02	·10		·27		27
28		·32		·35					·01	·02		·10		28
29	·06			·28	·23					·01		·02		29
30	·08	×	·01				·05		·14			·14		30
31	·23	×	·04	×		×		·06	×	·04	×			31
													Year's Total	
TOTAL	2·26	3·61	2·26	1·15	2·42	2·54	1·85	·81	2·53	4·10	·74	·86	25·13	
*Days with ·01 in. or more.	18	10	14	7	16	13	12	10	13	21	14	12	160	
*Days with .04 in. or more.	13	9	10	6	11	11	11	7	9	14	4	6	111	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) M. J. Maclean

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2221.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Chantry, Ross
in the County of Hereford.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05							·34			·05	·30		**1**
2	·11				·07				·34	·02		·14		**2**
3	·04	·04						·11	·08	·25		·25		**3**
4	·03		·05		·35				·18	·13	·11	·29		**4**
5	·01		·04		·11			·54		·03	·27	·39		**5**
6	·02		·07	·04	·42			·02		·14		·41		**6**
7	·11				·01			·15		·13	·03	·46		**7**
8	·02				·19						·09	·36		**8**
9			·19								·53	·14		**9**
10	·16		·13	·35				·11			·19	·01		**10**
11	1·05			·31			·04	·18				·27		**11**
12			·08				·17	·03				·01		**12**
13	·44		·02	·19			·07					·13		**13**
14	·03		·38	·02	·02						·18	·12		**14**
15	·02		·03		·08					·05	·35	·10		**15**
16	·09		·25		·01			·06			·05			**16**
17	·03			·03			·02		·46	·03		·22		**17**
18	·18		·10	·19					·13			·30		**18**
19			·25			·03		·04	·05	·07		·18		**19**
20	·02		·12	·05		·04			·03	·03				**20**
21						·09	·12	·18		·06		·09		**21**
22	·02		·09	·03	·02			·11	·10	·10		·26		**22**
23			·04	·16		·30		·01	·02	·05		·02		**23**
24		·38	·05	·21		·08	·01		·19			·01		**24**
25	·21	·04		·18		·01				·38		·45		**25**
26	·02		·10	·18		·11			·03	·02		·16		**26**
27	·02			·07		·03			·02	·01		·15		**27**
28				·17		·15		·16	·08			·41		**28**
29								·04	·17		·02			**29**
30	·04	×							·01	·01		·12		**30**
31		×		×		×			×	·04	×	·07		**31**
TOTAL	2·72	·46	1·99	2·18	1·28	·84	·43	2·08	1·89	1·55	1·87	5·82	Year's Total 23·11 ✓	
*Days with ·01 in. or more.	22	3	17	15	10	9	6	15	15	18	11	28	169 ✓	
*Days with ·04 in. or more.	11	3	14	12	6	6	4	12	10	11	9	24	122	

† Spare column, no entries required.

(*Signed*) M. J. Maclean

P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2221

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The Chantry, Ross,

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01		·05		·05	·02	·05		·15	·09	·08	·02		1
2						·30			·04	·10	·14	·04		2
3			·04			·05			·25	·45	·26			3
4	·04			·14		07			·07	·20	05	·10		4
5		·19	·21	·03		[illegible]2			·06	·06	·02	·01		5
6			·01	32		·39				·04	·13	·16		6
7				·34		·12				·11	·09	·05		7
8				·38						·11	·25	·05		8
9	·05			·57		·19				·45	·18	·02		9
10	·03			·16							·04			10
11	·19					·09					·30	·01		11
12	·05	·04				·20					·03			12
13	·16	·03		·17	·11				·03		·04	·15		13
14				·01	·02	·10			·12		1·05			14
15		·04		·64	·12	·15			·35		·16	·09		15
16			·13	·32		·07			·54	·04	·82	·02		16
17				·09		·12	·08	·02	·18		·20			17
18				·16	·10	·02	·01	·01		·04				18
19				·18	·16	·16	·16			06	·13	·04		19
20	·01	·27		11	·20	·02	·02				1·09			20
21		·31	·04	·02					·56	·01	·03			21
22		·08		·04					·28					22
23		·01	·04	·02				·24	·04	·66		·20		23
24	·05	·34	·06					·06	·45	·12		·16		24
25	·16	·12		·19		67				·01		·12		25
26		·27						·21	·09			·61		26
27		·05			·07	·01			·12		·04	·64		27
28		·01			·01			·06	·13			·03		28
29	·03		·01					·23	·11	03	·20	·37		29
30	·05	×		·26		·01		·35	·19	43	·43	·13		30
31		×		×		×		·03	×	·41	×	·24		31
TOTAL	·83	1·76	·59	4·15	·84	2·75	·32	1·21	3·76	3·42	5·76	3·26	Year's Total. 28·68	
* Days with .01 in. or more.	12	13	9	20	9	20	5	9	19	19	23	22	180	
* Days with .04 in. or more.	8	10	7	16	7	14	3	6	18	16	20	16	141	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. F. Maclean [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2221

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The Chantry

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in. ?

,, Ground ,, Sea Level 500 ft. 475

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·06	·01	·44		·11	·20	·01			·08	·02		1
2	·03	·01		·07		·80	·18	·02	·56		·21			2
3	·01		·04			·60	·17				·05	·06		3
4	·02		·14			·04			·17		·07	·17		4
5	·43	·04	·06		·01		·07	·05			·01	·07		5
6	·08		·04		·02	·05	·52	·04	·10		·18	·01		6
7	·02		·14			·06	·80		·01		·22	·08		7
8	·23		·11				·09		·05		·70	·03		8
9	·46		·55			·03	·61			·02		·01		9
10	·01						·22							10
11		·16		·08		·12	·05				·42			11
12				·07	·68	·48	·25		·46		·04	·23		12
13				·04		·02	·10			·06	·03	1·19		13
14				·31		·04	·27		·13		·02	·65		14
15				·04					·26		·06	·10		15
16	·15	·20		·03	·06		·05				·14	·02		16
17	·09	·76		·01	·04		·19			·09	·03	·40		17
18		·06					·46	·01		·05		·07		18
19	·64	·16	·02	·11				·07						19
20	·05	·15	·11	·09		·59			·62					20
21				·68		·05			·09					21
22	·02	·73	·14		·06		·23				·02			22
23	·09		·27	·06	·12		·16			·03				23
24	·17	·08			·02		·18		·14	·19	·02			24
25	·09		·30	·31			·21		·13	·16	·05			25
26	·15	·06	·30			·20				·01				26
27	·05		·03				·04		·13	·10		·01		27
28	·62	·05	·28	·03			·02			·03	·01	·06		28
29	·04	·07	·03			·75	·05			·04	·03	·22		29
30	·03	✕			·02	·24	·13			·64				30
31	·42	✕	·32	✕		✕	·13		✕	·22	✕	·15		31
TOTAL	3·93	2·59	2·89	2·37	1·03	4·18	5·38	·20	2·85	1·64	2·39	3·55	Year's Total 33·00	✓
* Days with .01 in. or more.	24	14	18	15	9	16	25	6	13	13	20	19	192	✓
* Days with .04 in. or more.	16	13	14	12	5	14	22	3	12	9	12	13	145	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. J. M [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2221

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Chantry Ross-on-Wye

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 500 ft.

475 ft

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·04		·21					·11		·10	·68		1
2		·21		·11						·01		·09		2
3		·15	·01		·66				·01		·02			3
4	·07	·16			·06						·01	·16		4
5	·17		·18		·07		·02							5
6	·03	·02	·14	·24			·05			·11	·03			6
7		·71	·05	·09		·07					·01			7
8		·11			·16	·02			·02		·29			8
9				·12	·14		·04		·47			·06		9
10	·03		77	·20		·05						·11		10
11			·16		·51	·06	·19					·08		11
12	·30	·16	·08		·02	·41	·01	·31	·08			·33		12
13	·01	·04	·33	·09		·46	·	·12	·04					13
14		·01	·10					·08	·02			·09		14
15	·10	·10	·02	·25			2·15		·10			·22		15
16		·01	·95	·08				·12	·23					16
17	·34	·10	·35				·01		·33		·02			17
18	·45	·07	·31	·05			·09		·75		·22	·21		18
19	·16	·03	·05	·02		·14	·28				·03	·02		19
20	·47	·07	·20	·33	·07	·01				·02		·07		20
21	·18	·28	·13		·09		·11			·02		·01		21
22	·10	·09	·12		·18	·04	·27			·45	·39	·03		22
23	·19	·11	·01		·22		·02			·24	·06			23
24	·41	·34			·03		·03		·05	·46		·02		24
25		·48			·22				·05	·32		·02		25
26		·43			·43							·02		26
27		·27		·11						·67	·02			27
28		·05								·17		·03		28
29	·07					·02				·42	·03	·02		29
30	·29	✕							·01		·07	·01		30
31	·21	✕		✕		✕			✕	·48	✕			31
TOTAL	3·65	4·14	3·92	1·90	2·86	1·24	3·27	·63	2·27	3·37	1·30	2·25	Year's Total 30·83	✓
* Days with .01 in. or more.	19	24	18	13	14	10	13	4	14	12	14	20	175	
* Days with .04 in. or more.	16	21	15	12	12	6	9	0	10	9	6	11	127	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. F. Maclean [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2221

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Chantry, Ross-on-Wye

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·01			·32		·64		·17		·21		1
2	·03			·10	·06		·14			·21	·02			2
3					·18	·08				·45				3
4	·02			·01			·10	·36		·26		·24		4
5		·01				·01	·01	·01	·02	·01				5
6	·05	·06				·08	·66		·09	·11		·09		6
7	·02						·45	·27	·07	·14		·07		7
8	·38						·03	·64	·20	·22		·04		8
9	·11						·04	·02				·80		9
10	·06	·01				·02	·03	·13		·01		·56		10
11	·24							·02			·20	·23		11
12	·22				·12		·01	·02		·26	·47	·01		12
13											·13	·56		13
14	·46				·04		·58		·02					14
15	·11				·06		·05				·02	·32		15
16	·18		·01					·01			·04	·02		16
17		·06							·07	·09				17
18	·05				·01	·11		·09	·01	·03	·27			18
19								·14	·04		·16	·07		19
20	·03										·25			20
21	·01							·06	·02		·07	·13		21
22				·02		·04		·12	·02		·27	·11		22
23				·02	·03				·08		·01	·02		23
24			·04		·09			·20	·03		·10			24
25	·10	·24	·01		·20		·05			·16	·37			25
26	·16	·32			·12	·02			·02	·18				26
27	·02	·01			·38	·19	·24	·34	·23	·09	·12	·13		27
28	·20				·07	·19	·05	·57		·01	·07	·03		28
29	·15				·34	·02	·01		·16	·06	·07	·04		29
30	·01	✕			·02	·06			·29	·02	·35	·09		30
31	·15	✕		✕	·24	✕			✕	·16	✕	·16		31
TOTAL	2·76	·71	·07	·15	1·96	1·14	2·45	3·64	1·37	2·64	2·99	3·93	Year's Total 23·81	✓
* Days with .01 in. or more.	22	7	4	4	15	12	15	17	16	19	16	21	170	✓
* Days with .04 in. or more.	15	4	1	1	12	8	10	12	9	14	15	17	118 115	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. F. Maclean

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2221

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Chantry Ross-on-Wye

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·05	·18	·12				·19		·01	·03		1
2	·02			·03				·21	·37		·10	·04		2
3	·10			·24				·25			·23	·19		3
4	·08		·32	·52	·15		·20	·12		·21	·09	·10		4
5				·61	·02		·20	·24		·13	·56	·06		5
6	·42			·02			·36		·08		·13	·17		6
7		·10					·13	·02			·36	·37		7
8	·01	·15	·40				·55	·06		·83	·26	·14		8
9		·05	·01					·12		·31	·01	·09		9
10	·42		·01			·08		·13		·11		·10		10
11		·01	·11			·02				·18	·01	·01		11
12		·05				·09				·03				12
13			·02	·12	02		·15			·33	·01	·03		13
14	45				·16	·10	·19			·09	·17			14
15	·66		·02		·10	·31	·39			·02	·21	·01		15
16	·65		·01	·04	·18		·64				·33			16
17	·56	·01			·01	·03				·01	·02			17
18	·46	·05	·02			·27	·15				·31			18
19	·12						·15							19
20	·41	·11					·09	·13			·03	·03		20
21	·11		·22	03		·06	·76	·07	·02					21
22	·26	·26	·07			·21	·08	·02		·02	·05	·01		22
23	·01			·03		·07	·20				·65			23
24	·40			·01		·11	·02			·05				24
25	·96	·14					·24	·04		·10	·11 ✓			25
26				·02				·14		·06	·32	·04		26
27	·02	·22	·11	·01		·02	·07	·03			·02	·17		27
28	·03	·10	·13			·15	·17	·01		·01	·16	·02		28
29				·35			·02	·04		·14	·04			29
30		✕		·38		·11		·03			·01	·14		30
31		✕		✕		✕	·01	·37	✕	·15	✕	·01		31
													Year's Total	
TOTAL	6·15	1·25	1·55	2·59	·76	1·63	4·77	2·03	·66	2·78	4·17	1·76	30·10	
* Days with .01 in. or more.	20	12	14	15	8	14	21	18	4	18	24	20	188	
* Days with .04 in. or more.	15	10	8	8	5	11	18	13	3	13	17	12	133.	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) M. F. Maclean [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2221 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at The Chantry Ross-on-Wye

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

,, Ground ,, Sea Level 475 ft.

Acks

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01		·10	·05						·10			1
2		·09		·04			·05				·87			2
3		·25								23	1·28	·02		3
4		·06								·11	·15	·02		4
5		08			·17					·15	·40	·03		5
6	·14	·28								·19	·02	·04		6
7		·26			·01		·05		·12			·03		7
8				·02			·03		·08	·30	·05	·11		8
9							·17	16		·25	·30	·13		9
10			01				·59	·01		·17	·04	·15		10
11				·04			·14				·39			11
12			·15			01	·33		·07	·03	·01			12
13			·50				·09				·04			13
14		·01	·06	·01	·70				·17	·21		·43		14
15			·04		·79	·07	·01		·17	·17	·11			15
16	·03	·72	·17	·02			·24		·09	·97	·70	·01		16
17			·14				·02				·01			17
18	10	·42	·39	·53						·11	·07	·12		18
19		·12	·10	·34			·81		·29	·01	·11	·01		19
20				·02			·04			·21	·01			20
21					·12	·23	·08				1·35			21
22			·05	·14	·04	·21			·01		·03			22
23		·05	·04	·04	·07	·01						·01		23
24			·01				·25							24
25	1·15													25
26	X	·15		·11	·09		·45							26
27	X 1·55	·14		·01	·06		·06				·01			27
28		·14		·90	·06							·01		28
29	·06		·04	·56	·08	·07	·03					·10		29
30	·08	✕		·33						·68				30
31	·10	✕	·01	✕		✕			✕	·55	✕			31
													Year's Total	
TOTAL	3·21	2·78	1·71	3·21	2·24	·60	3·44	·17	1·00	4·34	6·05	1·22	29·97	✓
* Days with .01 in. or more.	9	15	14	16	12	6	18	2	8	16	21	15	152	✓
* Days with .04 in. or more.	8	13	11	11	11	4	14	1	7	14	15	7	116	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) M. F. MacLean

[P.T.O.

HEREFORD(

2221/5

Herefords/1

—

2221/5

HEREFORD

HOARWITHY

1931 — 33, 1939, 40

780403

Section **A** for the entry of
AIR MINISTRY

OPY FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090.

REGIST

Kept at The Poplars, Hoarw

in the County of Hereford

. November 16 to 31 Dec

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this

owing

Jan. 1, following

Date	Jan.	Feb.	March	A							Nov.	Dec.	Date
	in.	in.	in.					in.	in.	in.	in.	in.	
1												—	1
2												.20	2
3												.18	3
4												—	4
5												.37	5
6												.09	6
7												.01	7
8												.02	8
9												Trace	9
10												—	10
11												—	11
12												—	12
13												—	13
14												—	14
15												.03	15
16											—	—	16
17											.04	—	17
18											.28	—	18
19											.02	—	19
20											.02	.03	20
21											.09	Trace	21
22											.01	—	22
23											.36	.38	23
24											.01	.01	24
25											.08	—	25
26											.52	—	26
27											.07	—	27
28											.01	.15	28
29											.07	.02	29
30		X									—	—	30
31		X		X		X				X		X	.01	31
TOTAL												1.50	YEAR'S TOTAL
*Days with ·01 in. or more.												13	
*Days with ·04 in., or more.												6	

TDM Whorstead Vicarage Suffolk.

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) Hubert J. Sitthall

[P.T.O.

HEREFORD 2221/5

Section A for the entry of [redacted] OPY FOR OFFICIAL USE.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. Hereford/1

FORM 1090.

REGISTER OF RAINFALL IN 1931 . November 16 to 31 Dec

Kept at The Poplars, Hoarwithy, Hereford
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 142 ft.

mapref. No92 1.D

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

From Whorstead Vicarage Supply

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												—	1
2												.20	2
3												.18	3
4												—	4
5												.37	5
6												.09	6
7												.01	7
8												.02	8
9												Trace	9
10												—	10
11												—	11
12												—	12
13												—	13
14												—	14
15												.03	15
16											—	—	16
17											.04	—	17
18											.28	—	18
19											.02	—	19
20											.02	.03	20
21											.09	Trace	21
22											.01	—	22
23											.36	.38	23
24											.01	.01	24
25											.08	—	25
26											.52	—	26
27											.07	—	27
28											.01	.15	28
29											.07	.02	29
30		X									—	—	30
31		X		X		X			X		X	.01	31
TOTAL											nil	1.50	YEAR'S TOTAL nil
*Days with ·01 in. or more.												13	
*Days with ·04 in. or more.												6	

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Hubert Tuthall

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 2221/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Hereford/1

1931 imp

Kept at Hoarwithy (The Poplars)

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 312 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Away – forgotten

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.01	–								–	.02	1
2	Trace	–	–								–	.15	2
3	–	Trace	–								.05	.05	3
4	.01	–	–								.72	.01	4
5	.53	.01	–								–	–	5
6	.41	–	.10								–	–	6
7	.05	–	.11								–	–	7
8	–	–	–								–	–	8
9	.87	.02*	–								–	–	9
10	.56	–	.16*								–	–	10
11	.01	–	–								.02	.08	11
12	–	–	–								.03	–	12
13		.01	–								.01	.16	13
14		–	–								.06	.08	14
15		–	–								.02	.04	15
16		–	Left Hoarwithy								–	.01	16
17		–									.01	–	17
18		–									.33	–	18
19		–									–	–	19
20	1.38	–									.03	.01	20
21		–									.02	–	21
22		–									.11	.15	22
23		.05									.04	.09	23
24		.02									Trace	–	24
25		–									–	.02	25
26		–									–	–	26
27	–	.02*									.07	.06	27
28	–	–									.01	–	28
29	–	–									.01	.54	29
30	.01	×									.33	.03	30
31	–	×		×		×			×		×	.35	31
TOTAL	4.90	.14									1.87	1.85	YEAR'S TOTAL imp.
*Days with ·01 in. or more.													
*Days with .04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Hubert Satchell

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. f686705/26 Station No. 2221/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

cf 2221-2222

Hereford/1

Kept at ~~[illegible]~~ Hoarwithy ~~Hereford~~

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 134 ft.

Absent June 1st to Oct 20.

C1931 imp

1932 imp.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50	.10	[illegible]	—	—						—	.18	1
2	.49	—	.87	—	.10						.01	—	2
3	—	.08	.10	Trace	.02						—	—	3
4	.21	—		—	.15						—	—	4
5	.09	—	.30	—	—						—	—	5
6	—	.18	.02	—	.26						—	—	6
7	.02	.01	.02	—	.06						—	.02	7
8	.02	—	.04	—	.05						—	—	8
9	—	—	Trace	—	.01						—	—	9
10	.11	.05	—	—	Trace						.04	—	10
11	—	—	—	—	—						—	—	11
12	—	—	—	—	Trace						—	.01	12
13	—	—	—	—	.08						.09	—	13
14	.07	—	—	—	—						.12	—	14
15	.40	—	.05	—	—						.01	.02	15
16	.05×	.01	.65	—	—						.05	—	16
17	—	.01×	.44	—	—						.02	—	17
18	.06	—	.03	—	—						.02	—	18
19	—	—	.25	—	—						.37	—	19
20	—	.03	.09	—	—						.01	—	20
21	—	.02	—	—	.11						.02	—	21
22	—	—	—	.01	Trace						—	—	22
23	—	.05×	—	.14	—						—	—	23
24	—	.78×	—	.11	Trace					.70	—	—	24
25	—	.33×	—	.29	.04					—	—	.10	25
26	—	.94×	—	.05	.40					.07	—	.01	26
27	—	.01	—	—	.48					.05	.01	.17	27
28	—	.15	—	.28	.08					.02	—	.08	28
29	.08		—	.54	Trace					—	—	.02	29
30	.39	×	.04	—	—					.01	—	.18	30
31	—	×	.02	×	—	×			×	.04	×	—	31
TOTAL	2.49	2.75	2.48	1.42	1.84					imp	.77	.79	YEAR'S TOTAL Imp
*Days with ·01 in. or more.	13	15	15	7	13						12	10	
*Days with .04 in. or more.	11	9	10	6	11						5	5	[illegible]

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) H. SATCHELL

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2221/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hoarwithy

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 142 ft.

Bad year

7686705/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			–	.13	.11	–	.01	–	.17	–	.03	.07		1
2			–	.02	–	–	–	.18	.30	–	.25	.02		2
3			.05	.22	–	–	–	.25	–	–	.16	.25		3
4			.17	.60	.26	–	.18	.03	.06	.19	.07	.12		4
5			–	.46	–	–	.25	.17	–	.11	.38	.02		5
6			–	–	–	–	.82	.01	–	–	.27	–		6
7			–	–	–	–	.12	.07	–	–	.56	.30		7
8			.48	.02	–	–	.92	.06	–	1.16	.43	–		8
9			–	–	.02	–	–	.23	–	.26	.03	.22		9
10			.01	–	–	.01	–	.08	.01	.22	.02	.20		10
11			.15	–	–	.02	–	.01	–	.09	.01	–		11
12			–	.03	–	.23	–	–	Trace	.05	Trace	.01		12
13			.01	.22	.02	–	.28	–	.14	.25	.01	–		13
14			.01	–	.13	.08	.33	–	–	.09	.27	–		14
15			–	.06	.11	.31	.40	–	–	–	.33	–		15
16			.04	.01	.18	–	.06	–	–	.02	.30	–		16
17			–	–	.02	.02	–	–	–	.01	.02	–		17
18			.03	–	–	.08	.20	–	–	–	.33	–		18
19			–	–	.01	–	.53	–	–	–	.01	–		19
20			–	–	–	–	.09	.35	–	–	Trace	.01		20
21			.21	–	.01	.08	2.35	.04	.02	–	–	–		21
22			.08	.02	–	.18	–	–	–	.04	.08	–		22
23			–	.02	–	.03	.26	–	–	.01	.89	–		23
24			.06	.07	–	.12	Trace	–	–	.03	–	–		24
25			.01	–	–	.01	.14	.01	–	.10	.20	–		25
26			–	.02	–	–	–	.04	–	.02	.34	.05		26
27			.13	.02	–	.03	.10	.02	–	.01	.07	.03×		27
28			.15	.02	–	.60	.24	–	–	–	.12	.09		28
29			–	.48	–	.26	.06	.02	–	.18	.03	–		29
30		X	–	.33	–	.09	–	.08	–	.02	–	.14		30
31		X	–	X	–	X	.04	.27	X	.11	X	.01		31
TOTAL	(5·75)	(1·20) 6.95	1.59	2.75	.87	2.15	7.38	1.92	.70	2.97	5.21	1.54	Year's Total 34.03	
* Days with .01 in. or more.	21	12	15	18	10	16	20	18	6	20	25	15	~~163~~	196
* Days with .04 in. or more.	16	10	9	9	5	10	19	12	4	13	17	9	~~107~~	133

Amount of rain found in gauge when I returned from London after an operation, January & February } 6.95

Left Hoarwithy on 29 December 1938.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Hubert Satchell

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2221/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

X ~~[illegible]~~

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at ~~Hoarwithy~~ X

in the County of Hereford

Diameter of Funnel of Gauge.....5.........in.

Height of top of Gauge above Ground....1....ft....–....in.

,, Ground ,, Sea Level .....141........ft.

Jan 1 - Feb 7 estd fr nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	.10	.26	–	–	–	–	–	.09	–		1
2	–	–	–	.05	–	–	.02	–	–	–	1.11	.02		2
3	–	– 4	–	–	–	–	–	–	–	.20	1.21	.01		3
4	–	(1·20) 4	–	–	–	–	.01	–	–	.08	.12	–		4
5	–	– 4	–	–	.20	–	–	–	–	.18	.41	–		5
6	–	– 4	–	–	–	–	–	–	–	.35	.03	–		6
7	–	– 4	–	–	–	–	–	–	.06	.03	–	–		7
8	–	.01	–	.03	–	–	–	–	.03	.30	.10	–		8
9	–	–	–	–	–	–	4	.16	–	.50	.34	.50		9
10	–	–	–	–	–	–	4	.02	–	.20	.03	.36		10
11	–	.01	–	–	–	–	4	–	–	–	.70	–		11
12	–	–	.15	–	–	.01	Total 4	–	.05	.01	.05	–		12
13	–	–	.45x	–	–	–	from 4	.05	–	–	.06	–		13
14	–	–	.01	–	.50	–	8th	–	.10	.14	.02	.53		14
15	–	–	.07	–	.88	.05	" ✓	–	.16	.13	.09	.02		15
16		–	.21	–	–	–	1.41 4	–	.12	.90	.58	–		16
17	–	.33	.18	–	–	–	.02	–	–	–	.02	–		17
18	–	.34	.39	.72	–	–	Trace	.01	.21	.09	.07	.10		18
19		.10	.11	.32	–	–	.75	–	.19	.01	.15	–		19
20	–	–	–	.03	–	–	–	–	.01	.17	.04	–		20
21	–	–	–	–	.15	.37	.07	–	–	–	1.19	–		21
22	–	–	–	.13	–	.08	–	–	.03	.01	.02	–		22
23	–	.02	.09	.02	–	–	–	–	–	–	–	–		23
24	–	–	–	–	.15	–	.20	–	–	–	.05	.01		24
25	–	–	–	–	–	.01	–	–	–	–	–	–		25
26		.21	.01	.03	–	–	.49	–	–	–	–	–		26
27		.15	–	.01	.11	–	.18	–	–	–	.03	–		27
28		.10	–	.67	.01	–	–	–	–	–	–	.01		28
29		–	.03	.63	–	.04	.04	–	–	–	–	.10		29
30	–	X	–	.34	–	–	–	–	–	.62	.02	–		30
31		X	–	X	–	X	–	–	X	.77	X	–		31
TOTAL	(3·00)	(2·47) ~~1.27~~	1.70	3.08	2.26	.56	3.19	.24	.96	4.69	6.53	1.66	Year's Total (30·34)	
* Days with .01 in. or more.	(10)	~~9~~ 14	11	13	8	6	16	4	10	18	23	10	143	
* Days with .04 in. or more.	(8)	~~8~~ 11	8	8	7	4	12	2	7	14	17	5	103	

Put out "d"

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(Signed) .... H. Satchell Esq .... [P.T.O. X

2222

Section **A** for the entry of Daily
AIR MINISTRY.—ME

COPY FOR OFFICIAL USE.
L ORGANIZATION.

FORM 1090.

REGISTER

No 2222

PERRYSTONE COURT

1931- 40

780403

of No 2215
2216
2217
2223

Kept at Perrystone Court
in the County of Hereford
Diameter of Funnel of Gauge 5"
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASUREME

An observer who does not conform to this rule
year in the space on the right of this paragr
Please

llowing

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						0·09			0·37	0·03			1
2	0·03			0·79			0·02	0·06	0·44	0·02	0·05	0·05	2
3				0·02	0·01		0·03	0·10	0·17		1·42	0·10	3
4	0·04						0·51	0·63	0·07		0·04		4
5		0·03		0·05		0·92	0·03				0·02	0·37	5
6	0·03	0·13		0·10			0·20	0·03	0·07	0·34	0·32	0·02	6
7				0·01		0·05	0·20	0·75		0·04	0·30	0·03	7
8		0·03		0·02	0·20	0·08		0·56	0·01		0·03		8
9		0·15					0·03	0·01			0·47		9
10								0·07	0·01	[illegible]			10
11	0·08								0·03	[illegible]			11
12	0·04	0·38					0·22	0·12	0·03				12
13		0·02			0·05		0·10	1·21	0·06				13
14		0·03			0·10	0·65	0·55	0·01	0·02		0·37		14
15		0·05		0·09	0·10		0·65	0·30	0·02				15
16		0·18		0·05	0·28	0·60		0·73	0·07				16
17				0·08		0·03	0·15	0·36					17
18	0·06		0·27	0·15		0·22	0·03	0·29		0·02	0·06		18
19		0·09	0·02	0·04		0·33		0·13			0·20		19
20											0·03		20
21	0·10				0·38						0·03	0·17	21
22	0·16				0·11			0·13					22
23				0·31	0·67	0·22						0·09	23
24				0·16	0·16		0·25						24
25	0·20			0·56			0·37				0·07		25
26							0·03				0·30		26
27	0·10	0·57	0·05	0·01	0·95		0·11			0·01	0·10		27
28	0·05		0·06	0·02	0·21								28
29	0·02			0·09	0·25		0·29			0·09	0·05		29
30		×			0·03								30
31	0·17	×		×		×			×		×		31
TOTAL	1·08	1·66	0·40	2·55	3·50	3·19	3·77	5·49	1·37	0·55	3·86	0·83	YEAR'S TOTAL 28·25
*Days with ·01 in. or more.	~~13~~	~~11~~	~~4~~	~~17~~	~~14~~	~~10~~	~~18~~	~~17~~	~~13~~	~~7~~	~~17~~	~~7~~	~~148~~
*Days with ·04 in. or more.	10	7	3	12	12	9	12	14	7	3	13	5	107

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Kathleen Hardy

accept

P.T.O.

2222

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Pennystone Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level ft.

Jan 4-5" lines.

of No 2215 2216 2217 2223

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						0·09			0·37	0·03			1
2	0·03			0·79			0·02	0·06	0·44	0·02	0·05	0·05	2
3				0·02	0·01		0·03	0·10	0·17		1·42	0·10	3
4	0·04						0·51	0·63	0·07		0·04		4
5		0·03		0·05		0·92	0·03				0·02	0·37	5
6	0·03	0·13		0·10			0·20	0·03	0·07	0·34	0·32	0·02	6
7				0·01		0·05	0·20	0·75		0·04	0·30	0·03	7
8		0·03		0·02	0·20	0·08		0·56	0·01		0·03		8
9		0·15					0·03	0·01			0·47		9
10								0·07	0·01	[redacted]			10
11	0·08								0·03	[redacted]			11
12	0·04	0·38					0·22	0·12	0·03				12
13		0·02			0·05		0·10	1·21	0·06				13
14		0·03			0·10	0·65	0·55	0·01	0·02		0·37		14
15		0·05		0·09	0·10		0·65	0·30	0·02				15
16		0·18		0·05	0·28	0·60		0·73	0·07				16
17				0·08		0·03	0·15	0·36					17
18	0·06		0·27	0·15		0·22	0·03	0·29		0·02	0·06		18
19		0·09	0·02	0·04		0·33		0·13			0·20		19
20											0·03		20
21	0·10				0·38						0·03	0·17	21
22	0·16				0·11			0·13					22
23				0·31	0·67	0·22						0·09	23
24				0·16	0·16		0·25						24
25	0·20			0·56			0·37				0·07		25
26							0·03				0·30		26
27	0·10	0·57	0·05	0·01	0·95		0·11			0·01	0·10		27
28	0·05		0·06	0·02	0·21								28
29	0·02			0·09	0·25		0·29			0·09	0·05		29
30		✕			0·03								30
31	0·17	✕		✕		✕			✕		✕		31
													YEAR'S TOTAL
TOTAL	1·08	1·66	0·40	2·55	3·50	3·19	3·77	5·49	1·37	0·55	3·86	0·83	28·25
*Days with ·01 in. or more.	~~13~~	~~11~~	~~4~~	~~17~~	~~14~~	~~10~~	~~18~~	~~17~~	~~13~~	~~7~~	~~17~~	~~7~~	~~148~~
*Days with ·04 in. or more.	10	7	3	12	12	9	12	14	7	3	13	5	107

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Kathleen Hinely

P.T.O.

2222

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 2222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Perrystone Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level ft.

:- The Residence of
Lt. General G. S. Clive CB. CMG.
D.S.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0·02		0·04	0·84		0·07				0·02		1
2				0·11	0·10		0·02		0·10				2
3			0·04	0·76	0·06								3
4				0·12					0·12		0·65		4
5	0·36												5
6	0·45			0·06	0·04				0·48				6
7	0·61		0·07	0·03	0·07				0·12	1·10			7
8			0·13		0·02				0·45	0·33			8
9	0·56			0·02	0·14					0·13			9
10	0·04	0·03		0·12									10
11				0·03		0·04	0·05		0·06			0·12	11
12					0·36		0·05		0·19	0·13	0·05		12
13							0·70	0·12	0·06		0·01	0·12	13
14	0·46				0·03			0·03		0·03		0·06	14
15					0·56		0·03				0·09		15
16	0·26			0·20	0·27		0·17			0·03			16
17				0·02									17
18					0·10				0·12		0·21		18
19				0·02	0·10		0·03						19
20				0·27	0·90			0·23		0·63	0·06		20
21			0·14		0·27		0·04	1·98		0·20	0·02	0·13	21
22				0·02	0·09				0·78	0·35	0·05		22
23		0·03			0·43		0·09		0·08	0·28		0·05	23
24		0·01			0·01		0·03		0·13				24
25							0·06			0·06	0·03		25
26	0·01		0·06	0·17	0·03		0·10			0·21			26
27			0·54	0·18	0·46		0·07			0·20		0·04	27
28			0·06		0·15	0·02	0·01						28
29			0·24	0·10	0·24	0·03	0·02	0·21		0·31		0·45	29
30		×	0·08	0·08		0·95	0·58	0·12	0·66		0·23	0·10	30
31		×		×		×	0·37	0·03	×		×	0·32	31
TOTAL	2·75	0·09	1·36	2·35	5·27	1·04	2·49	2·72	3·35	3·99	1·41	1·39	YEAR'S TOTAL 28·21
*Days with ·01 in. or more.	~~8~~	~~4~~	~~9~~	~~18~~	~~22~~	~~4~~	~~18~~	~~7~~	~~13~~	~~14~~	~~11~~	~~9~~	~~137~~
*Days with .04 in. or more.	~~7~~		~~9~~	~~12~~	~~18~~	~~2~~	~~12~~	~~5~~	~~13~~	~~12~~	~~7~~	~~9~~	~~106~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) K. M. D. Thornely

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Perrystone Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·50			0·01						0·06		0·05		1
2	0·23		0·27		0·11	0·15								2
3	0·02	0·06	0·06											3
4					0·13									4
5	0·04		0·26											5
6	0·01	0·21			0·23					0·04				6
7		0·01			0·02					0·03				7
8	0·01		0·07		0·06		0·12			0·38				8
9					0·02		0·10			0·45				9
10	0·05	0·06						0·02		1·57				10
11	0·04					0·25	0·56	0·02						11
12	0·01				0·01		0·14		0·20					12
13					0·05		0·24				0·15			13
14	0·05							0·01		0·15	0·10			14
15	0·33					0·20	0·02	0·09		0·06	0·02			15
16	0·10		0·75			0·03	0·06		0·01	0·02	0·01	0·03		16
17	0·03		0·29			0·01		0·10	0·01		0·03			17
18	0·05		0·02			0·10		0·01			0·02	0·10		18
19			0·16					0·01	0·35		0·27			19
20			0·13			0·47			0·06					20
21						0·09				0·02				21
22				0·01				0·32	0·17	0·06				22
23		0·03		0·13		0·10			0·44	0·56				23
24		1·25		0·19		0·95			0·07	0·26				24
25		0·50		0·10	0·11	0·35			0·45					25
26		0·92		0·02	0·31				0·58	0·05				26
27					1·01				0·01	0·05		0·24		27
28		0·24		0·40	0·21				0·01	0·01		0·07		28
29				0·21								0·02		29
30	0·12	×		0·01			0·03		0·17			0·13		30
31	0·08	×	0·07	×		×		0·05	×	0·05	×			31
													Year's Total	
TOTAL	1·67	3·28	2·08	1·08	2·27	2·70	1·27	0·63	2·53	3·81	0·60	0·64		22·56
*Days with ·01 in. or more.	16	9	10	9	12	11	8	9	13	17	7	7		~~128~~
*Days with ·04 in. or more.	11	7	9	5	9	9	6	4	9	13	3	5	~~90~~	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Kathleen M. L. Thurnely

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Perrystone Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level ft.

Total days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·06					0·01		0·30			0·05	0·27		1
2	0·07		0·02						0·32	0·01		0·14		2
3	0·03	0·04	0·01					0·13	0·09	0·21		0·27		3
4	0·03		0·01		0·35				0·18	0·13	0·10	0·26		4
5					0·05			0·55			0·26	0·36		5
6	0·02		0·05		0·45			0·02		0·12		0·41		6
7	0·10				0·01			0·15		0·13	0·03	0·41		7
8					0·15			0·01			0·07	0·31		8
9	0·01		0·17								0·56	0·15		9
10	0·16		0·10	0·35				0·08			0·15	0·01		10
11	1·07			0·33			0·03	0·10			0·01	0·25		11
12	0·01		0·08	0·01			0·14	0·03				0·01		12
13	0·40		0·01	0·15			0·06					0·12		13
14	0·02		0·38								0·16	0·10		14
15	0·01		0·03		0·09					0·02	0·35	0·10		15
16	0·08		0·21					0·03			0·06			16
17	0·03			0·04			0·02		0·43	0·05		0·22		17
18	0·14		0·02	0·14				0·01	0·10			0·30		18
19			0·28			0·03		0·05	0·07	0·06		0·16		19
20				0·03		0·04				0·02				20
21	0·01					0·07	0·10	0·12		0·05		0·07		21
22	0·01		0·08		0·02			0·09	0·11	0·08		0·26		22
23				0·14		0·26				0·03		0·03		23
24		0·35	0·05	0·19		0·08	0·02		0·14	0·01				24
25	0·17	0·03		0·16		0·01			0·01	0·38		0·43		25
26	0·02		0·04	0·16		0·09			0·03	0·02		0·14		26
27				0·05		0·03			0·01			0·15		27
28				0·16		0·14		0·15	0·09			0·40		28
29									0·15					29
30		×										0·12		30
31		×		×		×	0·02	0·05	×	0·03	×	0·07		31
TOTAL	2·45	0·42	1·54	1·91	1·12	0·76	0·39	1·87	1·73	1·35	1·80	5·52	Year's Total 20·86 ✓	
*Days with ·01 in. or more.	20	3	16	13	7	10	7	16	13	16	11	27	159	
*Days with .04 in. or more.	9	2	10	11	5	6	3	11	10	9	9	24	109	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

For Lt. General Sir Sidney Clive K.C.B. C.B. C.M.G. D.S.O.

(*Signed*) Kathleen Thornely

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Perrystone Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level ft.

Wet days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·01				0·03	0·02	0·04		0·10	0·10	0·14	0·01		1
2						0·37			0·15	0·09	0·19	0·05		2
3			0·04			0·04			0·34	0·42	0·24			3
4	0·03			0·13		0·07			0·05	0·20	0·05	0·69		4
5		0·17		0·02		0·02			0·04	0·04	0·04			5
6			0·22	0·32		0·37				0·02	0·05	0·15		6
7				0·35		0·07				0·08	0·09	0·03		7
8				0·40						0·13	0·25	0·05		8
9	0·04	0·01				0·20				0·51	0·18			9
10				0·13		0·01					0·03			10
11	0·21					0·05					0·27	0·01		11
12	0·05	0·04				0·21					0·03			12
13	0·15			0·15	0·10				0·02		0·03			13
14				0·04		0·12			0·16		1·00	0·14		14
15				0·62		0·13			0·26		0·13	0·09		15
16				0·30		0·07			0·46	0·05	0·76	0·02		16
17			0·14	0·08		0·13	0·08	0·01	0·01		0·17			17
18				0·15	0·11	0·01		0·01	0·14	0·04				18
19				0·18	0·13	0·17	0·13			0·05	0·11			19
20		0·33		0·08	0·19						1·07			20
21		0·26	0·05	0·02					0·58		0·03			21
22		0·09		0·02					0·22					22
23				0·07				0·21	0·04	0·65		0·04		23
24	0·04	0·35	0·09					0·05	0·40	0·13		0·33		24
25		0·11		0·18		0·64			0·04	0·01		0·10		25
26		0·31						0·21	0·10		0·03	0·54		26
27		0·04			0·05							0·70		27
28								0·06	0·10			0·03		28
29								0·16	0·11	0·03	0·17	0·34		29
30	0·08	×		0·25		0·02		0·32	0·22	0·41	0·43	0·14		30
31		×		×		×		0·05	×	0·39	×	0·23		31
TOTAL	0·61	1·71	0·54	3·49	0·61	2·72	0·25	1·08	3·54	3·35	5·49	3·09	Year's Total. 26·48	
* Days with .01 in. or more.	8	10	5	19	6	19	3	9	20	18	23	19	159	
* Days with .04 in. or more.	6	9	5	16	5	14	3	7	18	15	18	14	130	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Kathleen Thornely

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Perrystone Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 450 ft.

ave 25.5

Jones's Gauge

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·04	0·06	0·02	0·42		0·13	0·19	0·02			0·07	0·01		1
2	0·02	0·02	0·01	0·06		0·89	0·17	0·02			0·21			2
3	0·01					0·56	0·12	0·01	0·58		0·05	0·05		3
4	0·01		0·15			0·02			0·16		0·07	0·14		4
5	0·42		0·07		0·03		0·06	0·03	0·04			0·10		5
6	0·08		0·04		0·02	0·10	0·50	0·06	0·05		0·18	0·05		6
7	0·02		0·14			0·03	0·65				0·17	0·06		7
8	0·20		0·10				0·10				0·73			8
9	0·42		0·51			0·03	0·65		0·05		0·02			9
10	0·01		0·01				0·21							10
11		0·13		0·04		0·10	0·08		0·06		0·43			11
12				0·09	0·43	0·49	0·25		0·44		0·05	0·06		12
13				0·04		0·03	0·12		0·01	0·07	0·02	1·36		13
14		0·04		0·29		0·03	0·29		0·14		0·03	0·61		14
15		0·03		0·04					0·32		0·04	0·10		15
16	0·14	0·16		0·03	0·06		0·03				0·14	0·09		16
17	0·08	0·71			0·05		0·23			0·07	0·03	0·40		17
18		0·08					0·39			0·07		0·09		18
19	0·48	0·13		0·11										19
20	0·04	0·14	0·10	0·09		0·61		0·08	0·46					20
21		0·01		0·65		0·05		0·04	0·21					21
22		0·66	0·12		0·06		0·20					0·07		22
23	0·07	0·01	0·26	0·14	0·10		0·18			0·04				23
24	0·17	0·07		0·01			0·19		0·16	0·22				24
25	0·07		0·32	0·31	0·03		0·20		0·13	0·13	0·07			25
26	0·13	0·05	0·31			0·21				0·03				26
27	0·04		0·03				0·05		0·14	0·10				27
28	0·62	0·03	0·26				0·01			0·07	0·01	0·07		28
29	0·02	0·03	0·02			0·64	0·04				0·03	0·20		29
30	0·03	✕			0·01	0·25	0·10			0·65		0·01		30
31	0·44	✕	0·33	✕	0·02	✕	0·14		✕	0·16	✕	0·16		31 31·97
													Year's Total	
TOTAL	3·56	2·36	2·80	2·32	0·81	4·17	5·15	0·26	2·95	1·61	2·35	3·63	31·97	
* Days with .01 in. or more.	23	17	18	14	10	16	25	7	15	11	18	18	192	
* Days with .04 in. or more.	16	11	13	12	5	11	23	3	14	10	12	16	146	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ~~[illegible]~~ P.T.O.

LT. GEN. G. S. CLIVE. D.S.O.

H O

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Perrystone Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level ft.

Days

H.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·07	0·04		0·19					0·10	0·01	0·10	0·08		1
2		0·25	0·04	0·06					0·01	0·01		0·72		2
3		0·15			0·64									3
4	0·08	0·15	0·17		0·10			0·01				0·16		4
5	0·17										0·01			5
6	0·04	0·10	0·14	0·25	0·07		0·03			0·12	0·03			6
7		0·71	0·05	0·07			0·05							7
8		0·12			0·16						0·28			8
9				0·12	0·14	0·02			0·49			0·04 s.		9
10	0·01		0·75 s.	0·21		0·07						0·16		10
11	0·01		0·14		0·55	0·08	0·24							11
12	0·27	0·16	0·11		0·02	0·48	0·02	0·39	0·09			0·39		12
13		0·05	0·36 s.	0·10		0·44		0·19	0·05					13
14		0·01	0·10				0·35	0·07	0·02			0·08		14
15	0·11	0·06		0·24			2·17		0·05			0·22	s. rain	15
16	0·01	0·02	0·94	0·10				0·12	0·25					16
17	0·35	0·12	0·35				0·02		0·32					17
18	0·45	0·07	0·30	0·05			0·07		0·75		0·22	0·22		18
19	0·16	0·02	0·04			0·21	0·24		0·03		0·03			19
20	0·40	0·08	0·21	0·34	0·10	0·01						0·05		20
21	0·11		0·14		0·07		0·11			0·01		0·04		21
22	0·10	0·10	0·14		0·17	0·03	0·25			0·47	0·35			22
23	0·18	0·15	0·02		0·22		0·05			0·29	0·08	0·03		23
24	0·42	0·28			0·04		0·03		0·07	0·47		0·05		24
25	0·01	0·50			0·21				0·06	0·33				25
26		0·47			0·48							0·05		26
27		0·23		0·14						0·68	0·01			27
28		0·10								0·15				28
29	0·07 s.									0·48	0·03	0·05		29
30	0·26 s.	✕							0·01			0·01		30
31	0·22	✕		✕		✕			✕	0·47	✕	0·01		31
TOTAL	3·50	3·94	4·00	1·87	2·97	1·34	3·63	0·78	2·30	3·49	1·14	2·36	Year's Total 31·32	✓ ✓
* Days with .01 in. or more.	21	23	17	12	14	8	13	5	14	12	10	17	166	✓ ✓
* Days with .04 in. or more.	17	20	16	12	13	5	9	4	10	9	5	14	134	✓ ✓

S. = Snow

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Kathleen Thornely [P.T.O.

(Miss)

Nov. 29th = 0·03

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Perrystone Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level .... ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			0·01			0·31		0·65		0·18		0·16		1
2	0·05				0·06		0·16			0·18	0·01	0·01		2
3	0·02			0·08	0·17	0·08				0·38	0·01			3
4	0·03			0·01		0·02	0·08	0·45		0·26	0·01	0·28		4
5		0·05				0·01	0·01	0·02	0·02	0·01		0·01		5
6	0·05					0·06	0·78		0·09	0·17	0·01	0·11		6
7	0·03					0·01	0·46	0·26	0·06	0·06		0·05		7
8	0·36					0·01	0·07	0·56		0·22		0·04		8
9	0·05	0·03					0·05	0·02				0·74		9
10	0·08						0·04	0·12	0·03	0·01		0·57		10
11	0·23							0·02		0·01	0·19	0·24		11
12	0·24				0·08		0·01	0·05		0·20	0·33	0·01		12
13									0·01		0·20	0·56		13
14	0·46				0·03		0·60					0·31		14
15	0·10				0·06		0·05	0·01				0·02		15
16	0·21		0·03		0·01						0·04			16
17							0·01	0·01	0·10	0·08				17
18	0·06	0·06				0·12		0·11		0·04	0·25			18
19								0·16			0·17	0·06		19
20	0·04							0·01	0·02	0·01	0·25			20
21	0·02							0·06	0·25		0·07	0·17		21
22	0·01			0·02		0·04		0·02			0·19	0·07		22
23				0·02	0·02				0·10					23
24			0·05		0·07			0·28	0·04		0·09			24
25	0·10	0·24	0·02		0·21		0·05			0·17	0·41			25
26	0·15	0·26			0·11				0·03	0·18		0·17		26
27	0·02	0·03			0·38	0·24	0·25	0·29	0·22	0·10	0·09			27
28	0·19				0·04	0·23	0·05	0·53		0·02	0·08	0·04		28
29	0·14				0·32	0·03	0·02		0·15	0·03	0·07	0·03		29
30	0·03	✕			0·05	0·05			0·28	0·04	0·36	0·09		30
31	0·16	✕		✕	0·16	✕			✕	0·21	✕	0·16		31
TOTAL	2·83	0·67	0·11	0·13	1·77	1·21	2·69	3·63	1·40	2·56	2·83	3·90	Year's Total 23·73	
* Days with .01 in. or more.	24	6	4	4	15	13	16	19	14	21	19	22	177	
* Days with .04 in. or more.	17	4	1	1	12	8	12	12	9	15	15	17	122^{3}	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Perrystone Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level ....ft.

D 75

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·03		0·04	0·19	0·13				0·18		0·01			1
2			0·01	0·04				0·22	0·38		0·10	0·10		2
3	0·04			0·24				0·26			0·25	0·21		3
4	0·14		0·27	0·53	0·17		0·23	0·12		0·24	0·10	0·01		4
5				0·61	0·02		0·25	0·24		0·13	0·52	0·14		5
6	0·42						0·40				0·15			6
7	0·01	0·12					0·15	0·02			0·34	0·34		7
8	0·02	0·15	0·45				0·60	0·09		0·97	0·36			8
9		0·05						0·15		0·33	0·01	0·04		9
10	0·44		0·02			0·06		0·15		0·11		0·32		10
11		0·01	0·11							0·20	0·01			11
12		0·05				0·11				0·02				12
13				0·10	0·02	0·01	0·16		0·09	0·34				13
14	0·48		0·02		0·12	0·11	0·18			0·07	0·24			14
15	0·61			0·05	0·12	0·33	0·46			0·02	0·25			15
16	0·68		0·01		0·10		0·60				0·31			16
17	0·52	0·02				0·03				0·01	0·02			17
18	0·49	0·05	0·02			0·30	0·13				0·35			18
19	0·13						0·19			0·01				19
20	0·42						0·08	0·21				0·04		20
21	0·11	0·11	0·25	0·03			0·84	0·07	0·01					21
22	0·28	0·26	0·07			0·17	0·04			0·01	0·06			22
23	0·01		0·01	0·03		0·08	0·20				0·73			23
24	0·37			0·01		0·11	0·02			0·07				24
25	0·89	0·15					0·26	0·04		0·09	0·14			25
26	0·06	0·01						0·07		0·06	0·34			26
27	0·02	0·25	0·10			0·03	0·08	0·02			0·03	0·31		27
28	0·03	0·11	0·13			0·17	0·21	0·06			0·13			28
29				0·41			0·03			0·15	0·05			29
30		✕		0·36		0·08	0·01					0·09		30
31		✕		✕		✕	0·03	0·40	✕	0·15	✕			31
TOTAL	6·20	1·34	1·51	2·60	0·68	1·59	5·15	2·12	0·66	2·98	4·50	1·60	Year's Total 30·93	
* Days with .01 in. or more.	22	13	14	12	7	13	22	15	4	18	22	10	172	
* Days with .04 in. or more.	16	10	8	9	5	10	18	13	3	13	17	9	131	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Kathleen Thornely

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~7~~ 1940.

Kept at Perrystone Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				0·10	0·04						0·11	0·01		1
2				0·05			0·05				1·04			2
3		0·34					0·01			0·22	1·27	0·02		3
4		0·18					0·02			0·10	0·15			4
5		0·09			0·17					0·21	0·40	0·05		5
6		0·28		0·03						0·25	0·02	0·07		6
7		0·27					0·03		0·11	0·01		0·02		7
8							0·02		0·09	0·26	0·05	0·13		8
9							0·19	0·16	0·01	0·31	0·32	0·13		9
10							0·62			0·18	0·04	0·16		10
11			0·02	0·05		0·03	0·14				0·67			11
12			0·14				0·38		0·07	0·04				12
13			0·31				0·08				0·06			13
14			0·22	0·03	0·70				0·16	0·22	0·01	0·43		14
15					0·81	0·08	0·07		0·17	0·15	0·12	0·01		15
16	0·04	0·61	0·21	0·04			0·27		0·11	0·96	0·70			16
17		0·40	0·14				0·01	0·04	0·01	0·02	0·01			17
18	0·15		0·30	0·50			0·01		0·38	0·09	0·07	0·12		18
19		0·10	0·13	0·32			0·80		0·01	0·02	0·13	0·02		19
20				0·02			0·08			0·22	0·02			20
21				0·01	0·14	0·25					1·36			21
22		0·07	0·03	0·14	0·04	0·23				0·01				22
23			0·05	0·05		0·03					0·05	0·01		23
24							0·42							24
25								0·01	0·01					25
26	1·18	0·10		0·09	0·10		0·49							26
27	0·77	0·14	0·01	0·02	0·07		0·05							27
28	1·04	0·13		0·80	0·08		0·03							28
29	0·07	0·01		0·59	0·07	0·07						0·13		29
30	0·10	✕	0·03	0·36						0·69		0·01		30
31	0·07	✕		✕		✕			✕	0·68	✕			31
TOTAL	3·42	2·72	1·59	3·20	2·22	0·69	3·77	0·21	1·13	4·64	6·60	1·32	Year's Total 31·51	
* Days with .01 in. or more.	8	13	12	17	10	6	20	3	11	19	20	15	154	
* Days with .04 in. or more.	8	12	8	13	10	4	13	2	7	15	16	8	116	

† Spare column, no entries required.

(Signed) Walter J. L. Thornely [P.T.O.

* See Instruction 3 (f) on other side.

HOW CAPLE [G

Section **A** for the entry of
AIR MINISTR

FORM 1090

REGIS

—

222/2
HOW CAPLE
GARRAWAY HOUSE
1939 — 40

780403

ation No.
L ORGANIZATION

2222/2

/27

Kept at Garraway Ho
in the County of
Diameter of Funnel of Gauge... f
Height of top of Gauge above Gro
,, Ground ,, Sea

% Croome, Worcester.
'd from
as shown below.

THE MORNING MEASURE **DAY**

An observer who does not conform t *llowing*
year in the space on the right of th

Ple

Jan. 1, following

Date	Jan.	Feb.	Mar.	Ap								Dec.		Date
	in.	in.	in.									in.	†	
1							.	.	.08	.	.02	.		1
2							.	.21	.27	.	.10	.07		2
3							.	.25	.02	.	.20	.18		3
4							.18	.09	.	.17	.05	.11		4
5							.18	.27	.	.09	.37	.		5
6						(–)	.42	.	.	.	.16	.		6
7							.13	.04	.	.	.33	.30		7
8							.62	.09	.	.82	.32	.12		8
9							.	.11	.	.29	.03	.08		9
10						.06	.	.14	.	.26	.	.12		10
11						.02	.	.	.	.29	.	.01		11
12						.05	.	.	.	.04	.01	.		12
13						.	.14	.	.15	.30	.	~~.20~~		13
14						.08	.15	.	.	.08	.20	.		14
15						.27	.40	.	.	.02	.21	.		15
16						.	.38	.	.	.	.35	.		16
17						.02	.	.	.	.01	.	.		17
18						.20	.11	.	.	.	.35	.		18
19						.	.21	.	.	.	.	.		19
20						.	.10	.20	.	.	.	.03		20
21						.	.86	.08	.	.	.	.		21
22						.25	.04	.	.	.03	.05	.		22
23						.05	.37	.	.	.	.71	.		23
24						.08	.01	.	.	.06	.	.		24
25						.	.30	.03	.	.11	.12	.		25
26						.	.	.	.	.06	.31	.05		26
27						.02	.08	.13	.	.02	.02	.19×		27
28						.32	.20	.01	.	.	.14	.		28
29						.02	.02	.01	.	.13	.05	.		29
30		✕				.14	.	.03	.	.	.	.15×		30
31		✕		✕		✕	.02	.41	✕	.11	✕			31
TOTAL						1.58	492	210	.52	2.89	4.10	1.41	Year's Total ~~[illegible]~~	
* Days with .01 in. or more.						14	21	16	4	18	21	12	~~106~~	
* Days with .04 in. or more.						10	18	12	3	14	17	10	~~84~~	

WH

* See Instruction (f) ~~on other~~ side.

⊗ Snow

F. W. BURNETT ESQ

† Spare column, no entries required.

(Signed) F. W. Burnett [P.T.O.

HOW CAPLE [9 [redacted]

Section **A** for the entry of [redacted] ation No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

2222/2

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Garraway House, How Caple
in the County of Hereford.
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground 2 ft. – in.
,, Ground ,, Sea Level 170 approx.

File number 814456/27
Late address
Levant Lodge, Earl's Croome, Worcester.
Entries June 1–9th est'd from nearby, this
Record commenced as shown below.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1							.	.	.08	.	.02	.		1
2							.	.21	.27	.	.10	.07		2
3							.	.25	.02	.	.20	.18		3
4							.18	.09	.	.17	.05	.11		4
5							.18	.27	.	.09	.37	.		5
6						(–)	.42	.	.	.	.16	.		6
7							.13	.04	.	.	.33	.30		7
8							.62	.09	.	.82	.32	.12		8
9							.	.11	.	.29	.03	.08		9
10						.06	.	.14	.	.26	.	.12		10
11						.02	.	.	.	.29	.	.01		11
12						.05	.	.	.	.04	.01	.		12
13						.	.14	.	.15	.30	.	[illegible]		13
14						.08	.15	.	.	.08	.20	.		14
15						.27	.40	.	.	.02	.21	.		15
16						.	.38	.	.	.	.35	.		16
17						.02	.	.	.	.01	.	.		17
18						.20	.11	.	.	.	.35	.		18
19						.	.21	.	.	.	.	.		19
20						.	.10	.20	.	.	.	.03		20
21						.	.86	.08	.	.	.	.		21
22						.25	.04	.	.	.03	.05	.		22
23						.05	.37	.	.	.	.71	.		23
24						.08	.01	.	.	.06	.	.		24
25						.	.30	.03	.	.11	.12	.		25
26						.	.	.	.	.06	.31	.05		26
27						.02	.08	.13	.	.02	.02	.19×		27
28						.32	.20	.01	.	.	.14	.		28
29						.02	.02	.01	.	.13	.05	.		29
30		X				.14	.	.03	.	.	.	.15×		30
31		X		X		X	.02	.41	X	.11	X			31
TOTAL						1.58	4.92	2.10	.52	2.89	4.10	1.41	Year's Total ~~17.52~~	
* Days with .01 in. or more.						14	21	16	4	18	21	12	~~106~~	
* Days with .04 in. or more.						10	18	12	3	14	17	10	~~84~~	

WH

† Spare column, no entries required.

* See Instruction ~~X~~ (f) ~~on other~~ side. ⊗ Snow

(Signed) F. W. Burnett

X F. W. BURNETT ESQ X

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2222/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~39~~40

Kept at Carraway House, How Caple –

in the County of Hereford

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 2 ft. — in.

,, Ground ,, Sea Level 170 ft.

1939 N.P. Imp

f. 814455/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.	.	.06	.03	.	.	.	.	.	.09	.		1
2	.	.	.	.05	.	.	.04	.	.	.	.93	.		2
3	.	.30	.	.	.	.	.	.	.	.21	1.09	.02		3
4	.	.04	.	.	.	.	.	.	.	.10	.21	.		4
5	.	.07	.	.	.15	.	.	.	.	.16	.33	.05		5
6	.16	.27	.	.	.	.	.	.	.	.21	.03	.06		6
7	.	.20	.	.	.	.	.03	.	.05	.	.	.04		7
8	.	.	.	.	.	.	.	.	.29	.22	.05	.11		8
9	.	.	.	.03	.	.	.18	.12	.	.34	.22	.11		9
10	.	.	.	.	.	.	.49	.	.	.19	.04	.22		10
11	.	.	.	.05	.	.03	.10	.	.	.	.44	.		11
12	.	.	.02	.	.	.	.36	.	.05	.03	.01	.		12
13	.	.	.02	.	.	.	.03	.	.	.	.04	.01		13
14	.	.01 x	.48 x	.	.57	.05	.13	.04	.13	.16	.	.39		14
15	.	.	.04	.	.81	.	.	.	.44	.25	.09	.		15
16	.	.06 x	.14	.06	.	.	.33	.	.12	.91	.64	.		16
17	.	.37 x	.16	.	.	.	.02	.	.	.01	.03	.		17
18	.09 x	.11	.33	.58	.	.	.01	.	.	.06	.08	.13		18
19	.	.	.04	.31	.	.	.68	.	.25	.	.08	.01		19
20	.	.	.	.03	.	.	.02	.02	.02	.20	.02	.		20
21	.	.	.	.	.	.27	.09	.	.	.	1.21	.		21
22	.	.	.05	.12	.13	.23	.	.	.01	.	.	.		22
23	.	.06	.05	.04	.04	.02	.	.	.	.	.03	.		23
24	.	.	.	.	.	.	.25	.02	.	.	.01	.		24
25	.02	.	.	.	.	.	.	.	.	.	.	.		25
26	1.02	.14	.	.05	.09	.	.48	.	.	.	.01	.		26
27	.86	.10	.	.03	.08	.	.02	.	.	.	.	.		27
28	.55 x	.09	.	.68	.07	.	.03	.	.	.	.	.02		28
29	.04 x	.	.04	.39	.04	.06	.	.	.	.	.	.10		29
30	.05 x	✖	.	.27	.	.	.	.	.	.62	.	.		30
31	.	✖	.02	✖	.	✖	.	.	✖	.52	✖	.		31
TOTAL	2.79	1.82	1.49	2.75	2.01	.66	3.29	.20	1.04	4.19	5.68	1.27	Year's Total 27.19	Print
* Days with .01 in. or more.	8	13	12	15	10	6	18	4	8	16	22	13	147	WH.
* Days with .04 in. or more.	7	13	9	12	9	4	11	2	7	14	16	9	111	

* See Instruction 3 (f) on other side. X Snow

0

† Spare column, no entries required.

(*Signed*) F. W. Burnett.

X F W Burnett Esq X

[P.T.O.

Section **A** for the entry of
AIR MINISTR

...ation No. 2222/5
...L ORGANIZATION

FORM 1090

REGIS

Kept at ~~Church Farm~~, Muc...

in the County of ..Herefords...

Diameter of Funnel of Gauge........

Height of top of Gauge above Gro...

,, Ground ,, Sea

THE MORNING MEASURE... ...DAY

An observer who does not conform t... ...*llowing*
year in the space on the right of thi...

Plea...

reference to ~~Feb.~~

/35

Jan. 1, following

—

2222/5
MUCH DEWCHURCH
1939-40

780403

Date	Jan.	Feb.	Mar.	Ap								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								–	·8	–	·07	·02		1
2								·12		–	·21	—		2
3								·18	–	–	·12	·38		3
4								·12	·33	·34	·04	·08		4
5								·13	–	·19	·52	—		5
6								–	–	–	·27	—		6
7							(2·00)	·06	–	–	·47	·31		7
8								·08	–	·70	·43	– ✓		8
9								·21	–	·36	×	×		9
10								·08	–	·24	·04	·25		10
11								–	–	·12	×	✓ –		11
12								–	–	·03	–	–		12
13								–	·20	·05	·04	–		13
14								–	–	–	·35	–		14
15								–	–	✓	·29	—		15
16								–	–	·05	·28	–		16
17								–	–	–	–	—		17
18								–	–	–	·27	—		18
19								–	–	–	–	–		19
20								·30	–	–	–	·03		20
21							·81	·05	–	—	–	–		21
22							·01	–	·05	·04	·09	—		22
23							·25	–	·06	·07	·82	–		23
24							tr	–	–	·05	–	—		24
25							tr	–	–	·09	·18	—		25
26							·04	·05	–	–	×	×		26
27							·07	·04	–	·11	·32	×		27
28							·14	–	–	–	·11	×		28
29							·07	–	–	·16	–	·20		29
30		✕					·01	·11	–	·02	–	–		30
31		✕		✕		✕	·03	·27	✕	·10	✕	·12		31
TOTAL							(3·43) ~~·63~~	1·80	·72	2·72	4·92	1·39	Year's Total ~~12·18~~	
* Days with .01 in. or more.							9	14	5	~~17~~ 18	~~19~~ 20	~~8~~ 13		
* Days with .04 in. or more.							6	14	5	13	~~19~~ 20	~~6~~ 9		

† Spare column, no entries required.

for River Wye Catchment Bd

* See Instruction 3 (f) on other side.

(Signed) ....J. W. Edwards.......... [P.T.O.

Section **A** for the entry of Daily Observations Station No. 2222/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ~~[illegible]~~, Much Dewchurch

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ....ft.

July 1st–14th est'd by reference to nearby stns. Lab.

467239/35

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								–	·8	–	·07	·02		1
2								·12		–	·21	—		2
3								·18	–	–	·12	·38		3
4								·12	·33	·34	·04	·08		4
5								·13	–	·19	·52	—		5
6								–	–	—	·27	—		6
7							(2·00)	·06	–	–	·47	·31		7
8								·08	–	·70	·43	— ✓		8
9								·21	–	·36	+	+		9
10								·08	–	·24	·04	·25		10
11								–	–	·12	+	– ✓		11
12								–	–	·03	–	–		12
13								–	·20	·05	·04	–		13
14								–	–	–	·35	–		14
15								–	–	✓	·29	—		15
16								–	–	·05	·28	–		16
17								–	—	–	–	—		17
18								–	–	–	·27	—		18
19								–	–	–	–	–		19
20								·30	–	–	–	·03		20
21							·81	·05	–	—	–	–		21
22							·01	–	·05	·04	·09	—		22
23							·25	–	·06	·07	·82	–		23
24							tr	–	–	·05	–	—		24
25							tr	–	–	·09	·18	–		25
26							·04	·05	–	–	+	–		26
27							·07	·04	–	·11	·32	–		27
28							·14	–	–	–	·11	+		28
29							·07	–	–	·16	–	·20		29
30		✕					·01	·11	–	·02	–	–		30
31		✕		✕		✕	·03	·27	✕	·10	✕	·12		31
TOTAL							(3·43) ~~·63~~	1·80	·72	2·72	4·92	1·39	Year's Total ~~12·18~~	
* Days with .01 in. or more.							7	14	5	1~~7~~8	~~19~~20	~~8~~13		
* Days with .04 in. or more.							6	14	5	13	~~19~~20	~~4~~9		

for River Wye Catchment Bd

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

Mr. (Signed) J. W. Edwards Esq.

[P.T.O.

MUCH DEWCHURCH COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2222/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~39~~40.

Kept at Church Farm, Much Dewchurch.

in the County of Herefordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level c 350 ft.

Get est(d) from nearby stns Jan & Feb app(d)

Copy by B.R.O.

np inc. 1939

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			-		·18	–	–	–	–		–4	–		1
2		4	-	09	–	–	–	–	–		4 1·00	–		2
3		4	-	tr	–	–	–	–	–	4	4 1·32	tr		3
4		4	-	tr	–	–	–	–	–	4	4			4
5		✓	-	-	·19	–	–	–	–	4	4	4		5
6	·11	✓	-	-	–	–	–	–	–	4	✓	4		6
7		4 ~~1·64~~	-	tr	–	–	·11	–	–		1·13	4 ·17		7
8		(1·34)	-	tr	–	–	·21	–	–	4	✓	4		8
9			-	tr	–	–	–4	–	–	4	4	4 ·52		9
10			✓	-	–	–	–4	·06	–	4	✓	4		10
11			·17	-	–	–	4	–	–		4	tr		11
12			4	tr	–	–	4	–	–		✓			12
13			4 ·55	tr	–	–		–	·38		4	·80		13
14			4	tr	·27	–	·62	–		4	✓	·40		14
15			✓	tr	·98	–		–		4	4	tr		15
16		·48	4 ·23	-	–	·08	4	·03	·34	4	4	-		16
17			4	-	–	–		–	–	4	✓	tr		17
18	·17	·30	4	-	–	–		–	–		4	-		18
19			✓ ·39	~~·79~~	–	–	4 ·43	–	–		4 1·90	·09		19
20			✓ ·07	-	–	–	4 ·04	–	–	4	✓	-		20
21				·28	·14	·26	-	–	–		4	–		21
22			✓	-	4 –	–	-	–	–			–		22
23			·07	·18	4	–	·26	–	–			–		23
24			-	-	✓	–	4	–	–		1·29	–		24
25	✓		-	-	–	–	–	–	–			–		25
26	4	·34	-	tr	4	–	·47	–	–			–		26
2 53 27	4		-	-	4 ·27	–	–	–	–			–		27
28	4 1·92	·37	-	-	–	–	–	–	–			–		28
29	✓		·08	33	–	–	·03	–	–			–		29
30	·61	✕	tr	51	–	·23	–	–	–	4		·12		30
31	4 (·30)	✕	tr	✕	–	✕	–	–	✕	4	✕	–		31
TOTAL	3.11 ~~2·81~~	2.83 ~~3·13~~	1·56	2·18	2·~~1~~03	·57	2·17	·09	·72	(4·40)	6·64	2·10	Year's Total 28·40	✓
* Days with .01 in. or more.	~~8~~	~~10~~	~~12~~	~~6~~	~~6 10~~	~~3~~	~~12 8~~	~~2~~	~~2~~	~~14~~	~~20~~	~~10~~	~~105~~	~~109~~"
* Days with .04 in. or more.	6	9	~~7~~ 8	6	~~6~~ 9	3	~~11~~	1	2	14	14	10	~~99~~	92 "d"

* See Instruction 3 (f) on other side.

* Per R. Wye C. Board.

† Spare column, no entries required

(Signed) C. S. Langley *

[P.T.O.

FORM 1090. **B** M
Su

2223

2223
BROCKHAMPTON COURT
1932

780403

*** The following register of mont
&c., is NOT required if daily
values are given on the other s

and also the space for

register should be sent:—

Court Hereford

RAINFALL IN 1932

At Brockhampton C

In the County of Herefor

in Summer 9. am

3 miles Direction from gauge West

1 mile Direction from gauge North

Rain Gauge
- Diameter of Funnel (6)
- *Height of Top above Ground* 1 *ft.*
- *Height of Ground above Sea Level*

Month.	Total Depth.	Greatest Fall in 24 hours.		N D or or	
	Inches.	Inches.	Date.		
JAN.	1·29				
FEB.	1·70				
MAR.	·44				
APRIL	3·30				
MAY	3·60				
JUNE	3·63				
JULY	4·2				
AUG.	5·3				
SEPT.	1·76				
OCT.	·60				
NOV.	5·24				
DEC.	1·18				
Total	31·84				

Directions from gauge ..

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature H.C. Dredge

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B**

2223.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Brockhampton Court

In the County of Hereford

Rain Gauge

Diameter of Funnel 6 8 in.

Height of Top above Ground 1 *ft* — *in.*

Height of Ground above Sea Level *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·29				
FEB.	1·75				
MAR.	·44				
APRIL	3·30				
MAY	3·60				
JUNE	3·63				
JULY	4·2				
AUG.	5·3				
SEPT.	1·76				
OCT.	·60				
NOV.	5·24				
DEC.	1·18				
Total	31·84				

Signature A.C. Dredge

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

A.C. Dredge
The Gardens Brockhampton Court Hereford

Hour of observation by the clock—in Winter 9. am in Summer 9. am

Nearest Railway Station Fawley Distance 3 miles Direction from gauge West

Nearest Parish Church at Brockhampton Distance ½ mile Direction from gauge North

Nature of objects nearest to gauge				
Heights of objects				
Distances ..	Same			
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

2225

Section **A** for the ent

AIR MINI

FORM 1090.

REG

Kept at ...... LADY

in the County of ...... YO

HERE

Diameter of Funnel of Gauge

Height of top of Gauge above G

,, Ground ,, S

THE MORNING ME

No

2225.

LADYWELL HOUSE

1931 - 40

780403

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·01		·15		·02			·47	·07		·01	1
2	·07	·01	·02	·23	·12			·12	·37	·01	·37	·31	2
3	·01		·01	·58				·06	·19		2·38	·11	3
4	·01		·01	·05			·40	·64	·08		·28	·01	4
5		·02		·08	·01	1·55	·08	·04			·02	·41	5
6	·02	·18		·21	·08	·06	·07				·26	·02	6
7		·06		·01		·03	·81	·68	·01	·16	·61	·01	7
8		·02				·03		·35			·12	·01	8
9		·26				·08	·01		1·00		·78		9
10		·09			·03	·08	·03				·79		10
11		·41	·04			·03	·07	·01	·05		·15		11
12	·07	·11	·01				·08	~~·38~~	·06				12
13	·01	·02	·07		·04	·01	·10	·38 ~~·74~~	·02		·28		13
14		·01			·14	·85	·40	·74	·04		·15		14
15		·03		·02	·01	·06	·26	1·09	·01			·08	15
16		·22		·27	·23	80 ~~80~~	·13	·13	·07			·01	16
17		·17		·18	·19	·15		·01	·01				17
18		·02	·07	·15		·28	·03	·29			·46		18
19				·02		·28		·46					19
20	·02	·03	·12	·04		·01	·01	·16			·17	·01	20
21	·46		·02		·26			·02			·16	·05	21
22	·43				·06		·02				·02	·04	22
23	·14			·55	·46		·04				·38		23
24	·09			·70	·06	·02	·29		·01	·01	·03	·03	24
25	·14	·05		·30			·11			·01	·08		25
26	·16		·06	·02						·02	·41		26
27	·11	·40	·20	·01	2·71		·03			·07	·01		27
28	·17	·11		·04	·43		·15				·09	·25	28
29	·06	×			·16		·28	·01		·05	·07	·03	29
30		×			·02		·02		·04				30
31	·37	×		×	·03	×			×		×		31
TOTAL	2·43	2·23	·63	3·61	5·04	4·34	3·42	5·19	2·43	·40	8·07	1·39	YEAR'S TOTAL 39·18
*Days with ·01 in. or more.	18	20	11	19	18	17	22	17	15	8	23	16	204
*Days with ·04 in. or more.	13	11	6	14	13	10	15	13	10	4	19	7	135

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A L Wood [P.T.O.

2225

Section **A** for the ent Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at A. S. WOOD. LADYWELL HOUSE.
in the County of VOWCHURCH. HEREFORDSHIRE.
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground ~~1~~ 1 ft. in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·01		·15		·02			·47	·07		·01	1
2	·07	·01	·02	·23	·12			·12	·37	·01	·37	·31	2
3	·01		·01	·58				·06	·19		2·38	·11	3
4	·01		·01	·05			·40	·64	·08		·28	·01	4
5		·02		·08	·01	1·55	·08	·04			·02	·41	5
6	·02	·18		·21	·08	·06	·07				·26	·02	6
7		·06		·01		·03	·81	·68	·01	·16	·61	·01	7
8		·02				·03		·35			·12	·01	8
9		·26				·08	·01		1·00		·78		9
10		·09			·03	·08	·03				·79		10
11		·41	·04			·03	·07	·01	·05		·15		11
12	·07	·11	·01				·08	~~·38~~	·06				12
13	·01	·02	·07		·04	·01	·10	·38 ~~76~~	·02		·28		13
14		·01			·14	·85	·40	·74	·04		·15		14
15		·03		·02	·01	·06	·26	1·09	·01			·08	15
16		·22		·27	·23	80 ~~80~~	·13	·13	·07			·01	16
17		·17		·18	·19	·15		·01	·01				17
18		·02	·07	·15		·28	·03	·29			·46		18
19				·02		·28		·46					19
20	·02	·03	·12	·04		·01	·01	·16			·17	·01	20
21	·46		·02		·26			·02			·16	·05	21
22	·43				·06		·02				·02	·04	22
23	·14			·55	·46		·04				·38		23
24	·09			·70	·06	·02	·29		·01	·01	·03	·03	24
25	·14	·05		·30			·11			·01	·08		25
26	·16		·06	·02						·02	·41		26
27	·11	·40	·20	·01	2·71		·03			·07	·01		27
28	·17	·11		·04	·43		·15				·09	·25	28
29	·06				·16		·28	·01		·05	·07	·03	29
30		×			·02		·02		·04				30
31	·37	×		×	·03	×			×		×		31
TOTAL	2·43	2·23	·63	3·61	5·04	4·34	3·42	5·19	2·43	·40	8·07	1·39	YEAR'S TOTAL 39·18
*Days with ·01 in. or more.	18	20	11	19	18	17	22	17	15	8	23	16	204
*Days with ·04 in. or more.	13	11	6	14	13	10	15	13	10	4	19	7	135

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A S Wood

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ladywell House, Vowchurch

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

" Ground " Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14			·18	1·07	·01	·03	·15	·01	·06	·02	·24	1
2				·01	·17	·02	·03		·09	·02		·12	2
3				1·15						·01	·48	·11	3
4		·02		·10			·04						4
5	·97	·01	·03	·06			·02		·08				5
6	·61		·04	·28			·01		·51	·05			6
7	·02		·40						·27	2·08			7
8	·07		·01	·02					·14	·10			8
9	1·61	·08		·15	·01		·01		·01				9
10	·45			·07	·02				·26	·18			10
11	·08	·03		·12	·06	·09	·02			·01		·10	11
12	·58	·01			·20			·05	·16	·17		·02	12
13	·16	·01		·22	·01		·46	·27			·01	·11	13
14	·36			·06	·14			·02		·01		·04	14
15	·03			·03	·06		·02			·04	·02	·14	15
16	·56			·44			1·51				·01		16
17	·01			·05	·27				·03		·01		17
18					·42				·02	·02	·45		18
19				·14	·09			·01		·09	·01		19
20				·17	·49			1·12		·40	·03	08 ·08	20
21			·04	·18	·14			·70		1·09	·12	·40	21
22			·02		·26		·03		·46	·15	·07	·18	22
23	·01	·01	·17		·25		·02		·14	10 ·10	·09	·10	23
24	·03	·05							·15	·39	·11	·02	24
25							·02		·06			·02	25
26			·12	·13	·09		·06	·01	·01	·04	·05	·03	26
27			·59	·34	·29		·19			·12		·02	27
28			·11	·01	·32	·02	·05			·06		·06	28
29			·61	·05	·51	·03		·31	·45	·90	·27	·45	29
30		×	·16	·12	·02	1·14	·29		·26	·06	·25	·01	30
31		×	·01	×		×	·16	·01	×	·01	×	·51	31
TOTAL	5·69	·22	2·31	4·08	4·89	1·31	2·97	2·65	3·11	6·16	2·00 ~~·16~~	2·76	YEAR'S TOTAL 38·15
*Days with ·01 in. or more.	16	8	13	23	21	6	18	10	18	24	16	20	193
*Days with ·04 in. or more.	11	2	9	19	17	2	8	6	13	18	9	14	128

40-9999 The total for 1932 is 2·25" below the average of the previous 20 years.

*See Instruction 2 (*f*) on other side.

(*Signed*) A. S. Wood

P.T.O.

2225

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. ~~2225~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ladywell House, Vowchurch

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·41	·14	·15		·12					·31		·38		1
2	·48		·45		·15									2
3	·08		·15		·05									3
4	·25	·05	·04		·06									4
5	·11	·06	·45		·37		·01							5
6			·02		·12		·20			·22	·02			6
7	·01	·06					·11			·16				7
8	·07	·16					·05			·08	·02	·03		8
9						·01	·29			1·54		·01		9
10						·02	·12			2·04	·08	·01		10
11	·01					·21	·12	·15						11
12	·07						·09	·03	·13					12
13	·02	·01 ~~·06~~					·08			·28	·08			13
14	·30	·06 ~~·11~~					·14			·09		·01		14
15	·10	·11	·01				·22	·09		·07	·02	·11		15
16		~~·27~~	·83				·03	·02		·04	·14			16
17	·07	·26	·44			·11	·03		·02					17
18	·01		·03			·20					·01			18
19		·04	·21			·07		·07	·19		·44			19
20		·02	·06		·01	·29		·03	·38	·01				20
21						·27		·06	·01	·14		·01		21
22				·03	·38	·02		·16	·22	·04		·01		22
23		·56		·10	·15	·38			·06	·22	·01	·02		23
24		·93		·14	·01	·81			·03	·18	·02			24
25		·40		·12	·08	·10			·15	·01	·01	·14		25
26		1·38		·11	·47	·03			·28	·06				26
27	·01	·14		·03	·10				·09	·05		·23		27
28	·03	·09		·24					·01	·03		·01		28
29	·24			·34	·01		·03					·10		29
30	·11	×	·09	·01					·22			·12		30
31	·52	×	·02	×		×		·02	×	·01	×	·01		31
TOTAL	2·90	4·47	2·95	1·12	2·08	2·52	1·52	·63	1·79	5·58	·8~~4~~5	1·20	Year's Total 27·61	
*Days with ·01 in. or more.	19	17	14	9	14	13	14	9	13	20	11	15	168	
*Days with ·04 in. or more.	13	15	10	6	11	9	10	5	9	16	4	6	114	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) A. L. Wood

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ladywell House, Vowchurch

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ~~400~~1 ft in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03							·56	·03	·08	·20	·41		1
2	·01		·02					·08	·35	·04		·10		2
3	·02			·03				·04		·16		·49		3
4	·07		·03		·18					·16	·02	·48		4
5		·02	·09		·23			1·22	·03	·06	·32	·20		5
6	·04				·86			·07	·05	·12	·01	·30		6
7	·04		·02					·11		·03	·01	·53		7
8			~~[illegible]~~		·13						·12	1·02		8
9	·02		·36	·01		·01		·05			·47	·14		9
10	·38		·26 ~~[illegible]~~	·69				·04			·31	·03		10
11	1·14		·04	·62			·06	·10				·26		11
12	·06						·01					·01		12
13	·85		·02	·34							·04	·06		13
14	·02		·63			·03			·02		·14	·04		14
15	·06		·08		·15				·09	·06	·45	·14		15
16	·02		·47	·02	·05				·16	·18	·19	·02		16
17	·15		·03	·15	·03		·11		·17			·34		17
18	·30		·17	·43		·04			·03		·01	·25		18
19	·08		·32	·01		·04			·08			·24		19
20							·19	·01						20
21	·01		·04					·05	·09	·13		·01		21
22		·01			·02			·43	·09	·11		·40		22
23				·18		·56		·01	·07	·07				23
24	·11	·24	·03	·13		·30			·12	·03		·04		24
25	·19			·07		·07	·01		·07	·45		·77		25
26	·06		·02	·10		·02	·01			·01		·26		26
27				·36		·01	·01		·01			·07		27
28	·01	·01		·16		·19		·19	·09	·01		·47		28
29		×		·05			·03	·05	·11		·01	·08		29
30		×						·01	·01	·01	·01	·25		30
31		×		×		×	·05	·02	×	·02	×	·02		31
TOTAL	3·67	·28	2·63	3·35	1·65	1·27	·48	3·04	1·67	1·73	2·31	7·43	Year's Total. 29·51	
* Days with .01 in. or more.	22	4	17	16	8	10	9	17	19	18	15	29	184	
* Days with .04 in. or more.	14	1	10	12	6	4	4	13	13	12	9	24	122	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) A L Wood

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ladywell House, Vowchurch.

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01	·08		·07	·07	·18		·12	·17	·04	·09		1
2		·03					·02		·08	·19	·09	·21		2
3	·01		·02	·01		·23			·10	·33	·24	·01		3
4	·04		·05	·15		·08			·01	·26	·06	·25		4
5	·07	·17		·06		·20			·07		·12	·01		5
6			·04	·20		·90				·02	·05	·04		6
7			·02	·52		·55				·18	·20	·24		7
8				·35		·04		1·30		·05	·34	·02		8
9	·02	·02		·74	·03	·14				·78	·09	·01		9
10	·04			·08	·04	·04				·01	·20			10
11	·28	·02		·11		·09					·49			11
12	·06			·04		·05		·05	·01		·14			12
13				·12	·12	·04			·04		·21			13
14		·02				·23			·07	·04	1·27	·11		14
15	·02	·14		·61		·10			·46	·10	·15			15
16	·02	·08	·10	·58	·03	·41			·78	·06	·87	·23		16
17				·08		·25			·16		·03			17
18		·01		·20	·04	·16			·01		·04			18
19		·26		·18	·10	·04	·24		·34	·15	·16	·04		19
20		·43		·15		·02	·01				1·02			20
21		·58							·18		·07	·01		21
22		·06	·04							·06	·03	·03		22
23		·03	·18					·02	·36	·58		·48		23
24	·06	·44	·01	·01		·02			·26	·16		·16		24
25	·38	·49		25						·07	·05	·56		25
26		·31				·60		·40	·10			·51		26
27		·22				·03					·02	·18		27
28		·01				·01		·03	·22	·02	·02			28
29		×			·02			·14	·09	·04	·06	·42		29
30	·01	×		·18	·03			·20	·05	·36	·86	·45		30
31		×		×	·06	×		·03	×	·29	×	·47		31
TOTAL	1·01	3·33	·54	4·62	·54	4·30	·45	2·17	3·51	3·92	6·92	4·53	Year's Total. 35·84	
* Days with .01 in. or more.	12	19	9	20	10	23	4	8	20	21	27	22	195	
* Days with .04 in. or more.	7	11	6	18	6	19	2	5	17	18	23	16	148	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A L Wood

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

A. REGISTER OF RAINFALL IN 1936

Kept at LADYWELL HOUSE.
in the County of VOWCHURCH, HEREFORDSHIRE.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ...... in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	·04		·41		·44	·14	·02			·01			1
2	·16	·04		·10		·28	·09	·01	·09		·06	·02		2
3	·06	·01		·01		·35	·01	·05	·58					3
4	·05	·01	·05			·10			·19	·01				4
5	·51	·02			·07		·08		·04	·01	·08			5
6	·50		·20				·53				·60			6
7	·04		·06				·46			·01	·25			7
8	·28		·23				·29				·62	·03		8
9	1·06		·19				·34				·09	·02		9
10	·09						·38	·02			·21			10
11	·01	·32		·07	·04	·44	·05	·03	·19		·47	·22		11
12	·01	·01		·06	·01	·26	·30	·02	·52		·14	·10		12
13				·12	·07	·10	·06		·02			1·08		13
14				·09					·01		·01	·65		14
15		·01		·02	·47		·11				·07	·10		15
16	·24	·02					·09		·03		·03	·28		16
17	·08	1·10			·15		·58			·14		1·04	347	17
18		·25					·27			·07		·07		18
19	1·05		·03	·16		·25	·12		·04			·05		19
20	·11	·33	·05	·24		1·03			·30		·01	·01		20
21		·02	·11	·77		·08				·09	·01	·03		21
22	·01	·73	·24	·10	·22		·27		·02					22
23	·06	·01			·16		·18		·01					23
24	·22	·04	·12	·03	·08		·21		·24	·44	·01			24
25	·35		·34	·29		·03	·27		·30	·06				25
26	·30	·04	·34	·01		·12	·06	·04	·02	·14	·02			26
27	·12	·02	·12	·01			·14		·01	·01		·04		27
28	·38	·12	·48				·25			·03	·01	·14		28
29	·03	·01	·07			·72	·07		·01		·06			29
30	·06	✗	·01		·07	·18				·91		·07		30
31	·42	✗	·30	✗	·08	✗	·14	·02	✗	·01	✗	·40		31
TOTAL	6·29	3·15	2·94	2·49	1·42	4·38	5·49	·21	2·62	1·93	2·76	4·35	Year's Total 38·03	✓
* Days with .01 in. or more.	×26	20	17	16	11	14	26	8	18	13	19	18	206	✓
* Days with .04 in. or more.	×22	9	15	11	10	13	25	2	10	7	11	13	148	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. L. Wood [P.T.O.
4/1/37

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Ladywell House, Vowchurch

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·08	·01	·27						·07	·12	1·03		1
2		·31		·16								·25		2
3	·01	·21		·12	40				02			·14		3
4	·08	·04	·06		·06			·03	·01		·02	·30		4
5	·16		·03		·02						·01			5
6	·15	·24	·11	·26			·02			·10	·01			6
7	·02	·66	·04	·02	·01	·12				·04				7
8		·14		·08	·27		·04				·34			8
9			·02	·08	·27		·01		·41			·01		9
10	·09		·64			·07	·15					·37		10
11	·14	·07	·60		·75	·05	·15					·03		11
12	·36	·10		·02	·01			1·03				·35		12
13	·07	·09	·07	·10		·24		·30						13
14		·01		·24			·60	·02	·06			·03		14
15	·11	·14	·22	·22			1·34	·04	·04			·04		15
16	·27	·06	·57	·06				·06	·36					16
17	·87		·29						·16		·02	·02		17
18	·20		·14	·14		·12	·14		·24		·24	·14		18
19	·02	·03	·24	·11	·02		·16		·19					19
20	·75	·09	·59	·27		·04					·01			20
21	·50	·29	·32		·06		·09		·02	·11	·10			21
22	·22	·04	·16		·24		·27			·59	·68	·03		22
23	·32	·40	·02		·16		·06			·25	·01	·16		23
24	·46	·34	·01				·02			1·23				24
25	·02	·53			·09					·19				25
26		·53			·31		·01							26
27		·25	·01	·11	·01				·01	·85	·01			27
28		·23		·01		·01			·01	·11		·02		28
29	·03	✕								·69	·04	·01		29
30	·30	✕				·06		·04	·07	·01	·17			30
31	·26	✕		✕		✕			✕	·55	✕			31
TOTAL	5·46	4·88	4·15	2·27	2·68	·71	3·06	1·52	1·60	4·79	1·78	2·93	Year's Total 35·83	✓ ✓
* Days with .01 in. or more.	24	23	20	17	15	8	14	7	13	13	14	16	184	✓ ✓
* Days with .04 in. or more.	19	21	14	14	10	7	10	5	8	12	7	9	136	✓ ✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) A. L. Wood

J. P. Co. of Hereford

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Ladywell House, Vowchurch
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·06	·03			1·06	·03	·34		·32	·14	·39		1
2	·02			·04	·10	·01	·01	·02	·06	·28	·09	·01		2
3					·17	·03	·08			·60	·07			3
4				·01		·01	·12	·60	·01	·47		·19		4
5		·02				·09	·09	·08				·03		5
6	·01	·04					·80	·04	·18	·23		·04		6
7	·14						1·01	·32	·04	·20		·24		7
8	·30						·03	·30		·02		·19		8
9	·16						·01	·14				·98		9
10	·07						·06	·21				·43		10
11	·37							·06		·03	·31	·35		11
12	·33				·15			·15		·40	·96	·03		12
13	·10	·09			·07						·17	·47		13
14	·64				·10		·29		·02					14
15	·39				·01		·17				·03	·98	320	15
16	·17				·02			·02		·06	·12	·02		16
17					·04			·14	·09	·16	·04			17
18	·01							·07		·03	·47			18
19	·03				·05	·20		·12	·06		·24			19
20								·03	·12		·21	·04		20
21									·04	·02	·12	·14		21
22				·12				·16	·44		·34	·02		22
23				·02				·03	·07		·03			23
24	·14	·07	·02				·01	·17			·21			24
25	·03	·04	·02		·09			·08		·21	·76			25
26	·22	·61			·13				·06	·32	·04	·02		26
27		·01			·36	·23	·15	·62	·14	·10	·29			27
28	·23	·04			·01	·25	·32	·12				·06		28
29	·09	✕			·45	·04		·01	·02	·08	·13	·04		29
30	·03	✕			·04	·06			·27	·01	·49	·06		30
31	·17	✕		✕	·44	✕		·01	✕		✕	·40		31
TOTAL	3·65	·98	·07	·19	2·23	1·98	3·18	3·84	1·62	3·54	5·26	5·13	Year's Total 31·67	✓
* Days with .01 in. or more.	21	9	3	4	16	10	15	24	15	18	21	22	178	✓
* Days with .04 in. or more.	15	7	—	2	13	8	10	18	12	13	19	16	133	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Arthur S Wood

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ladywell House, Vowchurch

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07		·33	·22	·20			·04	·06		·07			1
2	·01		·04	·10				·06	·35		·43	·15		2
3	·14		·06	·53	·03			·05			·23	·42		3
4	·08		·16	·56	·17		·45	·03	·04	·58	·14			4
5	·01			·35			·56			·18	73	·02		5
6	·71	·01	·01	·10			1·06				·22	·01		6
7	·01	·04	·03				·47	·14			·28	·42		7
8	·02	·33					·86	·07		·97	·83	·06		8
9	·06	·19	·02					·32		·28	·10	·14		9
10	·67		·32					·06		·33	·01	·09		10
11	·04	·12	·01	·01		·02				·10	·02	·07		11
12	·04 ~~·07~~	·04		·05						·02				12
13	·02			·22	·01		·44		·12	·32				13
14	·96		·01		·14	·04	·49		·02	·06	·44			14
15	1·05		·03	·06	·07	·44	·39			·04	·36			15
16	·35				·16		·07				·27			16
17	·89	·01	·04			·14	·03				·06			17
18	·34						·24				·40			18
19	·17			·05			·22							19
20	·46		·03		·01		·04	·20						20
21	·05	·34	·06	·06	·04	·09	·20		·11					21
22	·38	·55	·29			·45	·03			·17	·55			22
23	·03		·17			·02	·19			·26	·73	·01		23
24	·52			·07		·12	·06	·05		·02	·01			24
25	·66	·02					02	·22		·12	·49			25
26		·05		·04		·02		·04		·05	·37	·01		26
27		·38	·04			·07	·05			·06	·27	·14		27
28	·04	·31	·21	·08		·06	·44			·02	·22	·02		28
29				·54		·21	·43			·10	·01	·01		29
30		×		·29		·02	·15	·07		·06		·07		30
31		×		×		×	·07	·68	×	·06	×			31
TOTAL	7·78	2·39	1·86	3·33	·83	1·70	6·96	2·03	·70	3·80	7·24	1·64	Year's Total 40·26	
* Days with .01 in. or more.	26	13	18	17	9	13	23	14	6	20	24	15	198	
* Days with .04 in. or more.	20	10	13	16	6	9	20	13	5	17	20	9	158	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A L Wood

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Ladywell House, Vowchurch.

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 400 ft. — in.

,, Ground ,, Sea Level 1 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01		·03	·04						·17	·		1
2		·10			·12						1·35	·03		2
3		·58								·21	1·34	·01		3
4	·01			·01			·02			·07	·28	05		4
5	·02				·18		·01			·03	·56	·09		5
6	·15	·41								·31		·26		6
7		·12		·02						·06	·01			7
8	·01	·01		·09							·31	·16		8
9							·64	·03		·31	·57	·12		9
10						·05	·71	·07	·02	·34	·14	·38		10
11			·02				·09			·01	·87			11
12			·18				·27		·10		·24			12
13			·47				·01		·03	·03		·04		13
14			·07	·39					·07	·05	·01	·59		14
15					·99	·30	·04			·32	·26	·08		15
16	·09	1·07	·21		·45		·16			·66	·70			16
17	·01	·02	·22						·03	·10	·02			17
18	·27	·26	·47	1·00					·76	·01	·09	·05		18
19			·01	·41			·09		·07	·21	·23			19
20		·03	·02	·04			·21			·04	·02			20
21			·01	·01	·17	·26			·05	·14	1·54			21
22			·03	·14	·05	·15			·14	·08	·02			22
23	·01	·01	·12	·04	·78	·01				·05				23
24	·02	·04			·03		·26							24
25	·09				·10		·03							25
26	1·22	·30		·02	·04		·14	·02						26
27	·66	·42		·07	·03		·02				·08			27
28	·56	·12		·05	·12		·02							28
29	·38	·02	·14	·30						·05		·06		29
30	·23	✕		1·06						·66		·10		30
31	·07	✕	·05	✕		✕			✕	1·05	✕	·04		31
TOTAL	3·77	3·52	2·02	3·68	3·10	·77	2·72	·12	1·27	4·79	8·81	2·06	Year's Total 36·63	
* Days with .01 in. or more.	16	16	14	16	13	5	16	3	9	22	21	15	166	
* Days with .04 in. or more.	10	10	9	11	11	4	10	1	6	18	16	13	119	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. L. Wood

[P.T.O.

Section **A** for the entry of D

AIR MINISTRY

tion No. ~~2225~~/5

ORGANI~~ZATION~~

FORM 1090

REGIS

2225/5

HAMPTON BISHOP

1939–40

780403

Kept at ~~Hampton House~~, H

in the County of ....Herefor

Diameter of Funnel of Gauge.........

Height of top of Gauge above Grou

,, Ground ,, Sea l

5 Wye & li

THE MORNING MEASURE ... DAY

An observer who does not conform to ... llowing
year in the space on the right of this

Plea

Jan. 1, following

Date	Jan.	Feb.	Mar.	Ap								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							–	–	·16	–	·04	·03		1
2							–	–	–	–	·22	·08		2
3							–	·20	·37	–	·14	·38		3
4							·24	·17	–	·14	·04	·08		4
5							·22	·01	·03	·11	·36	–		5
6							·93	·07	–	–	·15	–		6
7							·15	–	–	–	·41	·26		7
8							·49	·08	–	·91	·31	·05		8
9							–	·07	–	·25	·01	·09		9
10							–	·28	·01	·21	·02	·14		10
11							–	·01	–	·13	·01	·01		11
12							–	–	–	·01	·01	–		12
13							·31	–	·04	·21	·01	–		13
14							·22	·01	–	·04	·27	–		14
15							·33	–	–	·01	·32	–		15
16							·14	–	–	–	·32	–		16
17							–	–	–	·01	·01	–		17
18							·16	–	–	–	·26	–		18
19							·33	·14	–	–	–	–		19
20							·04	–	–	–	–	·02		20
21							·63	–	·03	–	–	–		21
22							·61	·15	·01	·01	·05	–		22
23							·19	–	–	–	·69	–		23
24							·02	–	–	·05	–	–		24
25							·02	–	–	·13	·23	–		25
26							–	·08	–	·01	·29	·02		26
27							·10	·02	–	–	·03	·39		27
28							·13	–	–	–	·20	–		28
29							·07	–	–	·13	–	·02		29
30		☒					trace	·03	–	·02	–	·12		30
31		☒		☒		☒	·11	·31	☒	·09	☒	–		31
TOTAL	6·17	1·19	1·62	1·57	·90	2·00	4·84	1·63	·65	2·47	4·40	1·69	Year's Total 29·13	2nd 6 mos ~~15·69~~
* Days with .01 in. or more.							21	15	7	18	24	14	–	
* Days with .04 in. or more.							18	10	3	12	17	9	–	

for River Wye Catchment Board

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) C. Langley Esq

[P.T.O.

Section A for the entry of Daily Observations

Station No. 2225/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ~~Hampton House~~, Hampton Bishop

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 145 ft.

f 467239/35 wye & [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1							–	–	·16	–	·04	·03		1
2							–	–	–	–	·22	·08		2
3							–	·20	·37	–	·14	·38		3
4							·24	·17	–	·14	·04	·08		4
5							·22	·01	·03	·11	·36	–		5
6							·93	·07	–	–	·15	–		6
7							·15	–	–	–	·41	·26		7
8							·49	·08	–	·91	·31	·05		8
9							–	·07	–	·25	·01	·09		9
10							–	·28	·01	·21	·02	·14		10
11							–	·01	–	·13	·01	·01		11
12							–	–	–	·01	·01	–		12
13							·31	–	·04	·21	·01	–		13
14							·22	·01	–	·04	·27	–		14
15							·33	–	–	·01	·32	–		15
16							·14	–	–	–	·32	–		16
17							–	–	–	·01	·01	–		17
18							·16	–	–	–	·26	–		18
19							·33	·14	–	–	–	–		19
20							·04	–	–	–	–	·02		20
21							·63	–	·03	–	–	–		21
22							·61	·15	·01	·01	·05	–		22
23							·19	–	–	–	·69	–		23
24							·02	–	–	·05	–	–		24
25							·02	–	–	·13	·23	–		25
26							–	·08	–	·01	·29	·02		26
27							·10	·02	–	–	·03	·39		27
28							·13	–	–	–	·20	–		28
29							·07	–	–	·13	–	·02		29
30		✕					trace	·03	–	·02	–	·12		30
31		✕		✕		✕	·11	·31	✕	·09	✕	–		31
TOTAL	6·17	1·19	1·62	1·57	·90	2·00	4·84	1·63	·65	2·47	4·40	1·69	Year's Total 29·13	2nd 6 mos ~~15·69~~
* Days with .01 in. or more.							21	15	7	18	24	14	–	
* Days with .04 in. or more.							18	10	3	12	17	9	–	

for River Wye Catchment Board

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) C. Langley Esq

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2225/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Hampton House, Hampton Bishop.
in the County of Hereford
Diameter of Funnel of Gauge..............in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	.01	.01	–	–	–	–	–	.09	–		1
2	–	.06 sn.	–	.08	–	–	03	–	–	–	1.06	.03		2
3	–	.53	–	–	–	–	–	–	–	.20	1.28	–		3
4	–	.05	–	–	–	–	–	–	–	.07	.16	–		4
5	–	.02	–	–	.17	–	.01	–	–	.04	.35	.14		5
6	.11	.32	–	–	–	–	–	–	–	.21	.02	.05		6
7	–	.21	–	–	02	–	–	–	–	–	–	.04		7
8	–	–	–	.02	–	–	–	–	.08	.33	.07	.14		8
9	–	–	–	.03	–	–	.30	07	–	.24	.47	.07		9
10	–	–	.02	–	–	–	.41	.04	–	.10	.03	.22		10
11	–	–	–	.09	–	–	.17	–	–	–	.58	–		11
12	–	.01	.17	–	–	.05	18	–	.01	–	.02	–		12
13	–	–	.40	–	–	–	–	03	.02	–	.04	.09		13
14	–	.01	.03	.02	.45	–	–	–	.06	.12	.01	.32		14
15	–	–	.02 sn.	–	.73	.04	–	–	.17	.12	.08	–		15
16	.01	.55	.12	.04	–	–	.23	–	.07	.95	.65	–		16
17	–	–	.11	–	–	–	.01	–	.01	08	.01	.02		17
18	.15	.39	.24	.58	–	–	–	.01	.49	–	.06	.08		18
19	–	–	.03	.24	–	–	.40	–	.04	–	.10	.01		19
20	–	–	.01	.01	–	–	.02	–	.01	.24	.01	–		20
21	–	–	–	–	.69	.38	.09	–	–	–	1.07	–		21
22	–	–	.06	.10	.04	.07	–	–	.10	–	–	–		22
23	–	.16	–	–	.51	.01	–	–	–	–	–	.01		23
24	–	.01	–	–	.01	–	.17	–	–	–	–	–		24
25	.02	–	–	–	–	–	–	–	–	–	–	–		25
2.75 26	1.11	–	–	.07	.04	–	.38	–	–	–	–	–		26
27	.87	.03	–	.03	.04	–	.09	–	–	–	–	–		27
28	.74	.05	–	.32	–	–	–	–	–	–	–	.01		28
29	.01	–	.05	.41	.03	.02	.05	–	–	–	–	.16		29
30	–	✕	–	.25	–	–	–	–	–	.90	–	.03		30
31	–	✕	.02	✕	–	✕	–	–	✕	.34	✕	–		31
TOTAL	3.02	2.40	1.28	2.23	2.14	.57	2.54	.15	1.06	3.94	6.16	1.42	Year's Total 26.91	
* Days with .01 in. or more.	8	14	13	16	12	6	15	4	11	14	20	16	149	
* Days with .04 in. or more.	5	9	7	9	8	4	11	2	7	14	14	10	100	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

~~Mrs Jones~~

(~~Signed~~ Per. R. Wye & Bd. C. Langley ... [P.T.O.

2225/6

Section **A** for the entry c
AIR MINIST

Station No. 2225/6
LL ORGANIZATION

FORM 1090

REGI 9

—

2225/6

MICHAELCHURCH

1939 — 40

780403

Kept at Michaelchurc
in the County of Here
Diameter of Funnel of Gauge....
Height of top of Gauge above G
,, Ground ,, S

wrong day.

THE MORNING MEASU S DAY

An observer who does not conform following
year in the space on the right of

P

Jan. 1, following
01

Date	Jan.	Feb.	Mar.								v.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									38	—	41	01		1
2								—	02	—	12	05		2
3								15	50	—	29	10		3
4								19	08	—	34	58		4
5								12	05	97	35	21		5
6								05	—	48	86	—		6
7								—	—	—	25	—		7
8								20	—	—	45	35		8
9								07	—	100	77	06		9
10								60	005	38	12	25		10
11								08	03	70	—	15		11
12								—	—	20	—	05		12
13								—	01	05	05	—		13
14								—	05	49	—	—		14
15								—	10	16	48	04		15
16								—	—	10	35	—		16
17								—	—	49	39	—		17
18								—	—	—	04	—		18
19								—	—	—	42	—		19
20								01	—	—	—	—		20
21								15	—	—	—	06		21
22								01	11	—	—	—		22
23								—	03	05	99	—		23
24								—	—	07	101	—		24
25								—	—	05	—	01		25
26								—	—	20	41	—		26
27								26	—	—	51	—		27
28								02	—	05	24	06		28
29								—	—	—	19	04		29
30		✕						—	—	24	01	01		30
31		✕		✕		✕		— ·38	✕ —	09 ·41	✕ ·01	21		31
TOTAL								2·29 ~~1·91~~	·98 ~~1·36~~	6·18 ~~5·77~~	8·65 ~~9·05~~	2·24	Year's Total ..	
* Days with .01 in. or more.								14	10	19	23	17		
* Days with .04 in. or more.								11	6	19	21	14		

per River Wye Catchment Board

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Mrs Jones [P.T.O.

Section **A** for the entry of Daily Observations

Station No. 22376

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ~~Michaelchurch~~ ~~Rectory~~ Epsley.

in the County of Hereford

Diameter of Funnel of Gauge ~~8~~ 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level .... ft.

Corrected for wrong day.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 01

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									38	—	41	01		1
2								—	02	—	12	05		2
3								15	50	—	29	10		3
4								19	08	—	34	58		4
5								12	05	97	35	21		5
6								05	—	48	86	—		6
7								—	—	—	25	—		7
8								20	—	—	45	35		8
9								07	—	100	77	06		9
10								60	005	38	12	25		10
11								08	03	70	—	15		11
12								—	—	20	—	05		12
13								—	01	05	05	—		13
14								—	05	49	—	—		14
15								—	10	16	48	04		15
16								—	—	10	35	—		16
17								—	—	49	39	—		17
18								—	—	—	04	—		18
19								—	—	—	42	—		19
20								01	—	—	—	—		20
21								15	—	—	—	06		21
22								01	11	—	—	—		22
23								—	03	05	99	—		23
24								—	—	07	101	—		24
25								—	—	05	—	01		25
26								—	—	20	41	—		26
27								26	—	—	51	—		27
28								02	—	05	24	06		28
29								—	—	—	19	04		29
30		×						—	—	24	01	01		30
31		×		×		×		— ·38	× —	~~09~~ ·41	× ·01	21		31
TOTAL								2·29 ~~1·91~~	·98 ~~1·36~~	6·18 ~~5·77~~	8·65 ~~9·05~~	2·24	Year's Total	
* Days with .01 in. or more.								14	10	19	23	17		
* Days with .04 in. or more.								11	6	19	21	14		

for River Wye Catchment Board

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Mrs Jones

[P.T.O.

MICHAELCHURCH **COPY FOR OFFICIAL USE**

Section **A** for the entry of Daily Observations

Station No. 2225/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Michaelchurch, Eskley
in the County of Hereford
Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level 1000 + ft.

Jan & Feb apportioned from nearby stns.

no 1939

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	(~~·24~~)	–	20	·21	–	–	–	–	–	·23	–		1
2	–	–	–	21	–	–	·02	–	–	–	1·34	·05		2
3	–	(·68) ~~·18~~	–	–	–	–	–	–	–	·24	1·42	·02		3
4	–	(·29) ~~·79~~	–	–	–	–	–	–	–	·08	·49	–		4
5	–	·04	–	–	·15	–	·05	–	–	·41	·66	·12		5
6	–	–	–	–	–	–	·04	–	–	·30	·04	·16		6
7	·21	·43	–	–	–	–	·12	–	·05	06	–	·02		7
8	–	·40	–	–	·14	–	–	–	·15	·41	·11	·17		8
9	–	–	–	·04	–	–	74	·09	·01	·71	·93	·29		9
10	–	–	–	–	–	–	·61	·05	–	·24	·05	·48		10
11	–	–	–	·03	–	–	·44	02	–	–	·70	·10		11
12	–	–	·02	–	–	·03	·39	–	·14	–	·24	–		12
13	–	–	·49	·01	–	–	04	·01	·10	–	·005	·09		13
14	–	·07	·30	·15	·21	–	–	·03	·08	·93	·05	·82		14
15	–	·03	·21	·03	1·70	·17	·03	–	·20	·13	·43	·02		15
16	–	–	·20	·11	–	–	·15	–	·18	97	·86	·01		16
17	–	·99	·24	–	–	–	07	–	·07	–	·05	–		17
18	–	–	·17	·81	–	–	·10	–	67	·29	·07	–		18
19	–	·30	·80	·62	–	–	·56	–	·08	·04	·20	·08		19
20	–	·04	·16	·07	–	–	·10	·11	–	·23	·01	–		20
21	–	–	·04	–	·45	·60	·09	–	–	–	1·70	–		21
22	–	–	–	·24	·01	–	–	–	·07	–	–	·01		22
23	–	–	·10	·07	·14	·05	–	–	·01	–	·01	–		23
24	–	·16	·20	–	–	–	·16	–	·05	–	–	·02		24
25	–	–	–	–	·05	–	–	–	–	–	–	–		25
26	(1·10)	–	–	–	·13	–	17	–	–	–	·01	–		26
27	·60 ~~1·26~~	·49	–	–	·15	·04	·17	–	·01	–	·02	–		27
28	74	·52	–	·16	·04	–	–	–	–	–	·09	–		28
29	4 –	·30	–	·48	·05	·07	·02	–	–	·01	–	·20		29
30	4 1·13	✕	·21	·94	·02	–	–	–	–	·85	–	·02		30
31	~~–~~ ·24	✕	~~–~~	✕	·02	✕	–	–	✕	1·28	✕	·07		31
TOTAL	4·09 ~~3·35~~	4·74 ~~4·98~~	3·14	4·17	3·57	·96	4·07	·31	1·87	7·18	9·72	2·75	Year's Total ~~44·07~~	46·51
* Days with .01 in. or more.	8 ~~5~~	~~15~~14	13	16	15	6	20	6	15	17	23	19	~~170~~	172
* Days with .04 in. or more.	7 ~~4~~	~~14~~13	12	13	12	5	17	23	12	16	19	12	~~138~~	141

3·13

* See Instruction 3 (f) on other side.

4·03

* Per R. Wye & Brd.

† Spare column, no entries required.

(Signed) Mrs M. W. Jones *

[P.T.O.

2226

159

Section A for the entry

AIR MINISTI

FORM ...o.

REGIS

FOR OFFICIAL USE.

LL ORGANIZATION.

I.

2226

HEREFORD
BELMONT ABBEY
1931 —— 40

7P0403

Kept at Hereford

in the County of Her

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t
year in the space on the right of t

following

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.		in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·83				2
3											1·62	·36	3
4													4
5						1·00							5
6										·34			6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15							·39	1·05					15
16													16
17													17
18													18
19													19
20			·12										20
21													21
22													22
23				·61									23
24													24
25													25
26													26
27		·44			1·51								27
28													28
29		×											29
30		×											30
31	·31	×		×		×			×		×		31
TOTAL	1·56	1·53	0·49	3·43	4·23	3·73	3·38	5·15	2·17	0·63	6·03	1·02	YEAR'S TOTAL 33·35
*Days with ·01 in. or more.	18	14	10	17	20	15	18	15	13	5	22	9	176
*Days with ·04 in. or more.	12	10	5	16	13	14	14	11	9	3	19	4	130
40-9999	39·6	38·8	12·4	87·0	107·5	94·8	85·8	130·9	55·0	15·9	153·2	25·9	846·8

(Signed)

*See Instruction 2 (*f*) on other side.

P.T.O.

2226
159

Section **A** **for the entry** FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 30.

REGISTER OF RAINFALL IN 1931.

Kept at Hereford

in the County of Hereford

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·83				2
3											1·62	·36	3
4													4
5						1·00							5
6										·34			6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15							·39	1·05					15
16													16
17													17
18													18
19													19
20			·12										20
21													21
22													22
23				·61									23
24													24
25													25
26													26
27		·44			1·51								27
28													28
29		×											29
30		×											30
31	·31	×		×		×			×		×		31
TOTAL	1·56	1·53	0·49	3·43	4·23	3·73	3·38	5·15	2·17	0·63	6·03	1·02	YEAR'S TOTAL 33·35
*Days with ·01 in. or more.	18	14	10	17	20	15	18	15	13	5	22	9	176
*Days with ·04 in. or more.	12	10	5	16	13	14	14	11	9	3	19	4	130
40-9999	39·6	38·8	12·4	87·0	107·5	94·8	85·8	130·9	55·0	15·9	153·2	25·9	846·8

(Signed).......... P.T.O.

*See Instruction 2 (*f*) on other side.

2226.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1932.

159

Kept at Hereford

in the County of Hereford

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					1·23								1
2													2
3				·47									3
4											·52		4
5													5
6													6
7										1·68			7
8													8
9	·49												9
10													10
11													11
12													12
13							·69						13
14													14
15		·03											15
16													16
17													17
18													18
19													19
20													20
21								·95					21
22									·92				22
23													23
24													24
25													25
26													26
27			·63										27
28													28
29												·45	29
30		×				1.06							30
31		×		×		×			×		×		31 32·51
TOTAL	3·78 ~~3·09~~	0·16	1·87	2·75	5·22	1·41	2·63	2·22	4·00	4·88	1·59	2·00	YEAR'S TOTAL ~~30·02~~
*Days with ·01 in. or more.	18	10	12	20	23	5	16	10	18	19	17	17	185
*Days with ·04 in. or more.	14	0	11	16	15	3	10	7	13	15	8	11	123
40-9999	95·9	4·1	47·6	69·8	132·6	35·8	66·7	56·4	101·6	124·0	40·4	50·7	

(Signed)..........

*See Instruction 2 (*f*) on other side.

P.T.O.

2226

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

159.

Kept at Hereford (Belmont Abbey)

in the County of Hereford.

24

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·42												1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10										1·48			10
11													11
12													12
13							·31						13
14													14
15													15
16			·61										16
17													17
18													18
19											·27		19
20									·46				20
21													21
22								·20					22
23													23
24						·62							24
25												·34	25
26		·77											26
27					·56								27
28													28
29				·45									29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·99	2·72	2·20	1·48	2.12	2·24	1·70	0·51	2·36	3·98	0·58	0·87	YEAR'S TOTAL 22·75
*Days with ·01 in. or more.	13	17	18	7	16	14	13	9	15	18	9	9	158
*Days with ·04 in. or more.	11	8	12	6	10	8	7	5	11	14	4	4	100
40-9999	50·5	69·1				56·9	43·2		59·9	101·2	14·7		

(Signed)..........

P.T.O.

*See Instruction 2 (*f*) on other side.

D

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2226 ~~[illegible]~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hereford (Belmont Abbey)

in the County of Hereford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5								1.05						5
6					·44									6
7														7
8														8
9											·57			9
10														10
11	1.04													11
12							·51							12
13														13
14			·49											14
15														15
16														16
17														17
18				·55					·42					18
19														19
20														20
21														21
22														22
23						·34								23
24		·38												24
25										·37		·88		25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	4.48 ✓	·43 ✓	1.68	2.76 ✓	1.30 ✓	·81 ✓	·91 ✓	2.45 ✓	2.17	1.39 ✓	1.91 ✓	5.93 ✓	Year's Total 26.22 ✓	
*Days with ·01 in. or more.	21	3	16	14	7	8	6	13	14	17	10	24	153 ✓	
*Days with ·04 in. or more.	12	1	11	10	7	5	5	9	13	9	9	24.	115 ✓	

40-9999

† Spare column, no entries required.

(*Signed*) ....

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 2226

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

159

Kept at Hereford

in the County of Hereford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 292 ft.

~~3~~4 T.C.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6						0.87								6
7														7
8								0.48						8
9														9
10														10
11														11
12														12
13														13
14														14
15				0.82										15
16			0.14						0.64					16
17														17
18														18
19					0.14		0.16							19
20											1.03			20
21														21
22														22
23										·68				23
24		0.43												24
25	·22													25
26												·56		26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×	·56		31
TOTAL	0.76	2.16	0.62	4.64	0.49	3.72	0.38	1.37	2.63	3.18	5.95	3.93	Year's Total 30.83	
*Days with ·01 in. or more.	9	15	12	20	8	21	4	10	21	19	25	19	183	
*Days with .04 in. or more.	8	9	7	17	5	15	4	6	20	13	20	18	142	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2226

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

159

Kept at Hereford

in the County of Hereford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 292 ft.

400 T.L.

mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7							0·96							7
8														8
9														9
10														10
11											·74			11
12														12
13												1·36		13
14														14
15									0·53					15
16														16
17		0·92												17
18														18
19	0·74							0·05						19
20														20
21				0·71										21
22					0·22									22
23														23
24														24
25														25
26														26
27														27
28			0·36											28
29						1·06								29
30		×								0·90				30
31		×		×		×			×		×			31
TOTAL	5·16 ✓	2·63 ✓	2·80 ✓	2·21 ✓	0·89	3·92	5·22	0·16 ✓	2·80 ✓	1·70 ✓	3·12	3·94	Year's Total. 34·55	✓ ✓
* Days with .01 in. or more.	24	15	19	15	12	15	26	5	15	11	22	19	198	✓
* Days with .04 in. or more.	18	10	16	12	8	14	23	2	12	10	11	13	149	
	131·1	66·8	71·1	56·1	22·6	99·6	132·6	4·1	71·1	43·2	79·2	100·1	877·6	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2226

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

159

REGISTER OF RAINFALL IN 1937.

Kept at Hereford (Belmont Abbey)
in the County of Hereford
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 292 ft.

400

T.L.

White

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1												·83		1
2														2
3					1·18									3
4														4
5														5
6														6
7		·78												7
8														8
9														9
10														10
11														11
12								1·34						12
13						·32								13
14														14
15							1·43							15
16			1·01											16
17														17
18									·57					18
19														19
20	·72			·45										20
21														21
22											·50			22
23														23
24														24
25										·78				25
26														26
27														27
28														28
29										·78				29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	✓ 4·20	✓ 4·68	✓ 3·41	✓ 1·89	3·37 ✓	✓ ·78	✓ 2·69	✓ 1·99	1·79	✓ 4·32	✓ 1·47	✓ 2·42	Year's Total 33·01	✓
* Days with 0.2 mm. or more.	23	26	20	15	13	8	14	4	12	13	15	21	184	✓ ✓
* Days with 1.0 mm. or more.	20	20	12	12	11	6	11	4	9	11	6	10	132	✓ ✓

(141w) * See Instruction 2 (f) on other side.

40-9999.

† Spare column, no entries required, except year's total.

(*Signed*) ....

[P.T.O.

159

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2226

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1050

REGISTER OF RAINFALL IN 1938

Kept at Hereford (Belmont Abbey)
in the County of Hereford
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 292 ft.

T.L.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·85								1
2														2
3										·59				3
4														4
5														5
6							1·09							6
7														7
8														8
9												·90		9
10														10
11														11
12														12
13												~~·76~~		13
14	·53													14
15														15
16														16
17														17
18														18
19														19
20														20
21									1·00					21
22				·07										22
23														23
24			04											24
25											·61			25
26		·18												26
27								(·62)						27
28					50									28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	2·82	·54	·04	·08	1·70	1·43	3·33	3·91	2·38	2·99	3·33	4·50	27·05	✓
* Days with .01 in. or more.	22	6	1	2	12	11	16	16	11	14	16	17	144	✓
* Days with .04 in. or more.	15	5	1	1	10	5	13	16	8	14	13	15	116	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

·66

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~159~~ 2226

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hereford (Belmont Abbey)

in the County of Hereford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 292 ft.

Dec 400

T.L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2									·43					2
3												·34		3
4				·59										4
5														5
6							·73							6
7														7
8			·41								·97			8
9								·39						9
10														10
11														11
12														12
13														13
14														14
15	(·95)													15
16					·18									16
17														17
18														18
19														19
20														20
21						·76								21
22		·39												22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	(6·72)	1·58	(1·42)	2·29	·58	2·00	4·61	2·03	·81	~~NOT~~ 3·00	4J 5·59	1·23	Year's Total 31·76	✓
* Days with .01 in. or more.	~~(19)~~	~~10~~	~~(12)~~	~~10~~	~~6~~	~~8~~	~~18~~	~~15~~	~~6~~	~~AVAIL-ABLE~~	~~21~~	~~11~~	~~150~~	✓
* Days with .04 in. or more.	(16)	8	(10)	8	5	7	16	13	5	13	19	8	128	✓

"d"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

159

Section **A** **for the entry of Daily Observations** **Station No.** 2226 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Hereford (Belmont Abbey)

in the County of Hereford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 292 ft.

Jan estd. adjust at end of year.

4·00

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3											1·50			3
4														4
5														5
6														6
7														7
8														8
9								·26						9
10														10
11														11
12														12
13			·30 ~~·23~~											13
14												·48		14
15					1·10									15
16		(·50)								1·28				16
17														17
18									·73					18
19														19
20														20
21														21
22														22
23														23
24							1·12							24
25														25
26														26
27	(·42)	~~·14~~												27
28														28
29				·73										29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	(3·00)	(2·40) ~~·80~~	(1·30) ~~·85~~	3·29	2·37	·81	2·94	·31	1·59	5·03	8·04	1·83	Year's Total (32·91)	
* Days with ·01 in. or more.	(8)	(11) ~~7~~	(14) ~~11~~	15	12	~~5~~ 4	10	3	9	16	22	20	(144)	
* Days with ·04 in. or more.	(7)	(10) ~~7~~	(9) ~~x~~	11	10	~~4~~ 3	9	2	7	14	16	9	(107)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

PETERCHURCH (HI

2226/5
PETERCHURCH
HINTON HALL
1939—39

7Y04 03

Section **A** for the entry
AIR MINIST
ALL ORGANIZATION.

Station No. 2226/5

FORM 1090.

REG

937.

Kept at Hinton Hall,
in the County of Her

Diameter of Funnel of Gauge
Height of top of Gauge above Gr
,, Ground ,, Se

THE MORNING MEASU

An observer who does not conform … *he following*
year in the space on the right of

Jan. 1, following

Date	Jan.	Feb.	Mar.								v.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·03	-	·25	-	-	-	-	·04	·09	·12	·94		1
2	·05	·30	-	·24	-	-	-	-	·01	-	-	·26		2
3	·01	·28	-	-	·46	-	·06	-	-	-	-	·01		3
4	·13	·11	-	-	·11	-	·01	·02	-	-	-	·60		4
5	·44	-	·17	·30	·02	-	·04	-	-	-	-	·04		5
6	·21	·20	·09	·09	-	-	-	-	-	-	·03	-		6
7	-	·80	·07	·07	-	·10	-	-	-	·14	·02	-		7
8	-	·21	·07	-	·33	-	-	-	·04	-	·30	-		8
9	-	-	-	·04	·21	-	·06	-	·40	-	-	-		9
10	-	·10	·60	-	-	·04	-	-	-	-	-	·36		10
11	·07	-	·64	·23	·86	·07	·19	-	-	-	-	·08		11
12	·40	·19	·04	·05	-	·08	-	·94	·06	-	·01	·35		12
13	·09	·03	·05	·12	-	·36	-	·26	-	-	-	·01		13
14	·05	·01	-	·28	-	-	·39	-	·01	-	-	·02		14
15	·44	·26	·05	·25	-	-	1·78	-	·15	-	-	·09		15
16	·10	·15	·71	-	-	-	-	-	·12	-	-	-		16
17	·79	·04	·28	-	-	-	-	-	·10	-	·04	-		17
18	·12	·05	·50	·09	-	-	-	-	·34	-	·21	·13		18
19	·04	·04	·21	·07	-	·14	·34	-	·01	-	·04	·02		19
20	·76	·10	·68	·37	·02	-	·02	-	-	-	-	·11		20
21	·63	·35	·41	-	·02	-	·08	-	-	·05	-	·02		21
22	·25	·05	·01	-	·37	·02	·28	-	-	·56	·68	·08		22
23	·23	·40	·06	-	-	-	·01	-	-	·23	·23	-		23
24	·44	·44	·05	-	-	-	-	-	·01	1·35	-	-		24
25	·67	·69	-	-	·07	-	-	-	·07	·18	-	·03		25
26	·02	·45	-	-	·26	-	-	-	-	-	-	·02		26
27	·02	·31	-	·15	-	-	-	-	-	·91	-	G		27
28	-	·21	-	-	-	·02	-	-	-	·16	-	G		28
29	-	X	-	-	-	·01	-	-	-	·70	·02	·02		29
30	·35	X	-	-	-	-	-	·01	·01	-	·21	-		30
31	·33	X	-	X	-	X	-	-	X	·65	X	-		31
TOTAL	6·77	5·80	4·69	2·60	2·73	·84	3·26	1·23	1·37	5·02	1·91	3·19	Year's Total. 39·41	
* Days with .01 in. or more.	25	25	18	15	11	9	12	4	14	11	12	19	175	
* Days with .04 in. or more.	22	22	17	15	8	6	9	2	9	11	8	11	140	

40-9999

† Spare column, no entries required.

(*Signed*) F BODDINGTON ESQ

[P.T.O.

* See Instruction 2 (f) on other side.

PETERCHURCH (HI

Section **A** **for the entry of Daily Observations.** **Station No.** 2226/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Hinton Hall, Peterchurch

in the County of Hereford /1

605555/37

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 480 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·03	-	·25	-	-	-	-	·04	·09	·12	·94		1
2	·05	·30	-	·24	-	-	-	-	·01	-	-	·26		2
3	·01	·28	-	-	·46	-	·06	-	-	-	-	·01		3
4	·13	·11	-	-	·11	-	·01	·02	-	-	-	·60		4
5	·44	-	·17	·30	·02	-	·04	-	-	-	-	·04		5
6	·21	·20	·09	·09	-	-	-	-	-	-	·03	-		6
7	-	·80	·07	·07	-	·10	-	-	-	·14	·02	-		7
8	-	·21	·07	-	·33	-	-	-	·04	-	·30	-		8
9	-	-	-	·04	·21	-	·06	-	·40	-	-	-		9
10	-	·10	·60	-	-	·04	-	-	-	-	-	·36		10
11	·07	-	·64	·23	·86	·07	·19	-	-	-	-	·08		11
12	·40	·19	·04	·05	-	·08	-	·94	·06	-	·01	·35		12
13	·09	·03	·05	·12	-	·36	-	·26	-	-	-	·01		13
14	·05	·01	-	·28	-	-	·39	-	·01	-	-	·02		14
15	·44	·26	·05	·25	-	-	1·78	-	·15	-	-	·09		15
16	·10	·15	·71	-	-	-	-	-	·12	-	-	-		16
17	·79	·04	·28	-	-	-	-	-	·10	-	·04	-		17
18	·12	·05	·50	·09	-	-	-	-	·34	-	·21	·13		18
19	·04	·04	·21	·07	-	·14	·34	-	·01	-	·04	·02		19
20	·76	·10	·68	·37	·02	-	·02	-	-	-	-	·11		20
21	·63	·35	·41	-	·02	-	·08	-	-	·05	-	·02		21
22	·25	·05	·01	-	·37	·02	·28	-	-	·56	·68	·08		22
23	·23	·40	·06	-	-	-	·01	-	-	·23	·23	-		23
24	·44	·44	·05	-	-	-	-	-	·01	1·35	-	-		24
25	·67	·69	-	-	·07	-	-	-	·07	·18	-	·03		25
26	·02	·45	-	-	·26	-	-	-	-	-	-	·02		26
27	·02	·31	-	·15	-	-	-	-	-	·91	-	G		27
28	-	·21	-	-	-	·02	-	-	-	·16	-	G		28
29	-	X	-	-	-	·01	-	-	-	·70	·02	·02		29
30	·35	X	-	-	-	-	-	·01	·01	-	·21	-		30
31	·33	X	-	X	-	X	-	-	X	·65	X	-		31
TOTAL	6·77	5·80	4·69	2·60	2·73	·84	3·26	1·23	1·37	5·02	1·91	3·19	Year's Total. 39·41	
* Days with .01 in. or more.	25	25	18	15	11	9	12	4	14	11	12	19	175	
* Days with .04 in. or more.	22	22	17	15	8	6	9	2	9	11	8	11	140	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

N

(*Signed*) F. BODDINGTON ESQ

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2226/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hinton Hall

in the County of Hereford

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft. – in.

,, Ground ,, Sea Level 480 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·07	-	-	-	1·10	·07	·39	-	·35	-	·37		1
2	-	·07	-	·08	·11	·01	·08	-	-	·18	·08	·01		2
3	-	-	-	-	·12	·01	·05	-	-	1·03	-	-		3
4	-	-	tr	·01	-	-	·14	·68	-	·46	-	·21		4
5	-	·04	-	-	-	·01	·13	·05	tr	·15	-	·01		5
6	·14	·05	-	-	-	·10	·95	-	·17	·21	-	·10		6
7	·06	-	-	-	-	-	·91	·30	-	·14	-	·11		7
8	·27	-	-	-	-	-	·03	·12	-	·26	-	·06		8
9	·26	-	-	-	-	·07	tr	·01	-	tr	-	1·12		9
10	·06	-	-	-	-	·04	·13	·21	-	-	-	·44		10
11	·43	-	-	-	-	·09	·03	·03	-	-	·33	·40		11
12	·46	·02	-	-	·18	·02	tr	·10	-	·38	1·01	tr		12
13	·04	-	-	-	·02	-	-	-	-	-	·30	·40		13
14	1·07	-	-	-	·11	-	tr	-	-	-	-	tr		14
15	·25	-	-	-	·03	-	·30	-	-	tr	·08	·85		15
16	·41	-	-	-	·01	-	tr	-	-	-	·11	·01		16
17	-	·07	-	-	-	-	-	-	·07	·18	-	-		17
18	·06	-	-	-	·01	·08	-	·15	-	·02	·48	-		18
19	·01	-	-	-	-	-	-	·14	·07	-	·16	-		19
20	·03	-	-	-	-	-	-	-	-	-	·23	·01		20
21	·01	-	tr	-	-	-	-	·04	·26	-	·16	·03		21
22	·01	-	-	·07	-	-	-	·11	·11	-	·35	·05		22
23	-	-	-	·06	·01	-	-	tr	·06	-	·09	-		23
24	·08	·01	·07	-	·04	-	-	·12	tr	-	·10	-		24
25	·14	·21	·01	-	·04	-	-	·09	-	·19	·89	·06		25
26	·35	·64	-	-	·14	·17	-	-	·02	·27	-	-		26
27	·03	·05	-	-	·38	·09	·28	·45	·17	·17	·36	-		27
28	·21	-	-	-	·02	·22	tr	·11	·01	-	·08	-		28
29	·29	✕	-	-	·38	·03	·01	-	·02	·09	·11	·02		29
30	·02	✕	-	-	·09	tr	-	-	·26	·01	·60	·18		30
31	·34	✕	-	✕	·31	✕	tr	·11	✕	·17	✕	·40		31
													Year's Total	
TOTAL	5·03	1·23	·08	·22	2·00	2·04	3·11	3·21	1·22	4·26	5·52	4·84	32·76	✓
* Days with .01 in. or more.	24	10	2	4	17	14	13	18	11	17	18	20	168	✓
* Days with .04 in. or more.	18	8	1	3	11	9	10	16	8	15	18	14	131	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Frank Boddington

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations   Station No. 1226/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hinton Hall, Peterchurch

in the County of Hereford

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 480 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·34	·20	·20	-	·03	-	-	-	·07	·02		1
2	-	-	·01	·07	-	-	-	·06	·39	-	·46	·10		2
3	·21	-	·04	·48	-	-	-	·08	-	-	·24	·66		3
4	·05	-	·22	·41	·20	-	·26	·02	·21	·61	·11	·32		4
5	-	-	-	·40	G	-	·57	-	-	·21	·70	G		5
6	·64	-	·05	·01	-	-	·93	-	-	-	·14	-		6
7	·01	·06	·01	-	G	-	·49	·13	-	-	·66	·26		7
8	·02	·36	·30	-	·05	-	·89	·07	-	·92	·80	·05		8
9	-	·18	G	-	-	-	-	·40	-	·25	·08	·15		9
10	·85	-	·01	-	-	-	-	·02	-	·27	-	·03		10
11	-	·02	·03	-	-	-	-	-	-	·04	-	·03		11
12	·02	·17	-	·03	-	-	-	-	·05	·01	·03	-		12
13	-	-	-	·17	·04	-	·20	-	-	·18	·01	-		13
14	·87	-	-	·01	·04	-	·18	-	·04	·04	·46	·09		14
15	·91	-	G	·04	·06	·39	·49	-	-	-	·24	-		15
16	·34	-	·03	-	·16	·08	·07	-	-	·39	·46	-		16
17	·71	-	-	-	·03	-	·02	-	-	-	·03	-		17
18	·32	·04	·03	-	-	·06	·23	-	-	-	·43	-		18
19	·15	-	-	-	-	-	·16	-	-	-	-	-		19
20	·40	-	-	-	-	-	·14	·11	-	-	-	·03		20
21	·02	·34	·39	·08	·02	·19	·26	-	·08	-	-	-		21
22	·56	·54	·15	·09	-	·64	·03	-	·01	-	·47	-		22
23	-	·02	·04	·03	-	·07	·30	-	-	-	·88	-		23
24	·23	-	·01	·02	-	·10	·02	-	-	·10	G	-		24
25	1·10	·12	-	G	-	-	·01	-	-	·10	·68	-		25
26	·05	-	-	·10	-	·01	-	·24	-	·01	·45	-		26
27	·01	·43	·07	·02	-	·06	·05	·03	-	·07	·21	·04		27
28	·06	·32	·13	·05	-	·13	·30	tr	-	-	·24	·04		28
29	-	X	-	·48	-	·16	·47	·01	-	·15	·01	-		29
30	-	✕	-	·27	-	·08	·01	-	-	·03	-	·13		30
31	-	✕	-	✕	-	✕	·25	·70	✕	·15	✕	·01		31
TOTAL	7·53	2·60	1·86	2·96	·80	1·97	6·36	1·87	·78	3·53	7·86	1·96	Year's Total 40·08	
* Days with .01 in. or more.	21	12	17	19	9	12	24	12	6	17	23	15	187	
* Days with .04 in. or more.	16	10	10	13	7	11	18	8	5	14	19	10	141	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Frank Boddington

P.T.O.

2227

Section **A** for the entry

AIR MINIST

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGI

31.

Kept at Barton Hou

in the County of He

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

" Ground " Sea

THE MORNING MEA … **AY.**

An observer who does not conform … *e following*
year in the space on the right of

Jan. 1, following

2227

HEREFORD, BARTON HOUSE
1931

780403

Date	Jan.	Feb.	March							t.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.03	.00	.13	.00	.14	.00	.00	.30	.125	.01	.00	1
2	.03	.02	.00	.79	.03	.00	.00	.24	.67	.00	.11	.14	2
3	.00	.01	.00	.00	.00	.00	.01	.00	.03	.00	1.15	.08	3
4	.02	.00	.00	.04	.00	.02	.26	.56	.17	.00	.11	.00	4
5	.01	.01	.00	.04	.08	.97	.03	.00	.00	.00	.00	.33	5
6	.00	.11	.00	.00	.03	.05	.21	.04	.04	34	.21	.00	6
7	.00	.01	.00	.00	.03	.07	44	.73	.00	.02	.35	.02	7
8	.00	.04	.00	.15	.13	.08	.00	.38	.00	.02	.65	.00	8
9	.01	.10	.01	.01	.00	.03	.00	.02	.00	.02	.70	.00	9
10	.00	.00	.00	.00	.03	.08	.01	.07	.05	.00	.60	.00	10
11	.05	.25	.00	.00	.00	.08	.05	.00	.07	.00	.16	.00	11
12	.10	.03	.00	.00	.00	.00	.21	.00	.04	.015	.00	.00	12
13	.00	.00	.03	.00	.06	.00	.32	.23	.00	.00	.00	.00	13
14	.00	.00	.02	.00	.04	.93	.45	.78	.02	.00	.28	.00	14
15	.00	.15	.00	.06	.13	.00	.57	.79	.12	.00	.00	.05	15
16	.04	.27	.00	.04	.21	.59	.00	.10	.12	.00	.00	.00	16
17	.00	.06	.00	.46	.35	.02	.15	.13	.03	.00	.05	.00	17
18	.07	.00	.06	.28	.00	.16	.02	.26	.03	.00	.30	.00	18
19	.02	.10	.00	.02	.00	.27	.01	.53	.00	.00 .00	.04	.30	19
20	.01	.05	.12	.01	.00	.00	.00	.16	.00	.01	.05	.04	20
21	.15	.07	.02	.00	.31	.00	.00	.00	.00	.01	.16	.00	21
22	.21	.00	.00	.00	.05	.00	.00	.08	.00	.01	.02	.00	22
23	.10	.01	.00	.37	.54	.20	.00	.00	.00	.01	.12	.00	23
24	.05	.01	.00	.35	.22	.00	.19	.00	.00	.00	.00	.32	24
25	.12	.00	.00	.50	.00	.00	.28	.00	.00	.01	.04	.00	25
26	.01	.01	.00	.02	.00	.00	.03	.00	.00	.01	.43	.00	26
27	.10	.46	.05	.00	.93	.00	.05	.00	.00	.01	.05	.00	27
28	.03	.12	.07	.02	.26	.00	.00	.00	.00	.01	.00	.05	28
29	.04		.05	.00	.21	.00	.35	.00	.00	.06	.06	.00	29
30	.00	×	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	30
31	.26	×	.00	×	.05	×	.00	.00	×	.01	×	.02	31
TOTAL	1.46	1.79	.43	3.32	3.69	3.63	3.64	5.10	1.76	.69	5.05	1.05	YEAR'S TOTAL 31.61
*Days with ·01 in. or more.	21~~9~~	20~~9~~	9~~4~~	17~~5~~	19~~4~~	15~~4~~	19~~6~~	16X	14~~4~~	16~~3~~	22~~2~~	9~~3~~	197 ~~63~~
*Days with ·04 in. or more.	12	11	5	12	15	11	13	15	10	3	20	7	134

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A G Jones

[P.T.O.

Section **A** for the entry

COPY FOR OFFICIAL USE.

2227

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Barton Haen Hereford

in the County of Hereford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 184 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.03	.00	.13	.00	.14	.00	.00	.30	.125	.01	.00	1
2	.03	.02	.00	.79	.03	.00	.00	.24	.67	.00	.11	.14	2
3	.00	.00	.00	.00	.00	.00	.01	.00	.03	.00	1.15	.08	3
.03 4	.03	.00	.00	.04	.00	.02	.26	.56	.17	.00	.11	.00	4
5	.01	.01	.00	.07	.08	.97	.03	.00	.00	.00	.00	.33	5
6	.00	.11	.00	.00	.03	.65	.21	.04	.04	.34	.21	.00	6
7	.00	.01	.00	.00	.03	.01	.44	.73	.00	.02	.35	.02	7
8	.00	.04	.00	.15	.19	.08	.00	.38	.00	.02	.65	.00	8
9	.01	.10	.01	.01	.00	.03	.00	.02	.00	.02	.70	.00	9
10	.00	.00	.00	.00	.03	.08	.01	.07	.05	.00	.00	.00	10
11	.05	.25	.00	.00	.00	.08	.05	.00	.07	.00	.16	.00	11
12	.10	.03	.00	.00	.00	.00	.21	.00	.04	.015	.00	.00	12
13	.00	.00	.03	.00	.06	.00	.32	.23	.00	.00	.00	.00	13
14	.00	.00	.02	.00	.04	.43	.45	.78	.02	.00	.28	.00	14
15	.00	.15	.00	.06	.13	.00	.57	.79	.12	.00	.00	.05	15
16	.04	.21	.00	.04	.21	.59	.00	.10	.12	.00	.00	.00	16
17	.00	.06	.00	.46	.35	.02	.15	.13	.03	.00	.05	.00	17
18	.07	.00	.06	.28	.00	.16	.02	.26	.03	.00	.30	.00	18
19	.02	.10	.00	.02	.00	.27	.01	.53	.00	.00	.04	.00	19
20	.01	.05	.12	.01	.00	.00	.00	.16	.00	.01	.05	.04	20
21	.15	.01	.02	.00	.31	.00	.00	.00	.00	.01	.16	.00	21
22	.21	.00	.00	.00	.05	.00	.00	.08	.00	.01	.02	.00	22
23	.10	.01	.00	.37	.54	.20	.00	.00	.00	.01	.12	.00	23
24	.05	.01	.00	.35	.22	.00	.19	.00	.00	.00	.00	.32	24
25	.12	.00	.00	.50	.00	.00	.28	.00	.00	.01	.04	.00	25
26	.01	.01	.00	.02	.00	.00	.03	.00	.00	.01	.43	.00	26
27	.10	.46	.05	.00	.93	.00	.05	.00	.00	.01	.05	.00	27
28	.03	.12	.07	.02	.26	.00	.00	.00	.00	.01	.00	.05	28
29	.04		.05	.00	.21	.00	.35	.00	.00	.06	.06	.00	29
30	.00	×	.00	.00	.00	.00	.00	.00	.07	.00	.00	.00	30
31	.26	×	.00	×	.05	×	.00	.00	×	.01	×	.02	31
TOTAL	1.46	1.79	.43	3.32	3.69	3.63	3.64	5.10	1.76	.69	5.05	1.05	YEAR'S TOTAL 31.61
*Days with ·01 in. or more.	21~~9~~	20~~9~~	9~~4~~	17~~5~~	19~~4~~	15~~7~~	19~~6~~	16	14~~4~~	16~~13~~	22~~2~~	9	191 163
*Days with ·04 in. or more.	12	11	5	12	15	11	13	15	10	3	20	7	134

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A G Jones

[P.T.O.

Section **A** for the entry
AIR MINIST

FORM 1090.

REGIS

2228 .

BREINTON COURT.
1931 – 40

780403

2228

FOR OFFICIAL USE.
ORGANIZATION.

. 1931

WID

Kept at BREINTON C

in the County of HER

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	10	–	·02	28	–	–	–	.08	–	–	1
2	–	–	–	·05	·01	.08	–	–	36	18	–	–	2
3	27	05	–	·08	·02	–	–	39	75	–	–	11	3
4		–	–	·03	·05	–	.03	–	.05	–	118	·03	4
5		02	·04	·01	·02	–	23	68	36	–	22	–	5
6		02	–	·05	·02	101	10	–	–	–	–	35	6
7		10	–	10	–	03	53	03	.03	33	25	10	7
8		02	–	–	·01	03	–	80	–	.02	35	·01	8
9		03	–	10	·05	08	–	48	02	.02	38	·01	9
10	·05	05	–	–	·01	06	–	02	.04	–	55	–	10
11	–	–	–	–	·03	12	02	–	–	–	56	–	11
12	03	15	–	–	–	07	22	–	–	–	55	–	12
13	03	05	–	–	–	08	12	02	.02	–	12	–	13
14	–	02	·03	–	·03	01	31	03	03	–	·02	–	14
15	·01	03	–	–	–	94	30	69	.04	–	28	–	15
16	–	11	–	–	·05	71	39	48	–	–	–	·05	16
17	05	15	–	·04	·08	12	08	09	12	02	–	–	17
18	06	08	·05	35	35	03	12	23	02	–	·03	–	18
19	02	03	–	28	–	15	02	23	–	–	–	–	19
20	02	10	–	·02	–	43	–	29	–	–	·03	–	20
21	–	02	12	·02	–	–	–	15	–	–	·04	–	21
22	10	–	–	–	38	–	–	–	–	–	35	·05	22
23	05	–	·02	–	·08	–	–	11	–	–	·02	·03	23
24	06	–	–	40	58	16	02	–	–	–	14	–	24
25	08	–	–	28	20	–	31	02	–	–	·04	–	25
26	18	–	–	48	–	–	51	–	03	–	·01	–	26
27	07	–	–	·03	–	–	–	–	–	01	10	–	27
28	17	50	·05	–	136	–	–	–	–	–	·05	–	28
29	42	✕	·06	–	36	–	–	–	–	–	·01	–	29
30	48	✕	·08	–	21	–	08	–	–	08	·09	–	30
31	·04	✕	–	✕	–	✕	–	–	✕	–	✕	–	31
TOTAL	219	153	55	232	392	3 449	339	474	1·87	74	5·37	74	YEAR'S TOTAL 31·85
Days with ·01 in. or more.	19 5	18 8	9 2	~~16~~ 5	21 9	18 4	17 5	17 5	13 6	8 4	23 6	9 4	188
Days with ·04 in. or more.	14	10	7	11	12	14	12	12	7	4	17	5	125

40-9999

(Signed) Brenda Bailey [P.T.O.

Section **A** for the entry [redacted] FOR OFFICIAL USE.
AIR MINIST[redacted] ORGANIZATION.

2228

FORM 1090.

REGISTER OF RAINFALL IN 193~~0~~ . 1931

Kept at BREINTON COURT
in the County of HEREFORD
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 238 ft.

days

WID

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	10	–	·02	28 ·21	–	–	–	·08	–	–	1
2	–	–	–	·05	·01	·08	–	–	36	18	–	–	2
3	27	05	–	·08	·02	–	–	39	75 75	–	–	·11	3
4		–	–	·03	·05	–	·03	–	·05	–	118	·03	4
5		02	·04	·01	·02	–	23	68	·36	–	22	–	5
6		02	–	·05	·02	101	10	–	–	–	–	35	6
7		10	–	10	–	03	53	03	·03	33	25	10	7
8		02	–	–	·01	03	–	80	–	·02	35	·01	8
9		03	–	10	·05	08	–	48	02	·02	38	·01	9
10	·05	05	–	–	·01	06	–	02	·04	–	55	–	10
11	–	–	–	–	·03	12	02	–	–	–	56	–	11
12	03	15	–	–	–	07	22	–	–	–	55	–	12
13	03	05	–	–	–	08	12	02	·02	–	12	–	13
14	–	02	·03	–	·03	01	31	03	03	–	·02	–	14
15	·01	03	–	–	–	94	30	69	·04	–	28	–	15
16	–	11	–	–	·05	71	39	48	–	–	–	·05	16
17	05	15	–	·04	·08	12	08	09	12	02	–	–	17
18	06	08	·05	35	35	03	12	23	02	–	·03	–	18
19	02	03	–	28	–	15	02	23	–	–	–	–	19
20	02	10	–	·02	–	43	–	29	–	–	·03	–	20
21	–	02	12	·02	–	–	–	15	–	–	·04	–	21
22	10	–	–	–	38	–	–	–	–	–	35	·05	22
23	05	–	·02	–	·08	–	–	11	–	–	·02	·03	23
24	06	–	–	40	58	16	02	–	–	–	14	–	24
25	08	–	–	28	20	–	31	02	–	–	·04	–	25
26	18	–	–	48	–	–	51	–	03	–	·01	–	26
27	07	–	–	·03	–	–	–	–	–	01	10	–	27
28	17	50	·05	–	136	–	–	–	–	–	·05	–	28
29	42	×	·06	–	36	–	–	–	–	–	·01	–	29
30	48	×	·08	–	21	–	08	–	–	08	·09	–	30
31	·04	×	–	×	–	×	–	–	×	–	×	–	31
TOTAL	219	153	55	232	392	3 449	339	474	1·87	74	5·37	74	YEAR'S TOTAL 31·85
Days with ·01 in. or more.	19 ~~5~~	18 ~~8~~	9 ~~7~~	16 ~~5~~	21 ~~9~~	18 ~~4~~	17 ~~5~~	17 ~~5~~	13 ~~6~~	8 ~~4~~	23 ~~8~~	9 ~~4~~	188
Days with ·04 in. or more.	14	10	7	11	12	14	12	12	7	4	17	5	125

40-9999

(Signed) Brenda Bailey [P.T.O.

Section **A** for the entry of Daily Observations Station No.........................

METEOROLOGICAL OFFICE

REGISTER OF RAINFALL IN 19~~6~~31

METFORM 1090
(Rev. Feb. 1965)

Kept at BREINTON COURT

in the County of..........................

COPY.

Diameter of funnel of gauge..................in.
Height of top of gauge above ground..................ft..................in.
Height of ground above sea level..................ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·05	·01	·08			·36	·18				1
2	·27	·05		·08	·02			·39	·75			·11		2
3				·03	·05		·03		·05		1·18	·03		3
4		·02	·04	·01	·02		·23	·68	·36		·22			4
5		·02		·05	·02	1·01	·10					·35		5
6		·10		·10		·03	·53	·03	·03	·33	·25	·10		6
7		·02			·01	·03		·80		·02	·35	·01		7
8		·03		·10	·05	·08		·48	·02	·02	·38	·01		8
9	·05	·05			·01	·06		·02	·04		·55			9
10					·03	·12	·02				·56			10
11	·03	·15				·07	·22				·55			11
12	·03	·05				·08	·12	·02	·02		·12			12
13		·02	·03		·03	·01	·31	·03	·03		·02			13
14	·01	·03				·94	·30	·69	·04		·28			14
15		·11			·05	·71	·39	·48				·05		15
16	·05	·15		·04	·08	·12	·08	·09	·12	·02				16
17	·06	·08	·05	·35	·35	·03	·12	·23	·02		·03			17
18	·02	·03		·28		·15	·02	·23						18
19	·02	·10		·02		·43		·29			·03			19
20		·02	·12	·02				·15			·04			20
21	·10				·38						·35	·05		21
22	·05		·02		·08			·11			·02	·03		22
23	·06			·40	·58	·16	·02				·14			23
24	·08			·28	·20		·31	·02			·04			24
25	·18			·48			·51		·03		·01			25
26	·07			·03						·01	·10			26
27	·17	·50	·05		1·36						·05			27
28	·42	·10	·06		·36						·01			28
29	·48	X	·08		·21		·08			·08	·09			29
30	·04	X		·02					·08					30
31		X		X	·28	X			X		X			31
TOTAL	2·19	1·63	·45	2·34	4·18	4·11	3·39	4·74	1·95	·66	5·37	·74	Year's Total 31·75	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).. (P.T.O.)

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1932

OK ✓

Kept at BREINTON COURT

in the County of HEREFORD

COPY

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				40	105			25	03	02	02			1
2	05			02	28	02		03		01		02		2
3				53	01		02				02	15		3
4				29	05						07			4
5	36		03		03				64		48	02		5
6	16		04	05			03		06					6
7	03		10	05	28				64	118				7
8			12	02	05				08	31				8
9	80		01	05	02				06	02				9
10	31			13	03	04			02	12				10
11	02			10	02	06	03		18		07			11
12	20	03			25				02		01	09		12
13	15	02		10	02		62	22		04	02			13
14	35			05	03			05		04	05	21		14
15	02			02	25		02			02	01	02		15
16	21			35	03		48					05		16
17	02				02		03							17
18	01				05				03	02	03			18
19					11					04				19
20				21	81			80		63	01			20
21	01		11	06	05			53		45	02	02		21
22	01		10	02	08		05		50	08	05	16		22
23			02		09					10	15	02		23
24	03	02			10		05		14	04	01	01		24
25				31			05		03	12	02			25
26			48	11	03		05		02	02				26
27			46	12	48					04	03			27
28			10	02	18		10	04			02			28
29	01		25	09	08	·11	21	36	06	42	01	30		29
30		X	10	09		89	25	05	06	01		05		30
31		X	05	X		X	41		X		X	35		31
TOTAL	2·75	·07	1·97	3·19	~~4·49~~ 4·48	1·12	2·40	2·33	2·57	3·73	1·10	1·47	Year's Total ~~27·19~~ 27·18	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(Signed) .... (P.T.O.)

Section **A** for the entry of Daily Observations.

W/P ↑ 2228

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Breinton Court
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 238 ft.

days

Generally low See June, Sept. (Year down) No. OK

2235 2233 2234

26.40 29.38 27.82

Circ C sent 20/3/33 & also 906 suggesting ·50 for (Observer agrees f. 66 1559/26) Sept 22nd. Blench

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·35

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	05	09	–	89	41	–	·06	–		1
2	–	–	–	40	105	–	–	25	·03	·02	·02	–	2
3	·05	–	–	02	28	02	–	·03	–	·01	–	02	3
4	–	–	–	53	·01		·02	–	–	–	·02	15	4
5	–	–	–	29	·05		–	–	–	–	·07	–	5
6	36	–	·03	–	·03		–	–	64	–	48	02	6
7	16	–	04	05	–		03	–	·06	–	–	–	7
8	03	–	10	05	28		–	–	64	1.18	–	–	8
9	–	–	12	02	·05		–	–	·08	31	–	–	9
10	80	–	·01	05	·02		–	–	·06	·02	–	–	10
11	31	–	–	13	·03	·04	–	–	·02	12	–	–	11
12	·02	–	–	10	·02	·06	03	–	18	–	·07	–	12
13	20	·03	–	–	25	–	–	–	·02	–	·01	·09	13
14	15	02		10	·02	–	62	22	–	·04	·02	–	14
15	35	–		05	·03	–	–	·05	–	·04	·05	21	15
16	·02	–		02	·25	–	·02	–	–	·02	·01	·02	16
17	21	–		35	·03	–	48	–	–	–	–	·05	17
18	·02	–		–	·02	–	·03	–	–	–	–	–	18
19	·01	–		–	05	–	–	–	·03	·02	·03	–	19
20	–	–		–	11	–	–	–	–	·04	–	–	20
21	–	–		21	81	–	–	80	–	63	·01	–	21
22	·01	–	11	06	·05	–	–	53	–	45	·02	02	22
23	01	–	10	02	·08	–	·05	–	(·50)	·08	·05	16	23
24	–	–	·02	–	·09	–	–	–	–	10	15	·02	24
25	03	02	–	–	10	–	05	–	14	·04	·01	·01	25
26	–	–	–	31	–	–	05	–	·03	12	·02	–	26
27	–	–	48	11	·03	–	·05	–	·02	·02	–	–	27
28	–	–	46	12	48	–	–	–	–	·04	·03	–	28
29	–	–	10	02	18	–	10	·04	–	–	·02	–	29
30	·01	✕	25	09	·08	11	21	36	·06	42	·01	30	30
31	–	✕	10	✕	–	✕	25	·05	✕	·01	✕	·05	31
TOTAL	275	·07	1.05 1.97 ~~192~~	1.09 3.19 ~~315~~	4.49 ~~458~~	1.89 1.12 ~~23~~	4.21 2.40 ~~288~~	2.33 ~~274~~	1.06 (2.57) ~~201~~	3.73 ~~319~~	110	1.35 1.47 ~~112~~	27.19 YEAR'S TOTAL 27.19 ~~26.34~~
*Days with ·01 in. or more.	~~8~~ 18	3	~~3~~ 13	~~5~~ 23	~~16~~ 28	~~x~~ 4	~~5~~ 15	~~x~~ 10	15 ~~14~~	~~x~~ 22	~~13~~ 19	14 ~~5~~ ~~12~~	184 ~~66~~
*Days with ·04 in. or more.	9	0	10	18	18	3	10	9	9 ~~8~~	15	6	8 ~~7~~	115 ~~113~~

40-9999

(Signed) Brenda Baily [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19633

COPY

Kept at BREINTON COURT

in the County of HEREFORD

Diameter of funnel of gauge ... in.

Height of top of gauge above ground ... ft. ... in.

Height of ground above sea level ... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	37	04	05	01	02					19				1
2	10	03	35		18									2
3	03	02	03		08					05				3
4	02	01			08			02						4
5	10				08					08				5
6	01	25	05		28					10				6
7	01		03		01					12				7
8	01	03	10		02		20			05				8
9							10			71				9
10		10						08		178				10
11							15			05				11
12		02					04	02	14			01		12
13	08	03			10		10	01		08				13
14						02	05			20				14
15	30		07			10	04			05				15
16	04		50			03				03				16
17		03	40			02		02	06					17
18	05		03			08								18
19			06			06		04	24					19
20			03			30			35	05				20
21		03			19	16		05		03				21
22				01		31		17		10				22
23		35		15		35			25	22				23
24		85		10	02	41			02	35				24
25		86		15	05	05			18			15 ~~15~~		25
26		08		08	48	02			02	35		01		26
27		03			38	01				05				27
28	05	07		41	28					01		03		28
29	06	X	02	18						02				29
30	08	X	05	01				04	10	01	15	10		30
31	16	X	01	X		X			X		X			31
TOTAL	1·47	2·83	~~1·78~~	1·10	2·25	1·92	·68	·45	1·36	4·68	15	·30	Year's Total ~~19·52~~	
*Days with .01 in. or more.			1·77											~~1957~~
*Days with .04 in. or more.														18·96

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ... (P.T.O.)

2228

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at BREINTON COURT

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 238 ft.

Obs. wishes to receive estimate for November
90b sent supplying estimate 16/2/34. ack by obs. 19/2/34.

WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·00 ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	35	.16	.07	.01	.01	–	–	–	–	10		.15	1
2	37	.04	.05	.01	.02	–	–	–	–	19		–	2
3	10	.03	35	–	.18	–	–	–	–	–		–	3
4	·03	.02	.03	–	.08	–	–	–	–	·05		–	4
5	·02	.01	–	–	.08	–	–	.02	–	–		–	5
6	·10	–		–	.08	–	–	–	–	.08		–	6
7	·01	.25	.05	–	.28	–	–	–	–	10		–	7
8	·01	–	.03	–	.01	–	–	–	–	12		–	8
9	·01	.03	.10	–	.02	–	20	–	–	.05		–	9
10	–	–	–	–	–	–	10	–	–	71		–	10
11	–	.10	–	–	–	–	–	.08	–	178		–	11
12	–	–	–	–	–	–	15	–	–	.05		–	12
13	–	.02	–	–	–	–	.04	.02	14	–		.01	13
14	·08	.03	–	–	10	–	10	.01	–	.08		–	14
15	–	–	–	–	–	.02	.05	–	–	20		–	15
16	30	–	.07	–	–	10	.04	–	–	.05		–	16
17	·04	–	.50	–	–	.03	–	–	–	.03		–	17
18	–	·03	.40	–	–	·02	–	·02	·06	–		–	18
19	·05	–	.03	–	–	.08	–	–	–	–		–	19
20	–	–	.06	–	–	.06	–	·04	24	–		–	20
21	–	–	.03	–	–	30	–	–	35	.05		–	21
22	–	.03	–	–	19	16	–	·05	–	.03		–	22
23	–	–	–	.01	–	31	–	17	–	10		–	23
24	–	.35	–	.15	–	35	–	–	25	22		–	24
25	–	.85	–	.10	.02	41	–	–	.02	35		–	25
26	–	.86	–	.15	.05	·05	–	–	18	–		.15	26
27	–	.08	–	.08	48	·02	–	–	·02	35		.01	27
28	–	.03	–	–	38	.01	–	–	–	.05		–	28
29	·05	×	–	41	28	–	–	–	–	·01		.03	29
30	·06	×	.02	18	–	–	–	–	–	.02		–	30
31	·08	×	.05	×	–	×	–	.04	×	·01	×	.10	31
TOTAL	+.16 ~~166~~	+.07 ~~292~~	+.01 ~~184~~	+.01 ~~110~~	~~226~~	~~192~~	~~68~~	~~45~~	+.10 ~~126~~	~~478~~	+.15 ~~(55)~~	+.00 ~~45~~	YEAR'S TOTAL ~~(19.87)~~
*Days with ·01 in. or more.	~~5~~ 16	~~9~~ 17	15 ✓	~~3~~ 9	~~5~~ 16	~~5~~ 14	~~–~~ 7	~~4~~ 9	~~2~~ 8	~~5~~ 24	(9)	~~3~~ 6	(~~150~~ 149)
*Days with ·04 in. or more.	~~8~~ 11	8 ✓	10 ✓	6 ✓	11 ✓	9 ✓	7 ✓	5 ✓	6 ✓	19 ✓	(4)	3 ✓	(~~99~~ 98)
40-9999	1.47	2.83	1.78	1.10	2.25	1.92	.68	.45	1.36	4.68	(4.70)	4.30	(19.52)

D

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19634

Kept at BREINTON COURT

COPY

in the County of HEREFORD

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04							33			10	30		1
2	03								17	04	01	08		2
3		01						02	03	05		25		3
4	04		04		17			81	16	08	11	30		4
5			07		14			03		04	10	15		5
6			03		35			09	03	14		33		6
7	04	01			01			01		03		29		7
8					24				06		03	38		8
9			27					03			42	06		9
10	15		06	46							10			10
11	82		02	35			04	01			02	13		11
12	01						85							12
13	54			20			02			01		07		13
14	02		37			07				03	18	09		14
15	01		09		10					01	23	09		15
16	04		21		05						15	01		16
17				10			12		18			12		17
18	13		20	29					02			16		18
19			05			04		01	02	07		19		19
20									02					20
21	02					03	03	05		03		03		21
22	02		06		01	36	01	26	07	08		28		22
23			03	10		36		02	07		01	01		23
24		30		25					11	01				24
25	20	01	06	02					01	25		58		25
26				10		05			01			14		26
27	03					02			01			10		27
28				41		02		12	11	01		32		28
29		X					12	02	12	03				29
30	03	X					01	05		01		09		30
31		X		X		X			X	03	X	05		31
TOTAL	2·17	·33	1·56	2·28	1·07	·95	1·20	186	1·20	·95	1·46	4·60	Year's Total 19·63	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ....

(P.T.O.)

W ✓✓ K -

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2228

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BREINTON COURT

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 238 ft.

throw back Jan - Aug

WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–								Trace	10	30		1
2	·04	–						33	17	04	01	08		2
3	·03	–	Trace					–	03	05	–	25		3
4	–	·01						02	16	08	11	30		4
5	·04	–	·04		17			81	Trace	04	10	15		5
6	–	–	·07		14			03	03	14	–	33		6
7	–	–	·03		35			09	Trace	03	–	29		7
8	·04	·01	–		·01			01	06		03	38		8
9	–		–		24						42	06		9
10	–		27					03			10	Trace		10
11	15		·06	46							02	13		11
12	82		·02	35			04	01			–	Trace		12
13	·01		–	–			85			07	–	07		13
14	54		–	20			02			03	18	09		14
15	·02		37	Trace		07				01	23	09		15
16	·01		·09	–	10						15	01		16
17	·04		·21	–	·05				18			12		17
18	–		–	10			12		02			16		18
19	13		20	29					02	07		19		19
20	–		·05	–		04		01	02			–		20
21	–		–	–					Trace	03		03		21
22	·02		–	–		03	03	05	07	08		28		22
23	·02		·06	–	01	36	01	26	07	Trace	01	01		23
24	–		·03	10		36		02	11	01		Trace		24
25	–	30	–	25					01	25		58		25
26	20	·01	·06	·02					01			14		26
27	–			10		05			01			10		27
28	·03			–		02			11	01		32		28
29	–			41		02		12	12	03		Trace		29
30	–	×		–			12	02	Trace	01		09		30
31	·03	×		×		×	01	05	×	03	×	05		31
TOTAL	2.17 ✓	·33 ✓	1.56 ✓	2.28	1.07 ✓	.95 ✓	1.20 ✓	1.86 ✓	1.20 ✓	.95 ✓	1.46 ✓	4.60 ✓	Year's Total ~~19.53~~ 19.63	
* Days with .01 in. or more.	17 ✓	4 ✓	14 ✓	10 ✓	8 ✓	8 ✓	8 ✓	15 ✓	17 ✓	18 ✓	12 ✓	26 ✓	157 ✓	
* Days with .04 in. or more.	9 ✓	1 ✓	11 ✓	9 ✓	6 ✓	5 ✓	4 ✓	7 ✓	9 ✓	8 ✓	8 ✓	23 ✓	100 ✓	

40-9999

† Spare column, no entries required.

(Signed) Brenda Baily.

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2228

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BREINTON COURT

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 238 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TR	–	·05	·04	–	·02	·08	–	79	·08	·03	·06		1
2	–	–	–	–	–	30	–	–	·05	·07	12	·04		2
3	–	–	·08	–	–	·09	–	–	·09	24	23	–		3
4	·02	–	TR	15	–	10	–	–	·07	16	·07	11		4
5	–	22	·04	·04	–	·01	·01	–	·09	–	·02	–		5
6	–	–	–	35	–	52	–	–	–	·06	·07	15		6
7	–	–	·05	30	–	22	–	–	–	15	·04	·04		7
8	–	–	–	33	–	·02	–	44	–	·03	13	13		8
9	·05	·02	–	41	–	15	–	–	–	40	22	–		9
10	·03	–	–	·02	–	·03	–	–	–	TR.	·01	–		10
11	12	–	–	–	–	·02	–	–	–	–	28	–		11
12	·03	TR	–	–	–	·02	–	·04	·02	–	·02	TR		12
13	·08	–	–	12	·04	–	–	–	·01	TR	·06	–		13
14	–	–	–	·01	·01	·08	–	–	16	–	85	·09		14
15	–	·05	–	55	·06	21	–	–	10	·03	·01	·13		15
16	–	·01	12	45	–	·09	–	–	48	–	78	–		16
17	–	–	–	13	–	18	·04	–	·01	–	11	–		17
18	–	–	–	20	·02	·02	·01	–	13	·03	TR	–		18
19	–	·01	–	·06	39	10	16	·04	–	·04	19	–		19
20	–	23	–	21	·04	·01	·05	–	·01	–	84	–		20
21	–	28	–	·05	–	–	–	–	25	·02	·03	–		21
22	–	·09	TR.	·06	–	–	–	–	17	–	TR	–		22
23	TR	·03	·09	–	·01	–	–	·09	·08	55	–	10		23
24	·02	33	·08	–	–	–	–	·02	32	21	–	48		24
25	15	·01	–	15	–	73	–	–	·03	–	–	20		25
26	–	29	–	TR	–	–	–	25	·06	·01	·01	36		26
27	–	12	–	–	–	–	–	–	–	–	·01	24		27
28	·02	TR	–	–	·02	–	–	·06	10	–	–	TR		28
29	–	×	–	–	–	–	–	·02	11	–	13	29		29
30	·04	×	–	21	–	·03	–	35	17	10	60	15		30
31	–	×	–	×	–	×	–	–	×	36	×	43		31
TOTAL	56	169	51	384	59	295	35	131	330	254	486	300	Year's Total. 25·50	
* Days with .01 in. or more.	10 5	5 13	07	20 3	~~4~~ 8	21 ~~9~~	~~2~~6	9 2	22 5	17 5	24 8	16	~~48~~	173 ✓
* Days with .04 in. or more.	5 ✓	8 ✓	7 ✓	18 ✓	4 ✓	12 ✓	4 ✓	7 ✓	17 ✓	12 ✓	16 ✓	16 ✓	126	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) B. Baily

[P.T.O.

Section **A** for the entry of Daily Observations Station No.........

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~36

Kept at BREINTON COURT

in the County of HEREFORD

COPY

Diameter of funnel of gauge..........in.
Height of top of gauge above ground..........ft..........in.
Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		04		23		08	13				18	02		1
2	12		01	05		42	10				18			2
3	01					06	10	06	28		02			3
4	01		10			21			32		08	14		4
5	55	07	10		13	01	05		01		01	11		5
6	36		04			07	20	01	04		45			6
7	16		02				85	03	04		34	02		7
8	22		19				03				60			8
9	40		24			04	50		10					9
10	03		01				28		02		03			10
11		14	06	06		14	03		43		64			11
12				04	01	33	28		01		03	25		12
13				04	03		04		07		01	85		13
14				16	04		10	02	37	05	03	25		14
15				03	06						03	04		15
16	10	13		09	04		06					01		16
17	10	82		01	04		36			04	08	38		17
18		15			02	16	18			15	01	05		18
19	59	11	04	14					33					19
20	03	18	10	03		86		06	07			01		20
21				70		16					01			21
22		49	16		19		20							22
23	05		16		05		14		21	02				23
24	23	05			02		10		22	24				24
25	24		22	40			25			13	03			25
26	19	02	20			07	03			01	01			26
27	04	01	08				16			08				27
28	32	08	34				09			04	03	16		28
29	01	02	02			128	05				04	10		29
30	03	x			01	05	12			62		02		30
31	50	x	29	x	14	x	04		x	09	x	26		31
TOTAL	~~4·20~~ 4·29	2·31	~~2·39~~ 2·38	1·98	·78	3·94	4·47	·18	2·52	1·47	2·84	2·67	Year's Total 29·83	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)..........(P.T.O.)

may 24 - Corrected for B.A re April & June Totals

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Query sent Station No. 2228

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936..

Kept at BREINTON COURT

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 238 ft.

~~Totals. Days~~ Query sent re Jan 24, Oct 31st.

adj: for W.O. from July 1st – Sept. 8th. ~~Correc~~

19.5.37 Answer to Query. adj: accepted.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	·04		23		·08		·04			18	·02		1
2	·05		·01	·05		42	13		-		18			2
3	·01					·06	10	(·06)	-		·02			3
4	·01		10			21	10	-	28		·08	14		4
5	55		10		13	·01		-	32		·01	11		5
6	36	(·07)	·04			·07	·05	(·01)	·01		45			6
7	16		·02				20	(·03)	·04		34	·02		7
8	22		19				85	-	·04		60			8
9	40		24			·04	·03	-						9
10	·03		·01				50	-	10		·03			10
11		14	·06	·06		14	28	-	·02		64			11
12				·04	·01	33	·03	Trace	43		·03	25		12
13				·04	·03	Trace	28		·01		·01	85		13
14				16	·04		·04	·02	·07	·05	·03	25		14
15		Trace		·03	·06		10		37		·03	·04		15
16		13		·09	·04		Trace					·01		16
17	10	82		·01	·04		·06			·04	·08	38		17
18	10	15			·02	16	36			15	·01	·05		18
19	59	11	·04	14			18							19
20	·03	18	10	·03		86		·06	33			·01		20
21	Trace			70		16			·07		·01			21
22		·49	16		19		25							22
23	·05	Trace	16		·05		20		Trace	·02				23
24	(·23)	·05	Trace		·02		14		21	24				24
25	24		22	·40			10		22	13	·03			25
26	19	·02	20			·07				·01	·01			26
27	·04	·01	·08				·03			·08				27
28	32	·08	34	Trace			16			·04	·03	16		28
29	·01	·02	·02		(·01)	128	·09			(62)	·04	10		29
30	·03	×	(29)		(14)	·05	·05					·02	Print too?	30
31	50	×		×		×	12		×	(·09)	×	26		31
TOTAL	(4·29) ~~406~~	231	238	198 ~~158~~	78	3·94 ~~294~~	·04 ~~443~~ 4·47	(·18) ~~12~~	252	(1·47) ~~138~~	284	267	Year's Total: ~~25·43~~ ~~28·01~~	(29·83)
* Days with .01 in. or more.	~~25~~ 23 ~~6~~	14 ~~3~~	19 ~~4~~	13 ~~3~~	13 ~~5~~	15 ~~1~~	~~28~~ 26 ~~3~~	~~8~~ (5) ~~1~~	15 ~~5~~	~~10~~ (11) ~~2~~	21 ~~12~~	16 ~~5~~	{191} ~~185~~	✓ 191
* Days with .04 in. or more.	16 ~~15~~	11	15	10	8	14	23 ~~22~~	(1) ~~2~~	12	(9) ~~8~~	9	11	{139} ~~137~~	✓ 139

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2228

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at BREINTON COURT

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 238 ft.

Days ✓ JB

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.02		.05					.03	.05	.07	88		1
2		11		.09								17		2
3	Trace	10			79		.04					.01		3
4	.06	10	.02		.07			Trace				16		4
5	14	.01	13				.05					.02		5
6	.04	13	12	.16	.09					13	.02			6
7		73		.05		.05								7
8		22	.02		13	Trace			.05	.02	29			8
9				.07	19		.05		48			.01		9
10	.04	.02	45	17		.05								10
11	.01		37	.02	64	14	16					.06		11
12		14	.07			.03	.03	.95	.07	Trace		25		12
13	10	.05	.01	15	.01	25		88						13
14	.04	.03	.05	.03	Trace		.09	10	.01			.02		14
15	15	.08	.02	23			1.38		12			.09		15
16	.03	.02	81	.02				10	10			.02		16
17	41	.05	30				.01		22		.01	Trace		17
18	38	.05	.07	15			.03		50	.01	21	20		18
19	.04	.03	.01	.04		11	26		.01	Trace	.02	.01		19
20	37	.09	26	40	.03	Trace	.03			Trace				20
21	27	27	20		.03		18			11		.02		21
22	.07	.04	.05		15		24			42	52	.01		22
23	19	16	.02				.02	Trace		10	11			23
24	34	41	.03		10		.02		Trace	37	.01			24
25	.01	52			13				.05	64				25
26		29			38						Trace	.03		26
27		20		10						47		.04		27
28		.08		Trace						20		.01		28
29		✕				.03				72				29
30	23	✕				Trace			.01		.09			30
31	17	✕		✕		✕			✕	51	✕			31
TOTAL	313	395	301	173	274	66	259	203	165	375	135	201	Year's Total 2860	✓
* Days with .01 in. or more.	21 ~~2~~	26 ~~6~~	19 ~~7~~	15 ~~3~~	13 ~~3~~	7 ~~2~~	15 6	4	12 ~~6~~	13 ~~2~~	10 ~~4~~	18 ~~10~~	~~50~~	173 ✓
* Days with .04 in. or more.	18	20	12 ~~10~~	12	10	5	9	4	8	11	6	8	~~121~~	123 ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Brenda Baily

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2228.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Brinton Court

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ~~1~~ 3* ft. in.

,, Ground ,, Sea Level 238 ft.

* Ht corrected by letter from observer 30.4.39

Daily Curr write letter re exposure

3/5/39

W.J.F.

letter written 3/4/39 GB

no letter sent

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Trace.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.02	-	-	-	.87	.05	.43	.01	.16	-	.02		1
2	-	Trace	-	-	.09	-	.02	-	-	.16	-	.20		2
3	.02	.01	-	-	.08	.02	-	-	-	.36	-	.01		3
4	-	Trace	-	-	-	-	.13	.25	-	.17	-	.05		4
5	-	.01	-	-	-	-	.05	Trace	.02	.07	-	-		5
6	.10	.05	-	-	-	.03	.94	-	.04	.08	-	.03		6
7	-	-	-	-	-	-	.31	.29	.07	.04	-	.13		7
8	.28	-	Trace	-	-	-	.13	.32	-	.10	-	.03		8
9	.18	-	-	-	-	.03	.03	.04	-	-	-	.65		9
10	.02	-	-	-	-	.06	.05	.20	-	-	-	.35		10
11	.24	-	-	-	-	-	.01	-	-	-	.25	.24		11
12	.14	-	-	-	.12	.02	-	-	-	.18	.43	.01		12
13	.01	-	-	-	-	-	-	-	-	-	.10	.68		13
14	.29	-	-	-	.05	-	.45	-	-	-	-	.26		14
15	.08	-	-	-	.08	-	.11	-	-	-	.03	.26		15
16	.14	-	Trace	-	-	-	-	-	-	-	.06	.01		16
17	-	.04	-	-	-	-	-	-	.08	.10	-	-		17
18	.02	-	-	-	-	.03	Trace	.04	.02	Trace	.24	-		18
19	-	-	-	-	-	-	-	.16	.06	-	.03	-		19
20	-	-	-	-	-	-	-	-	.01	-	.18	-		20
21	-	-	-	-	-	-	-	.03	.71	-	.15	.14		21
22	-	-	-	.10	-	.10	-	.10	.16	.03	.31	-		22
23	-	-	-	.02	.03	-	-	Trace	.12	-	.06	.01		23
24	.04	-	.05	-	.10	-	-	.20	.03	-	-	-		24
25	.02	.10	.01	-	.20	-	.01	-	-	.13	.44	.04		25
26	.17	.12	-	-	.10	-	-	-	Trace	.28	-	.06		26
27	.02	.01	-	-	.41	.04	.22	.56	.16	.15	.15	-		27
28	.09	-	-	-	.03	.06	.01	.05	-	Trace	-	.01		28
29	.12	~~-~~	-	-	.31	.13	-	-	.05	.09	.05	.04		29
30	.01	✕	-	-	.12	-	-	-	.24	-	.30	.13		30
31	.06	✕	-	✕	.18	✕	-	-	✕	.11	✕	.20		31
TOTAL	2.05	.36	.06	.12	1.90	1.39	2.52	2.67	1.78	2.21	2.78	3.56	Year's Total 21.40 ?	
* Days with .01 in. or more.	20	8	2	2	14	11	15	13	15	16	15	23	154	
* Days with .04 in. or more.	13	4	1	1	12	6	10	12	10	15	13	15	112	

30/3/39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) B. Bailey

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2228

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Breinton Court,

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 238 ft.

2/40 Letter re exposure

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Trace	–	.07	.19	.19	–	Trace	–	.11	–	.06	.02		1
2	–	–	.01	.05	–	–	Trace	.10	.41	–	.13	.05		2
3	.14	–	.02	.21	–	–	Trace	.11	–	–	.11	.26		3
4	.06	.01	.19	.48	.15	–	.12	.06	.15	.25	.04	.08		4
5	–	–	–	.27	–	–	.20	.16	Trace	.15	.41	.02		5
6	.45	–	–	Trace	–	–	.61	–	–	–	.11	–		6
7	–	.02	–	–	–	–	27 .27	.05	–	–	.27	.32		7
8	–	.10	.31	–	.02	–	.41	.12	–	.83	.53	.03		8
9	–	.09	–	–	–	–	–	.27	–	.36	.03	.08		9
10	.45	.	–	–	–	–	–	.06	–	.19	–	.09		10
11	–	–	.15	–	–	.04	–	.03	–	.23	.02	.03		11
12	–	.03	–	Trace	–	.04	–	–	–	.03	–	–		12
13	–	–	–	.10	.04	–	.12	–	.09	.18	–	–		13
14	.57	–	–	–	.10	.07	.30	–	–	.02	.19	–		14
15	.54	–	.01	.01	.07	.17	.56	–	–	.02	.18	–		15
16	.21	–	.08	–	.14	–	.04	–	–	.06	.44	–		16
17	.68	–	–	.	.04	–	.01	–	–	Trace	.03	–		17
18	.34	.02	.03	–	.01	.01	.11	–	–	–	.21	–		18
19	.12	–	–	–	–	–	.13	–	–	–	Trace	–		19
20	.46	–	–	–	–	.01	.04	.14	–	–	Trace	.03		20
21	.02	.16	.10	.05	–	.10	.12	.01	.04	–	–	–		21
22	.16	.25	.06	–	–	.70	.03	–	.02	.04	.15	–		22
23	–	–	.01	.01	–	Trace	.22	.02	Trace	–	.81	–		23
24	.32	–	.03	–	–	.02	.01	Trace	–	.04	.02	–		24
25	.46	–	.02	.02	–	.01	.03	–	–	–	.14	.01		25
26	.01	.05	–	.01	–	–	Trace	.15	–	–	.22	.05		26
27	Trace	.10	.02	.05	–	.03	.09	.02	–	–	.14	.12		27
28	.05	.11	.09	.02	–	.16	.19	.02	–	–	.06	.04		28
29	Trace	~~–~~	–	.28	–	.18	.27	–	–	.23	.02	–		29
30	–	✕	–	.25	–	.12	–	.10	–	.01	.02	15		30
31	–	✕	–	✕	–	✕	.16	.35	✕	.10	✕	.02		31
TOTAL	5.04	.94	1.20	2.00	.76	1.66	4.04	1.77	.32	2.74	4.34	1.40	Year's Total 26.71 ?	
* Days with .01 in. or more.	2 17	4 11	8 16	5 15	2 9	5 14	22 4	17 5	6 1	16 4	24 6	17 7	~~53~~	184
* Days with .04 in. or more.	15	7	8	10	7	9	18	12	5	12	18	10	131	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2228

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~ 1940

HEREFORD

Kept at Breinton Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 238 ft.

Dup

Alts and 5/7/41 [illegible]

June 29th adjusted from nearby stations

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·03	·03						17			1
2		·09		14			·04				93	·07		2
3		35		·02						19	142	·02		3
4		·04		—						·06	122	·03		4
5		·01			25		·07				39	·07		5
6	·14	36								20	·04	·09		6
7	·01	22		·06	·02		Trace		·01	·04		·04		7
8	Trace			·08		·10			·02	19	·05	19		8
9				·07			·10	18		31	·48	19		9
10			·02				·53	10		13	·05	28		10
11		·01		·03			12	·01			70	·01		11
12			·14			·08	21		·03		·10	·07		12
13		·03	40				·01	Trace			·03	36		13
14				·04	20			·03	11	22	21	·04		14
15	·01		·01	·01	113	·08	·02		16	·01		—		15
16	·01	75	16	·06	·01	·02	43		08	85	66			16
17	—		13	·02			·03		·03	·02	03			17
18	14	36	24	58					62	11	05	07		18
19		·09	·08	32			33		16	·01	15	02		19
20		·01					·03		·01	15	·03			20
21				·03	·08	45	·05				132			21
22			·08	12	·04	15			47		·02			22
23		·08	·04	·04	·10									23
24							15		·62					24
25					·03		·03							25
26	1·14	13		45	·08	·03	31				·02			26
27	1·02	16		·04	·10		·22	·01						27
28	76	17		40	·03		·04					·02		28
29	·02		·07	54		·05 ~~50~~				·02		12		29
30	·05	✕	—	30	·03					·49		03		30
31	·10	✕	·04	✕	·01	✕			✕	89	✕	·02		31
TOTAL	340	286	141	338	214	·96 ~~141~~	272	33	172	389	807 707	174	Year's Total 31·62 ~~32·47~~	31.62
* Days with .01 in. or more.	11 ~~4~~	16~~4~~	12	~~6~~ 21	~~7~~ 15	28	185	53	128	174	215	197	~~55~~	175
* Days with .04 in. or more.	7	12	10	15	8	6	13	2	6	13	16	12	120	3262

3·09

Print 31

M = Mist * S = Snow †

† Spare column, no entries required.

*See Instruction 3 (f) on other side. MRS R.E.H. BAILY (Signed) ~~Brenda Baily~~ P.T.O.

Section **A** for the entry of … tion No. ~~2228~~/5
AIR MINISTR… ORGANIZATION

FORM 1090 **REGIS…** 1940

780403

Kept at "~~Hesselton~~" Hereford, Bar…
in the ~~County~~ City of ……Herefor…
Diameter of Funnel of Gauge……5…
Height of top of Gauge above Grou…
,, Ground ,, Sea…

THE MORNING MEASURE… DAY

An observer who does not conform to … llowing
year in the space on the right of this …
Plea…

Jan. 1, following

2228/5
HEREFORD, BARTON ST.
1940

780403

Date	Jan.	Feb.	Mar.	Ap…								Dec.		Date
	in.	in.	in.	in…								in.	†	
1	–	·02	–	·02	·02	–	–	–	–	–	·15	–		1
2	–	·07	–	·08	–	–	·02	–	–	–	·91	·02		2
3	–	·35	–	·01	–	–	–	–	–	·24	1·19	·02		3
4	·01	·05	–	–	–	–	–	–	–	·05	·28	·02		4
5	–	·01	–	–	·21	–	·05	–	–	·06	·41	·05		5
6	·13	·31	–	–	–	–	–	–	–	·19	·03	·09		6
7	·01	·25	–	·02	·03	–	–	–	–	–	–	·04		7
8	·01	·01	–	·03	–	–	–	–	·18	·34	·03	·14		8
9	–	–	–	·08	–	–	·10	·19	–	·31	·50	·11		9
10	–	–	·02	–	–	–	·51	·09	–	·13	·06	·27		10
11	–	·01	·01	·02	–	–	·15	–	–	–	·60	·02		11
12	–	–	·08	–	–	·05	·20	–	·02	–	·07	–		12
13	–	·01	·36	–	–	–	–	–	·01	·01	·03	·03		13
14	–	–	·09	·03	·25	–	–	·02	·07	·09	–	·37		14
15	–	–	·01	·01	1·06	·04	·01	–	·15	·03	·16	–		15
16	–	·71 S	·12	·03	–	–	·34	–	·06	·86	·62	·04		16
17	–	–	·14	–	–	–	·02	–	·04	–	·02	–		17
18	·13 S	·38	·17	·55	–	–	·01	·01	·62	·15	·03	–		18
19	–	·12	·06	·32	–	–	·34	–	·06	–	·10	·01		19
20	–	·01	–	·02	–	–	·01	·01	·01	·11	–	–		20
21	–	–	–	–	·07	·37	·07	–	–	·01	1·17	–		21
22	–	–	·06	·14	·03	–	[illegible]	–	·44	–	–	–		22
23	–	·01	·03	·04	·23	·13	[illegible]	–	–	–	·01	–		23
24	–	–	–	–	–	–	·15	–	·01	–	–	–		24
25	·02	–	–	–	·01	·02	·01	–	–	–	–	–		25
26	1·09	·12	–	·60	·06	–	·36	–	–	–	–	–		26
27	·98	·14	–	·19	·06	–	·12	–	–	–	·02	·01		27
28	·62 S	·17	–	·37	·01	·03	–	–	–	–	–	·01		28
29	·02	·01	·06	·45	·01	–	·04	–	–	·01	–	·21		29
30	·03	☒	–	·32	·02	–	–	–	–	·40	–	·03		30
31	·10	☒	·03	☒	–	☒	–	–	☒	·75	☒	·01		31
TOTAL	3·15	2·76	1·24	3·33	2·07	·64	2·51	·32	1·67	3·74	6·39	1·50	Year's Total 29·32	✓
* Days with .01 in. or more.	12	19	14	20	14	6	18	5	12	17	20	19	176	✓
* Days with .04 in. or more.	6	11	9	11	7	4	12	2	8	13	13	9	105	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Mrs Whiting [P.T.O.

Section **A** for the entry of … ition No. ~~2228~~/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

780403

Hereford

Kept at "~~Hesselton~~", Barton Street

in the ~~County~~ City *of* Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level about 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·02	–	·02	·02	–	–	–	–	–	·15	–		1
2	–	·07	–	·08	–	–	·02	–	–	–	·91	·02		2
3	–	·35	–	·01	–	–	–	–	–	·24	1·19	·02		3
4	·01	·05	–	–	–	–	–	–	–	·05	·28	·02		4
5	–	·01	–	–	·21	–	·05	–	–	·06	·41	·05		5
6	·13	·31	–	–	–	–	–	–	–	·19	·03	·09		6
7	·01	·25	–	·02	·03	–	–	–	–	–	–	·04		7
8	·01	·01	–	·03	–	–	–	–	·18	·34	·03	·14		8
9	–	–	–	·08	–	–	·10	·19	–	·31	·50	·11		9
10	–	–	·02	–	–	–	·51	·09	–	·13	·06	·27		10
11	–	·01	·01	·02	–	–	·15	–	–	–	·60	·02		11
12	–	–	·08	–	–	·05	·20	–	·02	–	·07	–		12
13	–	·01	·36	–	–	–	–	–	·01	·01	·03	·03		13
14	–	–	·09	·03	·25	–	–	·02	·07	·09	–	·37		14
15	–	–	·01	·01	1·06	·04	·01	–	·15	·03	·16	–		15
16	–	·71 S	·12	·03	–	–	·34	–	·06	·86	·62	·04		16
17	–	–	·14	–	–	–	·02	–	·04	–	·02	–		17
18	·13 S	·38	·17	·55	–	–	·01	·01	·62	·15	·03	–		18
19	–	·12	·06	·32	–	–	·34	–	·06	–	·10	·01		19
20	–	·01	–	·02	–	–	·01	·01	·01	·11	–	–		20
21	–	–	–	–	·07	·37	·07	–	–	·01	1·17	–		21
22	–	–	·06	·14	·03	–	[illegible]	–	·44	–	–	–		22
23	–	·01	·03	·04	·23	·13	[illegible]	–	–	–	·01	–		23
24	–	–	–	–	–	–	·15	–	·01	–	–	–		24
25	·02	–	–	–	·01	·02	·01	–	–	–	–	–		25
26	1·09	·12	–	·60	·06	–	·36	–	–	–	–	–		26
27	·98	·14	–	·19	·06	–	·12	–	–	–	·02	·01		27
28	·62 S	·17	–	·37	·01	·03	–	–	–	–	–	·01		28
29	·02	·01	·06	·45	·01	–	·04	–	–	·01	–	·21		29
30	·03	✕	–	·32	·02	–	–	–	–	·40	–	·03		30
31	·10	✕	·03	✕	–	✕	–	–	✕	·75	✕	·01		31
TOTAL	3·15	2·76	1·24	3·33	2·07	·64	2·51	·32	1·67	3·74	6·39	1·50	Year's Total 29·32	✓
* Days with .01 in. or more.	12	19	14	20	14	6	18	5	12	17	20	19	176	✓
* Days with .04 in. or more.	6	11	9	11	7	4	12	2	8	13	13	9	105	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Mrs. Whiting [P.T.O.

2229

Section **A** for the entry
AIR MINIST

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIS

1.

Kept at Alderwood, ...

in the County of Heref...

Diameter of Funnel of Gauge...

Height of top of Gauge above Gro

„ Ground „ Sea

THE MORNING MEAS

An observer who does not conform
year in the space on the right of

Y.

following

Jan. 1, following

2229

TORRINGTON, ALDERWOOD
1931 — 40

>P0403

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1				.27		.07			.39	.08			1
2	.01	.03		.89	.05	.01		.20	.91		.13	.13	2
3	.10		.01						.73		1.20	.16	3
4			.02	.08		.01	.50	.35	.14		.04		4
5				.10	.07	1.17	.19		.03		.02	.34	5
6		.15		.12	.02	.07	.18		.04	.42	.26	.06	6
7						.05	.72	.71		.04	.21	.02	7
8		.05		.15	.08			.50		.01		.03	8
9		.14		.02		.07				.02	.65		9
10					.07	.09		.04	.09		.68		10
11	.18	.20				.08			.23		.14	.01	11
12	.02	.03		.07			.32	.12	.15	.02			12
13					.03		.25	.42					13
14		.09			.05	.62	.71	1.22	.13		.45		14
15		.11		.10			.35	.23			.01	.07	15
16	.02	.17		.03	.37	.68		.09	.14				16
17		.06	.04	.15	.42	.09	.24	.11	.20	.01	.07		17
18	.06			.15		.18	.01	.41	.02		.36		18
19	.02	.10		.04		.73		.27			.05		19
20		.05	.20					.31			.03	.04	20
21	.25			.01	.48						.09		21
22	.15				.19			.01			.01		22
23	.09			.54	.68	.23					.27	.25	23
24	.02			.26	.26		.24						24
25	.02			.48			.44				.07		25
26		.04		.03			.02				.49		26
27	.11	.52	.03		1.17		.02			.01	.06	.01	27
28	.04	.14		.05	.30							.05	28
29	.03		.01		.35		.38			.12	.07		29
30		×									.06		30
31	.16	×		×	.10	×			×	.01	×	.03	31
TOTAL	1.28	1.88	.31	3.54	4.69	4.15	4.57	4.99	3.20	.74	5.42	1.20	YEAR'S TOTAL 35.97
*Days with ·01 in. or more.	16	15	6	19	17	15	15	15	13	10	23	13	177
*Days with ·04 in. or more.	9	13	2	15	15	13	12	14	11	4	19	8	135

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) John H Whiting

P.T.O.

2229

Section **A** for the entry COPY FOR OFFICIAL USE.
AIR MINIST BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Aldersend, Tarrington
in the County of Herefordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level about 360 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.27		.07			.39	.08			1
2	.01	.03		.89	.05	.01		.20	.91		.13	.13	2
3	.10		.01						.73		1.20	.16	3
4			.02	.08		.01	.50	.35	.14		.04		4
5				.10	.07	1.17	.19		.03		.02	.34	5
6		.15		.12	.02	.07	.18		.04	.42	.26	.06	6
7						.05	.72	.71		.04	.21	.02	7
8		.05		.15	.08			.50		.01		.03	8
9		.14		.02		.07				.02	.65		9
10					.07	.09		.04	.09		.68		10
11	.18	.20				.08			.23		.14	.01	11
12	.02	.03		.07			.32	.12	.15	.02			12
13					.03		.25	.42					13
14		.09			.05	.62	.71	1.22	.13		.45		14
15		.11		.10			.35	.23			.01	.07	15
16	.02	.17		.03	.37	.68		.09	.14				16
17		.06	.04	.15	.42	.09	.24	.11	.20	.01	.07		17
18	.06			.15		.18	.01	.41	.02		.36		18
19	.02	.10		.04		.73		.27			.05		19
20		.05	.20					.31			.03	.04	20
21	.25			.01	.48						.09		21
22	.15				.19			.01			.01		22
23	.09			.54	.68	.23					.27	.25	23
24	.02			.26	.26		.24						24
25	.02			.48			.44				.07		25
26		.04		.03			.02				.49		26
27	.11	.52	.03		1.17		.02			.01	.06	.01	27
28	.04	.14		.05	.30							.05	28
29	.03		.01		.35		.38			.12	.07		29
30		×									.06		30
31	.16	×		×	.10	×			×	.01	×	.03	31
TOTAL	1.28	1.88	.31	3.54	4.69	4.15	4.57	4.99	3.20	.74	5.42	1.20	YEAR'S TOTAL 35.97
*Days with ·01 in. or more.	16	15	6	19	17	15	15	15	13	10	23	13	177
*Days with ·04 in. or more.	9	13	2	15	15	13	12	14	11	4	19	8	135

40-9999

(Signed) John H Whiting

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Aldersend, Tarrington,
in the County of Hereford.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level about 360 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.01	–	.05	1.31	.01	.03	.28	.04	.07	–	–	1
2	.05	–	–	.09	.32	–	–	.01	.17	.01	.01	.12	2
3	–	–	–	.41	.01	–	–	–	–	–	–	–	3
4	.01	–	–	.14	–	–	.05	–	.01	–	.67	–	4
5	.45	–	.05	–	.02	–	–	–	–	–	–	–	5
6	.26	–	.06	.06	.03	–	.18	–	.73	–	–	–	6
7	.08	–	.17	.03	.40	–	.03	–	.17	1.06	–	–	7
8	–	–	–	–	.03	–	–	–	.30	.27	–	–	8
9	.74	.02	–	.08	.12	–	–	–	–	–	–	–	9
10	.58	–	–	.18	.05	.04	–	–	.08	.25	–	–	10
11	.01	–	–	–	.01	.09	.02	–	–	–	.02	.06	11
12	.21	–	–	.03	.35	–	–	–	.18	.23	.01	–	12
13	.07	–	–	.07	.03	–	.61	.16	–	.02	–	.14	13
14	.36	–	–	.08	–	–	–	.25	–	.02	.08	.06	14
15	–	–	–	.02	.69	–	.02	–	–	.01	.03	.01	15
16	.37	–	–	.27	.09	–	.33	–	–	–	–	–	16
17	–	–	–	–	.01	–	.01	–	–	.02	–	–	17
18	–	–	–	–	.17	–	.02	–	.03	–	.34	–	18
19	.05	–	–	.03	.05	–	–	–	.02	.07	.02	–	19
20	–	–	–	.37	1.05	–	–	.45	–	.56	.09	.03	20
21	–	–	.22	.09	.30	–	–	1.74	–	.43	.01	.15	21
22	–	–	.04	.03	.15	–	.40	–	.77	.12	.07	–	22
23	–	.05	.04	.01	.44	–	.03	–	.17	.14	.20	.06	23
24	.03	–	–	–	.02	–	–	–	.17	.07	.01	–	24
25	.01	–	–	–	–	–	.07	–	.13	.40	.01	–	25
26	–	–	.09	.32	.05	–	.14	–	.02	.09	–	–	26
27	–	–	.67	.33	.38	–	.10	–	–	.11	–	.04	27
28	–	–	.12	.06	.25	.03	.16	.18	–	–	–	–	28
29	–		.35	.13	.37	.14	.05	.21	.27	.34	–	.49	29
30	–	×	.03	.18	–	.98	.45	.06	.36	–	.23	.09	30
31	–	×	.03	×	–	×	.35	–	×	–	×	.43	31
TOTAL	3.33	.08	1.87	3.06	6.70	1.29	3.05	3.34	3.62	4.29	1.80	1.68	YEAR'S TOTAL 34.11
*Days with .01 in. or more.	16	3	12	23	26	19	19	9	17	20	15	12	178
*Days with .04 in. or more.	12	1	10	17	18	12	12	8	13	15	7	10	127

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) John H. Whiting.

P.T.O.

2229

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Attwood, Tarrington

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level abt. 360 ft.

July 2" High

Year ~~3"~~ High

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.58	.14	.08		.01					.04		.02	1
2	.36		.46		.08	.23							2
3	.02	.13	.11		.03								3
4	.13				.23								4
5	.08		.32		.01						.01		5
6		.34	.01		.31					.12			6
7	.02	.01			.01		.17			.16			7
8	.03		.13		.03		.37						8
9					.04		.17			.55	.03		9
10	.11	.24			.01		.05			2.23	.03		10
11					.03	.01	.35	.05					11
12	.05				.03		.11		.15	.01			12
13					.10		.24			.05	.12		13
14	.02						.04	.07		.27	.11		14
15	.45		.10				1.89	.07		.06		.07	15
16	.08		.75			.01		.01	.01	.04	.03		16
17			.44			.05		.01	.03		.06		17
18	.08	.03	.03			.09					.03		18
19			.21					.03	.12		.25	.02	19
20		.02				.33			.20		.03		20
21					.03	.15				.05	.01		21
22				.02				.21	.19	.07			22
23		.10		.11		.17			.53	.63			23
24		.94		.15	.02	.41				.18	.01		24
25		.50		.23	.22	.17			.33			.12	25
26		1.12		.08	.32				.33	.06			26
27		.01			.85				.01	.14		.19	27
28		.18		.29	.28		.03		.01	.02		.01	28
29	.09			.29									29
30	.03	×	.05				.03		.09			.09	30
31	.26	×	.06	×		×		.05	×		×		31
TOTAL	2.39	3.76	2.75	1.17	2.64	1.62	3.45	.50	2.00	4.68	.72	.52	YEAR'S TOTAL 26.20
*Days with ·01 in. or more.	16	13	13	4	19	10	10	8	12	17	12	7	145
*Days with .04 in. or more.	11	9	11	6	9	8	8	5	8	15	4	4	99

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) John H Whiting

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Aldersend, Tarrington
in the County of Hereford.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level about 360 ft.

†THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06							·40	·04	·03	·04	·54		1
2	·05		·02		·10			·03	·28		·02	·12		2
3	·02							·03	·03	·12		·25		3
4	·03	·02	·02	·02	·37				·04	·23	·15	·33		4
5			·14		·07			·81		·03	·21	·18		5
6	·03		·04	·03	·38			·09		·13		·41		6
7	·11	·02			·02	·02		·08		·13	·05	·44		7
8					·09				·01		·06	·24		8
9			·15	·02				·03			·44	·08		9
10	·22		·09	·25							·17			10
11	1.39		·06	·36			·11	·07			·03	·31		11
12			·05	·01			·14	·01				·02		12
13	·40		·02	·17			·31					·15		13
14	·03		·36	·02						·04	·06	·15		14
15	·02				·22					·05	·26	·08		15
16	·14		·34		·02						·07			16
17	·02			·05			·17		·19			·25		17
18	·18			·23					·14		·02	·06		18
19			·30	·02		·05			·04	·08		·25		19
20			·09	·04					·04	·03				20
21						·08	·07	·10		·07		·04		21
22	·04		·09		·03			·27	·10	·08		·26		22
23			·05	·19	·03	·26		·02	·07	·08				23
24		·34	·05	·08		·06			·24	·01		·03		24
25	·19	·01		·09						·35		·51		25
26	·06		·09	·31		·08						·12		26
27	·08			·06		·11			·07	·05		·07		27
28				·79		·05		·20	·10	·02		·37		28
29							·10	·06	·17	·02		·01		29
30	·04	×					·01		·03	·01		·09		30
31		×		×		×		·34	×	·08	×	·07		31
TOTAL	3.11	·39	1.96	2.74	1.33	·71	·91	2.54	1.59	1.64	1.58	5.43	Year's Total 23.93	
*Days with ·01 in. or more.	19	4	17	18	10	8	7	15	16	20	13	27	174	
*Days with .04 in. or more.	13	1	14	12	6	7	6	10	13	13	10	24	129	

40-9999

*See Instruction 2·(*f*) on other side.

† Spare column, no entries required.

(*Signed*) John H. Whiting

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Aldersend, Tarrington

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

" Ground " Sea Level about 360 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·04

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01		·04		·08	·03	·07		·10	·08	·08	·03		1
2						·10			·14	·09	·04			2
3		·02	·05			·08			·54	·34	·23	·10		3
4	·05		·02	·11		·11			·04	·20		·11		4
5		·17	·19	·06		·53			·09	·01	·08	·02		5
6				·34		·38			·01	·33		·20		6
7				·40		·25				·08	·09	·08		7
8				·40		·04		·13		·04	·24	·08		8
9	·04	·03		·39		·18				·60	·14			9
10				·07				·01		·01	·04			10
11	·21	·01				·02			·02		·27	·03		11
12	·05	·03				·05		·04						12
13	·08	·02		·26	·09				·02	·02				13
14				·02	·04	·18			·13		·96	·14		14
15		·07		·64	·12	·22			·16		·03	·07		15
16			·15	·40		·26	·02		·64	·07	·75	·14		16
17				·17		·18	·05	·02			·15			17
18				·23	·12	·03			·17	·06				18
19				·08	·42	·13	·14		·01	·06	·12			19
20	·02	·25		·09	·02	·05					·89			20
21		·28	·03	·02					·41	·04	·05			21
22		·14	·02	·09					·27		·01			22
23		·04	·10					·25	·07	·58		·08		23
24	·09	·29	·07					·04	·41	·15		·18		24
25	·17	·09		·15		1·03						·10		25
26		·17						·29	·07	·01	·02	·57		26
27		·08							·20		·05	·40		27
28	·02	·01						·23	·14		·02	·02		28
29	·04							·12	·07		·12	·35		29
30		×		·16		·05		·46	·20	·18	·58	·12		30
31		×		×		×		·01	×	·41	×	·21		31
TOTAL	·78	1·70	·67	4·08	·89	3·90	·28	1·60	3·91	3·36	4·96	3·03	Year's Total 29·16.	
*Days with ·01 in. or more.	11	16	9	19	7	20	4	11	22	20	22	20	181.	
*Days with ·04 in. or more.	8	10	6	17	6	17	3	8	18	16	18	16	143	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) John H Whiting

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Aldersend, Tarrington

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level about 360 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.07		.37		.15	.15	.07			.07			1
2		.02	.01	.07		.58	.27	.03			.17			2
3	.06					.26	.04	.01	.66		.03			3
4	.01		.15			.16			.25		.08	.02		4
5	.25	.05	.09		.03		.06	.04	.04		.03	.17		5
6	.20		.04		.04	.18	.30	.04	.04		.34			6
7	.03		.13			.02	.82		.04	.03	.21	.05		7
8	.33		.10				.04				.63	.03		8
9	.43		.48				.70		.05		.02			9
10	.02		.01				.20							10
11		.13		.04		.17	.15		.08		.55			11
12				.05	.66	.37	.28		.40		.07	.23		12
13				.02	.01	.02	.07			.08	.02	.88		13
14				.23		.04	.23				.03	.62		14
15				.05			.01		.32		.07	.09		15
16	.11			.04	.03		.06				.10	.02		16
17	.09	.83		.03	.03		.22			.14	.03	.34		17
18		.15					.43	.02				.04		18
19	.32	.21	.06	.12		.03		.06		.05		.01		19
20		.14	.09	.07		.07			.43					20
21	.04		.01	.64					.11					21
22	.05	.51	.12	.01	.18		.24					.02		22
23	.04			.05	.03		.18			.04				23
24	.17	.07	.20	.01	.02		.09		.18	.33	.03			24
25	.09		.18	.45			.27		.26	.07	.02			25
26	.17	.05	.22			.17	.04		.01	.02				26
27	.03	.04					.03			.12				27
28	.37	.07	.33							.03	.01	.08		28
29	.03	.04	.03			.48	.04				.03	.24		29
30	.08	×			.08	.20	.13			.41		.01		30
31	.49	×	.30	×		×	.09		×	.22	×	.22		31
TOTAL	3.45	2.38	2.55	2.25	1.11	2.90	5.14	.27	2.87	1.54	2.54	3.07	Year's Total. 30.07	✓
* Days with .01 in. or more.	23	14	18	16	10	15	26	7	14	12	20	17	192	✓
* Days with .04 in. or more.	18	13	14	12	4	12	24	4	13	9	10	11	144	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) John H Whiting

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 2229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at Aldersend Tarrington

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level about 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10		.01	.07					.10	.02	.10	.58		1
2	.01	.15		.10						.02		.05		2
3		.15	.02		.59		.05		.05					3
4	.09	.15			.06							.23		4
5	.30		.19				.04							5
6		.14	.08	.17	.11	.02	.08			.09	.03			6
7		.68	.03	.13		.03					.01			7
8		.16			.13		.01		.02	.02	.30			8
9		.01		.05	.21		.09		.48			.23		9
10	.06	.01	.27	.19		.08								10
11			.14	.02	.41	.16	.15					.11		11
12	.21	.20	.07			.22	.03	.21	.09			.27		12
13	.04	.03	.19	.11		.31		.53						13
14			.05					.06	.07			.07		14
15	.11	.08		.28			1.62		.04			.34		15
16		.02	.71	.07				.11	.16					16
17	.28	.07	.40	.01			.01		.40					17
18	.38	.05	.31	.04			.09		.33		.21	.20		18
19		.05	.05	.04		.20	.12				.02			19
20	.40	.05	.12	.39	.17							.04		20
21	.21	.28	.10		.03		.21			.02		.03		21
22	.14	.06	.10		.13	.02	.21			.45	.44			22
23	.16	.11	.02		.16		.04			.35	.14			23
24	.45	.32	.02		.03		.05		.07	.47				24
25		.42			.10				.05	.46				25
26		.36			.44									26
27		.24		.10						.47				27
28		.04								.17		.03		28
29	.05					.04				.56	.03	.01		29
30	.19	✕				.04					.14			30
31	.21	✕		✕		✕			✕	.43	✕			31
Total	3.39	3.83	2.88	1.77	2.57	1.12	2.80	.91	1.86	3.53	1.42	2.19	Year's Total 28.27	✓ ✓
* Days with .01 in. or more.	18	24	19	15	13	10	15	4	12	13	10	13	166	✓ ✓
* Days with .04 in. or more.	17	20	14	13	11	7	12	4	11	9	6	10	134	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John H. Whiting

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2229.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Aldersend, Tarrington

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 360 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·03				.37	·25	·27		.17		.28		1
2				.08	·09		·02			·22		·01		2
3					.08	·05				·39	.01			3
4						·01	·14	·26		·21		·16		4
5		·03					·02	·03	·02	·08				5
6	·09					·06	1·29			·07		·04		6
7	.01						·35	·43	·09	·12		.13		7
8	·35						·10	·35		·19				8
9	·18					·02	·10	·06				·54		9
10		·05				.11	·09	·28				·51		10
11	·29					.02	·01	·01			·19	·16		11
12	.19				·09		·01	·07		·19				12
13	·02				·01						·13	·70		13
14	·41				·06		·51		·07					14
15	·12				·12		·12	·02			·03	·29		15
16	·16				·03			·01			·08			16
17		·04							·04	·10	·01			17
18	·04				·01	·08		·03	·04	·01	·22			18
19								·13	·01		·06			19
20	·03										·29	·05		20
21						·07		·15	·35		·12	·10		21
22	·01			·04				·08	·06		·34			22
23				·03	·01				·08					23
24		·01	·03		·07			·32	·03		·09			24
25	·07	·20	·06		·07		·06			·14	·38	·05		25
26	·17	·36			·07	·04				·10		·16		26
27	·04	·03			·54	·16	·31	·31	·18	·09	·17			27
28	·10	·02			·05	·17	·05	·36	·01		·08	·03		28
29	·12				·34		·05		·09	·06	·08	·06		29
30	·03	✕							·31	·01	·32			30
31	·11	✕		✕	·25	✕			✕	·11	✕	·21		31
TOTAL	2.54	·77	·09	·15	1·89	1·16	3·48	3·17	1·38	2.26	2.60	3·48	Year's Total 22·97	✓
* Days with .01 in. or more.	20	9	2	3	16	12	17	18	14	17	17	17	162	✓
* Days with .04 in. or more.	15	4	1	2	12	9	13	13	10	15	14	15	123	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) John H. Whiting

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Aldersend
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 360 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·03	·25	·11				·07		·03			1
2			·01	·07				·29	·36		·12	·09		2
3	·09			·25				·20			·27	·31		3
4	·08		·24	·36	·24		·35	·05	·05	·25	·08	·10		4
5				·18	·14		·22	·31		·12	·29	·08		5
6	·57						·66	·01			·16			6
7	·01	·04					·17	·03			·59	·29		7
8	·01	·11	·43		·04		·63	·11		·91	·27	·08		8
9		·06						·16		·36	·02	·14		9
10	·55		·09			·02		·18		·22	·03	·13		10
11			·17			·01		·02		·10		·02		11
12		·02				·12								12
13			·01	·16	·02		·17		·14	·23	·01			13
14	·45		·02	·02	·14	·18	·09			·05	·22			14
15	·68		·02	·03	·09	·28	·54			·12	·18			15
16	·29		·01	·01	·17		·07				·34			16
17	·53	·02			·03	·03	·02			·02	·02			17
18	·60	·03	·02			·06	·19				·32			18
19	·14						·51				·01			19
20	·44						·05							20
21	·05	·18	·20	·03		·11	·41	·01	·03					21
22	·27	·25	·11			·36	·01	·01	·04		·06			22
23	·02			·02		·01	·27	·20			·68			23
24			·03	·07		·03	·04			·09				24
25	·79	·10	·01				·08			·09	·20			25
26	·03	·03		·03				·10		·05	·33	·03		26
27	·02	·17	·07	·02		·03	·09	·12		·01	·02	·14		27
28	·05	·11	·06	·04		·24	·16				·24			28
29				·40		·01	·05			·11	·05			29
30		✕		·19		·26		·02		·07	·02	·16		30
31		✕		✕		✕	·14	·27	✕		✕			31
TOTAL	5·63	1.12	1.53	2·13	·98	1.75	4·92	2·09	·69	2.80	4·56	1.57	Year's Total 29·77 ✓	
* Days with .01 in. or more.	21	12	17	17	9	15	22	17	6	16	25	12	189 ✓	
* Days with .04 in. or more.	15	8	8	10	7	8	20	11	5	14	17	10	133 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) John H Whitney

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1940.

Kept at Aldersend, Tarrington

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

„ Ground „ Sea Level 360 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.02	.03						.10			1
2		.07		.13			.03				.99			2
3		.28		.02						.25	1.25	.05		3
4		.10		.04			.03			.08	.27	.04		4
5		.03			.11		.05			.03	.42	.10		5
6	.13	.26								.20	.03	.09		6
7		.27										.03		7
8				.01					.02	.33	.23	.17		8
9		.01		.02			.15	.06		.25	.39	.08		9
10			.02				.43	.03		.12	.07	.19		10
11				.04			.25				.55	.02		11
12			.22			.03	.17		.08	.04	.03			12
13		.01	.37											13
14			.04	.03	.46			.04	.11	.15	.04	.45		14
15			.02		.60	.09			.15	.29	.10	.01		15
16		.35	.17	.05			.22		.09	.97	.63			16
17			.10						.03		.02			17
18	.15	.39	.28	.45					.24	.08	.05	.16		18
19		.13	.04	.37			.56		.16	.01	.10			19
20			.02	.02			.01	.03		.26	.02			20
21		.01			.06	.29	.16				1.05			21
22			.05	.13	.08	.16			.07					22
23		.06	.03	.04	.23	.02						.01		23
24					.01		.20			.02				24
25	.05					.06			.01					25
26	1.13	.19	.01	.12	.09		.44							26
27	.88	.15		.45	.05		.04							27
28	.38	.15		.20	.02							.02		28
29	.03		.08	.67	.03	.08	.05					.19		29
30	.07	×		.34						.45		.01		30
31	.10	×	.02	×		×			×	.80	×			31
													Year's Total	
TOTAL	2.92	2.46	1.47	3.15	1.77	.72	2.79	.16	.96	4.33	6.34	1.62	28.69	✓
* Days with .01 in. or more.	9	16	15	19	12	7	15	4	10	17	19	16	159	✓
* Days with .04 in. or more.	8	12	9	13	8	5	12	2	7	14	15	10	115	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) John H. Whiting [P.T.O.

HEREFORD (CASTLE ST.

Section **A** for the entry of

AIR MINISTRY

FORM 1090.

REGIST

Station No. 2229/4

ORGANIZATION.

Totals

ag B

41/34

2229/4

HEREFORD, CASTLE ST.

1938 — 40

780403

Kept at 11 Castle St. H

in the County of Herefo

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to t… …lowing year in the space on the right of this

Jan. 1, following

Date	Jan.	Feb.	Mar.	A								Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.01	.02	-	-	.79	.03	.22	tr	.22	-	.25		1
2	-	tr	-	.03	-	-	.04	-	-	.11	tr	tr		2
3	.01	tr	-	tr	-	.03	-	-	-	.46	-	-		3
4	tr	tr	-	-	-	-	.10	.67	-	.18	-	.08		4
5	+	.05	-	-	-	-	-	tr	.02	.07	-	tr		5
6	.41	.04	-	-	-	.03	.95	-	.08	.13	-	.04		6
7	.01	-	-	-	-	-	.44	.31	.08	.05	-	.14		7
8	.26	-	-	-	-	-	.07	.81	tr	.17	-	.06		8
9	.15	-	-	-	-	.01	.02	.05	-	-	-	.75		9
10	.02	-	-	-	tr	.03	.09	.35	-	-	-	.55		10
11	.25	-	.01	-	tr	tr	.01	.03	-	tr	.23	.22		11
12	.19	.01	-	-	.10	.01	.01	.06	-	.18	.48	tr		12
13	.03	tr	-	-	.07	-	-	tr	-	-	.15	.62		13
14	.40	tr	-	-	-	-	.53	-	.01	-	-	-		14
15	.09	-	-	-	-	-	+	tr	-	tr	.04	.32		15
16	.24	-	tr	-	.01	-		tr	-	-	.06	tr		16
17	.01	.05	-	-	-	.02		tr	.10	.19	-	tr		17
18	.03	-	-	-	tr	-		.06	tr	tr	.26	-		18
19	.01	-	-	-	tr	-		.11	.05	-	.42	.01 S		19
20	tr	-	-	-	-	-		tr	-	tr	.15	tr S		20
21	tr	-	-	-	-	-		.04	.64	-	.12	.01 S		21
22	tr	-	-	.10	-	.06		.09	.13	-	.30	.08 S		22
23	tr	-	-	.02	.03	-	.39	tr	.10	-	tr	.01		23
24		.01	.05	-	.10	-		.25	.02	-	.06	tr		24
25	+	.09	-	.11	.15	-	+	tr	.01	.13	.50	.05		25
26	+	.15	-	.07	.07	.13		-	tr	.25	tr	.09		26
27	.32	.01	-	-	.59	.04	+	.48	.15	.09	.17	tr		27
28	+	tr	-	-	.04	.20	✓	.09	tr	tr	.02	.01		28
29	+	X	-	-	.26	tr	✓	-	.08	.08	.06	.01		29
30	.01	X	-	-	.13	.01		-	.30	tr	.37	.08		30
31	.11	X	-	X	-	X		-	X	.13	X	.20		31
TOTAL	2.25 ✓	.42 ✓	.08 ✓	.33 ✓	1.55 ✓	1.36 ✓	2.68 ✓	3.62 ✓	1.77 ✓	2.44 ✓	3.39 ✓	3.57 8 ✓	Year's Total 23.46 7 ✓	
*Days with ·01 in. or more.	22	9	3	5	11	12	16	15	14	15	16	22	160	
*Days with .04 in. or more.	14	5	1	3	9	4	10	14	10	15	15	15	115	

Pent
GB
12/4/39

40-9999 E.H. MORRIS ESQ.

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E. H. Morris

[P.T.O.

HEREFORD (CASTLE ST

Section **A** for the entry of Daily Observations. Station No. 2229/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at 11 Castle St. HEREFORD
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 187 ft.

moved 1937

f 307841/34

Totals ag[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01	·02	–	–	·79	·03	·22	tr	·22	–	·25		1
2	–	tr	–	·03	–	–	·04	–	–	·11	tr	tr		2
3	·01	tr	–	tr	–	·03	–	–	–	·46	–	–		3
4	tr	tr	–	–	–	–	·10	·67	–	·18	–	·08		4
5	+	·05	–	–	–	–	–	tr	·02	·07	–	tr		5
6	·41	·04	–	–	–	·03	·95	–	·08	·13	–	·04		6
7	·01	–	–	–	–	–	·44	·31	·08	·05	–	·14		7
8	·26	–	–	–	–	–	·07	·81	tr	·17	–	·06		8
9	·15	–	–	–	–	·01	·02	·05	–	–	–	·75		9
10	·02	–	–	–	tr	·03	·09	·35	–	–	–	·55		10
11	·25	–	·01	–	tr	tr	·01	·03	–	tr	·23	·22		11
12	·19	·01	–	–	·10	·01	·01	·06	–	·18	·48	tr		12
13	·03	tr	–	–	·07	–	–	tr	–	–	·15	·62		13
14	·40	tr	–	–	–	–	·53	–	·01	–	–	–		14
15	·09	–	–	–	–	–	+	tr	–	tr	·04	·32		15
16	·24	–	tr	–	·01	–		tr	–	–	·06	tr		16
17	·01	·05	–	–	–	·02		tr	·10	·19	–	tr		17
18	·03	–	–	–	tr	–		·06	tr	tr	·26	–		18
19	·01	–	–	–	tr	–		·11	·05	–	·42	·01 S		19
20	tr	–	–	–	–	–		tr	–	tr	·15	tr S		20
21	tr	–	–	–	–	–		·04	·64	–	·12	·01 S		21
22	tr	–	–	·10	–	·06		·09	·13	–	·30	·08 S		22
23	tr	–	–	·02	·03	–	·39	tr	·10	–	tr	·01		23
24		·01	·05	–	·10	–		·25	·02	–	·06	tr		24
25	+	·09	–	·11	·15	–	+	tr	·01	·13	·50	·05		25
26	+	·15	–	·07	·07	·13		–	tr	·25	tr	·09		26
27	+ ·32	·01	–	–	·59	·04	+	·48	·15	·09	·17	tr		27
28	+	tr	–	–	·04	·20	✓	·09	tr	tr	·02	·01		28
29	+	×	–	–	·26	tr	✓	–	·08	·08	·06	·01		29
30	·01	×	–	–	·13	·01		–	·30	tr	·37	·08		30
31	·11	×	–	×	–	×		–	×	·13	×	·20		31
TOTAL	2·25 ✓	·42 ✓	·08 ✓	·33 ✓	1·55 ✓	1·36 ✓	2·68 ✓	3·62 ✓	1·77 ✓	2·44 ✓	3·39 ✓	3·57 8 ✓	Year's Total 23·467 ✓	
*Days with ·01 in. or more.	22	9	3	5	11	12	16	15	14	15	16	22	160	
*Days with .04 in. or more.	14	5	1	3	9	4	10	14	10	15	15	15	115	

Pn[illegible]
GB
12/4/39

40-9999 E. H. MORRIS ESQ.

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

N

(Signed) E. H. Morris

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2229/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at HEREFORD

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 187 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·05	·22	·16	-	tr	-	·07	tr	·04	·01		1
2	-	-	tr	·06	-	-	·02	·15	·29	-	·12	·08		2
3	·20rs	-	·01	·23	tr	-	-	·12	tr	-	·13	·36		3
4	·03rs	-	·17	·47	·16	-	·15	·07	·09	·21	·02	·07		4
5	-	-	tr	·19	tr	-	·41	·05	-	·10	·47	·01		5
6	·48	-	tr	tr	tr	-	·54	-	-	-	·15	-		6
7	tr	·03	tr	-	tr	-	·21	·01	-	tr	·30	·28		7
8	·01	·10	·39	-	·01	-	·45	·13	-	·95	·68	·03		8
9	-	·09	tr	-	tr	-	-	·32	tr	·29	·01	·07		9
10	·47	-	tr	-	-	tr	-	·02	tr	·22	tr	·10		10
11	-	tr	·13	-	-	·01	-	·01	-	·08	tr	·01		11
12	tr	·02	tr	-	-	·03	-	-	·03	·03	tr	-		12
13	-	-	-	·13	·02	-	·16	-	·04	·23	-	-		13
14	·53	-	tr	·04	·08	·06	·25	-	tr	·01	·19	-		14
15	·73	-	tr	·01	·05	·19	·48	-	-	tr	·17	tr		15
16	·33	-	·02	tr	·13	tr	·06	-	-	·04	·36	-		16
17	·72	·01	-	tr	·03	tr	tr	-	-	·01	·01	-		17
18	·34	·01	·04	-	·02	·01	·12	-	-	-	·23	-		18
19	·12	-	tr	-	tr	-	·18	tr	-	-	tr	-		19
20	·47	-	-	-	tr	tr	·10	·11	-	-	-	·01		20
21	·04	·21	·14	·04	-	·21	·13	·02	·05	-	-	-		21
22	·26	·30	·05	-	-	·59	·01	·08	·01	·03	·10	-		22
23	tr	tr	tr	tr	-	tr	·25	tr	-	·01	·76	-		23
24	·21rs	tr	·01rh	·06	-	·02	·01	tr	-	·13	tr	-		24
25	·62rs	·08	tr s	tr	-	-	·01	tr	-	·14	·21v	tr		25
26	·02	tr	-	·02	-	-	-	·03	-	·01	·26	·04		26
27	tr	·11	·04	·03	-	·01	·10	·05	-	·06	·03	·10s		27
28	·06	·14	·06	·02	-	·39	·16	-	-	-	·18	·04		28
29	-	×	tr	·32	-	·21	·08	-	-	·09	tr	·02		29
30	-	×	-	·19	-	·10	-	·05	-	·01	tr	·10		30
31	-	×	-	×	-	×	·19	·30	×	·06	×	-		31
TOTAL	5·64	1·10	1·11	2·03	·66	1·83	4·07	1·52	·58	2·71	4·42	1·33	Year's Total ~~28·00~~	27·00
* Days with .01 in. or more.	18	11	12	15	9	12	22	16	7	20	20	16	178	
* Days with .04 in. or more.	15	7	8	11	5	7	18	11	5	13	16	10	126	

† Spare column, no entries required.

(Signed) E. H. Morris

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2229/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at Hereford (11 Castle St.)
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 186 ft.

On receipt of letter from observer ·38 on Feb 18th inserted.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	tr	-	·01	·02	-	-	-	-	-	·14	tr		1
2	-	·08 r&s	-	·09	-	-	·02	-	-	-	·85	·02		2
3	tr	·33	-	tr	-	-	tr	-	-	·21	1·33	·01		3
4	-	·05	-	-	-	-	tr	-	-	·05	·14	tr		4
5	-	·01	-	-	·20	-	·06	-	-	·06	·36	·05		5
6	·12	·29	-	-	-	-	-	-	-	·19	·02	·05		6
7	tr	·21	-	·01	·02	-	tr	-	-	tr	tr	·06		7
8	tr	tr	-	·02	-	-	-	-	·22	·31	·05	·15		8
9	-	-	tr	·08	-	-	·14	·20	tr	·30	·49	·09		9
10	-	-	·01	tr	-	-	·48	·06	tr	·12	·04	·22		10
11	-	tr s	tr	·01	-	-	·15	-	-	·01	·55	·01		11
12	-	tr s	·12	-	-	·05	·19	-	·01	tr	·05	-		12
13	-	tr s	·36 rs	-	-	-	tr	·01	tr	tr	·02	·04		13
14	-	tr s	·02	·02	·35	-	-	tr	·06	·09	tr	·28		14
15	-	-	·01	tr	·86	·03	·01	-	·16	·04	·13	·01		15
16	·01 s	·55	·13	·03	tr	tr	·34	-	·08	·86	·62	·02		16
17	-	-	·14	tr	-	-	·01	-	·03	tr	·01	tr		17
18	·14 s	·38	·13	·52	-	-	tr	tr	·57	·15	·01	·06		18
19	-	·11	·04	·24	-	-	·34	-	·06	tr	·11	tr		19
20	-	·01	tr	·02	-	-	·01	tr	tr	·14	·01	tr		20
21	-	-	tr	-	·07	·43	·09	tr	-	·01	1·13	-		21
22	-	-	·06	·13	·03	·06	-	-	·46	-	·02	-		22
23	-	·09	·03	·03	·13	tr	-	-	tr	tr	·01	tr		23
24	tr	tr	-	-	tr	-	·15	tr	·01	tr	-	·01		24
25	·01	-	-	-	tr	·02	tr	-	tr	-	-	-		25
26	1·05	·11	-	·46	·07	tr	·38	-	-	-	tr	-		26
27	·97	·15	tr	·01	·04	-	·11	-	-	-	tr	-		27
28	·66	·15	-	·34	·02	-	-	tr	-	-	-	·01		28
29	·02	tr	·05	·47	·01	·02	·04	-	-	tr	-	·11		29
30	·04	✕		·28	tr	-	-	-	-	·37	-	·01		30
31	·11	✕	·02	✕	-	✕	-	-	✕	·74	✕	·01		31
TOTAL	3·13	2·52 ~~2·14~~	1·12	2·77	1·82	0·61	2·52	0·27	1·66	3·65	6·09	1·22	Year's Total ~~27·00~~	27·38
* Days with .01 in. or more.	10	14 ~~13~~	13	18	12	6	16	3	10	16	21	19	~~157~~	158
* Days with .04 in. or more.	7	12 ~~11~~	8	9	7	3	12	2	7	14	14	10	~~104~~	105

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. H. Morris

[P.T.O.

2230

Section **A** **for the entr**
AIR MINIS

FOR OFFICIAL USE.
FALL ORGANIZATION.

FORM 1090. **REG** **3/.**

Kept at Oaklands

in the County of Her

Diameter of Funnel of Gauge

Height of top of Gauge above G

,, Ground ,, S

THE MORNING ME **DAY.**

An observer who does not confor *the following*
year in the space on the right

Jan. 1, following

2230

DORSTONE, OAKLANDS

1931 — 40

780403

Date	Jan.	Feb.	Mar							ct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	r	—	·04	·01	·04	—	—	·30	·04	—	—	1
2	·09	·02	—	·58	·10	—	—	·12	·49	r	·26	·20	2
3	·05	—	r	—	—	—	r	—	·57	·01	2·37	·03	3
4	—	—	·09	·05	·05	—	·21	·45	·12	—	·36	·01	4
5	—	·08	·01	·08	r	1·36	·12	·04	r	—	·01	·30	5
6	—	·14	—	·20	·05	·03	1·73	—	—	·25	·19	·07	6
7	—	·01	—	·01	·01	·05	·37	·50	—	·02	·67	·02	7
8	·01	·03	—	·06	—	·05	—	·38	—	·01	·23	·01	8
9	—	·33	—	—	—	·04	—	—	·10	·02	·91	r	9
10	·01	·02	—	—	·01	·01	·08	·01	—	—	·73	—	10
11	·09	·42	—	—	·01	·01	—	—	·06	—	·15	—	11
12	·01	·18	—	—	—	—	·33	r	·08	·04	·01	—	12
13	r	·01	·08	—	·03	·01	·01	·12	·02	r	—	—	13
14	—	·02	·01	—	·03	·90	·23	1·19	·03	—	·39	—	14
15	—	·15	—	·07	·03	·01	·52	·55	·02	—	·01	·05	15
16	·04	·18	—	·10	·20	·79	r	·27	·05	—	—	·01	16
17	·12	·12	—	·12	·45	·07	·12	·24	·01	·01	·04	—	17
18	·04	·01	·06	·24	—	·51	·02	·27	—	r	·37	—	18
19	r	·02	r	·05	—	·32	r	·35	r	—	·16	—	19
20	—	·03	·10	·03	—	—	—	·13	—	·01	·09	·06	20
21	·20	·02	—	—	·32	—	—	—	r	—	·20	r	21
22	·33	—	·03	—	·06	—	r	·19	—	—	·04	—	22
23	·14	—	—	·56	·36	·11	·03	—	r	—	·40	·12	23
24	·04	—	—	·44	·19	·03	·35	—	—	—	—	—	24
25	·20	·02	—	·65	r	—	·24	—	—	—	·05	·01	25
26	·03	·01	—	·08	—	—	·17	—	—	—	·49	—	26
27	·08	·52	·04	·01	1·75	—	·15	—	—	·01	·08	·04	27
28	·19	·11	·18	·04	·45	—	·01	—	—	·03	—	·25	28
29	·04		·16	—	·22	—	·27	—	—	·04	·12	r	29
30	—	✕	·01	—	r	—	—	—	·04	—	—	·01	30
31	·34	✕	—	✕	·02	✕	—	—	✕	—	✕	·01	31
TOTAL	2·09	2·45	0·77	3·41	4·35	4·34	4·96	4·81	1·89	0·49	8·33	1·20	YEAR'S TOTAL 39·09
*Days with ·01 in. or more.	20	22	11	19	20	17	18	15	13	12	24	16	207
*Days with ·04 in. or more.	16	10	7	16	12	11	14	14	9	4	21	8	142

40-9999

(Signed) Robert Gray [P.T.O.

*See Instruction 2 (*f*) on other side.

2230

Section **A** for the entr

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Oaklands, Dorstone

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 486 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	r	—	·04	·01	·04	—	—	·30	·04	—	—	1
2	·09	·02	—	·58	·10	—	—	·12	·49	r	·26	·20	2
3	·05	—	r	—	—	—	r	—	·57	·01	2·37	·03	3
4	—	—	·09	·05	·05	—	·21	·45	·12	—	·36	·01	4
5	—	·08	·01	·08	r	1·36	·12	·04	r	—	·01	·30	5
6	—	·14	—	·20	·05	·03	1·73	—	—	·25	·19	·07	6
7	—	·01	—	·01	·01	·05	·37	·50	—	·02	·67	·02	7
8	·01	·03	—	·06	—	·05	—	·38	—	·01	·23	·01	8
9	—	·33	—	—	—	·04	—	—	·10	·02	·91	r	9
10	·01	·02	—	—	·01	·01	·08	·01	—	—	·73	—	10
11	·09	·42	—	—	·01	·01	—	—	·06	—	·15	—	11
12	·01	·18	—	—	—	—	·33	r	·08	·04	·01	—	12
13	r	·01	·08	—	·03	·01	·01	·12	·02	r	—	—	13
14	—	·02	·01	—	·03	·90	·23	1·19	·03	—	·39	—	14
15	—	·15	—	·07	·03	·01	·52	·55	·02	—	·01	·05	15
16	·04	·18	—	·10	·20	·79	r	·27	·05	—	—	·01	16
17	·12	·12	—	·12	·45	·07	·12	·24	·01	·01	·04	—	17
18	·04	·01	·06	·24	—	·51	·02	·27	—	r	·37	—	18
19	r	·02	r	·05	—	·32	r	·35	r	—	·16	—	19
20	—	·03	·10	·03	—	—	—	·13	—	·01	·09	·06	20
21	·20	·02	—	—	·32	—	—	—	r	—	·20	r	21
22	·33	—	·03	—	·06	—	r	·19	—	—	·04	—	22
23	·14	—	—	·56	·36	·11	·03	—	r	—	·40	·12	23
24	·04	—	—	·44	·19	·03	·35	—	—	—	—	—	24
25	·20	·02	—	·65	r	—	·24	—	—	—	·65	·01	25
26	·03	·01	—	·08	—	—	·17	—	—	—	·49	—	26
27	·08	·52	·04	·01	1·75	—	·15	—	—	·01	·08	·04	27
28	·19	·11	·18	·04	·45	—	·01	—	—	·03	—	·25	28
29	·04		·16	—	·22	—	·27	—	—	·04	·12	r	29
30	—	×	·01	—	r	—	—	—	·04	—	—	·01	30
31	·34	×	—	×	·02	×	—	—	×	—	×	·01	31
TOTAL	2·09	2·45	0·77	3·41	4·35	4·34	4·96	4·81	1·[illegible]9	0·49	8·33	1·20	YEAR'S TOTAL 39·09
*Days with ·01 in. or more.	20	22	11	19	20	17	18	15	13	12	24	16	207
*Days with ·04 in. or more.	16	10	7	16	12	11	14	14	9	4	21	8	142

40-9999

(*Signed*) Robert Gray [P.T.O.

*See Instruction 2 (*f*) on other side.

2230

Section A for the entry of Daily Observations. Lat: 52°4' N Long 3°0' W **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Oaklands, Dorstone

in the County of Herefordshire.

Station No. 2230. File No. 889493/28.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 486 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	·01	—	·14	1·39	·02	·04	·17	·01	·09	·05	·01	1
2	·02	—	—	·02	·13	—	—	·02	·13	·02	·01	·22	2
3	r	·04	—	·02	r	—	·11	—	r	·07	—	·10	3
4	·02	—	—	1·06	—	—	·05	—	—	—	·51	—	4
5	·72	—	·14	—	·01	—	—	—	·09	—	—	—	5
6	·50	—	·14	·15	—	—	—	—	·38	·01	—	—	6
7	·06	—	·09	·08	·03	—	—	—	·17	1·36	—	·01	7
8	—	—	·19	·01	·02	—	—	—	·17	·19	—	—	8
9	1·83	·08	—	·11	·02	—	—	—	—	—	—	—	9
10	·35	·01	—	·24	·03	·12	—	—	·08	·24	—	—	10
11	·04	—	r	·05	—	·01	r	—	·02	—	·02	·11	11
12	·59	—	—	·02	·19	—	—	—	·16	·20	·07	·01	12
13	·08	·03	—	·23	·02	—	·47	·29	·01	·03	·05	·17	13
14	·35	·01	—	·10	·06	—	·07	·10	—	·01	·07	·01	14
15	·01	—	—	·02	·41	—	—	—	—	·02	·02	·01	15
16	·51	—	—	·40	—	—	·30	—	—	·02	—	—	16
17	—	—	—	—	—	—	·01	—	—	·07	·01	—	17
18	—	—	—	—	·46	—	—	—	·02	—	·30	—	18
19	—	—	—	·16	·11	—	—	·02	—	·05	·01	—	19
20	—	—	—	·32	·91	—	·04	1·97	—	·90	·03	·18	20
21	·01	—	·10	·12	·12	—	r	·96	—	·56	·01	·26	21
22	—	—	·05	·05	·09	—	·06	—	·54	·11	·20	·16	22
23	—	·02	·16	—	·68	—	·04	—	·13	·21	·17	·11	23
24	·03	r	r	—	·02	—	·02	—	·10	·06	·05	—	24
25	·01	—	—	·03	—	—	·01	—	·02	·45	·03	—	25
26	—	·01	·07	·06	·10	—	·17	—	·04	·12	·07	·02	26
27	—	·01	·64	·28	·44	—	·15	—	—	·12	·02	—	27
28	—	—	·28	·03	·26	r	·09	·02	—	—	—	·01	28
29	—	—	·59	·06	·33	·10	·01	·37	·50	·73	·10	·54	29
30	·01	×	·14	·23	·02	·95	·20	·09	·41	·07	·48	·09	30
31	r	×	·02	×	—	×	·38	—	×	—	×	·42	31
TOTAL	5·33	0·22	2·61	3·99	5·85	1·20	2·22	4·01	2·98	5·71	2·28	2·44	YEAR'S TOTAL 38·84
*Days with ·01 in. or more.	18	9	13	25	23	5	18	10	18	24	21	18	202
*Days with ·04 in. or more.	11	2	12	18	15	3	14	7	13	18	12	11	136

40-9999

(*Signed*) Robert Gray [P.T.O.

*See Instruction 2 (*f*) on other side

~~Lat: 52° 4' N Long 3° 0' W.~~

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No 2230.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

2230

Kept at Oaklands, Dorstone

in the County of Herefordshire.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 486 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47	·22	·16	—	—	—	—	—	—	·37	·05	·43	1
2	·54	·01	·44	—	·36	·03	—	—	tr	—	·05	—	2
3	·08	·13	·07	—	·05	—	—	—	—	—	—	—	3
4	·32	·02	·01	—	·09	—	—	tr	—	—	—	—	4
5	·25	tr	·61	—	·04	—	tr	—	—	—	tr	—	5
6	·01	·23	·08	tr	·25	—	—	—	—	·29	—	·01	6
7	·07	·04	—	—	—	—	·18	—	—	·38	·01	·01	7
8	·02	tr	·04	—	·10	—	·18	tr	—	·01	—	—	8
9	—	·04	—	—	·02	tr	·28	—	—	1·92	·01	—	9
10	·12	·06	—	—	—	·01	·10	·13	—	2·53	·02	—	10
11	·01	—	—	—	—	·25	·10	·02	—	·02	—	—	11
12	—	—	—	tr	·01	—	·08	—	·06	—	—	·01	12
13	—	—	—	—	·10	·03	·18	·01	—	·25	·08	tr	13
14	·07	—	—	—	—	—	·04	·18	—	·27	·16	—	14
15	·34	—	·10	—	—	—	·02	·03	—	·06	—	·03	15
16	—	tr	·53	—	—	tr	—	—	—	·05	·01	tr	16
17	·04	·18	·40	tr	—	·13	·02	tr	·02	—	·01	—	17
18	·05	—	·05	—	—	·19	—	·01	—	—	·03	tr	18
19	—	·02	·24	tr	—	·08	·25	·03	·18	—	·45	·03	19
20	—	·05	·29	—	—	·44	—	·01	·37	·01	·04	·01	20
21	—	·03	—	—	·20	·62	—	·04	—	·10	·01	—	21
22	—	—	—	·02	·11	—	—	·15	·16	·04	·01	—	22
23	—	—	—	·11	—	·25	—	—	·21	·14	—	—	23
24	—	1·45	—	·08	·03	·52	—	—	tr	·31	—	·01	24
25	—	·58	—	·17	·08	·24	—	—	·15	—	—	·16	25
26	—	1·20	—	·07	·40	—	—	—	·50	·14	—	·02	26
27	—	·13	—	—	·14	—	—	—	·03	·02	—	·44	27
28	·02	·23	—	·21	tr	tr	tr	—	·01	—	—	·05	28
29	·39		·05	·05	·01	—	·02	tr	—	·01	—	·03	29
30	·09	×	·12	—	—	—	·05	—	·13	·02	—	·14	30
31	·47	×	·05	×	—	×	·01	·04	×	·02	×	—	31
TOTAL	3"·34	4"·62	3"·04	0"·71	1"·99	2"·79	1"·51	0"·65	1"·82	6"·96	0"·94	1"·41	YEAR'S TOTAL 29"·78
*Days with ·01 in. or more.	18	17	16	7	16	12	14	11	11	21	14	14	171
*Days with .04 in. or more.	14	13	15	6	12	9	10	5	8	14	6	5	117

40-9999

*See Instruction 2 (*f*) on other side,

D

(*Signed*) Robert Gray.

P.T.O.

Lat 52° 4′ N. Long: 3° 8′ W.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 2230.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Oaklands, Dorstone

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 486 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	—	—	—	—	—	—	·50	·16	·03	·18	·19		1
2	·02	—	·03	—	—	—	—	Tr	·21	·04	·01	·17		2
3	·01	Tr	—	—	—	—	—	·03	·01	·12	—	·27		3
4	·05	·01	·20	·03	·21	—	—	—	·04	·06	·07	·51		4
5	—	—	·15	·01	·26	—	—	1·22	—	·07	·20	·24		5
6	Tr	—	·02	·01	·84	—	—	·04	·01	·15	Tr	·25		6
7	·14	—	·01	—	·02	—	—	·12	—	·09	—	·53		7
8	·01	—	—	—	·10	—	—	·01	·04	·01	·13	1·25		8
9	·01	—	·26	·01	Tr	—	—	·01	—	—	·60	·13		9
10	·40	Tr	·20	·63	—	—	—	·15	—	—	·18	—		10
11	1·01	—	·01	·67	—	—	·03	·05	—	—	·01	·29		11
12	·03	·01	·04	·05	—	—	Tr	·04	—	—	—	—		12
13	·84	—	·03	·40	—	—	—	—	—	·02	—	·12		13
14	·09	—	·65	Tr	Tr	·03	—	—	Tr	·05	·21	·17		14
15	·06	—	·20	Tr	·29	—	—	—	·02	·04	·22	·10		15
16	·07	—	·43	—	·01	—	—	Tr	—	—	·20	—		16
17	·08	—	·09	·14	·06	—	·11	—	·29	·01	—	·26		17
18	·37	—	·07	·60	—	·01	—	—	·02	—	—	·18		18
19	·04	—	·36	Tr	Tr	·06	—	·02	·07	—	—	·26		19
20	—	—	—	·01	·01	·01	·05	—	·02	—	—	—		20
21	—	—	—	—	—	·04	·04	·10	—	·12	—	·03		21
22	·08	—	·08	·03	—	—	—	·38	·22	·13	—	·41		22
23	—	—	·02	·23	Tr	·76	—	·06	·02	—	—	·01		23
24	—	·19	·01	·17	—	·29	—	—	·14	·07	—	·01		24
25	·33	·02	—	·08	Tr	—	Tr	—	·02	·44	—	·68		25
26	·05	·01	Tr	·28	—	·06	·02	—	·09	·07	·01	·09		26
27	·06	—	—	·07	—	·04	—	—	·01	·07	—	·18		27
28	·01	—	—	·49	—	·10	·01	·22	·09	·01	—	·48		28
29	—	×	—	—	—	—	·17	·05	·05	·08	·02	·02		29
30	·02	×	—	—	—	—	·02	·01	·08	·02	—	·36		30
31	—	×	—	×	—	×	·03	·04	×	·02	×	·04		31
TOTAL	″ 3·86	″ 0·24	″ 2·86	″ 3·91	″ 1·80	″ 1·40	″ 0·48	″ 3·05	″ 1·61	″ 1·72	″ 2·04	″ 7·23	Year's Total ″ 30·20 ✓	
*Days with ·01 in. or more.	23	5	19	18	9	10	9	18	20	22	13	27	193	
*Days with ·04 in. or more.	16	1	12	12	6	7	4	13	12	15	9	23	130	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Robert Gray – F.R.Met.Soc.

P.T.O.

COPY FOR OFFICIAL USE. Lat 52° 4' N. Long 3° 0' W.

Section **A** for the entry of Daily Observations. Station No. 2230

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Oaklands, Dorstone

in the County of Hereford

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 486 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·11	·01	·04	·03	·20	—	·10	·06	·02	·25		1
2	—	—	—	—	—	—	—	—	·08	·18	·05	·14		2
3	—	·02	·04	·03	—	·18	—	—	·03	·57	·56	·03		3
4	·04	—	·04	·08	—	·16	—	—	·03	·19	·17	·21		4
5	·10	·25	·03	·11	—	·07	tr	—	·09	tr	·06	·02		5
6	—	—	·01	·48	—	·69	—	—	—	—	·02	·13		6
7	—	—	—	·23	—	·25	—	—	—	·17	—	·09		7
8	—	—	—	·39	—	·12	—	·55	—	·12	·12	·10		8
9	·05	·03	—	·76	tr	·16	—	—	—	·58	·32	—		9
10	·11	—	—	·29	—	·02	—	—	—	·03	·10	—		10
11	·34	·02	—	—	—	·08	—	·02	·01	—	·36	·02		11
12	·05	·03	—	—	—	·12	—	·07	—	—	·26	—		12
13	·05	·04	—	·14	—	tr	—	—	·17	tr	·16	—		13
14	·01	—	—	—	·08	·06	—	—	·32	—	1·14	·11		14
15	—	·16	—	·55	·09	·13	—	—	·11	—	·07	·16		15
16	—	·05	·09	·34	—	·16	·01	—	·88	·15	·85	·16		16
17	—	—	—	·19	·02	·23	tr	—	·18	tr	·03	—		17
18	—	—	—	·28	·01	·08	·01	—	·29	·12	—	—		18
19	—	·02	—	·18	·12	·08	·28	—	·07	·17	·26	·02		19
20	·01	·68	—	·22	·08	·03	·01	—	·01	—	1·09	—		20
21	—	·52	·01	·03	—	—	tr	—	·26	·05	·12	—		21
22	—	·03	·04	·03	—	—	—	—	·17	tr	·02	—		22
23	·02	·11	·22	—	·02	—	—	·01	·16	·55	—	·24		23
24	·12	·49	·02	·01	—	·08	—	·01	·51	·27	—	·43		24
25	·40	·06	—	·19	—	·62	—	—	—	—	—	·37		25
26	—	·36	—	—	—	tr	—	·49	·11	·02	·03	·34		26
27	—	·15	—	—	·07	—	—	·01	·02	·01	·06	·15		27
28	·01	·01	—	—	—	—	—	·06	·16	—	tr	·01		28
29	—		—	—	—	—	—	·07	·08	·08	·26	·36		29
30	·03	×	—	·30	—	·05	—	·38	·25	·35	·78	·31		30
31	—	×	—	×	·01	×	—	·01	×	·35	×	·50		31
TOTAL	1·34"	3·03"	0·61"	4·84"	0·54"	3·40"	0·51"	1·68"	4·09"	3·96"	6·91"	4·15"	Year's Total 35·06"	
* Days with .01 in. or more.	14	18	10	21	10	21	5	11	23	19	24	22	198	
* Days with .04 in. or more.	9	11	6	16	6	18	2	6	18	16	19	17	144	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Robert Gray

[P.T.O.

Lat 52° 4' N. Lon. 3° 0' W.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2230

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Oaklands, Dorstone

in the County of Hereford.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 486 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·04	—	·34	—	·37	·16	·04	—	—	·02	·04		1
2	·04	·03	tr	·14	—	·94	·09	·02	—	—	·01	tr		2
3	·05	—	tr	—	—	·02	·05	tr	·58	—	·02	·07		3
4	·17	—	·09	—	—	·44	—	·04	·49	—	·28	·32		4
5	·48	·03	·16	—	·10	—	·04	·01	·03	—	·03	·14		5
6	·88	—	·03	—	—	·03	·19	·14	·09	—	·64	tr		6
7	·05	—	·07	—	—	—	·66	—	·13	—	·41	·01		7
8	·32	—	·16	—	—	—	·07	—	·04	—	1·13	—		8
9	·74	—	·22	—	—	·03	·61	—	·15	tr	·02	—		9
10	·12	—	·01	—	—	tr	·29	tr	—	—	·03	—		10
11	—	·18	—	·04	—	·24	·03	—	·04	—	·89	·01		11
12	—	—	—	·02	·06	·16	·37	·02	·35	·01	·12	·25		12
13	—	—	—	·05	·01	·11	·07	—	—	·02	·01	1·98		13
14	—	—	—	·29	·03	·04	·07	—	·24	·01	·07	·90		14
15	—	·01	—	·01	·41	tr	·04	·01	·02	—	·12	·14		15
16	·17	·10	—	·08	·16	—	·05	—	·03	—	·16	·04		16
17	·20	1·10	—	tr	·05	—	·71	—	—	·10	·03	·88		17
18	—	·33	—	·01	—	·05	·40	·01	—	·09	—	·16		18
19	1·07	·05	tr	·12	—	·13	tr	·03	—	·01	—	tr		19
20	·10	·28	·07	·09	—	·72	—	tr	·40	—	—	·01		20
21	·01	—	·11	1·08	—	·39	—	—	·08	—	—	—		21
22	—	·56	·27	tr	·32	tr	·42	—	—	—	—	·02		22
23	·04	·02	·13	·07	·13	—	·16	—	—	·02	—	—		23
24	·28	·05	·01	tr	·07	—	·15	—	·14	·43	·01	—		24
25	·28	—	·40	·53	—	·13	·17	—	·25	·18	·01	—		25
26	·34	·11	·41	tr	—	·03	·04	tr	tr	·05	·02	—		26
27	·08	·01	·10	—	—	—	·09	—	·04	·09	—	·01		27
28	·46	·14	·40	tr	—	—	·02	—	—	·01	·02	·26		28
29	·01	·03	·05	—	·01	·54	tr	—	—	tr	tr	·13		29
30	·02	✕	—	—	·10	·08	·01	—	—	·78	—	—		30
31	·52	✕	·23	✕	·32	✕	·12	—	✕	·02	✕	·50		31
TOTAL	6·57"	3·07"	2·92"	2·87"	1·77"	4·45"	5·08"	0·32"	3·10"	1·82"	4·05"	5·87"	Year's Total 41·89"	✓
* Days with .01 in. or more.	24	17	18	14	13	18	26	9	17	14	21	19	210	✓
* Days with .04 in. or more.	21	11	15	11	10	14	23	3	14	7	9	14	152	✓

✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Robert Gray [P.T.O.

COPY FOR OFFICIAL USE. Lat: 52° 4' N, Long: 3° 0' W.

Section | A | for the entry of Daily Observations. File No 889493/28. Station No. 2230

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Oaklands, Dorstone

in the County of Hereford

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 486 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·03	tr	·25	—	—	—	—	·04	·15	·15	·88		1
2	·04	·29	—	·22	—	—	—	—	—	tr	—	·25		2
3	—	·25	tr	—	·68	tr	·10	—	·03	—	·01	·01		3
4	·15	·13	—	·01	·15	—	·01	·09	—	—	—	·64		4
5	·48	—	·18	—	tr	—	·04	—	—	—	—	·03		5
6	·15	·17	·17	·20	·02	—	·03	—	—	·14	·03	—		6
7	—	·88	·09	·14	—	·10	—	—	tr	tr	·02	·01		7
8	—	·22	—	tr	·25	—	·01	—	·04	—	·26	—		8
9	—	·02	—	·08	·26	—	·05	—	·52	—	—	·01		9
10	·05	·12	·77	·04	—	·04	—	—	—	—	—	·33		10
11	·02	·01	·53	·03	·64	·09	·20	tr	—	·01	—	·05		11
12	·36	·24	·05	—	·01	·01	·02	·55	·07	—	—	·31		12
13	·09	·03	·02	·28	—	·45	—	·27	·03	—	—	·02		13
14	—	·01	·05	·09	—	—	—	·04	·01	—	—	·02		14
15	·29	·25	·02	·38	—	—	2·67	—	·17	—	—	·09		15
16	·10	·13	·74	·05	—	tr	·01	·15	·11	—	—	tr		16
17	·77	·05	·27	—	—	—	—	tr	·17	—	·05	—		17
18	·39	·09	·27	·16	—	—	·03	—	·54	—	·28	·15		18
19	·08	·04	·13	·05	—	·19	·33	—	·04	—	·05	·02		19
20	·91	·16	·58	·42	·01	tr	—	—	·01	—	—	·11		20
21	·56	·35	·33	·02	·01	—	·10	—	—	·04	—	·01		21
22	·15	·03	·26	tr	·35	·01	·31	—	—	·51	·62	·07		22
23	·45	·28	·01	—	·10	—	·03	—	tr	·25	·20	—		23
24	·56	·54	·10	—	—	—	·02	—	·01	1·27	—	tr		24
25	·03	·86	—	—	·05	—	—	—	·04	·13	·01	·02		25
26	·02	·60	·01	—	·35	—	—	—	·01	—	—	·02		26
27	—	·73	—	·17	—	—	—	—	—	1·06	—	—		27
28	tr	·11	—	—	—	·02	—	—	—	·14	—	·01		28
29	·03		—	—	—	·03	—	—	—	·77	—	tr		29
30	·30	✕	—	—	—	·02	—	·04	·01	·01	·16	—		30
31	·42	✕	—	✕	—	✕	—	—	✕	·61	✕	—		31
TOTAL	6"·55	6"·62	4"·58	2"·59	2"·87	0"·96	3"·96	1"·14	1"·85	5"·09	1"·84	3"·06	Year's Total 41·11	✓
* Days with .01 in. or more.	24	27	19	17	13	16	16	6	17	13	12	21	195	✓
* Days with .04 in. or more.	20	21	15	14	9	5	8	6	10	11	8	10	137	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Robert Gray

[P.T.O.

COPY FOR OFFICIAL USE Lat 52° 4' N. Long 3° 0' W.

Section **A** for the entry of Daily Observations
Station No. 2230.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Oaklands Dorstone
in the County of Hereford.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 486 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·07	—	—	—	1·03	·01	·30	—	·37	·01	·45		1
2	·01	·08	—	·07	·13	·01	·03	—	·01	·21	·04	Tr		2
3	—	—	—	—	·09	·01	·11	—	—	·79	—	—		3
4	Tr	—	—	—	—	—	·16	·50	—	·36	·01	·19		4
5	—	·02	—	—	—	—	·16	·04	—	·30	—	Tr		5
6	·17	·05	—	—	—	·08	·99	—	·11	·15	—	·17		6
7	·06	—	—	—	—	—	1·06	~~·25~~	·28	·11	—	·08		7
8	·28	—	—	—	—	—	·12	·38	—	·22	—	·05		8
9	·23	·03	Tr	—	—	·09	Tr	·01	—	—	—	·99		9
10	·06	—	Tr	—	—	·03	·14	·22	—	—	—	·45		10
11	·41	—	—	—	—	·13	Tr	·02	—	—	·28	·46		11
12	·35	Tr	—	—	·12	·01	—	·53	—	·31	1·03	·01		12
13	·07	—	—	—	·01	—	—	—	—	·01	·33	·30		13
14	·86	—	—	—	·08	—	·19	—	·02	—	—	—		14
15	·24	—	—	—	·03	—	·14	—	—	·01	·07	·65		15
16	·32	—	Tr	—	·01	—	—	·02	—	Tr	·11	·01		16
17	—	·06	—	—	—	—	—	—	·03	·17	—	·02		17
18	·07	—	—	—	Tr	·05	—	·10	·04	·01	·46	Tr		18
19	·01	—	—	—	—	—	—	·12	·10	—	·19	Tr		19
20	·04	—	·01	—	—	—	—	·02	·01	—	·21	—		20
21	·01	—	—	—	—	—	—	·03	·20	—	·15	·02		21
22	—	—	—	·04	—	·01	—	·11	·03	·01	·37	·05		22
23	—	—	—	·06	·05	—	—	Tr	·04	—	·03	—		23
24	·11	·01	·09	—	·09	—	—	·14	·01	—	·04	—		24
25	·10	·44	·01	—	·12	—	—	·11	—	·23	·83	·05		25
26	·31	·43	Tr	—	·20	·06	Tr	—	·02	·26	—	·03		26
27	·06	·04	—	—	·45	·15	·28	·27	·14	·19	·30	—		27
28	·21	·11	—	—	·04	·15	—	·11	·02	—	·12	—		28
29	·34		·01	—	·36	·01	·01	—	·01	·09	·07	·02		29
30	·03	✕	—	—	·06	·03	—	—	·24	·01	·54	·18		30
31	·21	✕	—	✕	·37	✕	—	·06	✕	·18	✕	·29		31
TOTAL	4·56	1·04	0·12	0·17	2·21	1·85	3·40	3·34	1·31	3·99	5·19	4·47	Year's Total 31·65	31·65 ✓
* Days with .01 in. or more.	24	11	4	3	16	15	13	20	17	20	20	20	183	✓
* Days with .04 in. or more.	20	7	1	3	13	8	10	15	8	15	17	14	131	✓

† Spare column, no entries required.

(*Signed*) Robert H Gray F.R.Met.Soc.

* See Instruction 3 (f) on other side.

Lat 52° 4 N. Long 3° 0' W.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2230

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at Oaklands, Dorstone
in the County of Hereford.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 486 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·23	·19	·23	—	—	·01	·01	—	·06	·01		1
2	—	—	·01	·04	·01	—	·04	—	·41	—	·37	·09		2
3	·18	—	·03	·42	—	—	—	·12	·06	—	·33	·68		3
4	·07	—	·21	·49	·14	—	·26	·13	·05	·62	·12	·32		4
5	—	—	·01	·50	—	—	·49	·02	—	·24	·78	—		5
6	·54	—	·21	·01	·01	—	·74	·04	—	—	·20	—		6
7	·01	·03	·01	—	—	—	·42	—	—	—	·32	·24		7
8	·02	·38	·22	—	·06	—	·69	·03	—	·69	·73	·03		8
9	tr	·19	·01	—	—	—	—	·38	—	·34	·05	·13		9
10	·70	·01	·01	—	—	tr	—	·07	·01	·38	—	·05		10
11	tr	·02	·04	—	—	tr	—	·06	—	·06	—	·05		11
12	·08	·15	—	·01	—	tr	—	—	·02	—	·03	—		12
13	—	—	—	·17	·02	—	·17	—	·09	·19	·01	—		13
14	·77	tr	—	·02	·02	·03	·13	—	tr	·11	·54	·04		14
15	·95	—	·01	·04	·02	·34	·41	—	—	·04	·22	—		15
16	·22	—	·02	·02	·10	—	·06	—	—	·38	·49	—		16
17	·51	·01	—	—	—	·13	—	—	—	—	·02	—		17
18	·29	·03	·05	—	·05	·07	·25	—	—	—	·44	—		18
19	·16	—	—	—	—	—	·19	—	tr	—	Tr	—		19
20	·34	—	—	—	tr	tr	·21	·11	—	—	—	·06		20
21	·02	·35	·30	·02	—	·07	·21	·01	·07	—	—	—		21
22	·51	·52	·10	·09	—	·67	·04	—	·01	·04	·28	—		22
23	—	·04	tr	·04	—	·06	·59	—	—	·02	·76	—		23
24	·28	—	·04	·04	—	·10	·02	—	—	·08	—	—		24
25	·75	·14	—	·01	—	·02	·04	—	—	·05	·64	—		25
26	·03	·02	—	·14	—	—	—	·17	—	·04	·52	·01		26
27	·01	·44	·06	·01	—	·07	·04	·04	—	·03	·13	·02		27
28	·65	·29	·11	·02	—	·16	·27	—	—	—	·20	·04		28
29	—		—	·45	—	·04	·44	tr	—	·13	·01	—		29
30	—	×	—	·24	—	·10	·03	·01	—	·02	·01	·21		30
31	—	×	—	×	—	×	·19	·53	×	·10	×	·01		31
TOTAL	6·58	2·62	1·69	2·97	0·66	1·86	5·93	1·73	0·73	3·56	7·26	2·00	Year's Total. 37·51	
* Days with .01 in. or more.	22	15	19	21	10	13	23	15	9	19	24	16	206	
* Days with .04 in. or more.	16	9	11	13	5	11	21	10	5	16	19	11	147	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Robert Gracey.

[P.T.O.

COPY FOR OFFICIAL USE Lat. 52° 4' N. Long 3° 0' W

Section **A** for the entry of Daily Observations

Station No. 2230

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at Oaklands, Dorstone

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 486 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·05	—	·04	·09	—	—	—	—	—	·19	—		1
2	—	·07	—	·11	tr	—	·01	—	—	—	1·56	·08		2
3	—	·54	—	·03	—	—	·03	—	—	·15	1·54	tr		3
4	—	·05	—	tr	—	—	—	—	—	·05	·09	·04		4
5	—	—	—	—	·16	—	·02	—	—	·11	·55	·08		5
6	·16	·36	—	—	—	—	tr	—	—	·33	·03	·21		6
7	—	·10	—	tr	—	—	·11	—	·06	·03	—	·04		7
8	·01	—	—	·02	·06	—	—	—	·02	·19	·07	·26		8
9	—	—	—	—	—	—	·66	·10	·01	·47	·99	·30		9
10	—	—	·01	—	—	·02	·62	·05	—	·27	·12	·38		10
11	—	·01	—	·03	—	·08	·59	—	—	—	·85	·06		11
12	—	—	·23	—	—	·03	·25	—	·20	—	·18	—		12
13	—	·03	·46	—	—	—	·01	—	·02	·01	—	·07		13
14	—	·01	·05	·12	·14	—	·13	·01	·07	·37	·01	·48		14
15	—	—	·01	·03	1·36	·14	·01	—	·09	·08	·33	·01		15
16	·01	·50	·14	·10	—	—	·22	—	·10	·96	·69	·03		16
17	—	—	·19	tr	—	—	·03	—	·03	—	·02	—		17
18	·12	·35	·58	·67	—	—	—	—	·48	·23	·04	·06		18
19	—	·05	·14	·51	—	—	·29	·04	·04	—	·17	·01		19
20	—	—	·02	·04	—	—	·07	—	—	·09	—	—		20
21	—	—	tr	—	·29	·33	·05	—	—	—	1·45	—		21
22	—	·01	·06	·15	·05	·13	—	—	·03	—	—	—		22
23	—	·09	·05	·05	·82	·01	—	—	·18	—	·01	—		23
24	—	—	—	—	—	—	·09	—	—	tr	—	—		24
25	·08	—	—	—	·03	—	tr	—	·01	·01	—	—		25
26	1·06	·23	—	·05	·08	·01	·34	·03	tr	—	·02	—		26
27	1·02	·29	—	—	·05	—	·07	·01	—	—	·05	—		27
28	·78	·20	—	·60	·03	—	—	—	—	—	—	—		28
29	·07	—	·11	·33	—	·03	·02	—	—	tr	—	·26		29
30	·05	✕	—	·47	—	—	—	—	—	·66	—	·02		30
31	·06	✕	·10	✕	·02	✕	—	—	✕	·89	✕	·04		31
TOTAL	3·42	2·94	2·15	3·35	3·18	0·78	3·62	0·24	1·34	4·90	8·96	2·41	Year's Total 37·29	
* Days with .01 in. or more.	11	17	14	17	13	9	20	6	14	17	21	18	177	
* Days with .04 in. or more.	9	13	11	13	10	4	14	3	8	14	16	14	129	

† Spare column, no entries required.

(*Signed*) Robert Graif

* See Instruction 3 (f) on other side.

P.T.O.

Section **A** for the entry of

AIR MINISTR

Station No. 2230/5

L ORGANIZATION.

FORM 1090.

REGIS 36.

Kept at POMONA FRUIT F

in the County of HER

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASUR

An observer who does not conform t *following*

year in the space on the right of

Jan. 1, following

2230/5

BARTESTREE

POMONA FRUIT FARM

1936 — 40

7f0403

Date	Jan.	Feb.	Mar.									Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·04	–	·32	–	·06	·09	·08	–	–	·07	·01		1
2	–	–	–	·06	–	·62	·10	–	–	–	·15	–		2
3	·05	–	–	–	–	·27	·02	–	·48	–	·02	–		3
4	–	–	·13	–	–	·18	–	–	·45	–	·07	·04		4
5	·45	·03	·10	–	·04	–	·05	–	–	–	–	–		5
6	·18	–	·04	–	–	·18	·30	·06	–	–	·37	·05		6
7	·05	–	·04	–	–	–	1·20	–	·10	–	·23	–		7
8	·20	–	·17	–	–	–	·14	–	–	–	·50	·06		8
9	·50	–	·28	–	–	·03	·80	–	·10	–	–	–		9
10	·03	–	–	–	–	–	·33	–	·10	–	·03	–		10
11	–	–	–	–	–	·19	·12	–	–	–	·50	–		11
12	–	–	–	·07	·28	·23	·33	–	·43	–	·04	SNOW ·20		12
13	–	–	–	·13	–	·03	–	–	–	–	·02	1·17		13
14	–	–	–	·21	·02	·03	·16	–	·04	–	–	·40		14
15	–	–	–	–	–	–	–	–	·37	–	·10	·08		15
16	–	·25	–	·09	·05	–	·07	–	–	–	·10	–		16
17	–	·50	–	–	·02	–	·08	–	–	·16	·02	·40		17
18		·06	–	–	–	–	·31	–	–	–	–	·04		18
19	·60	·16	·05	·10	–	–	–	–	–	–	–	–		19
20		·10	·05	·08	–	·07	–	–	·30	–	–	–		20
21	–	–	–	·55	–	·10	–	–	·12	–	–	–		21
22		1·61	·10	–	·20	–	·30	–	–	–	–	–		22
23	·08	–	·20	·03	·04	–	·06	–	–	·03	–	–		23
24	·16	·05	–	–	~~·01~~	–	·02	–	·20	·42	–	–		24
25	·10	–	–	·37	–	–	·12	–	·20		–	–		25
26	·19	·04	·23	–	–	·23	–	–	–	·01	·04	–		26
27	·06	·05	·35	–	–	–	·04	–	·05	·10	–	–		27
28	·32	·06	·05	–	–	–	·02	–	–	·04	–	·08		28
29	–	·02	·20	–	–	·78	–	–	–	·01	·04	·11		29
30	·03	×	–	–	–	·56	·10	–	–	·48	–	–		30
31	·55	×	–	×	·05	×	·08	–	×	·10	×	·27		31
TOTAL	3·55	2·97	1·99	2·01	·71	3·56	4·84	·14	2·94	1·35	2·30	2·91	Year's Total. 29·27	
* Days with .01 in. or more.	~~16~~	~~13~~	~~14~~	~~11~~	~~9~~	~~15~~	~~23~~	~~2~~	~~13~~	~~9~~	~~16~~	~~13~~	~~154~~	
* Days with .04 in. or more.	14	11	14	10	6	12	20	2	13	6	12	12	132	

7 days
"d"
print
[illegible]

40-9999

† Spare column, no entries required.

X THE SECRETARY X (*Signed*) ~~[illegible] Secretary for [illegible]~~

* See Instruction 2 (f) on other side.

[P.T.O.

Section **A** for the entry of Station No. 2230~~5~~ / 7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at POMONA FRUIT FARM, BARTESTREE

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level approx 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·04	-	·32	-	·06	·09	·08	-	-	·07	·01		1
2	-	-	-	·06	-	·62	·10	-	-	-	·15	-		2
3	·65	-	-	-	-	·27	·02	-	·48	-	·02	-		3
4	-	-	·13	-	-	·18	-	-	·45	-	·07	·04		4
5	·45	·03	·10	-	·04	-	·05	-	-	-	-	-		5
6	·18	-	·04	-	-	·18	·30	·06	-	-	·37	·05		6
7	·05	-	·04	-	-	-	1·20	-	·10	-	·23	-		7
8	·20	-	·17	-	-	-	·14	-	-	-	·50	·06		8
9	·50	-	·28	-	-	·03	·80	-	·10	-	-	-		9
10	·03	-	-	-	-	-	·33	-	·10	-	·03	-		10
11	-	-	-	-	-	·19	·12	-	-	-	·50	-		11
12	-	-	-	·07	·28	·23	·33	-	·43	-	·04	SNOW ·20		12
13	-	-	-	·13	-	·03	-	-	-	-	·02	1·17		13
14	-	-	-	·21	·02	·03	·16	-	·04	-	-	·40		14
15	-	-	-	-	-	-	-	-	·37	-	·10	·08		15
16	-	·25	-	·09	·05	-	·07	-	-	-	·10	-		16
17	-	·50	-	-	·02	-	·08	-	-	·16	·02	·40		17
18		·06	-	-	-	-	·31	-	-	-	-	·04		18
19	·60	·16	·05	·10	-	-	-	-	-	-	-	-		19
20		·10	·05	·08	-	·07	-	-	·30	-	-	-		20
21	-	-	-	·55	-	·10	-	-	·12	-	-	-		21
22		1·61	·10	-	·20	-	·30	-	-	-	-	-		22
23	·08	-	·20	·03	·04	-	·06	-	-	·03	-	-		23
24	·16	·05	-	-	·01	-	·02	-	·20	{·42}	-	-		24
25	·10	-	-	·37	-	-	·12	-	·20		-	-		25
26	·19	·04	·23	-	-	·23	-	-	-	·01	·04	-		26
27	·06	·05	·35	-	-	-	·04	-	·05	·10	-	-		27
28	·32	·06	·05	-	-	-	·02	-	-	·04	-	·08		28
29	-	·02	·20	-	-	·78	-	-	-	·01	·04	·11		29
30	·03	✕	-	-	-	·56	·10	-	-	·48	-	-		30
31	·55	✕	-	✕	·05	✕	·08	-	✕	·10	✕	·27		31
TOTAL	3·55	2·97	1·99	2·01	·71	3·56	4·84	·14	2·94	1·35	2·30	2·91	Year's Total. 29·27	
* Days with .01 in. or more.	~~16~~	~~13~~	~~14~~	~~11~~	~~9~~	~~15~~	~~23~~	~~2~~	~~13~~	~~9~~	~~16~~	~~13~~	~~154~~	
* Days with .04 in. or more.	14	11	14	10	6	12	20	2	13	6	12	12	132	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

X THE SECRETARY X (Signed) ~~for [illegible] Croft~~

[P.T.O.

"d" print

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 223/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Pomona Fruit Farm Bartestree
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" Ground " Sea Level 240 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06			·05					·10		·08	·60		1
2	·04	·15		·06								·10		2
3	·23	·10	·01		·41		·03							3
4	·05	·09			·05							·19		4
5			·14				·04			·12				5
6		·10	·12	·16	·10		·06				·02			6
7		·66	·03	·04										7
8		·15			·06						·24			8
9				·05	·14		·08		·44					9
10	·02	·02	·45	·20		·12						·18		10
11			·09		·38	·11	·16					·09		11
12	·15	·14	·05		·01	·45	·02	·48	·08			·25		12
13	·04	·03	·10	·12		·15		·34	·06					13
14			·06					·04				·05		14
15	·11	·10		·20			1·33		·05			·22 ×	× Melted snow	15
16		·01	·56	·04				·10	·11					16
17	·22	·06	·46				·02		·39					17
18	·45	·05	·12	·04			·02		·26		·20	·22		18
19	·04	·01	·09	·03		·25	·12				·02			19
20	·44	·04	·08	·39	·09							·04		20
21	·14	·23	·15				·25			·03				21
22	·15	·05	·09		·10		·21			·26	·38			22
23	·10	·10			·09		·01			·25	·12			23
24	·18	·25			·04		·01		·04	·43				24
25		·36			·13				·03	·13		·04		25
26		·40			·39									26
27		·34		·09						·43				27
28		·03								·16		·02		28
29	·05					·05				1·43	·03			29
30	·15	×									·12			30
31	·20	×		×		×			×	·45	×			31
TOTAL	2·94	3·50	2·63	1·50	2·02	1·13	2·39	·99	1·59	3·69	1·21	2·03	Year's Total 25·62	✓
* Days with .01 in. or more.	19	23	16	13	13	6	14	4	10	10	9	12	149	✓
* Days with .04 in. or more.	18	18	14	12	12	6	4	4	9	9	6	11	126	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Crawford Secretary
Pomona Farm

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 223075

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at Pomona Fruit Farm Bartestree

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 240 ft.

July ~~August~~ 27th-29th and Sept 30th estd from nearby stations GB.

B.A

~~Letter to be written~~

letter written GB 9/6/39

reply rec'd 22/6/39 giving values for July & Sept

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						·44		·25		·09		·24		1
2				·05	·11					·14				2
3					·05	·03				·50				3
4							·08	·16		·19		·11		4
5										·09				5
6	·08	·03				·02	·84			·11				6
7	·06						·17	·24	·06	·06		·17		7
8	·31						·08	·75		·15				8
9	·12						·05					·54		9
10	·01					·08	·09	·19				·40		10
11	·30					·02					·12	·13		11
12	·14				·07			·08		·22	·50			12
13											·13	·48		13
14	·41				·06		·54		·07					14
15	·10				·07		·15					·18		15
16	·17										·01			16
17	·01	·02							·04	·10				17
18						·03					·21			18
19											·04			19
20											·20	✗		20
21								·13	·35		·14	✗		21
22				·05		·06		·08	·09		·24	—		22
23					·03				·08			—		23
24			·04		·06			·27	·02		·05	—		24
25	·02	·10	·04		·06					·12	·43	✗		25
26	·14	·20			·04	·01				·18		✗		26
27	·01				·45	·12	·18 (~~·30~~)	·39	·13	·11	·20	—		27
28	·08	·01				·16	— (~~·02~~)	·10			·04	✓ ·30		28
29	·12				·20		tr (~~·02~~)				·07	·02		29
30		✕							·28 (~~·30~~)		·36	·03		30
31	·11	✕		✕	·13	✕			✕	·12	✕	·20	18·19	31
TOTAL	2·19	·36	·08	~~3~~·10	1·33	·94	2·18 (~~2·34~~) ~~2·02~~	2·64	1·13 (~~1·14~~) ~~·84~~	2·18	2·24	2·80	Year's Total ~~18·37~~ ~~17·73~~	
* Days with .01 in. or more.	14	5	2	2	12	10	~~8~~9	11	~~8~~9	14	14	12	11~~5~~7	
* Days with .04 in. or more.	13	2	2	2	11	5	~~8~~9	11	~~7~~8	14	13	10	~~98~~ 100	

up low GB 30/8/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Hawford ·19

P.T.O.

BARTESTREE (POMONA FRUIT FARM)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2230/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Pomona Fruit Farm, Bartestree

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 270 ft.

Entries on Feb 22nd, Oct 8th, & Nov 5th amended by reference to nearby stns.

f 704150/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			·02	·18	·14				·10		·08			1
2				·02			·02	·27	·18		·005	·01		2
Snow 3	·08			·17				·15			·22			3
Snow 4	·05		·13	·39	·13		·17	·05	·14			·42 slight snow		4
5				·18			·33	·01	·05	·26	(·40)	·09		5
6	·44		·02				·65			·12	·50	·02		6
7		·01			·16		·20				·06			7
8		·09	·35				·52	·14		(50)	·44	·28		8
9		·05						·30		·84	·36			9
10	·40							·05	·01	·07	·01			10
11			·12			·02				·21		·25		11
12										·115				12
13				·17	·01		·21		·05	·01	·001	·01		13
14	·40				·14	·09	·12		·01	·28				14
15	·85				·05	·24	134				·23			15
16	·41		·03		·12		·03				·23			16
17	·44				·02		·02			·02	·24			17
18	·40	·04	·02				·06							18
19	·12						·20							19
20	·45						·10			·02	·305			20
21	·03	·13	·11	·01		·15	·20					·03		21
22	·25	(·25)				·29	Trace							22
23			·03	·04			·25			·005		21 Snow		23
Snow 24	·36			·05		·02	·01				·84			24
25	·50	·08					·01			·12				25
26								·04		·12				26
27		·13	·04	·02		·01	·10			·005	·50			27
Snow 28	·05	·14	·05	·02		·34	·18				·03			28
29				·36		·20	·09				·17			29
30		✕		·19		·14		Trace		·11		·12		30
31		✕		✕		✕	·13	·25	✕		✕	Sleet	" d "	31
TOTAL	5·23	·92 ~~·66~~	·92	1·80	·77	1·50	3·94	1·26	·54	8 2·~~3~~05	6 4·~~2~~21	1·44	Year's Total ~~24·59~~	25·75
* Days with .01 in. or more.	16	8	11	13	8	10	22	9	7	13	15	10	142	Print
* Days with .04 in. or more.	15	2	6	9	6	7	17	8	6	10	13	11	107	UH.

THE SECRETARY

† Spare column, no entries required.

(Signed) Eoe Gm Dewhurst

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2230/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Pomona Fruit Farm, Bartestree.

in the County of Hereford.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 270 ft.

Corrected for wrong day.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: –

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·10	·02	·02	·41						·65			1
2		·02	·01	·01	·01						·16			2
3		·07		·06			·02				·90			3
4				·01						·22	1·40	·05		4
5		·35		·03						·01	·15	·04		5
6		·05			·13		·12				·46			6
7		·01								·21	·02	·15		7
8	·11	·31		·01			·21							8
9		·25								·29	·07	·22		9
10				·04			·27	·26		·35	·33	·07		10
11							·46			·10		·22		11
12				·01			·26				·51			12
13						·02	·20				·01			13
14			·30									·08		14
15				·01	·40				·12	·12		·29		15
16	Slight Snow.	Snow	·02		·70	·06			·17	·09	·07			16
17			·12	·05			·26		·09	·83	·68			17
18			·12				·01		·05		·02			18
19	Snow ·13	·31	·15	·49					·56	·08	·06	·11	*	19
20		·14	·06	·28			·40				·11	·01		20
21			·01	·01			·04			·26				21
22					·10	·41				·01	1·0			22
23			·06	·11	·06	·12			·32					23
24		·06	·02	·04	·44	·01								24
25	·02						·18							25
26	·09					·02								26
27	·98	·09		·94	·05		·37				·01			27
28				·09	·03		·02				·01			28
29	Snow ·62	·08		·21	·03									29
30	·02	✕	·06	·43	·01	·02	·05					·23		30
31	·03	✕		✕		✕			✕	·40	✕			31
TOTAL	·10 3·10 ~~3·0~~	·02 1·76 ~~1·84~~	·02 ·95	·41 3·24 ~~2·86~~	– 1·96 ~~2·37~~	– ·66	– 2·85	– ·25	– 1·31	·65 3·62 ~~3·2~~ 3·62	5·85 ~~6·50~~	– 1·47	Year's Total ~~27·47~~	=27·02
* Days with .01 in. or more.	9 ~~8~~	13	12	19	~~12~~ 11	7	16	1	6	14 ~~13~~	~~17~~ 18	11	136	" d "
* Days with .04 in. or more.	6 ~~5~~	10 ~~11~~	7.	~~11~~ 12	8 7	3	12	1	6	13 ~~12~~	~~14~~ 13	10	100	

Print

WH

*- Dec 19. Three earth tremors felt at Hephill Bartestree.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) G. Mendall.

[P.T.O.

2231

2231

HOLMER HALL

1931- 40

480403

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REGIST 931.

Kept at HOLMER

in the County of HERE

in use from 1/2/31

ilable for old gauge

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU DAY.

An observer who does not conform to t of the following year in the space on the right of this

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·03	–	·14	–	·02	·01	–	·33	·12	–	–	1
2	·07	–	–	·82	·04	–	–	·24	·60	–	·09	·10	2
3	·02	–	–	–	–	–	·02	–	·07	–	1·09	·04	3
4	–	–	·04	·03	·01	·01	·21	·53	·15	–	·18	–	4
5	–	·02	–	·08	·08	1·03	·04	–	–	–	·01	·24	5
6	–	·11	–	·11	·03	·04	·22	·04	–	·30	·20	·07	6
7	–	–	–	–	–	–	·69	·80	–	·01	·35	·01	7
8	–	·04	–	·15	·12	·08	–	·21	–	–	·05	·02	8
9	–	·07	–	–	–	·01	–	·01	–	·05	·58	–	9
10	–	–	–	–	·04	·13	·01	·05	·03	–	·53	–	10
11	·10	·15	–	–	–	·08	·02	–	·06	–	·15	–	11
12	·05	·07	–	–	–	·01	·23	–	·04	–	–	–	12
13	–	–	·04	–	·03	–	·25	·14	·03	–	–	–	13
14	–	·03	–	–	–	·84	·45	·80	·01	–	·27	–	14
15	–	·08	–	·07	·10	–	·57	·53	·13	–	–	·05	15
16	·02	·21	–	·05	·21	·62	–	·55	·15	–	–	·02	16
17	·03	·08	–	·38	·36	–	·14	·15	·03	–	·04	–	17
18	·04	–	·07	·29	–	·15	–	·24	·02	–	·31	–	18
19	·02	·10	–	·02	–	·26	–	·36	–	–	·03	–	19
20	·01	·05	·11	–	–	–	–	·16	–	–	·04	·02	20
21	·15	–	–	–	·40	–	–	–	–	–	·15	–	21
22	·17	–	–	–	·06	–	–	·05	–	–	·11	–	22
23	·10	–	–	·37	·49	·17	–	–	–	–	–	·28	23
24	·02	–	–	·29	·23	–	·19	–	–	–	·03	–	24
25	·02	–	–	·51	–	–	·21	–	–	–	·04	–	25
26	–	–	–	·02	–	–	·03	–	–	–	·41	–	26
27	·08	·55	·04	–	·89	–	–	–	–	–	·07	·01	27
28	·01	·04	·08	·01	·29	–	·04	–	–	–	–	–	28
29	–	–	·05	–	·24	–	·31	–	–	·05	·08	–	29
30	–	×	–	–	–	–	–	–	·08	–	–	–	30
31	·29	×	–	×	·04	×	–	–	×	–	×	·01	31
TOTAL	1·14	1·63	·43	3·34	3·66	3·45	3·64	4·58	1·73	·53	4·81	·87	YEAR'S TOTAL 29·81
*Days with ·01 in. or more.	18	15	7	16	18	14	18	16	14	5	22	12	175
*Days with ·04 in. or more.	9	12	7	12	15	10	13	15	9	4	19	6	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. S. Hopton

P.T.O.

2231

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at HOLMER HALL
in the County of HEREFORD
Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level 244 ft.

New gauge in use from 1/2/31 no readings available for old gauge after 31/1/31.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·03	—	·14	—	·02	·01	—	·33	·12	—	—	1
2	·07	—	—	·82	·04	—	—	·24	·60	—	·09	·10	2
3	·02	—	—	—	—	—	·02	[illegible]	·07	—	1·09	·04	3
4	—	—	·04	·03	·01	·01	·21	·53	·15	—	·18	—	4
5	—	·02	—	·08	·08	1·03	·04	[illegible]	—	—	·01	·24	5
6	—	·11	—	·11	·03	·04	·22	·04	—	·30	·20	·07	6
7	—	—	—	—	—	—	·69	·80	—	·01	·35	·01	7
8	—	·04	—	·15	·12	·08	—	·40	—	—	·05	·02	8
9	—	·07	—	—	—	·01	—	·01	—	·05	·58	—	9
10	—	—	—	—	·04	·13	·01	·05	·03	—	·53	—	10
11	·10	·15	—	—	—	·08	·02	[illegible]	·06	—	·15	—	11
12	·05	·07	—	—	—	·01	·23	—	·04	—	—	—	12
13	—	—	·04	—	·03	—	·25	·14	·03	—	—	—	13
14	—	·03	—	—	—	·84	·45	·80	·01	—	·27	—	14
15	—	·08	—	·07	·10	—	·57	·53	·13	—	—	·05	15
16	·02	·21	—	·05	·21	·62	—	·65	·15	—	—	·02	16
17	·03	·08	—	·38	·36	—	·14	·15	·03	—	·04	—	17
18	·04	—	·07	·29	—	·15	—	·24	·02	—	·31	—	18
19	·02	·10	—	·02	—	·26	—	·36	—	—	·03	—	19
20	·01	·05	·11	—	—	—	—	·16	—	—	·04	·02	20
21	·15	—	—	—	·40	—	—	—	—	—	·15	—	21
22	·17	—	—	—	·06	—	—	·05	—	—	·11	—	22
23	·10	—	—	·37	·49	·17	—	—	—	—	—	·28	23
24	·02	—	—	·29	·23	—	·19	—	—	—	·03	—	24
25	·02	—	—	·51	—	—	·21	—	—	—	·04	—	25
26	—	—	—	·02	—	—	·03	—	—	—	·41	—	26
27	·08	·55	·04	—	·89	—	—	—	—	—	·07	·01	27
28	·01	·04	·08	·01	·29	—	·04	—	—	—	—	—	28
29	—	—	·05	—	·24	—	·31	—	—	·05	·08	—	29
30	—	×	—	—	—	—	—	—	·08	—	—	—	30
31	·20	×	—	×	·04	×	—	—	×	—	×	·01	31
TOTAL	1·14	1·63	·43	3·34	3·66	3·45	3·64	4·58	1·73	·53	4·81	·87	YEAR'S TOTAL 29·81
*Days with ·01 in. or more.	18	15	7	16	18	14	18	16	14	5	22	12	175
*Days with ·04 in. or more.	9	12	7	12	15	10	13	15	9	4	19	6	131

40-9999

(Signed) M. S. Hopton

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2231

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at HOLMER HALL

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 7 in.

,, Ground ,, Sea Level 244 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·01	—	·05	1·26	·03	·01	·29	·04	·08	·01	—	1
2	—	—	—	·04	·38	—	—	·01	·06	·01	—	·16	2
3	—	·01	—	·53	—	—	·02	—	—	—	·03	·04	3
4	—	—	—	·20	—	—	—	—	—	—	·49	—	4
5	·40	—	·05	—	·04	—	—	—	·14	—	—	—	5
6	·17	—	·03	·07	—	—	·03	—	·56	—	—	—	6
7	·05	—	·14	·02	·28	—	·01	—	·11	1·34	—	—	7
8	—	·02	·13	—	—	—	—	—	·59	·32	—	—	8
9	·72	·03	—	·01	·02	—	—	—	—	·11	—	—	9
10	·34	—	·02	·11	·04	·04	—	—	·13	·13	—	—	10
11	·02	·04	—	·03	—	—	·02	—	·01	—	—	·09	11
12	·19	—	—	—	·22	—	—	—	·17	·14	·04	—	12
13	·10	·02	—	·08	—	—	·51	·27	—	—	·02	·18	13
14	·26	—	—	·07	·03	—	—	·10	—	—	·08	·02	14
15	—	—	—	—	·46	—	—	—	—	·03	·01	—	15
16	·24	—	—	·27	·08	—	·42	—	—	—	—	—	16
17	—	—	—	—	—	—	·01	—	·01	·01	—	—	17
18	—	—	—	·03	·06	—	—	—	—	—	·21	—	18
19	—	—	—	—	·10	—	—	—	—	·05	—	—	19
20	—	—	—	·18	·83	—	—	·23	—	·55	·05	·03	20
21	·01	—	·08	·09	·20	—	—	1·09	—	·39	—	·13	21
22	·01	—	·01	—	·08	—	·10	—	·58	·05	·09	·02	22
23	—	·02	·02	—	·53	—	—	—	—	·11	·23	·05	23
24	·02	·02	—	—	·03	—	·04	—	·19	·02	—	—	24
25	·02	—	—	—	—	—	·03	—	—	·30	·03	—	25
26	—	—	·08	·14	·12	—	·06	—	·03	·03	—	—	26
27	—	—	·49	·13	·36	—	·05	—	—	·09	·01	·01	27
28	—	—	·10	·02	·16	—	·08	·04	—	—	—	—	28
29	—	—	·28	·11	·09	·09	·04	·34	·28	·41	—	·34	29
30	—	×	·10	·08	·06	·80	·21	·11	·36	—	·23	·10	30
31	—	×	·01	×	—	×	·40	—	×	—	×	·35	31
TOTAL	2·59	·17	1·54	2·26	5·43	·96	2·04	2·48	3·26	4·17	1·53	1·52	YEAR'S TOTAL 27·95
*Days with ·01 in. or more.	15	8	14	20	22	4	17	9	15	19	14	13	170
*Days with ·04 in. or more.	10	1	9	15	19	3	10	8	12	14	8	9	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. S. Hopton

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2231

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Holmer Hall

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

,, Ground ,, Sea Level 242 ft.

D

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·32	·04	·07	–	–	–	–	–	–	·18	–	·08		1
2	·15	–	·24	–	·08	·03	–	–	–	–	–	–		2
3	·02	·10	·08	–	·04	–	–	–	–	–	–	–		3
4	·12	–	–	–	·14	–	–	–	–	–	–	–		4
5	·13	–	·14	–	·03	–	–	–	–	–	·01	–		5
6	–	·25	·01	–	·18	–	–	–	–	·13	–	–		6
7	·01	–	–	–	·04	–	·03	–	–	·14	–	–		7
8	·02		·09	–	–	·04	·19	–	–	·05	–	–		8
9	–		–	–	·02	–	·12	–	–	·75	·03	–		9
10	·08	·26	–	–	–	–	·04	·09	–	1·75	·10	–		10
11	–	–	–	–	–	–	·11	·01	–	–	–	–		11
12	–	–	–	–	–	–	·10	–	·13	–	–	–		12
13	–	–	–	–	·08	–	·12	·01	–	·05	·09	–		13
14	·03	–	–	–	–	–	·10	·06	–	·19	·07	–		14
15	·28	–	·06	–	–	·03	·42	·01	–	·04	–	·02		15
16	·02 s	–	·58	–	–	·01	·02	–	–	–	–	–		16
17	–	·02	·40	–	–	–	–	–	·02	–	·03	–		17
18	·08	–	·01	–	–	·09	–	–	–	–	·04	–		18
19	–	–	·10	–	–	–	–	·04	·29	–	·23	·01		19
20	–	·02	·06	–	–	·70	–	–	·28	–	–	–		20
21	–	–	–	–	–	·56	–	·05	–	·03	·01	–		21
22	–	–	–	–	–	–	–	·19	·13	·11	–	–		22
23	–	·20	–	·14	–	·27	–	–	·31	·29	–	–		23
24	–	1·20	–	·12	·01	·27	–	–	·02	·26	–	–		24
25	–	·57	–	·18	·01	·03	–	–	·15	–	–	·14		25
26	–	·81	–	·08	·46	–	–	–	·26	·08	–	·01		26
27	–	–	–	–	·29	–	–	–	–	·05	–	·13		27
28	–	·10	–	·39	·07	–	–	–	·01	–	–	·05		28
29	·11	–	·05	·14	–	·01	–	–	–	–	–	–		29
30	·04	×	·02	–	–	·02	–	–	·07	–	–	·13		30
31	·23	×	·06	×	–	×	–	·07	×	·04	×	–		31
TOTAL	1·64	3·57	1·97	1·05	1·45	2·06	1·25	·52	1·67	4·12	·61	·57	Year's Total 2048	
*Days with ·01 in. or more.	15	11	15	6	13	12	10	9	11	16	9	8	138	
*Days with ·04 in. or more.	10	9	12	6	9	6	8	6	8	15	5	5	99	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) M. S. Hopton

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2231

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at HOLMER HALL

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 7 in.

,, Ground ,, Sea Level 244 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	—	—	—	—	—	—	·34	·09	·02	·03	·34		1
2	·03	—	—	—	·01	—	—	·02	·18	·03	·02	·08		2
3	·01	·01	—	—	—	—	—	·02	—	·08	—	·29		3
4	·05	—	·04	—	·18	—	—	—	·01	·09	·12	·25		4
5	·01	—	·08	·01	·14	—	—	·79	—	Tr	·11	·14		5
6	—	—	·02	·01	·41	—	—	·07	—	·13	—	·36		6
7	·04	—	—	—	·01	—	—	·06	—	·05	·02	·27		7
8	—	—	—	—	·21	—	—	·05	·08	—	·03	·33		8
9	Tr	—	·24	Tr	—	—	—	·03	—	—	·43	·10		9
10	·14	—	·05	·44	—	—	—	·01	—	—	·11	—		10
11	·82	—	·06	·32	—	—	·08	·02	—	—	·02	·18		11
12	—	—	—	—	—	—	1·33	·01	—	—	·01	·02		12
13	·56	—	—	·21	—	—	·07	—	—	·04	—	·10		13
14	·02	—	·34	·01	—	·03	—	—	—	—	·16	·09		14
15	—	—	·14	—	·14	—	·01	—	—	·03	·22	·06		15
16	·06	—	·17	—	—	—	·08	—	—	—	·06	—		16
17	Tr	—	·03	·08	·06	—	·17	—	·19	—	—	·14		17
18	·15	—	·06	·29	Tr	—	—	—	·02	—	—	·16		18
19	—	—	·19	—	—	·03	—	Tr	·03	·09	—	·20		19
20	—	—	·09	—	—	·02	—	—	·01	—	—	·02		20
21	—	—	—	—	—	·06	—	·06	Tr	·02	·01	—		21
22	·02	—	·06	—	·03	—	·02	·21	·12	·08	—	·27		22
23	—	—	·05	·09	—	·35	—	·06	·08	—	—	·02		23
24	—	·27	·03	·16	—	·18	—	—	·17	·01	—	·03		24
25	·21	·03	—	·06	—	—	—	—	—	·26	—	·64		25
26	·04	—	·06	·38	—	·04	—	—	·04	·06	—	·12		26
27	·06	—	—	·03	—	·06	—	—	·14	·08	—	·10		27
28	—	—	—	·31	—	·04	—	·15	·18	·01	Tr	·29		28
29	—	—	—	—	—	—	·14	·06	·11	Tr	—	—		29
30	·03	×	—	—	—	—	·02	·29	·01	—	—	·13		30
31	[illegible]	×	—	×	—	×	—	·20	×	·03	×	·06		31
TOTAL	2·30	·31	1·71	2·40	1·19	·81	1·92	2·45	1·46	1·11	1·35	4·79	Year's Total 21·80	Stet.
*Days with ·01 in. or more.	17	3	17	14	9	9	9	18	16	19	14	27	170	
*Days with ·04 in. or more.	11	1	14	10	6	6	6	12	11	10	7	23	117	

Stet.

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) M. S. Hopton

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2231

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at HOLMER HALL

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 7 in.

,, Ground ,, Sea Level 242 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	·04	·01	·05	·01	·03	–	·27	·05	·02	·06	·06	1
2	–	–	–	–	–	·20	–	–	·05	·02	·21	·22	·12	2
3	–	–	·06	–	–	–	–	–	·07	·42	·28	T	T	3
4	·03	–	·01	·11	–	–	–	–	·02	·19	·04	·10	·10	4
5	–	·21	·05	–	–	–	–	–	·08	–	·03	T	T	5
6	–	–	·04	·37	–	·70	–	–	–	·14	·07	·14	·14	6
7	–	–	–	·30	–	·27	–	–	–	·02	·05	·08	·08	7
8	–	–	–	·31	–	·01	–	·14	–	·32	·12	·08	·08	8
9	·04	·01	–	·45	–	·27	–	–	–	·27	·22	T	T	9
10	·03	–	–	·06	–	·02	–	–	–	·02	·01	–	–	10
11	·22	–	–	–	–	·07	–	–	T	·01	·31	T	T	11
12	·05	–	–	–	–	·01	–	·04	–	–	·02	–		12
13	·09	·01	–	·15	·04	–	–	–	·01	–	·03	–		13
14	–	–	–	·02	·01	·21	–	–	·06	–	·95	·10		14
15	–	·09	–	·64	·07	·06	–	–	·20	–	·01	·11		15
16	–	·01	–	·37	–	·10	T	–	·60	·05	·68	·05		16
17	–	–	·14	·15	–	·12	·05	–	·13	–	·12	–		17
18	–	–	–	·26	·04	·01	–	T	·15	–	–	–		18
19	–	–	–	·05	·23	·08	·17	–	–	·03	·14	·01		19
20	–	·26	–	·19	–	·02	·05	–	–	–	·89	–		20
21	–	·31	T	·04	–	–	–	–	·24	·02	·04	–		21
22	–	·13	·01	T	–	–	–	–	·25	–	T	–		22
23	–	·02	·11	–	·02	–	–	·11	·15	·59	–	·07		23
24	·04	·35	·03	–	–	–	–	·02	·39	·23	–	·39		24
25	·10	·01	–	·15	–	1·96	–	–	–	·01	–	·21		25
26	–	·25	–	–	–	–	–	·25	·05	–	·02	·42		26
27	–	·09	–	–	–	–	–	–	·12	–	·02	·27		27
28	·03	–	–	–	·03	–	–	–	·11	–	–	·01		28
29	·01	–	–	–	–	–	–	–	·03	T	·13	·28		29
30	·01	×	–	·22	–	·03	–	·40	–	·10	·46	·17		30
31	–	×	–	×	–	×	–	T	×	·41	×	·36		31
TOTAL	·65	1·75	·48	3·85	·49	4·15	·30	·96	2·98	2·90	4·87	3·03	Year's Total. 26·41	
* Days with .01 in. or more.	11	13	9	18	8	18	4	6	19	18	24	19	199	
* Days with .04 in. or more.	6	8	6	16	5	11	3	5	16	11	16	17	120	

40-9999

† Spare column, no entries required.

(Signed) M. S. Hopton

* See Instruction 2 (f) on other side.

P.T.O.

Section **A** for the entry of Daily Observations. Station 2231

No 2231

COPY ~~FOR OFFICIAL USE.~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at HOLMER HALL

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

" Ground " Sea Level 242 ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·06	·01	·32	—	·04	·10	·06	—	—	·09	·02	1
2	·02	—	T	·05	—	·79	·15	·04	—		·17	—	2
3	·03	—	—	—	—	·60	·03	—	·28	—	—	T	3
4	T	—	·14	—	—	·18	—	—	·38	—	·10	·13	4
5	·50	·05	·07	—	·06	—	·06	·01	·01	—	·01	·07	5
6	·31	—	·04	—	—	·10	·23	·02	·05	—	·40	·01	6
7	·15	—	·05	—	—	·02	·93	—	·06	—	·31	·05	7
8	·20	—	·20	—	—	—	·02	—	—	—	·75	·01	8
9	·43	—	·26	—	—	·06	·56	—	—	·02	·01	—	9
10	·04	—	—	—	—	—	·41	—	—	—	·03	—	10
11	—	·14	—	·04	—	·15	·06	·06	·01	—	·62	—	11
12	—	—	—	·01	·11	·35	·32	T	·33	—	·03	·22	12
13	—	—	—	·03	T	·01	·02	—	·23	·04	·02	·98	13
14	—	—	—	·20	·04	—	·11	·01	·30	—	·03	·31	14
15	—	—	—	·03	·01	—	T	—	—	—	·04	·07	15
16	·11	·14	—	·07	·11	—	·06	—	—	—	·10	·01	16
17	·09	·81	—	·01	·03	—	·26	—	—	·05	·01	·39	17
18	—	·12	—	—	—	·01	·21	·01	—	·07	—	·05	18
19	·57	·13	·03	·09	—	—		·03	—	—	—	—	19
20	·03	·18	·05	·08	—	·27	—	—	·29	—	—	—	20
21	—	—	·01	·77	—	·49	·03	—	·05	—	T	—	21
22	—	·56	·13		·20	—	·26	—	—	—	—	—	22
23	·06	·01	·29	·05	·05	—	·19	—	—	·02	·01	—	23
24	·23	·04	—	—	—	—	·14	—	·19	·25	—	—	24
25	·24	—	·26	·39	—	—	·26	—	·35	·13	·02	—	25
26	·19	·03	·27	—	—	·05	·03	—	·01	·02	·01	—	26
27	·05	·02	·07	—	—	—	·05	—	—	·14	—	—	27
28	·29	·05	·30	—	—	—	·33	—	—	·05	·03	·14	28
29	—	·02	·02	—	—	·81	·06	—	·03	—	·04	·09	29
30	·02	✕	—	—	·03	·05	·07	—	—	·62	—	—	30
31	·48	✕	·26	✕	·18	✕	·09	—	✕	·09	✕	·32	31
TOTAL	4·04	2·36	2·46	2·14	·82	3·48	5·04	·24	2·37	1·50	2·83	2·87	YEAR'S TOTAL 30·15 ✓
*Days with ·01 in. or more.	21	15	18	14	10	16	27	8	15	12	21	16	193 ✓
*Days with ·04 in. or more.	17	11	14	10	7	13	22	3	10	9	10	12	138 ✓

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) M. S. Hopton

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2231

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at HOLMER HALL
in the County of HEREFORD
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
,, Ground ,, Sea Level 244 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	·01	·01	·04	—	—	—	—	·01	·04	·06	·76		1
2	TR	·13	—	·11	—	—	—	—	—	—	·01	—		2
3	—	·15	·02	—	1·11	—	·03	—	—	—	·01	—		3
4	—	·10	—	—	·07	—	—	—	—	—	·01	·33		4
5	·21	—	·12	—	·11	—	·07	—	—	—	—	—		5
6	·04	·12	·10	·18	—	—	—	—	—	·12	·02	—		6
7	—	·70	·02	·08	—	·08	—	—	—	·01	—	—		7
8	—	·15	—	—	·09	·02	—	—	·02	—	·26	—		8
9	—	—	—	·09	·16	—	·07	—	·47	—	—	—		9
10	·03	·02	·44	·14	—	·06	—	—	—	—	—	·16		10
11	TR	—	·25	·03	·54	·05	·21	—	—	—	—	·11		11
12	·10	·17	·03	—	·03	·23	·03	1·07	·07	—	—	·22		12
13	·06	·04	·02	·17	—	·19	—	1·55	—	—	—	—		13
14	—	·02	·07	·02	—	—	·03	·03	TR	—	—	·04		14
15	·14	·10	—	·03	—	—	1·48	—	·17	—	—	·16		15
16	·01	·01	·83	·01	—	—	—	·12	·09	—	—	—		16
17	·36	·08	·37	—	—	—	·01	—	·20	—	—	—		17
18	·44	·06	·08	·20	—	—	·03	—	·34	·01	·20	·19		18
19	·08	·01	·02	·02	—	·14	·23	—	·04	—	·02			19
20	·47	·04	·10	·41	·02	—	—	—	—	—	—	·07		20
21	·24	·27	·21	—	·01	—	·34	—	—	·02	—	·01		21
22	·15	·02	·07	—	·14	—	·26	—	—	·33	·47	·01		22
23	·19	·18	·01	—	·09	—	·02	—	—	·19	·14	—		23
24	·39	·41	·03	—	—	—	·03	—	·02	·55	—	·02		24
25	·02	·52	—	—	·14	—	—	—	·05	·41	—	·01		25
26	—	·32	—	—	·41	—	—	—	—	—	·01	·02		26
27	—	·25	—	·09	—	—	—	—	—	·40	—	—		27
28	—	·03	—	—	—	—	—	—	—	·27	—	·02		28
29	·02^{S}	—	—	—	—	·03	—	—	—	·86	·02	—		29
30	·19^{S}	✕	—	—	—	·01	—	—	·01	—	·04	—		30
31	·14	✕	—	✕	—	✕	—	—	✕	·42	✕	—		31
TOTAL	3·36	3·91	2·80	1·62	2·92	·81	2·84	2·77	1·49	3·63	1·27	2·13	Year's Total 29·55	✓
* Days with .01 in. or more.	20	25	19	15	13	9	14	4	12	13	13	15	172	✓
* Days with .04 in. or more.	16	18	11	10	10	6	7	3	8	10	6	9	114	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) M. S. Hopton [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2231

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at HOLMER HALL

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

" Ground " Sea Level 242 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✕

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·02	·03	–	–	·76	–	·36	·01	·16	–	·26		1
2	–	–	–	·02	·09	–	·05	–	–	·20	–	–		2
3	·01	–	–	–	·07	·04	–	–	–	·48	–	–		3
4	–	–	·01	–	–	–	·09	·39	–	·16	–	·07		4
5	–	–	–	–	–	–	–	·01	·04	·13	–	–		5
6	·08	·03	–	–	–	·02	·99	–	·10	·07	–	·03		6
7	·01	–	–	–	–	–	·43	·27	·11	·16	–	·14		7
8	·25	–	–	–	–	–	·10	1·29	–	·15	–	·02		8
9	·14	–	–	–	–	·04	·03	·06	–	·01	–	·63		9
10	·03	–	–	–	–	·06	·11	·17	–	–	–	·51		10
11	·27	–	–	–	–	·01	·01	·04	–	–	·26	·22		11
12	·14	·01	–	–	·09	–	–	·14	–	·12	·47	·01		12
13	·01	–	–	–	–	–	–	–	–	–	·12	·62		13
14	·37	–	–	–	·06	–	·50	–	–	–	–	·01		14
15	·18	–	–	–	·05	–	·11	–	–	–	·01	·28		15
16	·17	–	–	–	–	–	–	–	–	–	·07	·01		16
17	–	·04	–	–	–	–	–	–	·09	·13	–	–		17
18	·02	–	–	–	·01	·01	–	·04	·02	·02	·26	–		18
19	–	–	–	–	–	–	–	·22	·05	–	·05	·03		19
20	·01	–	–	–	–	–	–	–	–	–	·21	–		20
21	–	–	–	–	–	–	–	·03	·76	–	·15	·09		21
22	–	–	–	·10	–	·06	–	·10	·16	–	·31	·08		22
23	–	–	–	–	·03	–	–	–	·10	–	–	·01		23
24	–	·01	·07	–	·10	–	–	·19	·03	–	·07	–		24
25	·04	·10	·06	–	·06	–	·01	–	·01	·12	·47	·05		25
26	·17	·13	–	–	·07	·02	–	–	–	·24	–	·07		26
27	·05	·01	–	–	·71	·10	·26	·52	·16	·14	·18	–		27
28	·12	–	–	–	·06	·18	·01	·08	–	–	–	·01		28
29	·14	–	–	–	·27	–	·02	–	·02	·09	·08	·05		29
30	·01	✕	–	–	·03	·01	–	–	·29	–	·34	·06		30
31	·10	✕	–	✕	·18	✕	–	–	✕	·12	✕	·24		31
TOTAL	2·32	·35	·17	·12	1·88	1·31	2·72	3·91	1·95	2·50	3·05	3·50	Year's Total 23·78	✓
* Days with .01 in. or more.	21	8	4	2	15	12	14	16	15	17	15	23	162	# ✓
* Days with .04 in. or more.	14	3	2	1	12	7	9	14	10	15	14	15	116	# ✓

† Spare column, no entries required.

(*Signed*) A. S. Hopton [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2231

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at HOLMER HALL

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

,, Ground ,, Sea Level 24 24 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·06	·24	·21	–	–	–	·11	–	·03	·03		1
2	–	–	–	·04	–	–	·02	·18	·28	–	·14	·11		2
3	·12 S.	–	–	·22	–	–	–	·15	·01	–	·14	·30		3
4	·04	–	·17	·48	·12	–	·14	·08	·31	·23	·04	·06		4
5	–	–	–	·19	·02	–	·27	·07	–	·11	·41	·02		5
6	·49	–	·05	·01	–	–	·58	–	–	–	·15	–		6
7	–	·01	–	–	–	–	·28	·07	–	–	·32	·30		7
8	–	·11	·49	–	·01	–	·45	·11	–	·73	·70	·02		8
9	–	·10	–	–	–	–	–	·27	–	·41	·02	·08		9
10	·47	–	·01	–	–	–	–	·10	–	·22	–	·10		10
11	–	–	·13	–	–	·01	–	–	–	·16	·01	·01		11
12	·01	·03	–	–	–	–	–	–	–	·01	–	–		12
13	–	–	–	·11	·02	·02	·12	–	·05	·23	–	–		13
14	·53	–	–	–	·07	·06	·42	–	·01	·02	·23	–		14
15	·79	–	–	–	·05	·18	·50	–	–	·01	·16	–		15
16	·29	–	·03	·04	·13	–	·04	–	–	·04	·40	–		16
17	·76	·01	–	–	·01	–	–	–	–	·03	·02	–		17
18	·28	·01	·03	–	·03	–	·09	–	–	–	·23	–		18
19	·12	–	–	–	–	–	·25	–	–	–	–	–		19
20	·45	–	–	–	–	·01	·09	·11	–	–	–	·01		20
21	·04	·14	·10	·05	–	·12	·15	·03	·05	–	–	–		21
22	·22	·25	·06	·01	–	·35	·02	·01	·01	·03	·10	–		22
23	·01	–	–	·02	–	·01	·29	–	–	·02	·75	–		23
24	·24	–	·01	·02	–	·01	·01	–	–	·10	–	–		24
25	·79	·06	–	–	–	–	·01	–	–	·11	·19	–		25
26	·02	·01	–	–	–	–	–	·06	–	·04	·24	·03		26
27	–	·10	·05	·04	–	·03	·09	·01	–	·05	·05	·11 S		27
28	·05	·13	·06	·01	–	·22	·21	·01	–	–	·17	–		28
29	–	–	–	·30	–	·15	·18	–	–	·10	–	–		29
30	–	✕	–	·22	–	·20	–	·06	–	·01	–	·09		30
31	–	✕	–	✕	–	✕	·07	·30	✕	·05	✕	·13		31
TOTAL	5·74	·96	1·25	2·00	·67	1·37	4·28	1·62	·83	2·71	4·50	1·38	Year's Total 27·31	
* Days with .01 in. or more.	26	12	13	16	10	13	22	16	8	21	21	15	187	
* Days with .04 in. or more.	16	7	9	11	5	7	18	12	5	14	17	9	130	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) M. S. Hopton

[P.T.O.

2231

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1940

Kept at Holmer Hall
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 7 in.
,, Ground ,, Sea Level 242 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–		–	·01	·02	–	–	–	–	–	·15	–	1
2	–	·05	–	·12	–	–	·02	–	–	–	·79	·02	2
3	–	·52	–	–	–	–	–	–	–	·15	1·41	·04	3
4	–	·03	–	–	·15	–	–	–	–	·05	·21	–	4
5	–	·01	–	–	–	–	·13	–	–	·02	·38	·06	5
6	·15	·32	–	–	·02	–	–	–	–	·15	·03	·05	6
7	–	·27	–	·02	–	–	–	–	–	·28	–	·07	7
8	–	–	–	·03	–	–	–	–	·12	·29	·02	·18	8
9	–	–	–	·08	–	–	·08	·16	–	·14	·42	·09	9
10	–	–	·01	–	–	–	·49	·07	–	–	·04	·23	10
11	–	–	–	·02	–	–	·20	–	–	–	·57	–	11
12	–	–	·10	–	–	·03	–	–	·01	–	·05	–	12
13	–	·01	·33^{5}	–	–	–	–	–	·01	–	·01	·02	13
14	–	–	·03	·03	·22	–	·01	–	·08	·09	–	·34	14
15	·02^{5}	–	–	·01	1·02	–	·31	–	·16	–	·16	·01	15
16	–	·56^{5}	·14	·03	–	·03	–	–	·10	·72	·70	–	16
17	–	–	·12	–	–	–	–	–	·06	–	·01	–	17
18	·21^{5}	·39	·19	·15	–	–	–	–	·43	–	·02	·06	18
19	–	·12	·06	·49	–	–	·29	–	·23	·14	·10	–	19
20	–	–	–	·33	–	–	·03	–	–	·12	·01	–	20
21	–	–	–	·02	·07	·34	·06	–	–	·01	1·23	–	21
22	–	–	·06	·03	–	·20	–	–	·47	–	–	–	22
23	–	·07	·02	–	·27	–	·15	–	–	–	–	–	23
24	–	–	–	–	–	–	–	–	·01	–	–	–	24
25	·02	–	–	·24	·01	·02	·42	–	–	–	–	–	25
26	1·13	·13	–	·01	·06	–	·13	–	–	–	·01	–	26
27	·99	·14	–	·33	·07	–	–	–	–	–	–	–	27
28	·03^{5}	·17	–	·42	–	–	·04	–	–	–	–	·01	28
29	·03	–	·06	–	·01	·03	–	–	–	–	–	·12	29
30	·16	×	·01	·32	–	–	–	–	–	·44	–	·01	30
31	·11	×	·02	×	–	×	–	–	×	·79	×	·01	31
TOTAL	3·45	2·79	1·15	2·69	1·92	·65	2·36	·23	1·68	3·39	6·32	1·32	YEAR'S TOTAL 27·95
*Days with ·01 in. or more.	10	14	13	19	11	6	14	2	11	14	20	16	150
*Days with ·04 in. or more.	7	11	8	9	7	2	11	2	8	12	13	10	100

40-9999

(Signed) M. S. Hopton [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of
AIR MINISTR

ation No. 2231/2
L ORGANIZATION

FORM 1090

REGIS

2231/2

HOLME VICARAGE
1938

780403

Kept at Holme Vica
in the County of Hereford
Diameter of Funnel of Gauge......5
Height of top of Gauge above Gro
,, Ground ,, Sea

ected
Arith.
31/5/39 CR.

THE MORNING MEASURE ... DAY

An observer who does not conform t ... ollowing
year in the space on the right of th

Ple

Jan. 1, following

Date	Jan.	Feb.	Mar.	A								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31 31.5.39
TOTAL	2.07	·36	·12	·12	2.62	·57	1.25	3.32	1.74	2.39	2.98	3.23	Year's Total ~~23.77~~	20.77
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) (Rev.) J W Stewart [P.T.O.

Section **A** for the entry of ation No 2231/12

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Holme Vicarage Hereford

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft......in.

,, Ground ,, Sea Level 238 ft.

f 611941/37

Corrected for Arith. 31/5/39 CKR.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✗												30
31		✗		✗		✗			✗		✗			31 31.5.39
TOTAL	2.07	·36	·12	·12	2.62	·57	1.25	3.32	1.74	2.39	2.98	3.23	Year's Total ~~23.77~~	20.77
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) (Rev.) J W Stewart [P.T.O.

2232

Section **A** for the entr
AIR MINIS

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

FORM 1090.
REG 31.

2232
TYBERTON COURT
1931 — 40

7P0403

Kept at Tyberton Co
in the County of He

Diameter of Funnel of Gauge
Height of top of Gauge above G
,, Ground ,, S

THE MORNING ME **DAY.**

An observer who does not confor *the following*
year in the space on the right

Jan. 1, following
·10.

Date	Jan.	Feb.	Mar							Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·14		·06			·37	·08			1
2				·65	·14	·01		·14	·39		·31	·28	2
3			·10			·04	·04		·15		1·88	·01	3
4				·04			·21	·55	·06		·27		4
5		·08		·05	·08	1·41	·05	·02			·02	·20	5
6		·13		·18		·04	·36		·06	·27	·04	·08	6
7		·02			·02	·03	·84	·66		·03	·56	·02	7
8	·03	·03		·06		·08		·43			·14		8
9		·17				·08		·02	·12	·04	·79		9
10					·03	·05					·49		10
11	·05	·25				·03	·03		·07		·14		11
12							·15		·02		·02		12
13			·05		·13	·01							13
14		·14			·04	·65	·67	·86	·03		·35		14
15	·02			·06	·03	·00	·14	·74	·01				15
16	·12	·12		·10	·23	·94		·15					16
17		·13		·09		·05	·14	·40	·06		·05		17
18	·02		·05	·19		·35	·01	·26	·08		·44		18
19				·04			·02	·39	·01		·08		19
20		·04	·10	·05				·10			·08		20
21	·30				·33						·17		21
22	·34				·06			·11			·03	·08	22
23	·11			·51	·41	·14					·30		23
24	·01			·45		·0	·26				·03		24
25	·03			·47			·19				·04		25
26		·01		·04			·07				·43		26
27	·33	·43	·04	·01	1·92		·06				·07		27
28	·10	·07	·14	·02	·48		·01			·02		·13	28
29			·11		·14		·19		·04	·08	·11	·14	29
30	·08	×			·04				·06				30
31	·31	×		×	·04	×			×		×		31
TOTAL	1·75	1·62	·59	3·15	4·12	3·97	3·34	4·83	1·56	·52	6·83	·93	YEAR'S TOTAL 33·15
*Days with ·01 in. or more.	14	13	7	18.	16	16	18	14	15	6	24	8	169
*Days with ·04 in. or more.	10	11	7	16.	13	12	15	12	11	4	22	6	139

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Chandos B. Le Gunne

[P.T.O.

Section **A** for the entry 11/30.

2232

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Tyberton Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 276 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·10.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·14		·06			·37	·08			1
2				·65	·14	·01 ~~·04~~ cw		·14	·39		·31	·78	2
3			·10			·04	·04		·15		1·88	·01	3
4				·04		cw [illegible]	·21	·55	·06		·27		4
5		·08		·05	·08	1·41	·05	·02			·02	·20	5
6		·13		·18		·04	·36		·06	·27	·04	·08	6
7		·02			·02	·03	·84	·66		·03	·56	·02	7
8	·03	·03		·06		·08		·43			·14		8
9		·17				·08		·02	·12	·04	·79		9
10					·03	·05					·49		10
11	·05	·25				·03	·03		·07		·14		11
12							·15		·02		·02		12
13			·05		·13	·01							13
14		·14			·04	·65	·67	·86	·03		·36		14
15	·02			·06	·03	·00	·14	·74	·01				15
16	·12	·12		·10	·23	·94		·15					16
17		·13		·09		·05	·14	·40	·06		·05		17
18	·02		·05	·19		·35	·01	·26	·08		·44		18
19				·04			·02	·39	·01		·08		19
20		·04	·10	·05				·10			·08		20
21	·30				·33						·17		21
22	·34				·06			·11			·03	·08	22
23	·11			·51	·41	·14					·30		23
24	·01			·45		·0	·26				·03		24
25	·03			·47			·19				·04		25
26		·01		·04			·07				·43		26
27	·33	·43	·04	·01	1·92		·06				·07		27
28	·10	·07	·14	·02	·48		·01			·02		·12	28
29			·11		·14		·19		·04	·08	·11	·14	29
30	·08	×			·04				·06				30
31	·31	×		×	·04	×			×		×		31
TOTAL	1·75	1·62	·59	3·15	4·12	3·97	3·34	4·83	1·50	·52	6·83	·93	YEAR'S TOTAL 33·15
*Days with ·01 in. or more.	14	13	7	18.	16	16	18	14	15	6	24	8	169
*Days with ·04 in. or more.	10	11	7	16.	13	12	15	12	11	4	22	6	139

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) [P.T.O.

Circ. D 2. sent 31·5·33. file 2277/30
cond. by [illegible]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2~~2232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Tyberton Court

in the County of Hereford

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 276 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·09	1·23	·02		·36	·01	·11	·01		1
2				·03	·14			·03	·07	·03		·09	2
3		·04		·71			·03				·01		3
4				·17							·45	·01	4
5	·52		·06				·03		·07				5
6	·70		·09	·14	·01		·01		·47	·02		·21	6
7	·04		·09		·07				·25	1·38		·14	7
8			·17	·05	·01				·12	·22			8
9	1·31			·08					·01				9
10	·46			·29		·07			·23				10
11	·02			·03									11
12	·46			·17	·22				·14	·23	·07		12
13	·16	·07					·55	·24		·03	·02		13
14	·27			·07				·06			·06		14
15	·03			·08	·29					·04			15
16	·39			·29			1·58						16
17				·17	·01		·03		·03	·04			17
18					·13				·01		·32		18
19				·09	·8					·04			19
20				·20	·75			·70		·70	·02		20
21			·07	·15	·39			·79		·60		·46	21
22	·05			·03	·17		·02		·42	·13	72	·17	22
23			·07		·43				·1~~9~~4	·07	·14	·10	23
24		·01					·02		·13	·13	·02		24
25		·02		·03					·02	·33			25
26			·06	·05	·08		·08			·03	·03		26
27			·50	·20	·44		·03			·10			27
28			·07		·19		·06						28
29			·48	·12	·35	·10	·07		·40	·64	·16	·50	29
30		×	·07	·16		·93	·24		·20	·03	·37	·52	30
31		×		×		×	·44		×		×	·10	31
TOTAL	4·51	·14	1·73	3·40	4·79	1·12	3·19	2·18	2·72	~~5·00~~ 4·90	1·8~~8~~0	2·29	32·74 YEAR'S TOTAL ~~35·07~~
*Days with ·01 in. or more.	13	4	11	24	18	4	14	6	17	20	14	10	165
*Days with .04 in. or more.	11	2	16	19	15	3	7	5	13	16	8	9	119

40-9999

*See Instruction 2 (*f*) on other side. × SNOW

(*Signed*) C. B. Le [illegible] [P.T.O.

3277

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Tyberton Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 276 ft.

April and May corrected for transcriptional error by near stations 10/3/34 J.W.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·40		·11					·01		·24		·32		1
2	·43	·14	·37	·23	·23									2
3	·07	·12	·08	·08	·08									3
4	·19		·03	·14	·14									4
5			·33	·10	·10									5
6		·01	·03	·29	·29					·20				6
7	·04	·20					·05			·18		·02		7
8		·02	·07	·04	·04		·14							8
9		·01					·19			1·53	·07			9
10		·20				·02	·02	·11		2·08				10
11							·05	·02			·02			11
12				·01	·01				·12	·01				12
13				·16	·16		·23			·31	·10	·02	Snow	13
14	·10					·05	·18	·08			·08			14
15	·28		·13			·02						·08		15
16	·01		·78			·02	·02							16
17		·06	·14			·06	·03	·03	·31	·08				17
18			·02											18
19		·03	·15			·25	·03	·05	·25		·40			19
20		·02	·04			·60			·34		·02			20
21		·02			·25	·59		·04		·01				21
22				·04	·02			·15	·12	·19				22
23				·13		·28			·27	·34				23
24		·91		·11		·42			·01	·19				24
25		·09		·06		·06			·07	·22		·22		25
26	Snow	1·31		·09	·59				·39	·14				26
27		·10			·16				·02			·21		27
28		·12		·32										28
29	·32		·01	·13°										29
30	·03	×	·11	·01			·13		·27	·05		·22		30
31	·27	×	·02	×		×		·02	×		×			31
TOTAL	2·14	3·31	2·42	~~1·94~~ ·89	~~1·02~~ 2·07	2·37	1·02	·51	1·87	5·75	·69	1·09	Year's Total 24·13	
*Days with ·01 in. or more.	11	16	16	8 ~~16~~	12 ~~4~~	11	11	9	11	·15	6	7	133	
*Days with .04 in. or more.	9	11	12	7 ~~14~~	10 ~~3~~	8	7	5	8	13	4	5	99	

Wonderful sunshine like days. White Frost each morning! Max E B.4. Th 26·60.

40-9999

*See Instruction 2 (*f*) on other side.

⊖ Thunder Rain.

D M

† Spare column, no entries required.

(*Signed*) Chandos B. Lee-Jones

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Tyberton Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06							·44	·01	·03	·15	·25		1
2	·02								·21	·05	·03	·14		2
3		·01	·03 ~~·20~~					·08	·01	·06		·36		3
4	·04		·04	·02	·20				·02	·10	·04	·43		4
5	·01		·05		·19			1·03		·03		·16		5
6			·01		·62				·01	·18		·27		6
7	·05	·01		·01				·11	·09	·10		·40		7
8	·02				·10						·15	·79		8
9	·01		·28								·50	·06		9
10	·42		·19	·61							·08			10
11	·74		·08	·36			·04	·02				·25		11
12	·07						·05	·09						12
13			·01	·28								·07		13
14	·85		·54		·12	·03				·05	·21	·16		14
15			·10						·02		·29	·06		15
16	·08		·45						·21		·17			16
17	·01		·04	·16	·08		·09		·01			·21		17
18	·20		·12	·42			·03		·02			·25		18
19			·28			·04		·02	·06			·21		19
20						·01	·08		·01	·08		·14		20
21						·04	·03	·03		·11				21
22	·10		·13	·01	·01			·52	·09	·06		·03		22
23			·07	·10		·64		·03	·05	·02		·34		23
24		·13		·03		·38				·20		·01		24
25	·35		·01	·11					·03	·25		·83		25
26				·08		·06			·03			·27		26
27	·03			·14		·02			·01	·03		·04		27
28				·35		·18		·17	·14		·03	·36		28
29							·14	·08	·10			·04		29
30	·03	×					·03	·01	·02	·04		·26		30
31		×		×		×			×		×	·05*		31 * Snow
TOTAL	3·09	·15	2·43	2·68	1·32	1·40	·49	2·72	1·15	1·45	1·65	6·44	Year's Total. 24·97	✓
* Days with .01 in. or more.	18	3	17	14	7	9	8	15	20	16	10	27	164	
* Days with .04 in. or more.	12	1	13	10	6	6	5	9	8	12	8	25	115	

× Very big gale · first fr N W then to S.W.

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Tyberton Court
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·09	·03	·10	·05	·10		·14	·09		·26		1
2			·01			·05				·18	·07	·09		2
3	·03		·02	·01		·17			·07	·34				3
4	·03		·02	·04		·09			·03	·16	·09	·24	Sleet snow	4
5			·01						·08		·03			5
6		·15		·45		·88				·04	·01	·18		6
7				·35		·30				·13	·03	·05		7
8				·33		·08		1·07		·05	·13	·15		8
Snow 9	·08			·43		·17				·49	·31			9
10	·03	·03				·01				·03	·04			10
11	·21					·06					·36	·01		11
12	·03					·06		·03			·14			12
⊖ 13					·03				·07	~~·07~~	·14			13
Thunder 14				·18	·09	·08			·24	~~1·05~~	1·05	·09		14
15		{·17		·78	·09	·28⊖			·10		·05	·18		15
16			·12	·40	·04	·12	·04		·76⊖			·09		16
× Snow 17				·18×		·21			·04	·05	·71			17
18						·06			·25		·10			18
19		·04		·11	·16	·07				·20	·16			19
20		·42		·23	·04	·01	·19			·03	·90			20
21		·45	·03	·02			·02		·20		·06			21
22		·03	·01	·05					·12	·01	~~·01~~			22
23	·01	·04	·14		·03			·02	·12	·67		69 {		23 { Snow
24	·08	·37	·03			·31		·01	·45	·01				24
25	·32	·03		·16		·78			·09			·34		25
26		·23										·47		26
27		·30						·30	·12		·05	·16		27
28	·03								·15	·01				28
29	·02								·06		·08	·40		29
30	·02	✕		·26		·04		·36	·18	·25	·68	·22		30
31	·02	✕		✕		✕			✕	·30	✕	·45		31
TOTAL	·91	2·26	·53	4·01	·58	3·88	·35	1·97	3·27	3·04	5·15	3·87	Year's Total 29·82	
* Days with .01 in. or more.	13	12	10	17	8	21	4	7	19	18	22	18	169	
* Days with .04 in. or more.	4	10	3	14	5	19	3	4	15	13	20	17	130	

40-9999.

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required

(*Signed*) C. B. Lee Warner

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]090.

REGISTER OF RAINFALL IN 1936.

Kept at Lyleuton Court.

in the County of Hereford.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	–	–	·36	–	·23	·15	·05	–	–	·01	·03		1
2	·06	·03	·01	·06	–	·43	·07	–	–	–	·04	–		2
3	·05	–	–	–	–	·02	·05	–	·46	–	–	·03		3
4	·05	–	·05	–	–	·28	–	–	·42	–	·12	–		4
5	·44	·06	·16	–	·07	–	·11	·01	·04	–	·02	·15		5
6	·43	–	–	–	–	·03	·13	–	·09	–	·44	–		6
7	·06	–	·01	–	–	·01	·78	–	·12	–	·28	·01		7
8	·26	–	·07	–	–	–	·06	–	–	–	·81	–		8
9	·74	–	·26	–	–	·04	·67	–	·08	–	·01	–		9
10	·06	–	·19	–	–	–	·06	–	–	–	·03	–		10
11	–	·15	·01	·11	–	·34	·02	–	–	–	·84	–		11
12	–	–	–	·09	·06	·36	·36	–	·63	–	·11	·27		12
13	–	–	–	–	–	·02	·06	–	–	–	–	1·43		13
14	–	–	–	·20	–	·04	·10	–	·07	–	–	·77		14
15	–	–	–	–	·49	–	·03	·08	·02	–	–	·17		15
16	–	·12	–	–	–	–	·06	–	–	–	–	·04		16
17	·43	·88	–	–	·14	–	·35	–	–	·11	·04	·76		17
18	·11	·15	–	–	–	·12	·40	–	–	·08	–	·06		18
19	–	·03	·02	–	·04	·09	–	·05	–	–	–	–		19
20	·87	·34	·08	·15	–	·75	–		·35	–	–	·02		20
21	–	–	·07	·05	–	·35	–	–	·06	–	–	–		21
22	·03	·48	·20	·95	·35	–	·28	–	–	–	–	–		22
23	–	·04	–	·05	·04	–	·23	–	–	·02	–	–		23
24	·37	–	–	–	·05	–	·13	–	·16	·35	–	–		24
25	·15	–	·31	·31	–	·05	·17	–	·35	·33	–	–		25
26	·49	–	·29	–	–	·04	·03	–	–	·02	·04	–		26
27	–	–	·19	–	–	–	·07	–	–	·08	–	–		27
28	·06	·18	·46	·03	–	–	·10	–	–	–	·03	·17		28
29	·37	·03	·08	–	–	·92	·02	–	–	–	–	·07		29
30	·04	✕	·01	–	·05	·04	·25	–	–	·78	–	–		30
31	·41	✕	·26	✕	·36	✕	–	–	✕	·02	✕	·47		31
TOTAL	5·65 ~~5·64~~	2·49	2·73	2·36	1·65	4·16	4·74	·19	2·85	1·79	2 2·85	4·45	Year's Total 35·88	
* Days with .01 in. or more.	21	12	19	11	10	19	26	4	13	9	14	15	173	
* Days with .04 in. or more.	20	9	14	10	10	15	22	3	12	6	9	11	141	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ......✓...... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Tyberton Court
in the County of Herefordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level 276 ft.

Nov. 18th Corrected by surr. station & to agree total

Will you kindly fill in February to June and return to this office in Envelope enclosed

Rec 10·12·37

Dec. corrd. by annual

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	0·3		·18					·04	·08	·08	·97		1
2	01	·27		·17						—		·19		2
3		·15	·03		·28		·08		·01	—		·01		3
4	07	·12			·07		·01			—		·49		4
5	37		·17	·01			·06			—		·03		5
6	11	·15	·71	·21	·04					·06		—		6
7		·70	·07	·10		·11				—		—		7
8		·15		·09	·33				·04	—		—		8
9		·01			·19				·44	—	·30	—		9
10	08	·03	·09				·06	·01		—		·29		10
11	03		·98	·04	·36	·08	·08			—		·07		11
12	34	·20	·05		·01	·17	·10	·81	·07	—		~~·07~~ ·27		12
13		·05	·07	·23		·41		·05		—		—		13
14			·01	·05			·05			—		·03		14
15	·20	·16	·03	·35			1·82	13	·16	—		·07		15
16	11		·68	·05				13		—		—		16
17	72	·06	·25						·25	—	·04	—		17
18	37	·06	·38	·10			·01		·43	—	~~·02~~ ·22	·17		18
19	27	·05		·04			·09		·05	—	·03	·02		19
20	49	·20	·40	·43					·03	—		·05		20
21	·07	·32	·17	·01	·11		·38			·04		·01		21
22	11	·05			·25		17			·54	·54	·09		22
23	·37	·28	·01		·04		·02			·10	·12	—		23
24	62	·57	·07				·01			·95		—		24
25	·01	·47			·05				·07	·38		·03		25
26		·40			·25					—	·02	·02		26
27		·54		·13						·84		—		27
28		·08								·21		—		28
29					·02					·78	·02	—		29
30	·31	×			·01					—	·19	—		30
31	·23	×		×		×			×	·66	×	—		31
TOTAL	5·06	5·01	3·57	2·19	2·01	·77	2·94	1·13	1·59	4·64	1·56	2·81	Year's Total 33·~~0~~28	33·28
* Days with .01 in. or more.	21	24	17	16	14	4	14	5	11	11	10	17	164	
* Days with .04 in. or more.	18	21	1~~4~~3	14	11	4	10	4	9	11	7	10	132	

2·81

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations. **Station No.** 2232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Tyberton Court

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 276 ft.

B.P.

Copy by B.R.O.

entry on July 14th adj. by surr. stns to agree with total.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·08				·80	·07	·51	—	·30	—	·40		1
2		·04		·06	11		·04	·49	—	·17	·03	—		2
3	·01				12		·03		—	1·00	—	—		3
4							·09		—	·32	—	·14		4
5		·01				03	·05		—	·12	—	·08		5
6	·02	·05					1·00		—	·16	—	—		6
7	·09					07	·68	·02	·09	·08	—	·14		7
8	·11						·03	·35	·07	·20	—	·11		8
9	·28					·05	·01	·09	—	—	—	·84		9
10		·01				·04	·10	·21	—	—	—	·58		10
11	·45					·03	—	·03	—	·32	·35	·21		11
12	·33				·15		—		—	—	·92	·04		12
13					·02		—	·03	—	—	·20	·44		13
14	·68				·07		·35 ~~·25~~		·02	—	—	—		14
15	·32				·05		·14		—	—	—	·56		15
16	·17	·04					—		—	·01	—	— ✓		16
17							—	·03	·06	·22	·06	✓		17
18	·04				·02	·02	—	·15	—	—	—	—		18
19							—	·10	·07	—	·20	—		19
20	·02		02				—	·01	·02	—	·28	—		20
21							—	·04	·25		·16	✓		21
22				·17			—		·34		·24	·10✓		22
23				·04			—	·10	·11		—	—	✓	23
24	·04		·05		05		·03	·24	—		·12	—		24
25	·09	·20	·02		10		·01		—	·19	·69	—		25
26	·20	·30			·08	·05	—		·01	·39	—	—		26
27		·03				·17	·19	·56	·01	·09	·11	—		27
28	·20	·06			·40	·21	—	·05	·01	—	·06	—		28
29	·24				39		—		·01	~~·13~~	—	—		29
30	·05	×			·05	·02	—		·27	·13	·33	·15		30
31	·07	×		×	·28	×	—	·02	×	·14	×	·32		31
TOTAL	3·41 ✓	·82 ✓	·09 ✓	·27 ✓	1·89 ✓	1·49	2·82 ✓	3·03	1·34	3·84	3·75	1 4·~~0~~1	Year's Total 8 26·~~7~~6	✓
* Days with .01 in. or more.	19 ✓	10 ✓	3	3 ✓	14 ✓	11 ✓	15 ✓	18	14	16	14	147	151	✓
* Days with .04 in. or more.	16 ✓	7 ✓	1 ✓	3 ✓	12 ✓	~~6~~ 7	10 ✓	12	8	15	13	14	118	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. B. Lee Warner [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of **Daily Observations** Station No. 2232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Tyberton Court

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 276 ft.

Jan: adj. by surr. stns

Mar. corr'd for arith.
May " "
Sept " "
Oct " "

COPY by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	·28	–	·21	–	–	–	·05	–	·15	·20		1
2	–	–	–	–	–	–	–	·08	·35	–	·08	·10		2
3	·06	–	–	·32	–	–	·03	·06	·01	–	·18	–		3
4	·09	–	·19	·43	·24	–	·39	·03	·10	·45	·16	·48		4
5	–	–	–	·57	–	–	–	·04	–	·25	–	·20		5
6	62 ~~·78~~	–	·03	·48	–	–	·83	–	–	–	·73	–		6
7	–	·04	·01	–	–	–	·47	·06	–	–	·14	–		7
8	·03	·24	·30	–	·04	–	·80	·18	–	1·02	·47	·28		8
9	–	·11	–	–	–	–	–	·52	–	·28	·79	·04		9
10	·73	·13	–	–	·06	–	–	·02	–	·33	·07	·12		10
11	–	–	·06	–	–	–	–	·05	–	·09	–	–		11
12	·01	–	–	–	–	–	–	–	·02	·03	–	–		12
13	–	–	–	·16	·04	–	·26	–	·16	–	–	·04		13
14	·87	–	·05	·05	·03	·01	·31	–	–	–	–	–		14
15	·96	–	–	–	·05	·48	·40	–	–	–	·05	·08		15
16	·24	–	–	·05	·14	–	·16	–	–	·03	·38	–		16
17	·78	–	–	–	·05	·10	·03	–	–	·69	·25	–		17
18	·21	·02	·02	–	–	·05	·21	–	–	·02	–	–		18
19	·14	–	–	–	·11	–	·19	–	–	–	·35	–		19
20	·53	·23	–	–	–	–	·05	·14	–	–	–	–		20
21	·02	·44	·17	·04	–	·18	·10	–	·05	–	–	·02		21
22	·38	–	·05	–	–	·65	·06	–	·02	–	·35	–		22
23	–	·03	·04	·02	–	·06	·32	–	–	·05	–	–		23
24	–	–	·02	·05	–	–	·04	–	–	–	·86	–		24
25	·80	·06	–	–	–	–	·03	–	–	·17	–	–		25
26	·10	–	–	·04	–	·09	–	·16	–	·15	·49	·08		26
27	·02	·50	·05	–	–	·10	·06	·03	–	·02	·38	–		27
28	·06	·24	·05	·03	–	–	·30	–	–	–	·14	–		28
29	–		–	·12	–	·25	·38	·03	–	–	·18	–		29
30	–	✕	–	·49	–	·07	–	·01	–	·15	–	·13		30
31	–	✕	–	✕	–	✕	·21	·23	✕	·05	✕	–		31
TOTAL	6·66	2·04	3 1·22	2·85	·97 ~~1·37~~	2·04	5·63	2·14 ~~1·64~~	·76 ~~·66~~	3 1·78	6·20	1·79	Year's Total 36·18	✓
* Days with .01 in. or more.	20 ~~17~~	11	14	1~~5~~4	10	11	22	15	8	16	19	12	172	
* Days with .04 in. or more.	15 ~~14~~	9	10	1~~8~~2	9	10	19	10	5	12	19	11	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Tyberton Court

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 10 in.

" Ground " Sea Level 276 ft.

Sept. Total corrected for arithmetic.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		–		·03	·06	–	–	–	–	–	·10	–		1
2		–		·13	–	–	–	–	–	–	1·43	·06		2
3		–		·01	–	–	–	–	–	·26	1·46	·02		3
4		·75		–	–	–	–	–	–	·06	·08	·04		4
5		–		–	·26	–	·07	–	–	·05	·54	·07		5
6		·04		–	–	–	·02	–	–	·29	·03	–		6
7	·18	·36		·02	–	–	–	–	–	·02	–	·18		7
8		·15		·02	–	–	–	–	·09	·24	·53	·15		8
9		–		·02	–	–	·56	·11	–	·30		·14		9
10		–	·04	–	–	·18	–	·09	–	·26	·14	·47		10
11		–	·11	·03	–	·03	·56	–	–	–	·98	–		11
12		–	·26	–	–	·07	·20	–	·11	–	–	–		12
13		–	·13	–	–	–	·02	–	·02	–	·16	·08		13
14		–	·02	·11	·07	–	–	–	·08	·25	–	·48		14
15		–	·03	·02	1·25	·16	·07	–	·08	·06	·95	·02		15
16		·83	·17	·06	·01	–	·27	–	·12	·83		–		16
17		–	·15	–	–	–	·03	–	·03	–	–	–		17
18			·35	·71	–	–	–	–	·42	·26	·07	–		18
19		~~·06~~		·44	–	–	·28	–	–	–	·25	·05		19
20	~~1·58~~	·06		·03	–	–	·01	–	–	·06		–		20
21		–		–	·21	·39	·10	–	–	–	1·54	–		21
22				·19	·06	·17	–	–	·17	–	–	–		22
23		–	·16	·05	·37	–	–	–	–	·03	–	–		23
24		–		–	–	–	·17	–	–	–	–	–		24
25		~~·07~~		–	·04	–	·02	–	–	–	–	–		25
26		·07		·25	·11	–	·35	–	–	–	–	–		26
27		·08		–	·07	–	·07	–	–	–	·04	·04		27
1·97 28	1·06	·31	·10	·60	·06	–	–	–	–	–	–	–		28
29	·81	–		·43	–	·09	–	–	–	–	–	·18		29
30	·10	✕		·42	–	–	–	–	–	·75	–	–		30
31		✕	·08	✕	·02	✕	–	–	✕	·95	✕	·02		31
TOTAL	3·73	2·65	1·60	3·57	2·59	1·09	2·80	·20	1·12 ~~1·02~~	4·67	8·30	2·00	Year's Total 34·32	✓
* Days with .01 in. or more.	11	~~9~~ 14	12	19	13	7	16	2	9	16	21 ~~17~~	16 ~~15~~	156	
* Days with .04 in. or more.	9	~~9~~ 11	10	11	11	6	~~13~~ 11	2	7	14	17 ~~16~~	12	121	

† Spare column, no entries required.

(Signed) C. B. Lee-Warner

[P.T.O.

* See Instruction 3 (f) on other side.

2233

Section **A** for the entry of Da
AIR MINISTRY.—

OR OFFICIAL USE.
ORGANIZATION.

FORM 1090.

REGISTE

Kept at Stretton Sugu
in the County of Herefor
Diameter of Funnel of Gauge Fiv
Height of top of Gauge above Ground 2
,, Ground ,, Sea Level

THE MORNING MEASURE

An observer who does not conform to this
year in the space on the right of this p
Ple

—

2233
STRETTON SUGWAS
1931 — 40

780403

wing

Jan. 1, following

Date	Jan.	Feb.	March	Ap							Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·05	—	·12	·02	·26	—	—	·44	·19	—	—	1
2	·08	·04	—	·85	·04	·01	—	·23	·53	—	·15	·14	2
3	·02	—	—	·01	—	—	·07	·01	·05	—	1·39	·05	3
4	—	—	·06	·01	·03	·03	·24	·48	·38	—	·21	—	4
5	—	·02	—	·09	·01	·99	·19	·03	—	—	·01	·26	5
6	—	·12	—	·12	·04	·06	·39	·03	·01	·28	·23	·08	6
7	—	—	—	—	·01	·05	·60	·71	—	·02	·35	·01	7
8	·05	·05	—	·16	·05	·10	—	·50	—	·02	·07	·03	8
9	—	·09	—	·01	—	·11	—	·02	—	·04	·68	—	9
10	—	—	—	—	·05	·03	·03	·06	·07	—	·50	·01	10
11	·06	·23	—	—	—	·06	·20	·02	·09	—	·14	—	11
12	·06	·05	—	—	—	—	·06	—	·08	·01	—	—	12
13	—	—	·07	—	·07	·01	·10	·26	·03	—	·01	—	13
14	—	·04	—	—	·04	·97	·31	·71	·04	—	·27	—	14
15	—	·13	—	·06	·05	·01	·34	·43	·06	—	·01	·05	15
16	·04	·28	—	·09	·21	·65	·01	·09	·18	—	—	—	16
17	·04	·09	—	·40	·31	·03	·13	·10	—	—	·05	—	17
18	·05	—	·07	·39	·01	·21	·02	·27	—	—	·37	—	18
19	·02	·11	—	·03	—	·17	—	·32	—	—	·06	—	19
20	—	·05	·15	·03	—	—	—	·09	—	—	·07	·07	20
21	·15	—	—	—	·38	—	—	—	—	—	·19	—	21
22	·18	—	·07	—	·08	—	—	·14	—	—	·04	—	22
23	·10	—	—	·42	·49	·19	—	—	—	—	·15	·20	23
24	·07	—	—	·38	·18	—	·23	—	—	—	—	—	24
25	·16	·01	—	·52	—	—	·43	—	—	—	·06	·01	25
26	—	—	—	·04	—	—	·05	—	—	—	·46	—	26
27	·10	·56	·05	—	1·37	—	·04	—	—	—	·09	·01	27
28	·01	·09	·10	·02	·31	—	—	—	—	·02	—	·08	28
29	—	×	·07	—	·22	—	·31	—	—	·08	·10	·01	29
30	—	×	—	—	·01	—	—	—	·11	—	—	—	30
31	·23	×	—	×	·09	×	—	—	×	—	×	—	31
TOTAL	1·43	2·01	·64	3·75	4·07	3·94	3·75	4·50	2·07	·66	5·66	1·01	YEAR'S TOTAL 33·49
*Days with ·01 in. or more.	18	17	8	19	23	18	19	19	13	8	24	14	200
*Days with ·04 in. or more.	14	15	8	13	17	12	16	13	11	4	21	8	157

40-9999

(*Signed*) S. Harold Armitage [P.T.O.

*See Instruction 2 (*f*) on other side.

2233

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Stretton Sugwas.

in the County of Hereford

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft — in.

,, Ground ,, Sea Level 226 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·05	—	·12	·02	·26	—	—	·44	·19	—	—	1
2	·08	·04	—	·85	·04	·01	—	·23	·53	—	·15	·14	2
3	·02	—	—	·01	—	—	·07	·01	·05	—	1·39	·05	3
4	—	—	·06	·01	·03	·03	·24	·48	·38	—	·21	—	4
5	—	·02	—	·09	·01	·99	·19	·03	—	—	·01	·26	5
6	—	·12	—	·12	·04	·06	·39	·03	·01	·28	·23	·08	6
7	—	—	—	—	·01	·05	·60	·71	—	·02	·35	·01	7
8	·05	·05	—	·16	·05	·10	—	·50	—	·02	·07	·03	8
9	—	·09	—	·01	—	·11	—	·02	—	·04	·68	—	9
10	—	—	—	—	·05	·03	·03	·06	·07	—	·50	·01	10
11	·06	·23	—	—	—	·06	·20	·02	·09	—	·14	—	11
12	·06	·05	—	—	—	—	·06	—	·08	·01	—	—	12
13	—	—	·07	—	·07	·01	·10	·26	·03	—	·01	—	13
14	—	·04	—	—	·04	·97	·31	·71	·04	—	·27	—	14
15	—	·13	—	·06	·05	·01	·34	·43	·06	—	·01	·05	15
16	·04	·28	—	·09	·21	·65	·01	·09	·18	—	—	—	16
17	·04	·09	—	·40	·31	·03	·13	·10	—	—	·05	—	17
18	·05	—	·07	·39	·01	·21	·02	·27	—	—	·37	—	18
19	·02	·11	—	·03	—	·17	—	·32	—	—	·06	—	19
20	—	·05	·15	·03	—	—	—	·09	—	—	·07	·07	20
21	·15	—	—	—	·38	—	—	—	—	—	·19	—	21
22	·18	—	·07	—	·08	—	—	·14	—	—	·04	—	22
23	·10	—	—	·42	·49	·19	—	—	—	—	·15	·20	23
24	·07	—	—	·38	·18	—	·23	—	—	—	—	—	24
25	·16	·01	—	·52	—	—	·43	—	—	—	·06	·01	25
26	—	—	—	·04	—	—	·05	—	—	—	·46	—	26
27	·10	·56	·05	—	1·37	—	·04	—	—	—	·09	·01	27
28	·01	·09	·10	·02	·31	—	—	—	—	·02	—	·08	28
29	—	×	·07	—	·22	—	·31	—	—	·08	·10	·01	29
30	—	×	—	—	·01	—	—	—	·11	—	—	—	30
31	·23	×	—	×	·09	×	—	—	×	—	×	—	31
TOTAL	1·43	2·01	·64	3·75	4·07	3·94	3·75	4·50	2·07	·66	5·66	1·01	YEAR'S TOTAL 33·49
*Days with ·01 in. or more.	18	17	8	19	23	18	19	19	13	8	24	14	200
*Days with ·04 in. or more.	14	15	8	13	17	12	16	13	11	4	21	8	157

40-9999

(Signed) S Harold Armitage [P.T.O.

*See Instruction 2 (*f*) on other side

2233

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Stretton Sugwas

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground One ft — in.

,, Ground ,, Sea Level 226 ft.

Station No. 2233.

File No. 909703/29.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	—	·06	1·41	·03	·02	·04	·03	·06	·03	·01	1
2	—	—	—	·02	·23	—	—	·03	·09	—	·01	·18	2
3	—	·01	—	·50	—	—	·04	—	—	—	·03	·05	3
4	·02	—	—	·25	—	—	·01	—	—	—	·41	—	4
5	·36	—	·09	—	·05	—	—	—	·22	—	—	—	5
6	·27	—	·04	·13	—	—	·03	—	·40	—	—	—	6
7	·03	—	·13	·06	·10	—	·01	—	·40	1·00	—	—	7
8	—	—	·12	·01	—	—	—	—	·13	·28	—	—	8
9	·81	·04	—	·02	—	—	—	—	—	·20	—	—	9
10	·35	—	·01	·16	·05	·05	—	—	·15	·14	—	—	10
11	·02	·01	—	·08	·01	·10	·03	—	·03	—	·01	·11	11
12	·27	—	—	—	·26	—	—	—	·19	·25	·03	—	12
13	·10	·02	—	·09	—	—	·48	·24	—	·01	·02	·19	13
14	·30	—	—	·05	·05	—	·01	·10	—	—	·12	·02	14
15	—	—	—	·01	·42	—	—	—	—	·03	·01	—	15
16	·27	—	—	·29	·02	—	·49	—	—	—	—	—	16
17	·01	—	—	—	·01	—	·06	—	—	·03	—	—	17
18	—	—	—	—	·08	—	—	—	·02	—	·20	—	18
19	—	—	—	·09	·18	—	—	—	·02	·04	—	—	19
20	—	—	—	·20	·80	—	—	·74	—	·62	·04		20
21	·01	—	·10	·17	·16	—	—	·47	—	·44	·02	·02	21
22	·02	—	·01	—	·09	—	·06	—	·53	·09	·12	·18	22
23	—	·03	·03	—	·50	—	—	—	·07	·11	·30	·07	23
24	·03	·02	—	·01	—	—	·04	—	·11	·03	—	·06	24
25	·02	—	—	·03	·02	—	·04	—	·02	·31	·02	—	25
26	—	—	·09	·10	·11	—	·13	—	·01	·05	·04	—	26
27	—	—	·38	·16	·43	—	·08	—	—	·09	—	·01	27
28	—	—	·09	·02	·24	—	·07	·05	—	—	·02	—	28
29	—	—	·37	·17	·08	·10	·02	·36	·27	·44	·35	·35	29
30	—	×	·10	·07	—	·86	·37	·05	·22	—	·09	·11	30
31	—	×	·02	×	·01	×	·32	·04	×	·01	×	·35	31
TOTAL	2·96	·13	1·58	2·75	5·31	1·14	2·31	2·48	2·91	4·23	1·87	1·71	YEAR'S TOTAL 29·38
Days with ·01 in. or more.	17.	6.	14	24	23	5	19	10	18	20	19	14	189
Days with ·04 in. or more.	9.	1.	10	17	18	4	12	9	12	15	9	10	126

40-9999

(*Signed*) L.H. Armitage [P.T.O.

2233

~~File No. 909703/29~~

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At STRETTON SUGWAS

In the County of HEREFORD.

Rain Gauge

- Diameter of Funnel five in.
- *Height of Top above Ground* one *ft* ---- *in.*
- *Height of Ground above Sea Level* 226 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	I.87	.35	Ist	I5	I2
FEB.	3.30	I.00	24th	I6	II
MAR.	2.09	.5I	I6th	I5	I2
APRIL	I.09	.45	28th	7	6
MAY	I.97	.53	26th	I6	9
JUNE	I.42	.33	24th	I4	9
JULY	.90	.24	8th	II	7
AUG.	.57	.I8	22nd	9	6
SEPT.	I.80	.32	26th	I2	9
OCT.	4.94	I.86	I0th	I9	I5
NOV.	.67	.28	I9th	I2	5
DEC.	.69	.I5	(28 (30	II	5
Total	2I.3I			I57	I06

Signature S. H. Armitage -

*See Instruction 2 (*f*) below.

C Particulars of Station. ~~No. 2233.~~

Snowdon guage used.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Capt. S. H. Armitage,
Stretton Sugwas, Hereford.

Hour of observation by the clock—in Winter 9 a.m. in Summer I0 a.m.

Nearest Railway Station CREDENHILL Distance I½ Direction from gauge West

Nearest Parish Church at STRETTON SUGWAS Distance I Direction from gauge S.W.

Nature of objects nearest to gauge	Trees			
Heights of objects	50 or 60 ft.			
Distances ..	50 yds.			
Directions from gauge ..	N. & E.			

If gauge has been moved during the year state—

Date of move / Distance / Direction /

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Heavy snow on Feb. 24th. 25th. & 26th.
Aprox:- 2 ft.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O. 7
3 JAN 1934

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110

D

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2233

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at STRETTON SUGWAS

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 226 ft.

~~Dogo~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	—	—	—	—	—	—	·34	·03	·09	·05	·28		1
2	·04	—	·01	—	—	—	—	·03	·16	·04	·03	·08		2
3	·01	·02	—	—	·02	—	—	·10	·01	·10	—	·30		3
4	·07	—	·04	·01	·18	—	—	·01	·02	·05	·12	·26		4
5	·01	—	·14	·02	·14	—	—	·75	—	·01	·10	·15		5
6	—	—	·02	·02	·48	—	—	·10	—	·14	—	·32		6
7	·05	·03	—	—	·03	—	—	·07	—	·07	·01	·30		7
8	—	—	—	—	·24	—	—	·01	·08	—	·03	·36		8
9	·02	—	·24	·01	·01	—	—	·07	—	—	·47	·15		9
10	·19	—	·33	·44	—	—	—	·04	—	—	·09	·01		10
11	·85	—	·11	·33	—	—	·10	·02	—	—	·01	·17		11
12	·01	·02	·02	·01	—	—	·82	·01	—	—	—	·02		12
13	·62	·01	—	·19	—	—	·01	—	—	·01	·02	·06		13
14	·05	—	·39	·01	—	·08	—	—	—	·02	·17	·12		14
15	·01	—	·18	—	·11	—	—	—	—	—	·22	·07		15
16	·05	—	·26	—	·02	—	—	·01	—	—	·20	·01		16
17	·02	—	·04	·11	·03	—	·12	—	·14	—	—	·21		17
18	·19	—	·07	·25	—	—	—	—	—	—	—	·12		18
19	·03	—	·15	·01	—	·05	—	·01	·12	·10	—	·24		19
20	—	—	·08	—	—	·04	—	—	—	—	—	—		20
21	—	—	—	—	—	·04	—	·06	·03	·04	—	·03		21
22	·04	—	·05	—	·02	—	·01	·42	·12	·04	—	·27		22
23	—	—	·05	·12	—	·41	—	·06	·11	·02	—	·02		23
24	—	·25	·02	·17	—	·23	—	—	·12	·01	—	·02		24
25	·24	·03	—	·06	—	·01	—	—	·02	·25	—	·50		25
26	·04	—	·03	·15	—	·04	—	—	·05	·04	—	·16		26
27	·03	—	—	·19	—	·06	—	·01	—	·09	—	·12		27
28	—	—	—	·24	—	·08	·02	·12	·15	·02	—	·36		28
29	—		—	·01	—	—	·17	·04	·13	·01	·02	·01		29
30	·04	✕	—	—	—	—	·03	·23	·03	—	—	·02		30
31	·01	✕	—	✕	—	✕	—	·19	✕	·04	✕	·11		31
TOTAL	2·68	·36	2·23	2·35	1·28	1·04	1·28	2·70	1·32	1·19	1·54	4·85	Year's Total. 22·82	
* Days with .01 in. or more.	23 ~~8~~	6 ~~5~~	19 ~~5~~	19 ~~8~~	11 ~~6~~	10 ~~X~~	8 ~~4~~	22 ~~8~~	22 ~~6~~	20 ~~8~~	14 ~~6~~	30 ~~8~~	~~69~~	204
* Days with .04 in. or more.	14	1	14	11	5	9	4	14	16	13	8	22	131	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) p.p. S. Harold Armitage, Sec.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2233

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Stretton Sugwas

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 226 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·07	·05	·08	·05	-	-	·80	·07	·03	·10		1
2	-	-	-	-	-	·26	·07	-	·03	·12	·11	·12		2
3	-	-	·09	-	-	·08	·10	-	·05	·25	·23	-		3
4	·05	-	-	·14	-	·15	-	-	·02	·15	·05	·12		4
5	-	·32	·05	·07	-	-	-	-	·08	·02	·03	·02		5
6	-	-	·08	·33	-	·47	-	-	-	·09	·06	·17		6
7	-	-	-	·33	-	·30	-	-	-	·15	·04	·09		7
8	-	-	-	·32	-	·04	-	-	-	·02	·15	·12		8
9	-	·03	-	·45	-	·15	-	-	-	·35	·24	-		9
10	·07	-	-	·05	-	·05	-	-	-	·03	·05	-		10
11	·23	-	-	-	-	·03	-	-	-	-	·27	-		11
12	·05	-	-	-	-	·03	-	·03	-	·02	·05	-		12
13	·10	·02	-	·14	·06	-	-	-	·05	·01	·04	-		13
14	-	-	-	·01	·03	·12	-	-	·20	-	·96	·10		14
15	-	·09	-	·55	·08	·33	-	-	·12	-	·01	·15		15
16	-	·04	·15	·37	-	·05	-	-	·60	·09	·97	·06		16
17	-	-	·01	·20	-	·22	·02	-	·06	-	·15	-		17
18	-	-	-	·24	·05	·04	·03	·28	·18	·03	-	-		18
19	-	-	-	·05	·23	·10	-	·01	-	-	·15	-		19
20	-	·30	-	·17	-	-	·25	-	·03	-	·87	-		20
21	-	·30	·02	·06	-	-	·10	-	·19	·06	·05	-		21
22	-	·12	-	·15	-	-	-	-	·23	-	-	-		22
23	·01	·06	·11	-	·03	-	-	·10	·15	·55	-	-		23
24	·05	·35	·06	-	-	1·35	-	·01	·47	·25	-	·49		24
25	·17	·05	-	·16	-	·02	-	-	-	·02	-	·17		25
26	-	·25	-	-	-	-	-	·27	·10	-	-	·41		26
27	-	·15	-	-	-	-	-	-	·10	-	·02	·35		27
28	·02	-	-	-	-	-	-	·15	·11	-	-	·02		28
29	·01		-	-	-	·07	-	-	·06	-	·20	·27		29
30	·02	×	-	·25	-	-	-	·40	·12	·09	·50	·28		30
31	-	×	-	×	-	×	-	-	×	·40	×	·49		31
													Year's Total.	
TOTAL	·78	2·08	·64	4·09	·56	3·91	·57	1·25	3·75	2·77	5·23	3·53	29·16	
* Days with .01 in. or more.	11	13	9	20	7	20	6	8	21	20	23	18	176	
* Days with .04 in. or more.	7	11	7	19	5	17	4	5	18	13	19	16	141	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed) Ethel J. Armitage

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2233

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Stretton Sugwas

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 226 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·05	—	·30	—	05	·12	·05	—	—	·07	·05		1
2	·05	—	—	·05	—	·59	·11	·02	—	—	·10	·01		2
3	·02	—	—	—	—	·05	·06	—	·32	—	·03	—		3
4	·02	—	·12	—	—	·25	—	—	·38	—	·15	·13		4
5	·49	·06	·09	—	·10	—	·05	—	·02	—	·03	·12		5
6	·45	—	·05	—	—	·08	·20	·06	·05	—	·42	—		6
7	·10	—	·04	—	—	—	·74	—	·10	—	·32	·04		7
8	·26	—	·16	—	—	—	·04	—	—	—	·67	—		8
9	·55	—	·18	—	—	·06	·53	—	·15	·02	·02	·02		9
10	·08	—	·02	—	—	—	·30	—	—	—	—	—		10
11	—	—	—	·05	—	·20	·06	—	·03	—	·69	—		11
12	—	—	—	·05	·13	·31	·40	—	·47	—	·07	·25		12
13	—	—	—	·05	·09	·01	·05	—	·01	·05	·02	1·26		13
14	—	—	—	·22	·02	·03	·10	·03	·06	·01	·03	·41		14
15	—	—	—	·03	·07	—	·03	—	·15	—	·04	·09		15
16	—	·28	—	·12	·04	—	·06	—	—	—	·10	·02		16
17	·20	·76	—	·07	·05	—	·39	—	—	·05	·04	·47		17
18	—	·17	—	—	—	—	·21	·02	—	·10	—	·06		18
19	·53	·11	·04	·10	—	—	—	·04	—	—	—	—		19
20	·05	·18	·10	·07	—	·41	—	—	·33	—	—	·02		20
21	—	—	·05	·75	—	·34	·02	—	·04	—	·03	—		21
22	—	·55	·15	—	·24	—	·36	—	—	—	—	—		22
23	·10	·02	·32	·06	·01	—	·12	—	—	·06	—	—		23
24	·17	·08	—	—	·02	—	·15	—	·20	·24	—	—		24
25	·25	—	·21	·47	—	—	·13	—	·15	·15	·03	—		25
26	·20	·05	·20	—	—	·10	·01	—	·02	·05	·01	—		26
27	·10	·02	·08	—	—	—	·03	—	·03	·28	—	—		27
28	·32	·07	·31	—	—	—	·03	—	—	·03	·05	·15		28
29	·03	·03	·03	—	—	1·21	·12	—	—	·03	·03	·10		29
30	·04	✕	—	—	—	·05	—	—	—	·55	—	·02		30
31	·48	✕	·25	✕	·16	✕	·10.	—	✕	·08.	✕	·36		31
													Year's Total	
TOTAL	4·60	2·43	2·40	2·39	·93	3·74	4·52	·22	2·51	1·72	2·95	4·58	32·99	✓
* Days with .01 in. or more.	22	14	18	14	11	15	27	6	17	14	21	18	197	✓
* Days with .04 in. or more.	19	11	16	13	8	13	22	3	12	11	12	13	153	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ethel I. Armitage [P.T.O.

X Mrs. S.H. Armitage X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2233

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Stretton Sugwas

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 226 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·04	-	·08	-	-	-	-	·04	·05	·08	·21		1
2	·02	·15	-	·10	-	-	-	-	-	-	-	·78		2
3	-	·16	-	-	·51	-	·05	-	·02	-	-	·20		3
4	·12	·11	-	-	·10	-	-	·02	-	-	-	-		4
5	·25	-	·15	-	-	-	·07	-	-	-	-	-		5
6	·10	·19	·10	·16	·14	-	-	-	-	·10	·05	-		6
7	-	·71	-	·09	-	·07	-	-	-	·01	·02	-		7
8	-	·18	·05	·02	·14	-	·02	-	·02	·02	·30	-		8
9	-	·02	-	·07	·16	-	·09	-	·59	-	-	·20		9
10	·06	·05	·21	·18	-	·05	-	-	-	-	-	·10		10
11	·02	-	·32	·03	·58	·07	·28	-	-	-	-	·24		11
12	·15	·19	·07	-	·02	·09	·04	1·16	·10	-	-	-		12
13	·09	·07	-	·16	-	·15	-	·52	·12	-	-	·05		13
14	-	·02	·06	·05	-	-	·06	·05	·02	-	-	·14		14
15	·15	·10	·01	·24	-	-	1·36	-	·15	-	-	-		15
16	·04	·02	·72	·03	-	-	·01	·17	·10	-	-	-		16
17	·36	·09	·35	-	-	-	-	-	·34	-	-	-		17
18	·38	·06	·10	·25	-	-	·03	-	·38	-	·24	·10		18
19	·10	·05	·02	·05	-	·11	·24	-	·02	-	-	-		19
20	·37	·10	·15	·48	·02	-	·14	-	-	-	-	·06		20
21	·21	·26	·20	-	·11	-	·19	-	-	·06	-	·03		21
22	·20	·04	·02	-	·10	-	·27	-	-	·49	·45	·02		22
23	·18	·18	·10	-	·21	-	·04	-	-	·17	·19	·01		23
24	·38	·45	·06	-	-	-	-	-	·03	·47	-	·03		24
25	·02	·50	-	-	·14	-	·02	-	·06	·68	-	·05		25
26	-	·38	-	-	·41	-	-	-	-	-	-	·02		26
27	-	·38	-	·10	-	-	-	-	-	·46	-	·01		27
28	-	·05	-	-	-	-	-	-	-	·21	-	·03		28
29	-	×	-	-	-	·09	-	-	-	·82	·05	-		29
30	·22	×	-	-	-	·01	-	-	·01	-	·17	-		30
31	·20	×	-	×	-	×	-	-	×	·48	×	-		31
													Year's Total	
TOTAL	3·67	455	2·69	209	2·64	·64	2·91	1·92	2·00	4·02	1·55	2·28	30·96	✓ ✓
* Days with .01 in. or more.	22	26	17	16	13	8	16	5	15	13	9	18	178	✓ ✓
* Days with .04 in. or more.	19	23	14	13	11	7	12	4	9	11	8	11	142	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ethel I. Armitage

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2233

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Stretton Sugwas

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 226 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·05	-	-	-	·82	-	·33	-	·19	-	·27		1
2	-	·02	-	·03	·12	·01	·05	-	-	·24	-	-		2
3	-	-	-	·01	·06	·04	·04	-	-	·68	-	·01		3
4	-	-	-	-	-	·01	·15	·42	-	·16	·02	·10		4
5	-	·01	-	-	-	-	·04	-	·05	·17	-	-		5
6	·12	·05	-	-	-	·03	·84	-	·12	·11	-	·04		6
7	·02	-	-	-	-	-	·47	·34	·10	·09	-	·17		7
8	·30	-	-	-	-	-	·11	·73	-	·15	-	·03		8
9	·28	-	-	-	-	·06	·06	·06	-	-	-	·54		9
10	·05	-	-	-	-	·08	·09	·27	-	·01	-	·35		10
11	·35	-	-	-	-	·02	·02	·06	-	·01	·21	·23		11
12	·17	·02	-	-	·10	-	·01	·02	-	·27	·56	·02		12
13	·01	-	-	-	·03	-	-	-	·01	-	·14	·62		13
14	·51	-	-	-	·06	-	·41	-	-	·01	-	-		14
15	·20	-	·02	-	·07	-	·13	-	-	·01	·05	·25		15
16	·15	-	-	-	·02	-	·01	·02	-	-	·09	·02		16
17	-	·03	-	-	-	-	-	-	·07	·14	-	-		17
18	·04	-	-	-	-	-	-	·10	·01	·05	·29	-		18
19	-	-	-	-	-	-	-	·17	·05	-	·08	-		19
20	·02	-	-	-	-	-	-	-	-	-	·20	-		20
21	-	-	-	-	-	-	-	·06	·52	-	·14	-		21
22	-	-	-	·09	-	·09	-	·07	·18	·04	·35	·16		22
23	-	-	-	·02	·05	-	-	-	·15	-	·06	-		23
24	·01	·02	·08	-	·11	-	-	·21	·03	-	·08	-		24
25	·05	·12	·03	-	·15	-	·02	-	·02	·13	·57	·02		25
26	·15	·21	-	-	·12	·12	-	-	·01	·35	-	-		26
27	·04	·02	-	-	·57	·08	·22	·56	·15	·18	·22	-		27
28	·07	·02	-	-	·02	·19	·02	·05	-	-	·05	·12		28
29	·15		-	-	·49	·03	·03	-	·06	·15	·06	·04		29
30	·03	✕	-	-	·08	-	-	-	·28	-	·37	·11		30
31	·10	✕	-	✕	·21	✕	-	-	✕	·12	✕	·32		31
TOTAL	2·82	·57	·13	·15	2·20	1·58	2·72	3·47	1·81	3·26	3·48	3·42	Year's Total 25·61	✓
* Days with .01 in. or more.	21	11	3	4	16	13	18	16	16	21	18	19	176	✓
* Days with .04 in. or more.	16	4	1	1	13	8	12	14	11	17	17	14	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ethel I. Armitage [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2233

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Stretton Sugwas

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 226 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·09	·23	·25	—	·01	—	·09	—	·07	—		1
2	—	—	·07	·05	—	—	·02	·25	·26	—	·14	·11		2
3	—	—		·25	—	—	—	·11	—	—	·09	·36		3
4	—	—	·17	·47	·16	—	·15	·04	·12	·22	·07	·11		4
5	—	—	—	·25	·06	—	·16	·11	—	·15	·36	·01		5
6	·70	·02	·07	·03	·06	—	·72	—	—	·01	·12	—		6
7	·02	·04	—	—	—	—	·33	·14	—	—	·38	·31		7
8	·01	·13	·44	—	·01	—	·54	·07	—	·78	·56	·04		8
9	—	·15	—	—	—	—	·01	·33	—	·25	·05	·10		9
10	·55	—	—	—	—	—	—	·05	—	·23	·01	·07		10
11	—	·02	·18	—	—	·02	—	·01	—	·05	·02	—		11
12	—	·05	—	—	—	—	—	—	·05	·03	—	—		12
13	—	—	—	·12	·05	—	·13	—	·06	·19	—	—		13
14	·58	—	—	·01	·09	·14	·26	—	—	·03	·38	—		14
15	·90	—	—	·04	·10	·20	·37	—	—	·03	·21	—		15
16	·26		·11	—	·16	·02	·02	—	—	·11	·39	—		16
17	·65	—	—	—	·06	·06	·01	—	—	—	·02	—		17
18	·35	·04	·05	—	·05	·03	·10	—	—	—	·25	—		18
19	·11	—	—	—	—	—	·24	—	—	—	—	—		19
20	·51	—	—	—	—	—	·10	·09	—	—	—	·03		20
21	·05	·15	·11	·05	·03	·25	·13	—	·06	—	—	—		21
22	·28	·27	·09	—	—	·24	·04	—	·04	·08	·12	—		22
23	—	—	·02	·04	—	·02	·27	—	—	·02	·73	—		23
24	—	—	·04	·06	—	·03	·03	—	—	·25	—	—		24
25	·72	·08	—	·01	—	—	·04	·02	—	·15	·31	—		25
26	·15	·04	—	·02	—	—	—	·02	—	·01	·22	—		26
27	—	·20	·06	—	—	·06	·10	·02	—	·04	·05	—		27
28	·06	·18	·07	—	—	·09	·29	—	—	—	·15	—		28
29	—	—	—	·42	—	·35	·38	—	—	·10	·02	—		29
30	—	✕	—	·24	—	·09	—	·07	—	·03	·01	—		30
31	—	✕	—	✕	—	✕	·05	·46	✕	·10	✕	—		31
TOTAL	5·90	1·37	1·57	2·29	1·08	1·60	4·50	1·79	·68	2·86	4·73	1·14	Year's Total 29·51	
* Days with .01 in. or more.	16	13	14	16	12	14	25	15	7	21	24	9	186	
* Days with .04 in. or more.	14	11	13	12	10	8	19	11	7	14	19	7	145	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ethel I. Armitage

[P.T.O.

FORM 1090.

B Monthly Summary.

C Particulars of Station.

2233

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At Stretton Sugwas

In the County of Hereford

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* — *in.*
Height of Ground above Sea Level 226 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·90	·90	15	16	14
FEB.	1·37	·27	22	13	11
MAR.	1·57	·44	8	14	13
APRIL	2·29	·47	4	16	12
MAY	1·08	·25	1	12	10
JUNE	1·60	·35	29	14	8
JULY	4·50	·72	6	25	19
AUG.	1·79	·46	31	15	11
SEPT.	·68	·26	2	7	7
OCT.	2·86	·78	8	21	14
NOV.	4·73	·73	23	24	19
DEC.	1·14	·36	3	9	7
TOTAL	29·51			186	145

Signature E. Armitage

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Mrs S. H. Armitage
Stretton Sugwas, Hereford.

Hour of observation by the clock—in Winter 9 A.M. in Summer 10 A.M.

Nearest Railway Station Credenhill Distance 1½ mile Direction from gauge W.

Nearest Parish Church at Stretton Sugwas Distance 1 mile Direction from gauge S.W.

Nature of objects nearest to gauge	Trees			
Height of objects	50-60 ft.			
Distances ...	50 yds.			
Directions from gauge ...	E. S.			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 2233

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at STRETTON SUGWAS

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 226. ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·02	–	·01	·04	–	–	–	–	–	·15	–		1
2	–	·02	–	·11	–	–	–	–	–	–	·86	·07		2
3	–	·35	–	–	–	–	–	–	–	·12	1·47	·02		3
4	–	·04	–	–	–	–	–	–	–	·05	·11	–		4
5	–	–	–	–	·20	–	·05	–	–	·07	·46	·12		5
6	·41	·40	–	–	–	–	–	–	–	·15	·04	·14		6
7	–	·20	–	·01	·02	–	·11	–	–	·03	–	·05		7
8	–	–	–	·06	–	–	–	–	·10	·23	·04	·25		8
9	–	–	–	·10	–	–	·12	·10	–	·35	·48	·14		9
10	–	–	·01	–	–	–	·55	·02	–	·26	·15	·30		10
11	–	–	–	·02	–	–	·20	–	–	–	·64	·02		11
12	–	–	·15	–	–	·02	·24	–	·01	–	·09	–		12
13	–	–	·35	–	–	–	·01	–	–	–	–	·07		13
14	–	–	·02	–	·32	–	–	–	·09	·28	–	·32		14
15	–	–	·01	·06	1·08	·05	–	–	·21	–	·20	·02		15
16	–	·45	·15	–	–	–	·35	–	·09	·77	·65	–		16
17	–	–	·15	–	–	–	·05	–	·10	–	·03	–		17
18	·14	·40	·30	·58	–	–	–	–	·47	·11	·05	·05		18
19	–	·10	·05	·32	–	–	·30	–	·18	–	·15	–		19
20	–	–	–	·03	–	–	·04	–	–	·12	–	–		20
21	–	–	–	–	·10	·56	–	–	–	–	1·37	–		21
22	–	–	·06	·15	·04	·03	–	–	·65	–	·01	–		22
23	–	·09	·04	·03	·24	–	–	·01	–	–	–	–		23
24	–	–	–	–	–	–	·17	–	–	·01	–	–		24
25	·03	–	–	–	·04	·05	–	–	–	–	–	–		25
26	1·22 ✓	·15	–	·12	·09	–	·62	·01	–	–	–	–		26
27	·97	·18	–	·04	·07	–	·11	–	–	–	–	–		27
28	1·36	·20	–	·29	·01	–	–	–	–	–	–	·02		28
29	·03	·01	·05	·46	·01	·06	·03	–	–	–	–	·12		29
30	–	✕	–	·36	–	–	–	–	–	·46	–	·05		30
31	·15	✕	·04	✕	–	✕	–	–	✕	·95	✕	–		31
TOTAL	4·31	2·61	1·38	2·75	2·26	·77	2·95	·14	1·90	3·96	6·95	1·76	Year's Total 31·74	✓
* Days with .01 in. or more.	8	14	13	17	13	6	15	4	9	15	18	16	148	✓
* Days with .04 in. or more.	6	11	10	12	10	4	13	1	8	13	16	12	116	✓

3.73

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ethel. I. Armitage [P.T.O.

2234

Section **A** for the entry

AIR MINIST

FORM 1090.

REGIS

2234

HEREFORD, CREDENHILL

1931 — 40

780403

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

1.

Kept at Credenhill

in the County of Her

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEAS

Y.

An observer who does not conform
year in the space on the right of

following

Jan. 1, following

Date	Jan.	Feb.	March							t.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.23		·07					·17					1
2		·06		·80	04	·15			·40	30			2
3	·10			·02		·02	·10		55	12	1·50		3
4					·04		·25	·50	·12		·30	·17	4
5		·04		·08		1·16	·08	·02	05				5
6		·12		·18	·06	·05	·40	·52	·02	05	·23	·08	6
7				·16		·03	·64				33		7
8	·07	06				07		·60	03	03	·06	·05	8
9		·10			·06			02			·45		9
10						·85			05		·20		10
11	·07	·20				·11		·04			·15		11
12					08		·27		·09				12
13	05	·06				·03	·08	·08	12		10		13
14		·12	06	14		1·08	·47	·80			39		14
15		·05			09	·45	·37	·37					15
16		·23	06				·02	·12			·06		16
17	·05	·06		·34		·05	·14	·26					17
18	09			·37		·29	·01	·08			40		18
19		05		·04			·02				05		19
20	·09		14	03		·10		02					20
21	·16	·23			·40		·01	·13			20		21
22	·20							20					22
23	08			·47	·32	·17					·08	·18	23
24				28	·60		·23		·03				24
25	·10			68	·19		·44				·09		25
26	08			04					·05		·49		26
27	·06	·52			1·48								27
28	·02		10		·39		·14				·05		28
29			08		·19		·34		·12		·02	·02	29
30		×			·02				·20				30
31	·24	×		×	·10	×	·01		×		×		31
TOTAL	1·69	1·90	·51	3·63	4·06	4·11	4·02	3·93	1·83	·50	5·45	·50	YEAR'S TOTAL 32·13
*Days with ·01 in. or more.	16	14	6	14	15	15	19	16	13	4	19	5	156
*Days with ·04 in. or more.	15	14	6	13	14	12	14	13	10	3	18	4	136

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Frank E Whiting

P.T.O.

2234

Section **A** for the entry COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Credenhill

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.23		.07					.14					1
2		.06		.80	04	.15			.40	30			2
3	.10			.02		.02	.10		55	12	1.50		3
4					.04		.25	.50	.12		.30	.14	4
5		.04		.08		1.16	.08	.02	05				5
6		.12		.18	.06	.05	.40	.52	.02	05	.23	.08	6
7				.16		.03	.64				33		7
8	.04	.06				04		.60	03	03	.06	.05	8
9		.10			.06			02			.75		9
10						.05			05		.20		10
11	.04	.20				.11		.04			.15		11
12					08		.24		.09				12
13	05	.06				.03	.08	.08	12		10		13
14		.12	06	14		1.08	.47	.80			39		14
15		.05			09	.45	.34	.37					15
16		.23	06				.02	.12			.06		16
17	.05	.06		.34		.05	.14	.26					17
18	09			.37		.29	.01	.08			40		18
19		05		.04			.02				05		19
20	.09		14	03		.10		02					20
21	.16	.23			.40		.01	.13			20		21
22	.20							20					22
23	.08			.44	.32	.14					.08	.18	23
24				28	.60		.23		.03				24
25	.10			68	.19		.44				.09		25
26	08			04					.05		.49		26
27	.06	.52			1.48								27
28	.02		10		.39		.14				.05		28
29			08		.19		.34		.12		.02	.02	29
30		×			.02				.20				30
31	.24	×		×	.10	×	.01		×		×		31
TOTAL	1.69	1.90	.51	3.63	4.06	4.11	4.02	3.93	1.83	.50	5.45	.50	YEAR'S TOTAL 32.13
*Days with ·01 in. or more.	16	14	6	14	15	15	19	16	13	4	19	5	156
*Days with ·04 in. or more.	15	14	6	13	14	12	14	13	10	3	18	4	136

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Frank E Whiting

P.T.O.

2234

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2234.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Credenhill,

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					1·25	·02		·46		·15	·03		1
2				·05	·20		·02	·05	·08	·01	·02		2
3	·07			·45			·05					·06	3
4				·29			·01				·43		4
5	·30		·11						·10		·02		5
6	·30		·05	·10					·45				6
7		·05	·10	·05	·10				·38				7
8			·15			·02				·30			8
9	·88						·05		·08	·16		·01	9
10	·40	·07			·02				·18	·16		·05	10
11	·02			·09	·05								11
12	·28				·28					·28	·01	·10	12
13	·30			·03	·01		·60			·02	·03	·20	13
14				·09	·38			·17		·05	·12		14
15	·01				·04		·01	·07					15
16	·30						·52				·02		16
17					·02		·02						17
18							·06		·03	·02	·23		18
19				·08	·10				·04	·05	·05		19
20			·08	·18	·66			·70		·70			20
21					·17			·80		·43		·20	21
22			·10	·04	·10		·02		·05	·11	·03	·10	22
23		·05	·05		·55		·06		·55	·13	·30	·07	23
24	·05	·01		·02	·10		·05		·15	·02			24
25				·04	·01	·02			·05	·31			25
26				·16			·25	·01	·02	·06	·04		26
27			·41	·12	·08	·11	·07	·17		·12	·06	·02	27
28			·07		·23		·07	·03		·05		·03	28
29			·40	·13	·13		·01	·40	·30	·50	·04	·43	29
30	·02	×	·10		·03	1·13	·32		·18	·05	·40	·10	30
31		×	·02	×		×	·32		×		×	·45	31
TOTAL	2·93	0·18	1·64	1·92	4·51	1·30	2·51	2·86	2·64	3·68	1·83	1·82	YEAR'S TOTAL 27·82
*Days with ·01 in. or more.	12	4	12	16	21	5	18	10	15	21	16	13	163
*Days with .04 in. or more.	9	3	11	14	16	2	12	8	13	17	9	10	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Frank E Whiting

P.T.O.

2234

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. ~~2234~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Credenhill

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

„ Ground „ Sea Level 275 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·43	·08	·12		·01					·09		·13	1
2	·25		·27		·17								2
3	·05		·17					·12					3
4	·20	·03	·05		·04								4
5	·15		·08		·07			·03					5
6		·28	·03		·25					·26			6
7		·03			·03					·13			7
8			·10		·07	~~·04~~	·04			·03			8
9	·08				·04	~~·21~~	·21			1·48			9
10		·25					·04	·07		1·90	·06		10
11						·12	·18						11
12							·06		·15				12
13						·01	·18	·02		·15	·05		13
14	·08						·08			·26	·05		14
15	·38		·10			·06	·10			·10		·03	15
16	·08	·03	·55			·03			·04	·05			16
17		·11	·40				·04				·05		17
18			·03			·06			·16		·04	·05	18
19	·03		·09			·03		·04			·20	·03	19
20		·03	·02		·22	·26			·21			·03	20
21										·03	·03		21
22								·20	·04	·10			22
23		·62		·09	·04	·20			·25	·28			23
24		·95		·17					·05				24
25		·83				·36						·16	25
26		·80			·41	·09			·26	·13		·03	26
27		·04		·08	·21					·04		·16	27
28				·43	·04								28
29	·22		·03	·18								·05	29
30		×	·08	·04		·01						·15	30
31	·28	×	·07	×		×	·06	·08	×	·04	×		31
TOTAL	2·23	4·08	2·19	·99	1·60	1·23	·99	·56	1·16	5·07	·48	·82	YEAR'S TOTAL 21·40
*Days with ·01 in. or more.	12	13	16	6	13	11	10	4	8	16	7	10	127
*Days with ·04 in. or more.	11	9	12	6	11	7	10	5	8	14	6	6	105

40-9999

*See Instruction 2 (*f*) on other side,

D

(Signed) Frank E Whiting

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2234

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Credenhill

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05							37	.20	.07	.04	.32		1
2					.20			.04		.07	.04	.08		2
3	.10							.10		.12		.35		3
4			.06							.08	.15	.35		4
5			.11		.16			.90	.05					5
6			.02	.04	.47			.15		.14		.32		6
7	.06							.01		.07		.36		7
8					.26			.10	.09			.44		8
9	.03		.23					.02			.51			9
10			.35	.46				.05			.15	.10		10
11	.90		.07				.07	.02			.04	.20		11
12				.40			.47				.14			12
13			.06				.08					.10		13
14	.58		.42	.20			.10			.04	.25	.09		14
15	.03		.20								.23	.08		15
16	.17	.03	.32					.02			06	.25		16
17			.05	.14	.02				.10			.08		17
18	.05		.05	.29				.05		.09		.10		18
19	.05		.20		.04				.05			.20		19
20						.05			.05	.04		.05		20
21	.05					.02								21
22			.05					.50	.15	.06		.26		22
23			.07					.06						23
24		.30				.48			.22					24
25	.26			.14		.24				.34		.65		25
26	.06	.02	.03	.12				.04	.07			.10		26
27				.05						.12		.10		27
28	.05			.40		.04		.16	.12			.33		28
29						.29	.18	.06	.14	.06		.81		29
30		×					.10	.04		.04		.24		30
31		×		×		×			×		×	.07		31
TOTAL	2.44	.35	2.29	2.24	1.15	1.12	1.80	2.69	1.24	1.34	1.64	5.23	Year's Total 22.73	
*Days with .01 in. or more.	14	3	16	10	6	6	6	18	11	14	10	25	139	
*Days with .04 in. or more.	12	1	14	10	5	5	6	14	11	14	10	24	126	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Frank E Whiting

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2234

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Credenhill

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 245 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.10		.09	.02	.08		.40	.13	.03	.10		1
2				.03		.20			.03	.05	.20	.08		2
3		.35	.10			.12			.05	.21	.28			3
4	.05		.03	.12		.32			.06	.05	.12			4
5			.05	.05					.10	.06				5
6			.06	.40		.40				.11	.06	.20		6
7				.35		.52		.05	.03	.13	.05	.08		7
8				.33		.05				.06	.15	.15		8
9	.08			.51		.20				.36	.25			9
10		.03		.05	.04	.05			.04	.05	.05			10
11	.20				.05					.02	.32			11
12	.05	.01				.04			.06		.08			12
13	.10				.09						.06			13
14				.18		.17			.12		1.10	.15		14
15		.03		.61		.31			.15			.16		15
16		.05	.15	.35		.09	.03		.69	.11	.02	.06		16
17				.14			.05		.03	.03	1.02			17
18				.22	.05	.04	.16	1.00	.21		.14			18
19				.05	.20	.10			.01	.06	.16			19
20		.36		.20	.05	.05	.16		.04		1.06			20
21		.33		.12					.20	.03	06			21
22		.08		.25					.10					22
23	.01		.15					.11	.19	.53		.30		23
24	.05	.43	.07						.58	.27		.31		24
25	.10	.05		.15	.04	1.35		.01				29		25
26		.30						.30	.10		.03	.32		26
27		.10							.09		.05	.22		27
28									.12	.02		.33		28
29	.05							.15	.05		.20			29
30	.03	×		.20	.04	.06		.46	.15	12	.54	.22		30
31		×		×		×			×	.32	×	.54		31
TOTAL	.42	2.12	.71	4.34	.65	4.09	.48	2.08	3.90	2.72	6.03	3.51	Year's Total. 31.35	
* Days with .01 in. or more.	10	12	8	19	9	18	5	7	24	20	23	16	171	
* Days with .04 in. or more.	8	9	7	18	9	17	4	6	20	16	20	16	150	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Frank E Whiting

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2234

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Credenhill

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	15			.35		.12	.17	.65			.07			1
2						.62	.16				06	.03		2
3	.05	.05				.04	.06		.25					3
4	.02		.10			.38		.02	.38		.16			4
5	.53	.06	.05		.11			.07	02			.13		5
6	.43		.03			09	.18				.33	.09		6
7	.05						.93				.42	.03		7
8	.28		.20		.03	.05	.02		.10		45			8
9	.49		.20		.14		.50		.12					9
10	.08						31							10
11		.17		.10		.22	.11		.02	.02	.46			11
12				.05		.31	.45		.63	.04	.08	.23		12
13				.12		.02	.08				.04	1·30		13
14				.27		.02	.12	.04				.60		14
15				.05			.03		.11		.06	.18		15
16	.15	.12		.10	.13		.05		.06	.06	.04	.10		16
17	.10	.87	.01	.03	.05		30				.10	.52		17
18		.32			.03	.04	.25	.03		10		.07		18
19	.44	.12	.04	.09										19
20	.05	.20	.10	.05		.69			.35					20
21				.86		.31	24							21
22	.03	.53	.20											22
23	.10	.03	.25		.20		.25							23
24		05		.03	.09		.14	.05	.24	25				24
25	.07		.27	.49	01		09		.17	.17	.01			25
26	.32	.05	.23			.12				.04	.04			26
27	.20	.03	.10	.10			05			.20				27
28	.33	08	.37				.08			.06	.04	.15		28
29	.03	07	.03		.04	1·78	.10			.04		.10		29
30	.03	✕	.23		.03	.06	.03			.56		.01		30
31	.42	✕	27	✕	.18	✕	.09		✕	.09	✕	.45		31
TOTAL	4.65	2.45	2.68	2.69	1·04	4·87	4.59	.26	2·45	1·63	2·96	3·99	Year's Total 34·56	✓
* Days with .01 in. or more.	22	15	17	14	12	16	25	6	12	12	15	15	181	✓
* Days with .04 in. or more.	18	13	14	12	8	14	22	4	10	11	14	12	152	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Frank E Whiting [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2234

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Credenhill
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 245 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.04		.09					.04	.02	.06	.64		1
2	.02	.08		.11					.04	.05		.03		2
3		.18			.30									3
4	.10	.15						.04				.20		4
5	.15		.20		.10						.03			5
6	.05	.15	.10		.15		.05			.11	.06			6
7		.83	.05	.18		.09								7
8		.14		.06	.20						.36			8
9	.06	.05			.15				.50					9
10			.39	.13		.04	.09					.25		10
11	.05		.21	.05	.67	.06	.22		.08					11
12	.22	.20		.06	.02			1.00						12
13	.05	.02		.17				.26	.02					13
14		.07	.05				.05	.08	.20					14
15		.09		.25			1.56					.14		15
16	.06		.90	.03			03	.16	.10		.25	.05		16
17	.37	.04	.15	.01		.08								17
18	.37	.10	.26	.15					.32		.06	.20		18
19	.37	.07	.07	.04	.03	.12	.25				.05			19
20	.40	.05	.20						.08	.02		.04		20
21	.29	.27	.15		.08		.30		.05			.05		21
22	.19	.05	.05	.45	.16		.29			.50	.43	.04		22
23	15	.20	.06		.11		.03			.18	.15			23
24		.58	.04						.01	.60				24
25		.51			.12				07	.60		03		25
26		35			.20							.04		26
27		30		.09							.18	.03		27
28		05								.18				28
29	.05					.08			.01	.82	.03			29
30	.19	✕								.08				30
31	.20	✕		✕		✕			✕	.48	✕			31
TOTAL	3.39	4.52	2.91	1.87	2.29	.47	2.87	1.54	1.52	3.64	1.66	1.80	Year's Total 28.48	✓
* Days with .01 in. or more.	20	24	15	15	13	6	10	5	13	12	11	13	157	✓
* Days with .04 in. or more.	19	23	15	13	11	6	8	5	10	10	9	10	139	✓

† Spare column, no entries required.

(*Signed*) Frank E. Whiting [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2234

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Credenhill

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 275 ft.

Entries on Sept. 30th & Oct. 15th estd. from nearby stns. Days amended likewise.
W.E.S.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·04				·84		·41	·02	·31		·29		1
2		·03		03	·15		·15			·20				2
3	·02				·08	03	·04			·68				3
4							·14	·52		·18		·12		4
5							·11		·03	·05				5
6	·12	·05				·05	·85		·13	·15		·15		6
7							·39	·28	·07	·08		·11		7
8	·29						·08	·21		·16		·03		8
9	·14					·06	·04	·15				·68		9
10	·04					·11	·09	·05		✓		·36		10
11	·34					·03	·04	·04		✓	·20	·03		11
12	·24				·11			·10		x	·40	·25		12
13	·04				·05					—	·22	·60		13
14	·60				·04		·39			✓				14
15	·15				·07		·10			✓ (·30)	·08	x ·27		15
16	·03										·04	✓		16
17					·02				x	·12	·10			17
18						·04		·05	✓ ·06		·31			18
19								·15	·04		·08			19
20											·23			20
21	·04							·03	·35		·10	·12		21
22		·06		·11				·10	·13	✓	·38	·13		22
23				03	·05				·15		·03			23
24		✓	·07		·10			·15	·02		07			24
25		x ·12			·19				·02	·16 x	·65			25
26	·16	x ·24	·02		·11	·04	·02			·30		·15		26
27	·03	✓			·51	·10	·22	·57	15	·21	·24			27
28	·12	✓				·20		·04				·03		28
29	·15				·35				✓	·12	·15			29
30	·03	✕			x	·04			~~·14~~ (·35)		·39	·09		30
31	·10	✕		✕	x ·34	✕			✕	·08	✕	·35		31
TOTAL	2·64	·54	·09	·17	2·20	1·54	2·66	2·85	~~1·14~~ 1·52	~~2·80~~ 3·10	3·99	3·76	Year's Total ~~24·39~~	25·04
* Days with ·01 in. or more.	18	9 ~~8~~	2	3	~~14~~ 15	11	14	15	15 ~~12~~	20 ~~14~~	17	18 ~~14~~	~~143~~	157
* Days with ·04 in. or more.	15	5	1	1	~~13~~ 14	9	13	14	9 ~~8~~	15 ~~14~~	16	14	~~123~~	126

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Frank E. Whiting

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2234

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Credenhill

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.12	.22			.02		.06		.15	.03		1
2				05				.12	.33		.10	.05		2
3	.13		03	.28				.10	.04	.24	.10	.40		3
4	.12		.13	.50			.18		.15	.09	.07	.14		4
5							.26	.10			.47			5
6	.54		.06		.12		.68				.09			6
7					.03		.35				.26	.30		7
8		.10	.40				.53	.07		.43	.99	.04		8
9		.15						.23	.09	.40	.04	.10		9
10	.53	.03				.04		.12		.37	.03	.07		10
11	.03	.01	.14							.08				11
12						.09				.01				12
13		.06			.08		.16							13
14	.77			.12	.04	.08	.23				28			14
15	.75				.09	.22	.60			.03	.26			15
16	.22		.10		.17		.02			.26	.47			16
17	.67				.03	.04	.05				.04			17
18	35	.04	.04	04		05	.15				.30			18
19	10						.22							19
20	.48						.11	.08				03		20
21	.05	.16	.10	.03	.06		.10		.05					21
22	.38	.36	.08			.18	.05		05	.04	.10			22
23						.43	.26			.03	.79			23
24	.20									.10				24
25	.48	.08		05		02	.01	.01			34			25
26				.04			.04	.11		.09	.25			26
27		.30	.10			.05	.10			.04	05			27
28		.19		.03		.07	.25				.25	.05		28
29	.07			.37		.12	.39			.14		15		29
30		×		.23		.15		.44		.03				30
31		×		×		×	.08	.08	×		×	.13		31
TOTAL	6.17	1.48	1.30	1.96	.62	1.54	4.84	1.46	.77	2.68	5.37	1.49	Year's Total 29.68	
* Days with .01 in. or more.	14	11	11	12	8	13	23	11	4	16	21	12	162	
* Days with .04 in. or more.	16	9	10	10	6	12	20	10	7	12	20	10	142	

† Spare column, no entries required.

(*Signed*) Frank E. Whiting [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2234

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Credenhill

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 275 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1		.03		.03	.05									1	
2							.03				.10	.05		2	
3		.45								.21	1.01			3	
4					.25					.06	1.40	.04		4	
5							.05			.05	.20			5	
6	.14	.40		.03			.05			.15	39	.02		6	
7		.22			.03		.10			.06	.03	.10		7	
8				.07					.05	.22		.22		8	
9			03	.07			.18	.10		.25	.45	.15		9	
10							.49	.06			.10	.30		10	
11				.05			.21				.66	.02		11	
12		.03	.15			.10	.24		.01		.08			12	
13			.30						.04	.15		.01		13	
14			.09		.16				.10			.43		14	
15				.03	1.16	.08			.15		.16			15	
16		.79	.13				.38		.10	.72	.70	.02		16	
17	.02	.40	.17	.05			.02				.02			17	
18	.20		.25	.57			.01		.40	.11	.07	.05		18	
19		.09	.13	.33			.32		.20		.15			19	
20				.03						.11	.02			20	
21					.09	.45					1.35			21	
22			.08	.10	.05	.20			.40					22	
23			.10	.05	.12									23	
24		.18					.16							24	
25					.03									25	
26	1.20			.10	.10		.33	.02						26	
27	1.11	.20		.05	.06		.13				.02			27	
28	.88	.15		.25	.12							.10		28	
29	.03		.08	.48	.01	.08	.05							29	
30	.02	✗		.35						.49		.05		30	
31	.11	✗	.08	✗		✗			✗	1.00	✗	.03		31	
TOTAL	3.71	2.94	1.59	2.64	2.23	.91	3.05	.18	1.45	3.58	6.91	1.59	Year's Total 30.78		✓ 30.78
* Days with .01 in. or more.	9	11	12	14	13	5	16	3	9	13	18	15	141		✓
* Days with .04 in. or more.	6	9	11	13	10	5	13	2	8	13	14	10	114		✓

3·35

† Spare column, no entries required.

(Signed) Frank E. Whiting

P.T.O.

* See Instruction 3 (f) on other side.

WESTHIDE (THE

2234/3

WESTSIDE, THE COURT.

1937 — 40

780403

Section **A** for the entry of I

AIR MINISTRY

ation No. 2234/3

ORGANIZATION

FORM 1090

REGIS

Kept at The Court, West

in the County of Her

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

/38

THE MORNING MEASURE … **DAY**

An observer who does not conform t … *ollowing*
year in the space on the right of thi

Ple

Jan. 1, following ✓

Date	Jan.	Feb.	Mar.	A								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.0I		.04					.05	.02	.07	.64		1
2	.0I	.I3		.07								.04		2
3		.08	.02		.43		.03							3
4	.08	.09	.02		.04							.23		4
5	.20		.I2				.04							5
6	.04	.22	.09	.I6	.I0		.04			.I0	.0I			6
7		.55	.04	.II										7
8		.I4		.0I		.06				.0I	.27			8
9		.0I		.08	.25		.08		.4I					9
10	.02	.0I	.35	.I3		.04						.I4		10
11			.25	.0I	.36	.03	.09					.08		11
12	.I0	.I7			.0I	.68	.0I	.I2	.08			.29		12
13	.04	.03	.I9	.08		.I6		.23	.08					13
14			.02	.0I			.06	.2I				.05		14
15	.I6	.I0	.0I				I.25		.05			.I2		15
16	.03	.0I	.76	.04				.08	.07					16
17	.30	.04	.4I				.02		.3I					17
18	.39	.04	.I2	.06			.02		.26		.I8	.34		18
19	.05	.02	.I2	.04		.I7	.II				.0I			19
20	.54	.06	.07	.47	.08							.II		20
21	.I9	.26	.I2				.28			.02		.0I		21
22	.I5	.03	.I0		.I2	.02	.2I			.45	.39	.0I		22
23	.I3	.II	.0I		.I0		.0I			.26	.I3			23
24	.26	.29	.02		.06				.04	.52				24
25		.48			.I2				.05	.27		.02		25
26		.3I			.36							.0I		26
27		.27		.09						.40				27
28		.0I								.I8	.04	.02		28
29										I.I2	.I6	.0I		29
30	.25	✕												30
31	.20	✕		✕		✕			✕	.37	✕			31
TOTAL	3.2I	3.47	2.84	I.40	2.03	I.I6	2.25	.64	I.40	3.72	I.26	2.I2	Year's Total 25.50	
* Days with .01 in. or more.	20	25	I9	I5	I2	7	I4	4	I0	I2	9	I6	163	
* Days with .04 in. or more.	I7	I7	I3	I2	II	5	9	4	I0	9	7	I0	134	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. R. Jenkins [P.T.O.

N X H. R. JENKINS ESQ X

WESTHIDE (THE

Section A for the entry of [redacted] tion No. 2234/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Court, Westhide,

in the County of Hereford /1

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground I ft. - in.

,, Ground ,, Sea Level 250 ft.

741445/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.0I		.04					.05	.02	.07	.64		1
2	.0I	.I3		.07								.04		2
3		.08	.02		.43		.03							3
4	.08	.09	.02		.04							.23		4
5	.20		.I2				.04							5
6	.04	.22	.09	.I6	.I0		.04			.I0	.0I			6
7		.55	.04	.II										7
8		.I4		.0I		.06				.0I	.27			8
9		.0I		.08	.25		.08		.4I					9
10	.02	.0I	.35	.I3		.04						.I4		10
11			.25	.0I	.36	.03	.09					.08		11
12	.I0	.I7			.0I	.68	.0I	.I2	.08			.29		12
13	.04	.03	.I9	.08		.I6		.23	.08					13
14			.02	.0I			.06	.2I				.05		14
15	.I6	.I0	.0I				I.25		.05			.I2		15
16	.03	.0I	.76	.04				.08	.07					16
17	.30	.04	.4I				.02		.3I					17
18	.39	.04	.I2	.06			.02		.26		.I8	.34		18
19	.05	.02	.I2	.04		.I7	.II				.0I			19
20	.54	.06	.07	.47	.08							.II		20
21	.I9	.26	.I2				.28			.02		.0I		21
22	.I5	.03	.I0		.I2	.02	.2I			.45	.39	.0I		22
23	.I3	.II	.0I		.I0		.0I			.26	.I3			23
24	.26	.29	.02		.06				.04	.52				24
25		.48			.I2				.05	.27		.02		25
26		.3I			.36							.0I		26
27		.27		.09						.40				27
28		.0I								.I8	.04	.02		28
29										I.I2	.I6	.0I		29
30	.25	✕												30
31	.20	✕		✕		✕			✕	.37	✕			31
TOTAL	3.2I	3.47	2.84	I.40	2.03	I.I6	2.25	.64	I.40	3.72	I.26	2.I2	Year's Total 25.50	
* Days with .01 in. or more.	20	25	I9	I5	I2	7	I4	4	I0	I2	9	I6	163	
* Days with .04 in. or more.	I7	I7	I3	I2	II	5	9	4	I0	9	7	I0	134	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. R. Jenkins [P.T.O.

N X H. R. JENKINS ESQ X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2234/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Court. Westhide

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 250 ft.

Totals

w.j.h.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·02				·62		·16	·01	·15		·31		1
2					·13		·01			·16		·01		2
3				·05	·05	·04				·46				3
4	·01						·06	·25		·17		·11		4
5							·03	·03	·01	·11		·01		5
6	·09					·04	·87		·08	·10		·04		6
7	·01						·29	·28	·10	·04		·15		7
8	·33						·17	·34		·16		·07		8
9	·03						·04	·06				·73		9
10	·09	·01				·07	·06	·15				·48		10
11	·37					·01	·01	·01		·01	·17	·16		11
12	·09				·07	·01		·05		·23	·50			12
13	·01				trace						·14	·54		13
14	·32				·08		·51		·04					14
15	·09				·08		·11				·01	·27		15
16	·15										·03	·01		16
17	·02	·04							·12	·09				17
18						·04		·02			·23			18
19								·28	·03		·07			19
20	·01								·01		·19			20
21								·05	·34		·12	·04		21
22						·04		·10	·13		·30	·18		22
23				·09	·04				·08		·01	·02		23
24	·05	·01	·07	·01	·07			·25	·03		·04			24
25		·09	·06		·09		·02			·14	·45			25
26	·13	·21			·05					·16		·12		26
27	·02	·01			·72	·15	·33	·38		·11	·15			27
28	·09	·01			·01	·17	·02	·29	·08	·01	·03	·03		28
29	·14				·29		·02		·04	·04	·04	·03		29
30	·01	✕			·02	·05			·31	·07	·35	·03		30
31	·11	✕		✕	·16	✕			✕	·12	✕	·23		31
													Year's Total	
TOTAL	2·18	·40	·13	·13	1·86	1·24	2·55	2·70	1·41	2·27	2·83	3·55	21·25 ✓	
* Days with .01 in. or more.	22	8	2	3	14	11	15	16	15	18	17	21	162 ✓	
* Days with .04 in. or more.	13	3	2	2	12	9	9	13	10	15	13	13	114 ✓	

† Spare column, no entries required.

(*Signed*) H. R. Bucknell

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2234/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Westhide Court,

in the County of Hereford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground ...... ft. ...... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.0I		.02	.2I	.II			.0I	.07		.02	.06		1
2				.05		.02		.27	.25		.I9	.06		2
3	.04		.02	.20				.I6			.I9	.28		3
4	.02		.09	.45	.I5		.24	.04	.05	.I8	.05	.I0		4
5				.20	.0I		.34	.05		.06	.44	.04		5
6	.59		.0I	.0I			.59				.I3			6
7	.0I	.02			.05		.29	.03			.4I	.24		7
8	.08	.II	.38		.0I		.53	.09		.76	.36	.04		8
9		.06	.0I					.3I		.37	.0I	.09		9
10	.4I		.02					.05	.0I	.20	.0I	.I2		10
11		.03	.I6					.0I		.08		.0I		11
12	.0I	.02				.I0				.0I	.0I			12
13				.I5	.02		.I5		.I5	.29				13
14	.4I		.0I	.0I	.I3	.08	.22		.0I	.03	.I9			14
15	.84		.04	.02	.05	.27	.48				.I8			15
16	.4I		.0I		.I4	.0I	.04			.0I	.3I			16
17	.5I	.0I			.02	.0I	.02			.02	.0I			17
18	.47		.02				.I0				.35			18
19	.I3						.78							19
20	.39						.03	.04				.02		20
21	.I2		.I3	.02		.08	.06	.0I	.02					21
22	.2I	.42	.09			.34	.03		.0I	.0I	.07			22
23	.0I			.03		.0I	.I9			.02	.78			23
24	.06	.0I	.0I	.04		.0I	.02			.II				24
25	.90	.05					.02			.09	.25			25
26	.03	.0I		.02				.03		.04	.34	.05		26
27	.0I	.I5	.03	.03		.0I	.06	.0I			.03	.I0		27
28	.04	.09	.04	.0I		.29	.I4	.0I			.II			28
29			.0I	.43		.I7	.08	.04		.08	.0I			29
30		X		.I6		.II	.0I	.0I		.0I	.0I	.I0		30
31		X		X		X	.07	.28	X	.06	X			31
TOTAL	5.65	.98	I.I0	2.04	.69	·51 I.4~~8~~	4.49	I.45	.57	2.43	4.46	I.3I	Year's Total 26.68	
* Days with .01 in. or more.	23	I2	I8	I7	I0	I4	23	I8	8	I9	24	I4	200	
* Days with .04 in. or more.	I5	6	7	9	6	8	I7	I0	4	I2	I6	I2	122.	

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2234/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at Westhide

in the County of Hereford

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 248 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·01	·03						·16			1
2				·02		~~·03~~	·03				·93	Trace		2
3		·34		·04							1·36	·03		3
4		·09		·03	·13					·23	·25	·04		4
5		·02				~~·25~~	·25			·09	·47	·02		5
6	·13	·23								·03	·03	·04		6
7		·26				~~·28~~	·28			·19		·12		7
8	·01					·38						·20		8
9				·03		~~·34~~	·34			·30	·44	·06		9
10			·02			~~·34~~	·34			·29	·08	·08		10
11				·02		~~·23~~	·23	·62		·12	·49			11
12			·11			·01 ~~·14~~	·14				·02			12
13			·29							·02	·02			13
14				·01	·39			Rain				·34		14
15					·61	·01		·02	·16	·14	·10	·01		15
16		·88	·22						·16	·11	·59	·03		16
17		·03	·11			~~·22~~	·22		·08	·88	·03			17
18	·09	·37	·17	·44							·05	·09		18
19		·13	·05	·29					·49	·01	·06	·01		19
20		·01		·02		~~·45~~	·45		·19		·01			20
21					·05	·42				·21	1·07			21
22			·06	·09	·08	·09								22
23		·08	·03	·03	·29	·01			·28					23
24					·01									24
25	·05				·03	·04								25
26	1·13 ✓	·10		·31	·03						·05			26
27	·86	·15		·04	·02									27
28	·75	·12		·16	·01							·03		28
29			·05	·54	·05	·05						·24		29
30		✕		·28	·01					·38				30
31	·11	✕	·02	✕		✕			✕	·73	✕			31
TOTAL	3·13	2·81	1·13	2·36	1·74	1·01	2·28	·64	1·36	3·73	6·21	1·34	Year's Total 27·74	
* Days with .01 in. or more.	8	14	11	17	14	8	9	2	6	15	19	15	138	
* Days with .04 in. or more.	7	11	8	9	7	5	8	1	6	12	14	9	97	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. K. Gudgeon

[P.T.O.

2234/5.

Section **A** for the entry of D

AIR MINISTRY.-

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

Hereford/1

ulation

~~Branch~~

Kept at Clifford School.

in the County of Hereford

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this

Pl

owing

Jan. 1, following

2234/5

HEREFORD, CLIFFORD SCHOOL
1931—40

78 04 03

Date	Jan.	Feb.	March	A							Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	-	-		-	·22	-	-		·03	-	-	1
2	·08	-	-		·12	-	-	·14		·01	·13	·15	2
3	·08	·02	-		-	-	·02	-	~~1·45~~	-	1·25 ~~[illegible]~~	·07	3
4	-	-	·13		·12	·06	·15	·44		-	·38	·03	4
5	-	·06	-		·03	1·36	·17	·02	(1.30)	-	-	·3	5
6	-	·13	-		·06	·03	·27	·05	·01	·34	·16	·06	6
7	-	·01	-		·03	·02	·26	·47	-	·02	·56	·04	7
8	-	·06	-		-	·06	-		-	·01	·01	·01	8
9	-	·34	-	1·6	-	·02	-		·16	·05	·83	-	9
10	-	·05	-		·04	·11	·03		-	-	·6	-	10
11	·12	·38	-		-	·35	·04		·09	-	·33	-	11
12	·02	-	-		-	-	·42		·05	·04	·01	-	12
13	-	·02	·08		·06	-	·03		·02	·01	-	-	13
14	·01	·05	-		·08	1·09	·57		·02	-	·28	-	14
15	-	·12	-		·03	-	·32		·11	-	-	·07	15
16	·08	·12	-		·2	·77	·02		·07	-	-	·01	16
17	·1 ~~·04~~	·15	-		·44	·07	·14		-	·01	·03	-	17
18	·09	-	·01		-	·36	-		-	-	·31	-	18
19	·01	·12	-	·09	-	·54	·01	(3.15) ~~[illegible]~~	·01	-	·11	-	19
20	·01	·04	·1	·03	-	-	-		·01	-	·27	·09	20
21	·3	·03	·01	-	·37	-	-		-	-	·22	-	21
22	·4	-	-	-	·04	-	-		-	-	·01	-	22
23	·12	-	-	·44	·38	·11	·04		-	-	·15	·17	23
24	·05	·02	-	·66	·14	·03	·28		-	-	-	-	24
25	·15	·04	-	·42	-	-	·23		-	-	-	-	25
26	·03	-	-	·07	-	-	·11		-	-	·54	-	26
27	·08	·55	·08	·02	2·01	-	·12		-	·03	·05	·25	27
28	·17	·1	·17	·05	·26	-	-		-	·02	—	-	28
29	·11	X	·16	-	·16	-	·34	~~[illegible]~~	-	·01	·07	-	29
30	·02	X	-	·04	·02	-	-		·03	-	·05	-	30
31	·3	X	-	X	·12	X	·01		X	-	X	-	31 36·78.
TOTAL	2·39	2·41	·74	3·42	4·71	5·20	3·58	(4.27)	~~[illegible]~~ (1.88)	·58	6·35	1·25	YEAR'S TOTAL ~~36·75~~
*Days with ·01 in. or more.	22	20	8		20	16	21			12	22	12	153
*Days with ·04 in. or more.	16	15	6		16	12	15			3	18	9	110

print

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) ~~W. H. Brook~~

The Headmaster

[P.T.O.]

22345.

Section **A** for the entry of D PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Hereford/1

Kept at Clifford School.
in the County of Hereford.
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 7" in.
" Ground " Sea Level 490 ft.

Aug & Sept^r allocated for accumulation
Observer informed 11/4/32.

Observer agrees 15/4/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	-	-		-	·22	-	-		·03	-	-	1
2	·08	-	-		·12	-	-	·14		·01	·13	·15	2
3	·08	·02	-		-	-	·02	-	~~1·45~~	-	1·25 ~~·29~~	·07	3
4	-	-	·13		·12	·06	·15	·44		-	·38	·03	4
5	-	·06	-		·03	1·36	·17	·02	(1·30)	-	-	·3	5
6	-	·13	-		·06	·03	·27	·05	·01	·34	·16	·06	6
7	-	·01	-		·03	·02	·26	·47	-	·02	·56	·04	7
8	-	·06	-		-	·06	-		-	·01	·01	·01	8
9	-	·34	-	1·6	-	·02	-		·16	·05	·83	-	9
10	-	·05	-		·04	·11	·03		-	-	·6	-	10
11	·12	·38	-		-	·35	·04		·09	-	·33	-	11
12	·02	-	-		-	-	·42		·05	·04	·01	-	12
13	-	·02	·08		·06	-	·03		·02	·01	-	-	13
14	·01	·05	-		·08	1·09	·57		·02	-	·28	-	14
15	-	·12	-		·03	-	·32		·11	-	-	·07	15
16	·08	·12	-		·2	·77	·02		·07	-	-	·01	16
17	·1 ~~·04~~	·15	-		·44	·07	·14		-	·01	·03	-	17
18	·09	-	·01		-	·36	-		-	-	·31	-	18
19	·01	·12	-	·09	-	·54	·01	(3.15") ~~[illegible]~~	·01	-	·11	-	19
20	·01	·04	·1	·03	-	-	-		·01	-	·27	·09	20
21	·3	·03	·01	-	·37	-	-		-	-	·22	-	21
22	·4	-	-	-	·04	-	-		-	-	·01	-	22
23	·12	-	-	·44	·38	·11	·04		-	-	·15	·17	23
24	·05	·02	-	·66	·14	·03	·28		-	-	-	-	24
25	·15	·04	-	·42	-	-	·23		-	-	-	-	25
26	·03	-	-	·07	-	-	·11		-	-	·54	-	26
27	·08	·55	·08	·02	2·01	-	·12		-	·03	·05	·25	27
28	·17	·1	·17	·05	·26	-	-		-	·02	-	-	28
29	·11	×	·16	-	·16	-	·34		-	·01	·07	-	29
30	·02	×	-	·04	·02	-	-		·03	-	·05	-	30
31	·3	×	-	×	·12	×	·01		×	-	×	-	31 36·78.
TOTAL	2·39	2·41	·74	3·42	4·71	5·20	3·58 (4·27)	~~[illegible]~~	(1·88)	·58	6·35	1·25	YEAR'S TOTAL ~~36·76~~
*Days with ·01 in. or more.	22	20	8		20	16	21			12	22	12	153
*Days with ·04 in. or more.	16	15	6		16	12	15			3	18	9	110

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) ~~W. H. Brook~~
The Headmaster

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2234/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Clifford School.

in the County of Hereford.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 7 in.

,, Ground ,, Sea Level 490 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·01	–	·16	1·65	·04	·11	·31	·02	–	·10	·02	1
2	·01	–	–	·02	·15	–	–	·02	·10	–	·01	·31	2
3	·01	·02	–	·35	–	–	–	–	–	·05	·01	·09	3
4	–	–	–	·77	–	–	·02	–	–	–	·48	–	4
5	·50	–	·13	–	·01	–	–	–	·11	–	–	–	5
6	·43	–	·09	·20	–	–	·19	–	·43	·02	–	–	6
7	·09	–	·08	·10	·02	–	–	–	·02	1·27	–	–	7
8	–	–	·20	·03	–	–	–	–	·06	·14	–	–	8
9	1·10	·08	–	·02	·02	–	–	–	·13	·01	–	–	9
10	·41	–	–	·21	·03	·05	–	–	·05	·22	–	–	10
11	·14	–	–	·03	·01	–	–	–	–	–	·02	·10	11
12	·44	–	–	–	·15	–	·01	–	·17	·31	·05	·01	12
13	·03	–	–	·09	–	–	·72	·31	–	·03	·05	·10	13
14	·34	·01	–	·19	·07	–	·08	·12	–	·02	·10	·01	14
15	·01	–	–	–	·34	–	–	·34	–	·01	·01	·01	15
16	·28	–	–	–	–	–	·14	–	–	·01	–	–	16
17	–	–	–	·39	–	–	·01	–	–	·10	·01	–	17
18	–	–	–	–	·04	–	–	–	·01	–	·32	–	18
19	–	–	–	·09	·13	–	–	·03	–	·06	–	–	19
20	–	–	–	·24	·78	–	–	1·65	–	·96	·03	·14	20
21	–	–	·10	·15	·09	–	–	1·47	·67	·59	·01	·14	21
22	·01	–	·03	·02	·15	–	·06	–	·08	·17	·21	·03	22
23	–	·03	–	–	·25	–	·03	–	·07	·26	·18	·09	23
24	·05	–	–	–	·01	–	·02	–	–	·07	·03	–	24
25	·01	–	–	–	·01	–	–	–	·06	·44	·02	·01	25
26	–	·01	·06	·11	·07	–	·28	–	–	·09	·19	–	26
27	–	–	·54	·10	·41	–	·12	·02	–	·11	·02	–	27
28	–	–	·16	·13	·27	–	·11	·34	·39	–	·01	·01	28
29	–	–	·46	·07	·38	·09	·01	·09	·23	·66	·09	·25	29
30	·02	×	·10	·26	·01	·62	·02	–	·04	·11	·30	·06	30
31	–	×	–	×	–	×	·22	–	×	–	×	·42	31
TOTAL	4·08	·16	1·95	3·73	5·05	·80	2·15	4·70	2·64	5·71	2·25	1·80	YEAR'S TOTAL 35·02
*Days with ·01 in. or more.	18	6	11	22	23	4	17	11	17	23	22	17	191
*Days with .04 in. or more.	11	1	10	17	15	4	10	8	14	16	11	10	127

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. H. Brook.

P.T.O.

2234/5

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No. 2234/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Clifford School.

in the County of Hereford.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 7 in.

,, Ground ,, Sea Level 490 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·34	·19	·14	-	·01	-	-	-	-	·27	-	-		1
2	·23	-	·31	-	·40	·04	-	-	·01	-	·04	·41		2
3	·05	·16	·05	-	-	-	-	-	-	-	·01	-		3
4	·34	·02	·03	-	·03	-	-	-	-	-	-	-		4
5	·22	·02	·23	-	·06	-	-	-	-	-	-	-		5
6	·01	·23	·11	-	·05	-	·13	-	-	·17	-	-		6
7	·10	·04	-	-	·30	-	·06	-	-	·30	-	·01		7
8	·02	·01	·02	-	·03	-	·20	-	-	-	-	-		8
9	-	-	-	-	·02	·01	·34	-	-	1·73	-	-		9
10	·09	·03	-	-	-	-	·07	·05	-	1·95	·02	-		10
11	-	-	-	-	-	·07	·11	·02	-	·02	-	·01		11
12	·01	-	-	·01	·01	-	·15	-	·01	-	-	-		12
13	-	-	-	-	·10	·02	·06	·06	-	·52	·12	-		13
14	·01	-	·01	-	-	-	·07	·37	-	·16	·05	-		14
15	·26	-	-	-	-	-	·09	·02	-	·04	-	-		15
16	-	-	·45	-	-	·01	·02	-	-	·09	·03	·02		16
17	·03 } Snow	·18 } Snow	·34	-	-	·20	·01	-	·02	-	·08	-		17
18	·05	-	·08	-	-	·25	-	-	-	-	·28	-		18
19	-	-	·43	-	-	·06	·07	·02	·27	-	·02	·02		19
20	-	·04	·08	-	-	·21	-	-	·40	·01	·03	·02		20
21	-	·03 } Snow	-	-	·17	·20	-	·04	-	·09	-	-		21
22	-	-	-	·02	·38	-	-	·15	·27	·03	-	-		22
23	-	·60	-	·06	-	·35	-	-	·15	·17	-	-		23
24	-	1·00	-	·08	·01	·78	-	-	·01	·21	-	-		24
25	-	·55	-	·14	·06	·25	-	-	·17	-	-	-		25
26	-	1·00	-	·05	·45	-	-	-	·21	·20	-	·12		26
27	-	·32	-	-	·03	-	-	-	·01	·03	-	·01		27
28	·01 } Snow	·18	-	·12	-	-	-	-	·01	·02	-	·47		28
29	·12	-	·10	·15	-	-	·02	-	-	-	-	-		29
30	·04	×	·04	·01	-	-	·01	-	·15	·02	-	·08		30
31	·39	×	·07	×	-	×	-	·03	×	·03	×	·13		31
TOTAL	2·32	4·60	2·49	·64	2·11	2·45	1·41	·76	1·69	6·06	·68	1·30	Year's Total 26·51	
*Days with ·01 in. or more.	18	17	16	9	16	13	15	9	13	20	10	11	167	
*Days with ·04 in. or more.	12	12	13	6	9	10	11	5	7	13	5	5	108	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) W. H. Brook.

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2234/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Clifford School.
in the County of Hereford.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 7 in.
,, Ground ,, Sea Level 490 ft.

Ed/pap
a/f

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	·03	·09	·18	·16		1
2	·07	-	·03	-	-	-	-	·01	·13	·01	·01	·23		2
3	-	-	-	-	-	-	-	·12	-	·16	-	·20		3
4	·01	-	·21	·03	·20	-	-		-	·06	·06	·44		4
5	·07	-	·15	·01	·25	·02	-	✗	-	·02	·09	·21		5
6	-	-	·01	·01	·80	·01	-	✗	-	·18	-	·37		6
7	-	-	·01	-	·06	-	-	✓	-	·11	·01	·29		7
8	-	-	-	-	·10	-	-	✗	·27	·02	·19	1·08		8
9	-	-	·23	-	-	-	-	1·30 ✓	-	-	·56	·16		9
10	-	-	·23	·58	-	-	-	✗	-	-	·11	-		10
11	·81	-	·01	·60	-	-	·06	✓	-	-	·01	·15		11
12	·05	-	-	·04	-	-	·22		-	-	·01	·01		12
13	·76	-	-	·42	-	-	-		-	·01	-	·04		13
14	·06	-	·52	·01	-	·05	-		-	·10	·20	·10		14
15	·03	-	·17	-	·23	-	-		·03	·13	·22	·06		15
16	·12	-	·45	-	·01	-	-	✓	·18	-	·18	-		16
17	·11	-	·05	·04	·04	-	·19		·11	·01	-	·18		17
18	·34	-	·10	·~~84~~ ·44	-	-	-	✗	·01	-	-	·17		18
19	·03	-	·27	-	-	-	-		·11	-	·01	·33		19
20	-	-	-	·01	-	-	·05		·01	-	-	-		20
21	-	-	-	-	-	·02	-		-	·04	-	·02		21
22	·11	-	·08	-	-	-	-	✗	·15	·20	-	·30		22
23	-	-	·03	·24	-	·80	-	1·01 ✗	·08	-	-	·02		23
24	-	·28	·01	·34	-	·23	-		·10	·03	-	-		24
25	·41	·02	-	·10	-	-	-		·02	·29	-	·60		25
26	·04	-	-	·30	-	·09	·04	✗	·07	·05	-	·05		26
27	·01	-	-	·06	-	·05	·01		·02	·15	-	·15		27
28	-	-	-	·61	-	·02	·03	✗	·13	·02	·01	·26		28
29	-	×	-	-	-	-	·17	✗	·05	·03	·02	·04		29
30	·01	×	-	-	-	-	·03	✗	·03	·01	-	·21		30
31	-	×	-	×	-	×	·01		×	·04	×	·06		31
TOTAL	3·04	·30	2·56	3·84	1·69	1·29	·81	2·44	1·53	1·76	1·87	5·89	Year's Total 27·02 ✓	
*Days with ·01 in. or more.	17	2	17	17	8	9	10	(17)	18	22	16	27	(180)	
*Days with .04 in. or more.	12	1	11	12	7	5	6	(12)	11	13	9	24	(123)	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. H. Brook.

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2234/5

7B

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Clifford School.

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 7 in.

,, Ground ,, Sea Level 490 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·12	-	·02	·01	·19	-	·36	·07	·01	·28		1
2	-	-	·01	·01	-	-	-	-	·07	·05	·10	·10		2
3	-	·03	·08	·03	-	·10	-	-	·03	·27	·30	·04		3
4	·02	-	·01	·03	-	·13	-	-	-	·08	·13	·16		4
5	·04	·21	·02	-	-	·19	-	-	·09	·01	·05	·10		5
6	-	-	-	-	-	·31	-	-	-	-	·05	·14		6
7	-	-	-	·31	-	·21	-	-	-	·17	·01	·15		7
8	-	-	-	·26	-	·04	-	·02	-	·13	·05	·12		8
9	·07(s)	-	-	·48	-	·12	-	-	-	·57	·29	-		9
10	·04	-	-	·18	-	·03	-	-	-	·08	·06	-		10
11	·21	·03	-	-	-	·09	-	-	-	-	·33	·02		11
12	·02(s)	·02	-	-	-	·03	-	·07	-	-	·37	-		12
13	·04	·03	-	·17	·01	-	-	-	·13	·01	·18	-		13
14	-	-	-	·01	·03	·08	-	-	·20	-	1·20	-		14
15	-	·20	-	·49	·08	·04	-	-	·13	-	·05	·17		15
16	-	·06	·16	·44	-	·12	·01	-	·67	·21	·64	·19		16
17	-	-	-	·20	·03	·19	·02	-	·04	-	·04	·01		17
18	-	-	-	·32	·02	·07	·01	-	·34	·08	-	-		18
19	-	-	-	·16	·13	·14	·31	-	·08	·10	·18	·01(s)		19
20	-	·51	-	·24	·11	·01	·01	-	·01	-	1·04	-		20
21	-	·40	·01	·07	-	-	-	-	·21	·06	·15	-		21
22	-	·02	·06	·01	-	-	-	-	·10	-	·01	-		22
23	·04	·14	·23	-	-	-	-	·01	·08	·40	-	·23(s)		23
24	·06	·54	·02	-	-	·01	-	-	·67	·20	-	·36(s)		24
25	·39	·10	-	·16	-	·86	-	·46	-	·01	-	·32		25
26	-	·20(s)	-	-	-	-	-	-	·11	·01	·04	·20		26
27	-	·21(s)	-	-	·07	-	-	·08	-	·01	·08	·07		27
28	·02	·03	-	-	-	-	-	-	·24	·01	-	·01		28
29	-	X	-	-	-	-	-	·04	·07	·09	·23	·20		29
30	·02	X	-	·22	-	·03	-	·28	·16	·26	·58	·24		30
31	-	X	-	X	·01	X	-	-	X	·50	X	·34		31
TOTAL	·97	2·73	·72	3·79	·51	2·81	·55	·9~~4~~6	3·79	3·38	6·17	3·46	Year's Total. 29·84	
* Days with .01 in. or more.	12	16	10	19	10	21	6	7	20	23	25	22	191	
* Days with .04 in. or more.	8	10	5	14	4	15	2	5	18	17	22	18	138	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W. H. Brook.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2234/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Clifford School.

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

,, Ground ,, Sea Level 490 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·05	-	·39	-	·39	·15	·03	·01	-	·03	·06		1
2	·06	·05	-	·13	-	·90	·08	·01	·09	-	·01	-		2
3	·09	-	-	-	-	-	·01	-	·42	-	·03	·03		3
4	·06	-	·13	-	-	·38	-	·07	·31	-	·43	·16		4
5	·40	·05	·14	-	·07	-	·07	·04	·04	-	-	·18(s)		5
6	·76	-	·02	-	-	·02	·16	·15	·02	-	·61	·01(s)		6
7	·03	-	·01	-	-	-	·35	-	·20	-	·23	·01		7
8	·24	-	·19	-	-	-	·07	-	-	-	·86	-		8
9	·53	-	·18	-	-	·03	·63	-	·08	-	·01	-		9
10	·09	-	·01	-	-	·01	·06	-	-	-	·04	-		10
11	·01	·13(s)	-	·03(s)	-	·14	·01	-	·03	-	·73	-		11
12	-	-	-	·01	·09	·08	·52	·01	·20	-	·05	·23(s)		12
13	-	-	-	·01	·02	·10	·09	-	-	·03	-	1·01		13
14	-	-	-	·20	-	·04	·03	-	·04	-	·07	·58		14
15	-	·02	-	-	·40	-	·13	-	·03	-	·13	·09		15
16	·10(s)	·06(s)	-	·02	·13	-	·04	-	-	-	·17	·02		16
17	-	·94	-	·01	·07	-	·29	·02	-	·09	·02	·46		17
18	-	·29	-	·01	-	·03	·29	·01	-	·11	-	·08		18
19	·90(s)	·06	-	·16	-	·25	-	·02	-	·01	-	-		19
20	·02	·30	·07	·01	-	1·00	-	-	·33	-	-	-		20
21	-	-	·08	1·29(s)	-	·54	-	-	·03	-	·01	-		21
22	·01	·50	·28	-	·30	·01	·37	-	·01	-	-	-		22
23	·04	·02	·17	·03	·18	-	·04	-	-	·07	-	-		23
24	·21	·03	-	-	·08	-	·25	-	·17	·38	-	-		24
25	·17	·01	·41	·69	·01	·01	·27	-	·35	·14	-	-		25
26	·22	·07	·52	-	-	·07	·07	-	-	·06	-	-		26
27	·06	·03	·01	-	-	-	·09	-	·01	·11	·01	·01		27
28	·46	·07(s)	·23	-	-	-	·01	-	-	·01	·02	·26		28
29	·02	·01	·21	-	-	·41	-	-	-	·01	-	·12		29
30	·02	✕	·01	-	·09	·03	·01	-	-	·81	·01	-		30
31	·52	✕	·19	✕	·19	✕	·10	-	✕	·01	✕	·36		31
TOTAL	5·25	2·69	2·86	2·99	1·63	4·44	4·19	·36	2·37	1·84	3·47	3·67	Year's Total 35·76	✓ ✓
* Days with .01 in. or more.	24	18	18	14	12	19	26	9	18	13	19	17	207	✓
* Days with .04 in. or more.	18	12	13	6	10	12	21	3	11	8	10	12	136	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. H. Brook.

[P.T.O.

File No. 87766/31.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2234/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Clifford School.

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

,, Ground ,, Sea Level 490. ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·03	·01	·16	-	-	·01	-	·13	·15	·11	·70		1
2	·06	·31	-	·25	-	-	-	-	·01	-	-	·24		2
3	-	·32	-	·01	·09	-	·02	-	-	-	·02	·01		3
4	·12	·03	·01 s	-	·09	-	-	·07	-	-	-	·61		4
5	·53	-	·13 s	·02	-	-	·03	-	-	-	-	·02 s		5
6	·20	·21	·12 s	·18	·03	-	-	-	-	·07	·02	-		6
7	-	·79	·01 s	·06	-	·07	-	-	·01	-	·02	-		7
8	·01	·19	·04	-	·28	·14	·05	-	·10	-	·22	-		8
9	-	·02	-	·05	·19	-	·06	-	·36	-	-	·01		9
10	·01	·09	·83 s	·01	-	-	-	-	·01	-	-	·27		10
11	-	-	·37	·03	·47	·03	·20	-	-	·01	-	·04		11
12	·08	·18	·03	-	·01	·14	·02	·31	·07	-	·01	·13		12
13	·09	·02	·01	·28	-	·03	-	·70	·09	-	-	·02		13
14	·01	-	·03	·03	-	·02	·01	-	·02	-	-	·03		14
15	·27	·20	·01	·31	-	-	2·40	·01	·21	-	-	·07		15
16	·18	·14	·70	·12	-	-	-	·12	·15	-	-	-		16
17	·55	·08	·22	·01	-	-	-	-	·27	-	-	-		17
18	·36	·10	·23	·03	-	·01	·02	-	·63	·01	·21	-		18
19	·15	·04	·17	·10	-	·15	·29	-	·02	-	·02	·18		19
20	·71	·18	·42	·46	·01	·01	·10	-	-	·01	-	-		20
21	·28	·29	·20	·01	·05	-	·06	-	-	·10	-	·01		21
22	·18	·02	·27 s	-	·20	·01	·30	-	-	·52	·35	·03		22
23	·50	·20	·01	-	·03	-	·02	-	·01	·19	·19	-		23
24	·52	·53	·09	-	-	-	-	-	·03	·95	-	-		24
25	·02	·72	-	-	-	-	-	-	·07	·11	-	·02		25
26	·01	·42	·01	-	·23	-	-	-	-	-	·01	·01		26
27	-	·62 s	-	·13	-	-	-	-	-	1·14	-	-		27
28	-	·09 s	-	-	-	·05	-	-	-	·12	-	·01		28
29	·02 s	—	-	-	-	·03	-	-	-	·81	·01	-		29
30	·26 s	✕	-	-	-	-	-	·01	-	·01	·08	-		30
31	·34	✕	-	✕	-	✕	-	-	✕	·59	✕	-		31
TOTAL	5·59	5·82	3·92	2·25	1·68	·69	3·59	1·22	2·19	4·79	1·27	2·41	Year's Total 35·42	✓
* Days with .01 in. or more.	25	25	22	19	12	12	15	6	17	15	13	18	199	✓
* Days with .04 in. or more.	19	20	13	11	8	5	8	4	10	11	6	8	123	✓

† Spare column, no entries required.

(*Signed*) W. H. Brook.
Hdmaster.

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE File No. 87766/31

Section **A** for the entry of Daily Observations

Station No. 2234/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Clifford School.

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

,, Ground ,, Sea Level 490 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·12	-	-	-	1·04	·05	·29	-	·24	·01	·37		1
2	-	·04	-	·08	·21	·03	·02	-	-	·18	·03	·01		2
3	-	-	-	-	·08	·02	·11	-	·05	·70	·01	-		3
4	·01	-	-	-	-	·02	·25	·46	-	·24	-	·22		4
5	-	·01	-	-	-	-	·06	·30	·03	·17	-	-		5
6	·15	·06	-	-	-	·05	·66	-	·02	·16	-	·18		6
7	·05	-	-	-	-	-	·96	·26	·08	·08	-	·01		7
8	·17	-	-	-	-	-	·13	·16	-	·33	-	·07		8
9	·29	·03	-	-	-	·10	·01	·01	-	·01	-	·92		9
10	·15	-	-	-	-	·01	·15	·12	-	·01	-	·42		10
11	·52	·01	-	-	-	·06	·01	-	-	·01	·06	·60		11
12	·27	-	-	-	·08	·03	-	·26	-	·33	·67	-		12
13	·03	-	-	-	·01	-	-	-	-	·02	·27	·25		13
14	·50	-	-	-	·03	-	·12	-	-	-	-	·01		14
15	·24	-	-	-	·03	-	·22	-	-	-	·05	·37		15
16	·17	-	·01	-	·02	-	-	·01	-	·02	·10	·01		16
17	-	·06	-	-	-	-	-	·30	·05	·13	-	-		17
18	·07	-	-	-	·04	·03	-	·05	·05	·02	·45	-		18
19	·01	-	-	-	-	-	-	-	·14	-	·30	-		19
20	·03	-	·01	-	-	-	-	-	-	-	·21	-		20
21	-	-	-	-	-	-	-	·08	·15	·02	·13	-		21
22	-	-	-	·05	-	·02	-	·08	-	-	·33	·05		22
23	-	-	-	·06	·04	-	-	-	·04	·28	·03	-		23
24	·05	·06	·07	-	·04	-	-	·19	·01	·26	·08	-		24
25	·07	·14	·02	-	·13	-	·01	·24	·01	·17	·87	·07		25
26	·24	·30	·01	-	·20	·23	-	-	·06	-	·01	-		26
27	·04	·05	-	-	·48	·02	·17	·18	·19	-	·39	-		27
28	·14	·09	-	-	·05	·09	-	·11	·08	-	·10	-		28
29	·34	X	-	-	·24	-	-	-	-	-	·14	·03		29
30	·05	✕	-	-	·05	-	-	-	·31	-	·52	·16		30
31	·15	✕	-	✕	·19	✕	-	·05	✕	·25	✕	·38		31
TOTAL	3·74	·97	·12	·19	1·92	1·75	2·93	3·15	1·27	3·63	4·76	4·13	Year's Total 28·56 ✓	
* Days with .01 in. or more.	23	12	5	3	17	14	15	18	15	21	21	18	182 ✓	
* Days with .04 in. or more.	19	9	1	3	13	5	11	16	11	14	16	13	131 ✓	

† Spare column, no entries required.

(*Signed*) W. H. Brook.

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations File No. 87766/31. Station No. 2234/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Clifford School

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

,, Ground ,, Sea Level 490 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	·03	·24	·16	-	·01	·09	·40	-	·07	·01		1
2	-	-	-	·03	-	-	-	·19	·31	·03	·06	·10		2
3	·11(s)	-	·03	·25	-	-	-	·04	·04	-	·20	·43		3
4	·03(s)	-	·08	·41	·70	-	·22	·02	·12	·63	·18	·26		4
5	-	-	-	·39	-	-	·34	·01	-	·29	·52	·01		5
6	·60	·01	·06	·01	-	-	·68	-	-	-	·13	-		6
7	·04	·05	·02	-	-	-	·38	·14	-	-	·33	·37		7
8	-	·32	·25	-	·05	-	·53	·01	-	·81	·79	·04		8
9	-	·18	-	-	-	-	-	·47	-	·27	·08	·18		9
10	·68	-	·01	-	-	-	-	·05	·02	·42	·01	·04		10
11	·01	·03	·05	-	-	·01	-	·01	-	·01	-	·05		11
12	·07	·13	-	-	-	·01	-	-	·04	-	-	-		12
13	- (s)	·01	-	·25	·04	-	·15	-	·06	·16	-	-		13
14	·44	-	·01	·02	·02	·03	·34	-	·03	·04	·28	·04		14
15	·74	-	·01	·03	·01	·37	1·58	-	-	·03	·25	-		15
16	·21	-	·02	-	·09	-	·01	-	-	·46	·49	-		16
17	·28	·01	-	-	-	·04	·02	-	-	·01	·01	-		17
18	·32	·03	·02	-	-	·05	·17	-	-	-	·42	-		18
19	·11	-	-	-	-	-	·26	-	-	-	-	-		19
20	·27	-	-	-	-	-	·62	·04	-	-	-	·02		20
21	·02	·22	·24	·05	-	·39	·28	·02	·06	-	-	-		21
22	·33	·60	·09	·12	-	·43	·02	-	-	·03	·41	-		22
23	·02	·06	·01	·03	-	·08	·67	-	-	·04	·86	-		23
24	·28	·01	-	·02	-	·07	·01	-	-	·04	-	-		24
25	·55(s)	·09	-	-	-	·01	·06	-	-	·06	·72	-		25
26	·01(s)	·02	-	·14	-	-	-	·24	-	-	·40	-		26
27	·05	·45	·02	·03(s)	-	·02	·06	·02	-	·01	·09	-		27
28	·08	·29	·08	·01	-	·05	·41	-	-	-	·23	·01		28
29	-	X	-	·26	-	·23	·22	-	-	·10	·02	-		29
30	-	✕	-	·16(s)	-	·16	·02	-	-	·09	·02	·18		30
31	-	✕	-	✕	-	✕	·04	·21	✕	·24	✕	-		31
TOTAL	5·26	2·51	1·03	2·45	1·07	1·95	7·10	1·56	1·08	3·77	6·57	1·74	Year's Total 36·08 9	^
* Days with .01 in. or more.	23	17	17	18	7	15	24	15	9	20	23	14	202	^
* Days with .04 in. or more.	17	10	7	~~9~~ 10	5	10	18	9	7	14	19	10	135 6	^

136

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) W. H. Brook.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2234/5 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Clifford School.
in the County of Hereford.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
,, Ground ,, Sea Level 490. ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·03 Ⓢ		·04	·08						·48	·01		1
2		·08		·10			·02				1·48	·06		2
3		·54		·02			·01			·14	1·69	·02		3
4		·10					·01			·09	·09	·04		4
5		·01			·16		·05			·16	·64	·11		5
6	·25	·40					–			·32	·01	·17		6
7	·01	·26		·02			·04		·03	·06		·02 Ⓢ		7
8				·01	·03		–			·24	·01	·23		8
9							·68	·17		·28	·64	·35		9
10			·01				·64	·01		·26	·04	·31		10
11				·01		·47	·56				·91	·02		11
12			·16			·02	·24		·20	·01	·24			12
13		·05 Ⓢ	·42				·01	·02	·01			·01		13
14		·02 Ⓢ	·41 Ⓢ	·14	·11		·14		·05	·61		·32		14
15			·01	·03 Ⓢ	1·39	·15			·10	·04	·38	·02		15
16		·70 Ⓢ	·09	·06 Ⓢ			·31		·10	·86	·68	·04		16
17			·36				·07		·02	·01	·02 Ⓢ	·01		17
18	·05 Ⓢ	·36	·46	·52 Ⓢ					·38	·17	·02	·08		18
19		·05	·05	·37 Ⓢ			·31		·07	·01	·12	·01		19
20			·01	·03			·20	·05		·12	·01			20
21		·01			·32						1·45			21
22			·08	·19	·04									22
23		·03	·07	·06	·48	·45			·16		·05			23
24		·01		·01	·01	·05	·11							24
25	·03				·03		·02							25
26	1·13	·08		·06	·23		·35	·03			·01			26
27	1·30	·14		·12	·14		·16	·02			·08			27
28	·50	·28		·67	·43						·01			28
29	·05 Ⓢ	–	·06	·34	·01	·10	·05					·25		29
30	·08 Ⓢ	×		·53						·38		·01		30
31	·10 Ⓢ	×	·09	×	·01	×			×	·69	×	·02		31
TOTAL	3·50	3·15	2·28	3·33	3·47	1·24	3·98	·30	1·12	4·45	9·06	2·11	Year's Total 37·99 ✓	
* Days with .01 in. or more.	10	18	14	20	15	6	20	6	10	18	22	21	180 ✓	
* Days with .04 in. or more.	8	12	11	13	10	5	15	2	7	15	15	11	124 ✓	

† Spare column, no entries required.

(*Signed*) W. H. Brook.

* See Instruction 3 (f) on other side.

[P.T.O.

Section **A** for the entry of D

AIR MINISTRY.

FORM 1090.

REGIST

2235.

BURGHILL MENTAL HOSP.

1931- 1940

780403

2235

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

1.

Kept at Burghill Ma

in the County of Heref

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR Y.

An observer who does not conform to th *following*

year in the space on the right of this

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·02	-	·10	tr	·10	-	-	·40	·14	-	-	1
2	·08	·03	-	·78	·08	-	tr	·17	·54	-	·10	·09	2
3	·02	-	-	-	-	-	·05	-	·01	-	1·27	·07	3
4	-	-	·04	·02	·02	·01	·20	·57	·27	-	·22	-	4
5	-	·02	-	·07	·01	1·00	·14	-	-	-	tr	·19	5
6	-	·11	-	·10	·02	·05	·28	·03	-	·31	·21	·05	6
7	-	-	-	-	-	·05	·85	·69	-	tr	·33	·01	7
8	·04	·05	-	·14	·10	·08	-	·51	-	-	·05	·01	8
9	-	·09	-	-	-	·09	-	·01	·01	·04	·65	-	9
10	-	·01	-	-	·04	·01	·02	·05	·04	-	·44	-	10
11	·06	·16	-	-	-	·03	·16	tr	·06	-	·09	-	11
12	·02	·03	-	-	-	·08	·05	-	·02	-	-	-	12
13	-	tr	·04	-	·05	-	·08	·27	·01	-	-	tr	13
14	-	·08	-	-	·04	·77	·25	·67	·02	-	·25	tr	14
15	-	·11	-	·08	·04	-	·37	·36	·06	-	-	·06	15
16	·02	·19	-	·09	·19	·59	tr	·05	·16	-	-	-	16
17	·02	·06	-	·34	·31	tr	·11	·04	-	-	·03	-	17
18	·03	-	·08	·34	-	·21	-	·24	-	-	·36	-	18
19	·01	·09	-	·01	-	·24	-	·24	tr	-	·03	-	19
20	-	·02	·12	·03	-	-	-	·07	-	-	·05	·05	20
21	·13	-	-	-	·43	-	-	-	-	-	·16	-	21
22	·13	-	·02	-	·07	-	-	·09	-	-	·03	-	22
23	·09	-	-	·38	·48	-	-	-	-	-	·14	·19	23
24	·05	tr	-	·34	·14	·15	·20	-	-	-	-	-	24
25	·11	-	-	·46	-	-	·29	-	-	-	·04	-	25
26	-	tr	-	·05	-	-	·04	-	-	-	·42	-	26
27	·09	·52	·05	-	1·07	-	·01	-	-	-	·06	·03	27
28	·01	·08	·08	·01	·27	-	-	-	-	·01	-	·06	28
29	tr	X	·06	-	·17	-	·25	-	-	·06	·06	-	29
30	tr	X	-	-	-	-	-	-	·08	-	-	-	30
31	·19	X	-	X	·03	X	-	-	X	-	X	-	31
TOTAL	1·10	1·67	·49	3·34	3·56	3·46	3·35	4·06	1·68	·56	4·99	·81	YEAR'S TOTAL 29·07
*Days with ·01 in. or more.	17	17	8	17	19	15	17	16	13	5	21	11	176
*Days with ·04 in. or more.	10	11	7	13	15	12	15	14	8	4	18	8	135

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Frank Boddington

P.T.O.

2235

Section **A** for the entry of D[redacted] COPY FOR OFFICIAL USE.
AIR MINISTRY.-[redacted]LL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Burghill Manor.
in the County of Hereford.
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·02	-	·10	tr	·10	-	-	·40	·14	-	-	1
2	·08	·03	-	·78	·08	-	tr	·17	·54	-	·10	·09	2
3	·02	-	-	-	-	-	·05	-	·01	-	1·27	·07	3
4	-	-	·04	·02	·02	·01	·20	·57	·27	-	·22	-	4
5	-	·02	-	·07	·01	1·00	·14	-	-	-	tr	·19	5
6	-	·11	-	·10	·02	·05	·28	·03	-	·31	·21	·05	6
7	-	-	-	-	-	·05	·85	·69	-	tr	·33	·01	7
8	·04	·05	-	·14	·10	·08	-	·51	-	-	·05	·01	8
9	-	·09	-	-	-	·09	-	·01	·01	·04	·65	-	9
10	-	·01	-	-	·04	·01	·02	·05	·04	-	·44	-	10
11	·06	·16	-	-	-	·03	·16	tr	·06	-	·09	-	11
12	·02	·03	-	-	-	·08	·05	-	·02	-	-	-	12
13	-	tr	·04	-	·05	-	·08	·27	·01	-	-	tr	13
14	-	·08	-	-	·04	·77	·25	·67	·02	-	·25	tr	14
15	-	·11	-	·08	·04	-	·37	·36	·06	-	-	·06	15
16	·02	·19	-	·09	·19	·59	tr	·05	·16	-	-	-	16
17	·02	·06	-	·34	·31	tr	·11	·04	-	-	·03	-	17
18	·03	-	·08	·34	-	·21	-	·24	-	-	·36	-	18
19	·01	·09	-	·01	-	·24	-	·24	tr	-	·03	-	19
20	-	·02	·12	·03		-	-	·07	-	-	·05	·05	20
21	·13	-	-	-	·43	-	-	-	-	-	·16	-	21
22	·13	-	·02	-	·07	-	-	·09	-	-	·03	-	22
23	·09	-	-	·38	·48	-	-	-	-	-	·14	·19	23
24	·05	tr	-	·34	·14	·15	·20	-	-	-	-	-	24
25	·11	-	-	·46	-	-	·29	-	-	-	·04	-	25
26		tr	-	·05	-	-	·04	-	-	-	·42	-	26
27	·09	·52	·05	-	1·07	-	·01	-	-	-	·06	·03	27
28	·01	·08	·08	·01	·27	-	-	-	-	·01	-	·06	28
29	tr	X	·06	-	·17	-	·25	-	-	·06	·06	-	29
30	tr	X	-	-	-	-	-	-	·08	-	-	-	30
31	·19	X	-	X	·03	X	-	-	X	-	X	-	31
TOTAL	1·10	1·67	·49	3·34	3·56	3·46	3·35	4·06	1·68	·56	4·99	·81	YEAR'S TOTAL 29·07
*Days with ·01 in. or more.	17	17	8	17	19	15	17	16	13	5	21	11	176
*Days with ·04 in. or more.	10	11	7	13	15	12	15	14	8	4	18	8	135

40-9999

(Signed) Frank Boddington

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2235

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Manor House, Burghill

in the County of Hereford

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	-	-	·05	1·46	·01	·01	·34	-	·05	·05	tr	1
2	-	tr	-	·02	·21	-	-	·02	·07	·01	tr	·18	2
3	-	-	-	·30	-	-	-	-	tr	-	·02	·03	3
4	·01	tr	-	·27	-	-	-	-	-	-	·39	-	4
5	·31	-	·08	-	·06	-	-	-	·16	-	-	-	5
6	·24	-	·06	·08	-	-	tr	-	·39	-	-	-	6
7	·08	-	·12	·05	·10	-	·01	-	·40	·96	-	-	7
8	tr	-	·09	-	-	-	-	-	·12	·25	-	-	8
9	·82	·04	-	·01	-	-	-	-	-	·08	-	-	9
10	·32	-	·01	·14	·04	·03	-	-	·09	·13	-	-	10
11	tr	-	-	·03	tr	·05	·01	-	-	-	-	·08	11
12	·24	-	-	-	·24	-	-	-	·18	·23	·04	-	12
13	·08	·01	-	·07	-	-	·55	·21	-	·08	·02	·16	13
14	·27	-	-	·03	·03	-	-	·06	-	·01	·08	·01	14
15	tr	-	-	·01	·42	-	-	-	-	·03	tr	-	15
16	·23	-	-	·26	tr	-	·59	-	-	-	-	-	16
17	-	-	-	-	tr	-	·02	-	-	·01	-	-	17
18	-	-	-	-	·06	-	-	-	·02	-	·18	-	18
19	-	·01	-	·06	·14	-	-	-	-	·08	tr	-	19
20	-	-	-	·16	·70	-	-	·57	-	·60	·05	·01	20
21	-	-	·08	·14	·15	-	-	·79	-	·39	tr	·16	21
22	·01	-	·01	-	·07	-	·08	-	·53	·09	·08	·04	22
23	-	·02	·03	-	·46	-	·01	-	·05	·08	·30	·05	23
24	tr	-	tr	-	-	-	tr	-	·08	·03	-	-	24
25	·04	·01	-	-	-	-	·03	-	-	·30	·04	·01	25
26	-	tr	·08	·10	·08	-	·12	-	-	·03	·07	-	26
27	-	-	·37	·15	·33	-	·05	-	-	·10	·02	-	27
28	-	-	·07	·01	·19	-	tr	·02	-	tr	-	-	28
29	-	-	·38	·12	·05	·08	tr	·33	·28	·41	·01	·31	29
30	-	X	·10	·05	-	·78	·32	·05	·20	-	·32	·07	30
31	-	X	·02	X	-	X	·37	·02	X	-	X	·36	31
TOTAL	2·72	·09	1·50	2·11	4·79	·95	2·17	2·41	2·57	3·95	1·67	1·47	YEAR'S TOTAL 26·40
*Days with ·01 in. or more.	13	5	14	21	18	5	13	10	13	21	15	13	161
*Days with ·04 in. or more.	11	1	10	15	17	3	7	7	12	15	11	9	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Frank Boddington

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2235

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Manor House, Burghill

in the County of Hereford.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft. - in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·06	·08	-	-	-	-	-	-	·11	-	·08		1
2	·16	-	·24	-	·10	-	-	-	-	-	-	-		2
3	·04	·11	·07	-	·02	-	-	-	-	-	-	-		3
4	·11	-	·02	-	·13	-	-	tr	-	-	-	-		4
5	·14	tr	·16	-	·04	-	-	-	-	-	-	-		5
6	-	·26	·03	-	·24	-	-	-	-	·16	-	-		6
7	tr	tr	-	-	-	-	·01	-	-	·10	-	-		7
8	·01	-	·08	-	·02	-	·20	-	-	·04	-	-		8
9	-	-	-	-	·01	-	·14	-	-	1·23	·01	-		9
10	·06	·14	-	-	-	-	·04	·11	-	1·66	·03	-		10
11	tr	-	-	-	tr	·07	·02	-	-	tr	-	-		11
12	-	-	-	-	tr	-	·15	-	·12	-	-	-		12
13	-	-	-	-	·07	-	·07	·01	-	·10	·11	-		13
14	·02	-	-	-	-	-	·11	·03	-	·22	·05	-		14
15	·27	-	·06	-	-	·01	·01	-	-	·06	-	·02		15
16	·03	·01	·50	-	-	·02	·01	-	-	·03	-	-		16
17	-	·05	·35	-	-	·01	-	-	·05	-	-	-		17
18	·03	-	·02	-	-	·09	-	-	-	-	·04	-		18
19	-	·02	·06	tr	-	-	-	·05	·16	-	·27	·01		19
20	-	·02	·07	-	-	·67	-	-	·32	-	-	-		20
21	-	·01	-	-	·09	·10	-	·09	-	·03	-	-		21
22	-	-	-	·02	-	-	-	·17	·19	·08	-	-		22
23	-	·27	-	·13	-	·18	-	-	·16	·28	-	-		23
24	-	1·37	-	·08	·02	·25	-	-	·02	·23	-	-		24
25	-	·53	-	·14	·02	·04	-	-	·10	-	-	·15		25
26	-	·90	-	·10	·45	-	-	-	·18	·08	-	·01		26
27	-	-	-	-	·13	-	-	-	tr	·04	-	·16		27
28	tr	·08	-	·40	·11	-	tr	-	-	-	-	·03		28
29	·17	✕	·05	·08	-	·01	-	-	-	-	-	tr		29
30	·03	✕	·08	-	-	-	·02	-	·11	-	-	·13		30
31	·20	✕	·03	✕	-	✕	-	·05	✕	·04	✕	-		31
TOTAL	1·59	3·83	1·90	·95	1·45	1·45	·78	·51	1·41	4·49	·51	·59	Year's Total 19·46	
*Days with ·01 in. or more.	14	14	16	7	14	11	11	7	10	17	6	8	135	
*Days with .04 in. or more.	9	10	12	6	9	7	6	5	9	15	4	4	96	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Frank Boddington

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2235

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Burghill Manor

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	-	-	-	-	-	-	·34	·03	·05	·02	·33		1
2	·02	-	·01	-	-	-	-	-	·15	·02	·03	·07		2
3	trace	trace	-	-	-	-	-	·22	-	·09	-	·25		3
4	·07	-	·04	-	·16	-	-	-	-	·02	·10	·29		4
5	-	-	·14	·01	·12	-	-	·71	-	-	·08	·12		5
6	-	-	trace	·01	·44	-	-	·07	-	·17	-	·30		6
7	trace	·01	-	-	-	-	-	·05	-	·05	·01	·29		7
8	·04	-	-	-	·19	-	-	-	·08	-	·02	·34		8
9	-	-	·22	-	-	-	-	-	-	-	·44	·15		9
10	·16	-	·44	·43	-	-	-	·07	-	-	·08	-		10
11	·82	-	·05	·35	-	-	·09	·01	-	-	-	·15		11
12	·01	-	·01	-	-	-	·87	·01	-	-	-	trace		12
13	·59	-	-	·16	trace	-	-	-	-	-	-	·08		13
14	·02	-	·37	-	trace	·04	-	-	-	·02	·16	·10		14
15	-	-	·21	-	·13	-	-	-	-	-	·17	·04		15
16	·06	-	·21	-	-	-	-	trace	-	-	·17	trace		16
17	trace	-	·02	·08	-	-	·11	-	·12	-	-	·18		17
18	·14	-	·04	·28	-	-	-	-	·01	-	-	·08		18
19	·02	-	·16	-	-	·04	-	·01	·11	·06	-	·18		19
20	-	-	·08	trace	-	·04	-	-	·03	-	·02	-		20
21	trace	-	-	-	-	·02	-	·05	-	·02	-	·02		21
22	·02	-	·06	-	-	-	-	·42	·16	·04	-	·27		22
23	-	-	·04	·14	·01	·41	-	·17	·10	trace	-	trace		23
24	-	·24	-	·10	-	·15	-	-	·13	trace	-	·01		24
25	·21	·01	-	·06	-	-	-	-	-	·23	-	·56		25
26	·04	-	·05	·19	-	·02	-	-	·04	·01	-	·14		26
27	·02	-	-	·15	-	·07	-	-	trace	·11	-	·12		27
28	-	-	-	·21	-	-	trace	·10	·12	·01	-	·34		28
29	-	X	-	-	-	-	·13	·01	·13	trace	-	-		29
30	·03	X	-	-	-	-	·01	·37	trace	-	-	·19		30
31	trace	X	-	X	-	X	-	·19	X	·03	X	·06		31
TOTAL	2·31	·26	2·15	2·17	1·05	·79	1·21	2·80	1·21	·93	1·30	4·66	Year's Total 20·84 ✓	
*Days with ·01 in. or more.	17	3	17	13	6	8	5	16	13	15	12	25	150	
*Days with ·04 in. or more.	10	1	14	11	5	6	4	12	10	8	7	23	111	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Frank Boddington

P.T.O.

BURGHILL (HEREFORD CO. MENTAL H) *

COPY FOR OFFICIAL USE. ~~66x90/26~~

Station No. 2235

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Burghill (Hereford County Mental Hospital)
in the County of Hereford
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1' ft. – in.
,, Ground ,, Sea Level 300 ft.

* Footnote
Previously at Burghill
Continuation record

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	·05	·03	·06	·01	·06	-	-	·04	·02	·10		1
2	-	-	·03	-	-	·19	-	-	·01	·07	·13	·13		2
3	-	-	·05	-	-	·03	-	-	·03	·25	·20	-		3
4	·02	-	-	·10	-	·08	-	-	tr	·15	·04	·10		4
5	-	·26	·04	·06	-	-	-	-	·07	tr	·03	tr		5
6	-	-	·03	·32	-	·40	-	-	-	·03	·05	·15		6
7	-	-	-	·30	-	·25	-	-	-	·12	·03	·08		7
8	-	-	-	·30	-	·03	-	-	-	·01	·13	·08		8
9	·04	tr	-	·41	-	·13	-	-	-	·32	·22	-		9
10	·04	-	-	·04	-	·03	-	-	-	·01	·02	-		10
11	·16	tr	-	-	-	·02	-	-	tr	·01	·22	tr		11
12	·03	tr	-	-	-	·01	-	·02	tr	·01	·01	tr		12
13	·08	-	-	·13	·02	-	-	-	·02	tr	·03	-		13
14	-	-	-	tr	·01	·09	-	-	·24	-	·93	·09		14
15	-	·12	-	·58	·05	·38	-	-	·07	-	tr	·12		15
16	-	·03	·13	·31	-	·07	-	-	·63	·07	·68	·05		16
17	-	-	-	·19	-	·20	·03	-	·04	-	·16	-		17
18	-	-	-	·24	·05	·02	-	·20	·15	·03	-	-		18
19	-	-	-	·03	·13	·08	·14	-	tr	·02	·14	tr		19
20	-	·27	-	·16	-	·01	·05	-	·01	-	·89	-		20
21	-	·31	·01	·05	-	-	-	-	·20	·01	·03	-		21
22	-	·08	·01	·08	-	-	-	-	·19	-	tr	-		22
23	-	·04	·09	-	·03	-	-	·10	·15	·55	-	tr		23
24	·05	·34	·03	-	-	-	-	-	·47	·22	-	·50		24
25	·13	·06	-	·14	-	1·37	-	-	-	tr	-	·18		25
26	-	·25	-	-	-	-	-	·29	·05	tr	·01	·40		26
27	-	·14	-	-	-	-	-	-	·12	tr	·01	·25		27
28	·01	·01	-	-	·03	-	-	·13	·08	tr	-	tr		28
29	-	X	-	-	-	-	-	tr	·04	tr	·17	·25		29
30	·02	✕	-	·20	-	·03	-	·38	·11	·10	·51	·15		30
31	-	✕	-	✕	-	✕	-	-	✕	·37	✕	·40		31
													Year's Total	
TOTAL	·58	1·91	·47	3·69	·38	3·43	·28	1·12	2·68	2·39	4·66	3·03	24·60?	
* Days with .01 in. or more.	10	12	10	19	8	20	4	6	19	19	23	16	166	
* Days with .04 in. or more.	6	10	5	17	4	11	3	5	15	11	14	16	117	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~Frank Boddington~~ [P.T.O.

X THE MEDICAL SUPERINTENDENT

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 2235

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Mental Hospital, Burghill

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.08	.04	Tr	.28	–	.06	.09	.05	Tr	–	.07	.02		1
2	.02	Tr	.01	.06	–	.61	.09	.03	Tr	–	.12	Tr		2
3	.01	Tr	–	–	–	.04	.04	–	.27	–	.01	.01		3
4	Tr	–	.10	–	–	.18	–	–	.27	–	.11	.10		4
5	.53	.05	.06	–	.07	.07	.04	.01	.03	–	Tr	.08		5
6	.38	–	.03	–	–	–	.16	.03	.05	–	.37	.01		6
7	.07	–	.02	–	–	–	.90	–	.08	Tr	.27	.04		7
8	.22	–	.19	–	–	.07	.03	–	–	.01	.68	Tr		8
9	.61	–	.17	–	–	–	.51	–	.14	.02	Tr	.01		9
10	.05	–	–	–	–	–	.44	–	Tr	–	.05	–		10
11	–	.14	–	.04	–	.06	.05	.05	.03	–	.62	–		11
12	–	–	–	.03	.17	.47	.40	Tr	.53	Tr	.04	.21		12
13	–	–	–	.05	Tr	Tr	.03	Tr	–	.03	.01	1.17		13
14	–	–	–	.20	.07	.02	.09	Tr	.05	–	.02	.38		14
15	–	–	–	.02	Tr	Tr	.01	.01	.09	–	.02	.11		15
16	.10	.11	–	.09	.08	–	.01	–	–	–	.10	.01		16
17	.09	.76	Tr	.02	.06	–	.49	–	–	.05	.01	.45		17
18	–	.15	–	–	–	Tr	.19	Tr	–	.08	–	.04		18
19	.52	.11	.02	.13	–	–	Tr	.04	–	Tr	–	–		19
20	.03	.17	.09	.02	–	.25	Tr	Tr	.33	–	–	Tr		20
21	.01	–	.03	Tr	–	.62	.02	–	.04	–	Tr	–		21
22	Tr	.48	.14	Tr	.24	–	.25	–	–	Tr	–	Tr		22
23	.06	.01	.30	.04	Tr	–	.15	–	–	.03	Tr	–		23
24	.20	.04	–	–	.01	–	.13	–	.17	.22	Tr	–		24
25	.24	–	.24	.44	–	–	.08	–	.20	.16	Tr	–		25
26	.17	.04	.19	Tr	Tr	.09	Tr	–	Tr	.03	.01	–		26
27	.09	.02	.05	–	–	–	.02	–	.02	.16	Tr	Tr		27
28	.30	.05	.31	Tr	–	–	.20	–	–	.04	.03	.14		28
29	.02	.02	.01	–	.01	1.21	.08	–	–	Tr	.04	.09		29
30	.02	✕	Tr	–	.05	.04	.06	–	–	.55	.01	Tr		30
31	.50	✕	.23	✕	.17	✕	.05	–	✕	.07	✕	.36	Print	31
													Year's Total	
TOTAL	4.32	2.19	2.19	2.16	.93	3.79	4.61	.22	2.30	1.45	2.59	3.23	29.98	✓
* Days with .01 in. or more.	23	15	18	14	10	14	27	7	15	13	19	17	192	✓
* Days with .04 in. or more.	17	12	12	10	8	13	21	3	12	8	11	11	138	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G.W.H. Fleming

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2235.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Hereford County & City Mental Hospital

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.01	—	.06	—	—	Tr	—	.02	.04	.02	.61		1
2	Tr	.15	—	.08	—	—	—	—	—	—	Tr	.21		2
3	—	.10	Tr	—	.99	—	.04	—	Tr	—	Tr	Tr		3
4	.10	.08	.13	—	.11	—	Tr	.01	—	—	Tr	.22		4
5	.21	—	.11	—	—	—	.06	—	—	—	—	—		5
6	.06	.13	Tr	.15	.10	—	—	—	—	.10	.02	—		6
7	—	.67	.02	.05	—	.05	—	—	—	—	Tr	Tr		7
8	—	.16	—	Tr	.14	Tr	Tr	—	.04	Tr	.26	Tr		8
9	—	Tr	.02	.06	.12	—	.11	—	.43	—	—	.03		9
10	.03	.03	.43	.12	—	.03	Tr	—	—	—	—	.17		10
11	Tr	—	.31	.01	.55	.05	.22	—	—	—	—	.09		11
12	.13	.18	.05	—	Tr	.20	.02	1.18	.08	—	.01	.23		12
13	.07	.05	Tr	.14	—	.16	—	.32	.10	—	—	.01		13
14	Tr	.01	.05	.03	—	—	.12	.03	.01	—	—	.03		14
15	.12	.10	Tr	.21	—	—	1.00	—	.11	—	—	.15		15
16	.01	.01	.84	.01	—	—	Tr	.13	.09	—	—	—		16
17	.35	.05	.27	—	—	—	Tr	Tr	.18	—	—	—		17
18	.37	.05	.06	.20	—	—	.02	—	.30	—	.22	.19		18
19	.07	.02	Tr	.03	—	.12	.22	—	Tr	—	.03	.02		19
20	.38	.06	.12	.46	.02	—	.12	—	—	—	—	.06		20
21	.20	.25	.17	Tr	.10	Tr	.18	—	—	.10	—	.02		21
22	.10	.02	.07	Tr	.07	—	.28	—	—	.40	.47	.02		22
23	.17	.15	Tr	—	.10	—	Tr	—	—	.16	.13	.01		23
24	.38	.47	.04	—	—	—	.01	—	.01	.48	—	Tr		24
25	.05	.60	Tr	—	.14	—	—	—	.05	.64	—	.04		25
26	Tr	.31	Tr	Tr	.37	—	—	—	—	—	.01	.01		26
27	—	.32	—	.06	—	—	—	—	—	.41	Tr	Tr		27
28	Tr	.04	—	—	—	Tr	—	—	—	.25	—	.02		28
29	.03		—	—	—	.06	—	—	—	.80	.03	.01		29
30	.20	✕	—	—	—	Tr	—	—	Tr	Tr	.17	Tr		30
31	.17	✕	—	✕	—	✕	—	—	✕	.47	✕	Tr		31
TOTAL	3.26	4.02	2.69	1.67	2.81	.67	2.40	1.67	1.42	3.85	1.37	2.15	Year's Total 27.98	✓
* Days with .01 in. or more.	21	25	15	15	12	7	13	5	12	11	11	20	167	✓
* Days with .04 in. or more.	18	19	13	11	11	6	10	3	9	11	5	10	126	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) T.E.Burrows

MEDICAL SUPERINTENDENT.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2235

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Mental Hospital Burghill

in the County of Hereford

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	Tr	.02	—	—	.75	—	.23	.01	.22	—	.28		1
2	Tr	.05	—	.02	.09	Tr	Tr	—	—	.21	Tr	Tr		2
3	.01	.01	—	Tr	.06	.03	.03	—	—	.71	Tr	—		3
4	Tr	Tr	.01	—	—	—	.14	.41	—	.14	Tr	.10		4
5	Tr	Tr	—	—	—	—	.01	Tr	.03	.17	Tr	—		5
6	.10	.04	—	—	—	.03	.98	—	.08	.10	—	.04		6
7	.02	—	—	—	—	—	.39	.44	.09	.8	—	.17		7
8	.29	—	—	—	—	—	.06	1.22	—	.15	Tr	.82		8
9	.15		—	—	—	.04	.03	.05	—	Tr	—	.62		9
10	.04	Tr	—	—	—	.05	.09	.20	—	—	—	.41		10
11	.33	Tr	—	—	—	.01	Tr	Tr	—	Tr	.27	.23		11
12	.20	.01	—	—	.06	—	—	.04	—	.31	.56	Tr		12
13	.01	—	—	—	Tr	—	—	—	—	.01	.11	.69		13
14	.49	—	—	—	.04	—	.45	—	Tr	—	—	—		14
15	.13	—	—	—	.08	—	.13	Tr	—	—	.02	.24		15
16	.21	—	Tr	—	.01	—	Tr	Tr	—	Tr	.09	.01		16
17	—	.03	—	—	—	—	Tr	—	.07	.11	—	—		17
18	.03	—	—	—	Tr	.04	—	.04	Tr	.02	.32	—		18
19	Tr	—	—	—	—	—	—	.11	.06	—	.06	.03		19
20	.02	—	Tr	Tr	—	—	—	Tr	Tr	—	.23	Tr		20
21	Tr	—	—	—	—	—	—	.07	.68	—	.12	.08		21
22	—	—	—	.10	—	.02	—	.07	.19	.02	.35	.08		22
23	Tr	—	—	.02	.08	—	—	—	.40	—	.04	—		23
24	.04	.01	.07	—	.11	—	—	.24	.03	—	.06	—		24
25	.04	.13	.04	—	.11	Tr	.01	Tr	Tr	.15	.53	—		25
26	.13	.22	Tr	—	.10	.14	—	—	—	.35	—	.11		26
27	.02	.01	—	—	.76	.01	.23	.62	.15	.11	.23	—		27
28	.08	.01	—	—	Tr	.20	.01	.03	—	—	.04	Tr		28
29	.16		—	—	.36	—	Tr	—	.03	.10	.05	.05		29
30	.02		—	—	.06	.06	Tr	—	.30	Tr	.38	.09		30
31	.10		—		.19		Tr	Tr		.13		.30		31
													Year's Total	
TOTAL	2.62	.52	.14	.14	2.11	1.38	2.56	3.87	2.12	3.09	3.46	4.35	26.36	✓
* Days with .01 in. or more.	22	.10	4	3	14	12	13	14	13	18	17	18	158	✓
* Days with .04 in. or more.	15	4	2	1	13	9	8	13	9	15	16	16	119	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) T. E. Burrows
Medical Superintendent

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2235.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Mental Hospital Burghill

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	.09	.24	.15	–	.02	Tr	.11	–	.03	.02		1
2	–	–	Tr	.03	–	–	.01	.14	.37	–	.12	.13		2
3	.13	–	Tr	.23	–	–	–	.13	.01	–	.10	.37		3
4	.06	–	.16	.47	17	–	.12	.05	.19	.25	.06	.10		4
5	–	Tr	–	.18	–	–	.15	.07	.09	.14	.32	.03		5
6	.55	–	.05	Tr	.05	–	.72	–	–	–	.21	–		6
7	Tr	.02	Tr	–	–	–	.32	.11	–	–	.27	.34		7
8	Tr	.14	.51	–	.02	–	.51	.06	–	.78	.59	.03		8
9	–	.12	Tr	–	–	–	–	.30	–	.26	.03	.09		9
10	.46	–	–	–	–	Tr	–	.04	–	.23	.01	.07		10
11	–	Tr	.15	–	–	.01	–	Tr	–	.03	.01	.02		11
12	.01	.05	–	Tr	–	.03	–	–	.04	.01	–	–		12
13	–	–	–	.12	.02	–	.12	–	.02	.21	Tr	–		13
14	.57	–	Tr	.01	.03	.10	.26	–	.01	.01	.31	–		14
15	.88	–	Tr	.05	.11	.20	.41	–	–	.08	.22	–		15
16	.31	–	.06	–	.11	–	.01	–	–	.01	.38	–		16
17	.67	.02	–	Tr	.02	.06	Tr	–	–	Tr	.02	–		17
18	.33	.02	.03	–	.05	.06	.09	–	–	–	.26	Tr		18
19	.11	–	–	–	–	–	.22	Tr	–	.01	–	–		19
20	.53	–	Tr	–	Tr	.01	.09	.05	–	–	–	.02		20
21	.04	.14	.10	.04	–	.26	.03	.01	.06	–	–	–		21
22	.23	.28	.08	.01	–	.24	.02	Tr	Tr	–	.13	–		22
23	Tr	.01	Tr	.05	–	Tr	.28	–	–	.04	.76	–		23
24	.29	Tr	.02	.04	–	.01	.02	–	–	.03	–	–		24
25	.64	.08	Tr	Tr	–	Tr	–	–	–	.10	.27	–		25
26	.01	.03	Tr	–	–	–	.09	.11	–	.16	.23	.04		26
27	.01	.14	.04	.05	–	.04	.30	–	–	.03	.05	.12		27
28	.06	.18	.05	.01	–	.11	.36	.02	–	–	.12	.04		28
29	–		Tr	.32	–	.29	.02	Tr	–	.09	.01	–		29
30	–	✕	–	.19	–	.10	.08	.06	–	.02	.02	.10		30
31	–	✕	–	✕	–	✕	Tr	.36	✕	.05	✕	–		31
TOTAL	5.89	1.23	1.34	2.04	0.73	1.52	4.25	1.51	.90	2.54	4.53	1.52	Year's Total 28.00	
* Days with .01 in. or more.	19	13	12	16	10	14	23	14	9	20	24	15	189	
* Days with .04 in. or more.	16	8	10	12	6	10	16	12	6	12	17	11	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Burrows [P.T.O.

MEDICAL SUPERINTENDENT.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2235

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Burghill Mental Hospital

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	Tr	–	.01	Tr	–	–	–	–	–	.10	–		1
2	–	.07	–	.10	–	–	Tr	–	–	–	.89	.05		2
3	–	.33	–	Tr	–	–	Tr	–	–	.17	1.55	.01		3
4	–	.03	–	Tr	–	–	Tr	–	–	.05	.11	Tr		4
5	–	–	–	–	.18	–	.06	–	–	.05	.40	.12		5
6	–	.43	–	–	–	–	–	–	–	.13	.03	.05		6
7	.14	.24	–	Tr	.02	–	–	–	–	.01	Tr	.04		7
8	–	–	–	.07	–	–	Tr	–	.14	.26	.02	.24		8
9	–	–	–	.07	–	–	.14	.12	–	.29	.41	.13		9
10	–	–	.02	–	–	–	.45	.02	–	.17	.09	.31		10
11	–	.01	Tr	.03	–	–	.20	–	–	–	.67	Tr		11
12	–	–	.15	–	–	.03	.22	Tr	Tr	–	.05	–		12
13	–	.02	.33	–	.34	–	Tr	Tr	.02	–	Tr	.05		13
14	–	Tr	.03	.03	.97	–	–	–	.09	.14	–	.37		14
15	Tr	–	–	.01	–	.04	Tr	–	.17	Tr	.19	.01		15
16	.02	.57	.14	.02	–	Tr	.40	–	.09	.70	.73	.03		16
17	–	–	.16	Tr	–	–	.01	–	.08	–	.02	–		17
18	.19	.41	.22	.50	–	–	–	–	.48	.12	.05	Tr		18
19	–	.10	.07	.27	–	–	.31	–	.13	.01	.16	.05		19
20	–	–	Tr	.02	–	–	.04	Tr	–	.09	Tr	–		20
21	Tr	–	Tr	–	.07	.54	Tr	–	–	–	1.45	–		21
22	–	–	.07	.14	.04	.02	–	–	.65	–	Tr	–		22
23	–	–	.03	.04	.37	Tr	–	–	–	Tr	–	–		23
24	–	–	–	–	–	–	.15	Tr	Tr	Tr	–	–		24
25	Tr	.08	–	–	.06	.07	–	–	–	–	–	–		25
26	1.22	.16	–	.11	.07	Tr	.38	–	–	–	Tr	–		26
27	.93	.21	Tr	Tr	.10	–	.17	Tr	–	–	.01	–		27
28	.97	.20	–	.28	.01	–	–	–	–	Tr	–	Tr		28
29	.02	–	.07	.47	Tr	.05	.03	–	–	Tr	–	.14		29
30	.05	✕	Tr	.30	Tr	–	–	–	–	.48	–	.03		30
31	.09	✕	.05	✕	–	✕	–	–	✕	.90	✕	.02		31
TOTAL	3.63	2.86	1.34	2.47	2.23	.75	2.56	.14	1.85	3.57	6.93	1.65	Year's Total 29.98	
* Days with .01 in. or more.	9	14	12	17	11	6	13	2	9	15	18	16	142	
* Days with .04 in. or more.	7	11	9	11	9	4	11	1	8	13	14	11	109	

† Spare column, no entries required.

(*Signed*)

[P.T.O.

* See Instruction 3 (f) on other side.

2236

Section **A** **for the entry of**
AIR MINISTR

FORM 1090.

REGIS

FOR OFFICIAL USE.
L ORGANIZATION.

2236

HEREFORD, ODE COURT

1931—40

7f0401

Kept at Ode Court

in the County of Herefor

Diameter of Funnel of Gauge

Height of top of Gauge above Grour

,, Ground ,, Sea I

67599/26

6

WX

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

following

Jan. 1, following
.02

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.42	.15	.07	.	.	.04				.08			1
2	.01	.02	.	.15	.01	.25			.40	.05			2
3	.07	.03	.	.80		.01		.22	.61		.05	.04	3
4	.02	.	.	.02			.02		.29		1.00	.10	4
5	.	.	.02	.07			.37	.55	.30		.12		5
6	.	.04	.	.10	.12	1.00	.21		.03		.02	.28	6
7	.	.15	.	.13	.03	.06	.12		.02	.29	.28	.06	7
8	.	.01	.	.	.06	.10	2.02	.74		.02	.16	.05	8
9	.02	.06	.	.12	.17	.10		.50		.02	.02	.06	9
10	.03	.16	.	.03	.	.01			.06	.04	.52		10
11	.	.	.	.	.10	.10	.01	.04	.10		.55		11
12	.08	.20	.		.	.10			.24		.16	.01	12
13	.06	.03	.	.03	.		.26	.02	.22	.01	.01		13
14	.	.	.04	.	.03		.30	.40	.06				14
15	.01	.10	.	.	.15	1.07	.54	1.04	.04		.30		15
16	.	.05		.10	.15		.25	.30	.07		.02	.04	16
17	.02	.10		.04	.21	.67		.12	.20				17
18	.04	.16		.16	.28		.20	.02	.13	.01	.06		18
19	.03	.	.03	.22	.	.16		.25	.02		.41		19
20	.02	.09	.	.04	.	.13		.25			3.68 .01		20
21	.	.07	.25	.01	.			.33			.03	.03	21
22	.13	.	.	.01	.49						.18		22
23	.11	.	.02	.	.19			.10			.06		23
24	.11	.	.	.39	.49	.20					.14	.30	24
25	.05	.	.	.22	.42		.19				.01	.03	25
26	.06	.	.	.45			.18				.07		26
27	~~.06~~	.	.	.04			.02				.50		27
28	.10	.70	.02	.01	.97		.07				.06	.02	28
29	.02	~~.07~~	.05	.07	.45					.02		.04	29
30	.05	✕	.01	.	.23		.23			.15	.05	.02	30
31	.15	✕ .07	–	✕ –	.04	✕ –	–	–	✕ .08	–	✕ –	.02	31 34.67
TOTAL	~~1.46~~ 1.19	~~2.12~~ 2.04	~~.51~~ .44	3.21	~~4.55~~ 4.59	~~4.00~~ 3.96	4.99	4.88	~~2.79~~ 2.87	~~.69~~ .61	4.79	~~1.08~~ 1.10	YEAR'S TOTAL ~~35.04~~
*Days with .01 in. or more.	21	17	8	22	19	14	16	15	17	9	25	15	198
*Days with .04 in. or more.	12	13	3	16	16	12	13	13	14	4	18	9	143

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) .... [P.T.O.

2236

Section **A** for the entry of

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ocle Court

in the County of Hereford

Diameter of Funnel of Gauge .... in. } as before given

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

File Ref. 667599/26

Station No. 2236

WD

corr. for WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	·15	·07	.	.	·04				·08			1
2	·01	·02	.	·15	·01	·25			·40	·05			2
3	·07	·03	.	·80	.	·01		·22	·61		·05	·04	3
4	·02	.	.	·02	.		·02		·29		1·00	·10	4
5	.	.	·02	·07	.		·37	·55	·30		·12		5
6	.	·04	.	·10	·12	1·00	·21		·03		·02	·28	6
7	.	·15	.	·13	·03	·06	·12		·02	·29	·28	·06	7
8	.	·01	.	.	·06	·10	2·02	·74		·02	·16	·05	8
9	·02	·06	.	·12	·17	·10		·50		·02	·02	·06	9
10	·03	·16	.	·03	.	·01			·06	·04	·52		10
11	.	.	.	.	·10	·10	·01	·04	·10		·55		11
12	·08	·20	.	.	.	·10			·24		·16	·01	12
13	·06	·03	.	·03	.		·26	·02	·22	·01	·01		13
14	.	.	·04	.	·03		·30	·40	·06				14
15	·01	·10	.	.	·15	1·07	·54	1·04	·04		·30		15
16	.	·05		·10	·15		·25	·30	·07		·02	·04	16
17	·02	·10		·04	·21	·67		·12	·20				17
18	·04	·16		·16	·28		·20	·02	·13	·01	·06		18
19	·03	.	·03	·22	.	·16		·25	·02		·41		19
20	·02	·09	.	·04	.	·13		·25			3·68 ·01		20
21	.	·07	·25	·01	.			·33			·03	·03	21
22	·13	.	.	·01	·49						·18		22
23	·11	.	·02	.	·19			·10			·06		23
24	·11	.	.	·39	·49	·20					·14	·30	24
25	·05	.	.	·22	·42		·19				·01	·03	25
26	·06		.	·45			·18				·07		26
27	~~·06~~	.	.	·04			·02				·50		27
28	·10	·70	·02	·01	·97		·07				·06	·02	28
29	·02	~~·07~~	·05	·07	·45					·02		·04	29
30	·05	×	·01	.	·23		·23			·15	·05	·02	30
31	·15	× ·07	.	×	·04	×	–	–	× ·08	–	×	·02	31 34·67
TOTAL	~~1·46~~ 1·19	~~2·12~~ 2·04	~~·51~~ ·44	3·21 ✓	~~4·55~~ 4·59	~~4·00~~ 3·96	4·99 ✓	4·88 ✓	~~2·79~~ 2·87	~~·69~~ ·61	4·79 ✓	~~1·08~~ 1·10	YEAR'S TOTAL ~~35·04~~
*Days with ·01 in. or more.	21	17	8	22	19	~~14~~	~~16~~	~~15~~	17	9	25	15	198
*Days with ·04 in. or more.	12	13	3	16	16	12	13	13	14	4	18	9	143

40-9999

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

2236

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ocle Court

in the County of Hereford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Details as befor given

Gauge 1' from

OK when corrected for w.d.

days

W.P.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·30 ~~·30~~

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·02	·25		·87	·60		·43	·01	·17	1
2	·06	·03		·05	1·31	·03	·01	·24	·05	·08			2
3	·03			·09	·45				·10	·02	·03	·15	3
4		·02		·57	·02		·04			·02		·04	4
5				·09			·03				·54		5
6	·45	·01	·08		·12				·19			·02	6
7	·22		·04	·09	·20		·02		·50				7
8	·05		·10	·04	·02		·03		·08	1·33 ~~1·33~~			8
9			·15	·01					1·54	·26			9
10	·50	·05		·04	·15					·04			10
11	·50		·01	·16	·04	·01			·05	·30			11
12	·01	·05		·36	·02	·09	·03	·01				·05	12
13	·15			·02	·25		·02		·18	·27	·04	·04	13
14	·17	·02		·06	·03		·72	·19		·06	·02	·12	14
15	·30			·05	·02			·24		·02	·11	·04	15
16	·01			·02	·55		·02			·02	·02	·02	16
17	·22			·35	·10		·42					·01	17
18				·07	·01		·02						18
19				·15	·09				·01		·25		19
20				·07	·04				·03	·10	·01		20
21	·01				·82		·01	·89		·45	·06	·02	21
22	·01		·15		·36			1·34		·34	·03	·11	22
23	·02				·30		·26		·56	·04	·10	·01	23
24	·01	·06	·12		·32		·05		·17	·13	·15	·08	24
25	·03	·02			7				·21	·08		·01	25
26	·04	·01					·06		·04	·26	·02		26
27			·10	·24	·03		·08		·04	·03	·11		27
28			·64	·21	·44		·06			·13		·02	28
29			·10	·07	5·04 ·20		·07	·08				·02	29
30		×	·30	·11	·19	·09	·06	·22	·27	·38	·01	·32	30
31		×	·08 +·02	× +·25		× +·87	·15 +·60	·03	× +·43	+·01	× +·17	·14 +1·3[illegible]	31 33·30
TOTAL	~~2·81~~ 2·79	·27	~~1·87~~ 1·89	~~2·94~~ 3·17	~~6·33~~ 6·08	~~·22~~ 1·09	~~[illegible]~~ 2·76	~~[illegible]~~ 3·24	~~4·02~~ 4·45	~~[illegible]~~ 4·37	~~1·51~~ 1·67	~~[illegible]~~ 1·52	YEAR'S TOTAL ~~33·09~~
*Days with ·01 in. or more.	20	9	12	23	26	4	21	10	16	22	16	19	199 ~~[illegible]~~
*Days with ·04 in. or more.	11	3	11	19	19	2	12	8	14	17	8	11	136 ~~[illegible]~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2236

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ode Court

in the County of Hereford

Diameter of Funnel of Gauge As before in.

Height of top of Gauge above Ground ft. in.

,, Ground ,, Sea Level ft.

W.S.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·01

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·20	·20	·08					·06		·01		1
2	·41	·11	·10		·02					·11		·03	2
3	·19		·29			·13					·01		3
4	·04	·12	·13		·10								4
5	·10		·02		·24								5
6	·12		·40		·[illegible]2								6
7		·30	·03		·38					·13			7
8	·02	·01			·02		·22			·10			8
9	·02		·13		[illegible]	·[illegible]8	·52			·09			9
10					·02		·23			·66	·05		10
11	·12	·19			·01		·05	·11		1·69	·02		11
12					·02	·01	·08			01			12
13	·04				·02		·08		·14	·08			13
14					·10		·17			·21	·14		14
15	·02						·02	·05		·04	·13		15
16	·30		·04		~~·05~~	·05	·23	·02		·10			16
17	·07	·02	·56			·02							17
18	·01	·01	·41			·03		·02	·02		·06		18
19	·03	·01	·05			·09		·01			·03		19
20	·01		·11			·05	·02	·04	·37		·22		20
21			·01		·04	·24		·01	·44	·01	·01		21
22						·25		·13		·04	·01		22
23								·25	·05	·06			23
24		·02		·13		·15			·53	·56			24
25		·90		·17	·04	·32			·04	·26			25
26		·35		·25	·13	·04			·20			·25	26
27		1·16		·15	·19				·26	·06		·02	27
28		·02			·38				·02	·10		·10	28
29	·01			·34	·28		·02		·01	·03		·03	29
30	·12	×	·09	·11								·02	30
31	·04 ·20	× ·20	·13 ·08	×		×		·06	×	·01	×	·05 ·01	31 45
TOTAL	~~1·97~~ 1·87	3·42	~~2·70~~ 2·58	~~1·23~~ 1·15	2·01	1·46	1·64	~~·64~~ ·70	~~2·14~~ 2·08	~~4·34~~ 4·35	~~·69~~ ·68	~~·50~~ ·51	YEAR'S TOTAL ~~22·74~~
*Days with ·01 in. or more.	19	14	16	9	17	13	11	10	11	20	10	8	155
*Days with .04 in. or more.	12.	8	13	6	10	10	8	6	8	21		3	~~105~~

16·5 225·4 22·74

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

Section **A** for the entry of Daily Observations. W - - B **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934 . 2236

Kept at Ocle Court

in the County of Hereford

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft ..... in.

,, Ground ,, Sea Level ..... ft.

Particulars as before given

W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following. ·07

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01								·04		·05		1
2	·08							·35	·23	·03	·01	·75	2
3	·03		·01		·06				·22	·01	·03	·15	3
4	·03	·02								·17		·13	4
5	·02		·10		·25				·16	·10	·18	·44	5
6	·01		·13	·01	·10			·68		·04	·19	·15	6
7	·02		·01	·02	·39			·03		·14		·38	7
8	·07	·02			·01	·01	[illegible]	·08		·09		·30	8 2·30
9	·01				·20				·20		·10	·25	9
10	·01		·15	·01							·40	·06	10
11	·20		·06	·33				·02			·25	·01	11
12	·93		·14	·40			·09	·06			·03	·26	12
13			·02				·79	·01			·01	·01	13 =2·89
14	·47			·22			·43					·17	14 =3·06
15	·02		·27	·01	·01	·01				·03	·23	·11	15
16	·01		·15		·18					·09	·25	·10	16
17	·14		·18								·17	·01	17
18	·02		·02	·06	·01		·18		·26	·03		·14	18
19	·22		·01	·20					·15	·		·19	19
20			·23			·08			·07	·08		·15	20
21			·15	·02		·04			·03	·02✓	·01	·01	21
22						·04	·02	·10	·01	·04			22
23	·06		·05		·02			·32	·23	·10		·26	23 =4·03
24			·08	·19	·02	·25				·01			24
25		·37	·05	·13		·03	·02		·32			·02	25
26	·17	·03		·09		·08			·01	·33		·52	26
27	·08		·08	·16		·02			·05	·01		·02	27
28	·09			·03		·05			·02	·21		·21	28
29	[illegible]			·30		·03		·16	·15	·02		·33	29 5·13
30		×					·08	·05	·24	·01	·02	·02	30
31	·02	×		×		×	·01	·06 ·04	×	·05	×	·15 ·07	31 23·90
TOTAL	2·72	·44	1·89	2·18	1·25	·64	1·62	1·9~~7~~6	2·3~~9~~5	~~1·56~~ 1·61	~~1·83~~ 1·88	5·3~~0~~7	YEAR'S TOTAL ~~23·84~~
Days with ·01 in. or more.	22	4	19	16	11	11	8	13	16	21	14	29	184
Days with ·04 in. or more.	11	1	14	11	6	6	5	10	12	12	8	22	118

40-9999

to 21 Oct tot 15.92

(Signed) George Cresswell [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2236

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ocle Court

in the County of Hereford

Diameter of Funnel of Gauge in. as

Height of top of Gauge above Ground ft. before in.

,, Ground ,, Sea Level ft.

W D

rounded for

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·26

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07		·01		·11		·02			·11	·39	·53		1
2	·01		·01		·10	·02	·05		·23	·08	·05	·07		2
3						·11			·12	·11	·07	·05		3
4			·08			·24			·10	·41	·28			4
5	·03			·10		·10				·06		·10		5
6		·27	·20	·06		·03			·12	·10	·06	·02		6
7			·05	·35		·39				·01	·09	·20		7
8				·32		·15				·19	·08	·12		8
9				·30		·02		·15		·01	·22	·05		9
10	·06	·01		·40		·16				·39	·19			10
11				·11						·01	·01			11
12	·33					·03					·33	·02		12
13	·05	·03				·04		·05		·01	·01			13
14	·10	·03		·20	·10				·05	·01	·04			14
15				·06	·06	·11					·94	·14		15
16		·11		·60	·08	·22			·35		·03	·14		16
17		·01	·17	·42		·04			·54	·10	·72	·10		17
18				·24		·16			·02		·18			18
19				·32	·08	·03	·07							19
20				·07	·24	·13	·13		·17	·11	·11			20
21		·26		·09		·04	·11				·89			21
22		·25	·02						·20	·03	·03			22
23		·14	·01	·16					·20	·01				23
24	·01	·04	·15					·30	·13	·75				24
25	·15	·27	·05					·03	·60	·05		·32		25
26	·10	·13		·22		1·51				·01		·10		26
27		·12						·28	·09	·02	·05	·47	2·43	27
28		9							·13		·03	·32		28
29	·05				·02			·47	·11		·02	·01		29
30	·01	×	·01						·05	·01	·15	·48	81	30
31	·03	× ·01	–	× ·11	–	× ·02	–	·47	× ·11	·24 ·39	× ·53	·17 ·26	·17	31
TOTAL	~~1·00~~ ·93	~~1·76~~ 1·77	~~·56~~ ·75	~~4·02~~ 4·13	~~·79~~ ·68	~~3·53~~ 3·55	~~·38~~ ·36	1·75	~~3·21~~ 3·32	~~2·83~~ 3·11	~~4·97~~ 5·11	3·41 3·14	Year's Total. ~~28·21~~	28·60
* Days with .01 in. or more.	12	15	10	18	7	20	4	7	18	23	24	19	177	
* Days with .04 in. or more.	7	10	6	18	6	14	4	6	17	13	18	16	135	

1·00
1·76
·56
4·02
·79
3·53
·38
1·75
3·21
2·83
4·94
24·80
3·41
2·821

40-9999 † Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2236

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ocle Court

in the County of Hereford

Diameter of Funnel of Gauge Details as

Height of top of Gauge above Ground before ft. in.

,, Ground ,, Sea Level 298 ft.

Contd for W.D. Bj.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .29

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.26	.61	.04	.21		.02	.45	.10			.16			1
2	.03	.03	.01	.40		.11	.06	.03			.10	.01		2
3	.03	.03		.06		.37	.12	.03			.16	.03		3
4	.01				.01	.20	.01	.01	.50		.02	.13		4
5	.01		.13			.27			.50		.08	.11		5
6	.40	.04	.08		.02	.14	.05	.01	.08		.02	.06		6
7	.17		.03		.05		.29	.08	.03		.40	.05		7
8	.08		.06				1.12		.06	.01	.20	.03		8
9	.17		.20				.17			.02	.72	.01		9
10	.45		.35			.03	.68		.13	.01				10
11	.05						.24				.03			11
12		.13		.06		.16	.06		.09		.56			12
13				.02	.20	.33	.47		.51		.06			13
14				.10		.02	.15			.05	.03	.77		14
15				.18	.04	.05	.15	.01	.10		.04	.40		15
16				.01	.02		.01		.54		.06	.05		16
17	.12	.14		.18	.02		.06				.14	.01		17
18	.09	.79	.02	.01	.01		.24			.15	.01	.33		18
19		.25					.29	.02		.17		.02		19
20	.40		.07	.08		.03	.00	.07						20
21	.02	.12	.06	.06		.71			.16					21
22			.02	.70		.24	.02		.09					22
23	.01	.45	.11	.01	.12		.29					.01		23
24	.05		.20	.04	.05		.20			.03				24
25	.24				.01				.22	.32	.02	.01		25
26	.09		.30	.40			.25		.30	.24	.02			26
27	.19	.14	.18	1.86		.29	.01				.02			27
28	.08	.03	.02				.02		.03	.11				28
29	.30	.09	.25	.01			.01			.02	.03	.08		29
30	.01	×	.03			.84				.03	.05	.11		30
31	.61	× .04	.01 .21	×	.06 .02	× .45	.16 .10		×	.44 .16	×	.24		31
TOTAL	~~3.26~~ 3.61	~~2.85~~ 2.28	~~2.47~~ 2.34	~~2.53~~ 2.32	~~.61~~ .63	~~[illegible]~~ 4.24	~~5.58~~ 5.23	.36 .26	3.34	~~1.60~~ 1.76	~~2.48~~ 2.77	~~2.22~~ 2.51	Year's Total. ~~31.26~~	31.29 ✓
* Days with .01 in. or more.	23	13	20	16	13	16.	26	8	15	14	21	19	204	✓
* Days with .04 in. or more.	16	10	13	11	6	13.	20	2	13	8	12	11	135	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2236

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Ocle Court

in the County of Hereford

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

as before given

coord. for W. D.

Days 5 82

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·01 ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·29	·21	·08								·10	·20		1
2	·06	·03		·04					·05	·04	·34	·54		2
3	·01	·12		·07			·06				·01	·14		3
4		·11	·02		·45		·02							4
5	·06	·10			·06		·01				·02	·26		5
6	·25		·14				·06							6
7	·06	·09	·09	·15	·11		·06			·14	·01			7
8		·70	·07	·15		·06					·02			8
9	·01	·15			·09	·02	·01			·03	·26			9
10		·01		·09	·15		·15		·48					10
11	·03		·38	·10		·04						·16		11
12			·11	·01	·39	·01	·10	·01				·10		12
13	·09	·19			·01	·10	·02	·05	·11			·25		13
14	·09	·02	·08	·09		·15		·54	·33					14
15		·03	·12					·09				·05		15
16	·15	·14		·22			1·27		·09			·35		16
17		·01	·75	·07		·04		·11	·09					17
18	·25	·08	·40				·02		·41					18
19	·41	·04	·12	·06			·03		·25	·01	·21	·14		19
20	·06	·04	·12	·04		·18	·18				·03			20
21	·49	·06	·04	·45	·11					·01		·06		21
22	·17	·28	·12				·27			·01		·05		22
23	·17	·02	·11		·11	·06	·20			·54	·34	·01		23
24	·14	·10			·13					·36	·12			24
25	·27	·35			·02		·03		·04	·50		·02		25
26		·44			·10				·05	·34		·04		26
27		·35			·42						·02	·01		27
28		·20		·10						·40				28
29										·17		·03		29
30	·05	✕				·01				·85	·04	·01		30
31	·21	✕		✕		✕			✕	·01	✕			31
TOTAL	·21 3·~~32~~ ·24	·08 3·~~87~~ ·74	2·75 1·67	1·64	2·15	·67	2·49	·80	1·90	·10 3·~~41~~ ·5	1·20 1·~~42~~ 7	·01 2·~~42~~ ·23	Year's Total ~~27·04~~	26·76 ✓
* Days with .01 in. or more.	21	25	15	14	13	10	16	5	10	15	13	18	175	✓
* Days with .04 in. or more.	18	19	14	13	11	7	9	4	10	10	7	12	134	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) George Cresswell [P.T.O.

Fell Number
667599/26

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2 236

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Cole Court
in the County of Hereford
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level ....ft.

Circ C sent 27/1/39.

W. P. W.R.

Oct. & Nov. adj. Ref. IWS., River Lugg. September 1950. WRL.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·27

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·14				·20			·05	·30				1
2		·03				·45		·29	·01	·14	·14	·02		2
3		·01		·02	·78		·05			·19				3
4	·02				·08	·05	·06			·50		·09		4
5			·03				·15	·28						5
6							·01							6
7	·14					·02	1·08		·21					7
8							·31	·30	·23	·12		·22		8
9	·37						·12	·70		·15				9
10	·11					·01	·04	·04				·60		10
11	·04	·01				·12	·12	·20				·43		11
12	·36					·01	·02			·06	·17	·18		12
13	·15				·10			·18			·52			13
14	·01									·16	·07	·56		14
15	·31				·10		·52					·35		15
16	·07				·14		·14				·31			16
17	·19													17
18		·06							·15		·36			18
19	·03					·06			·01					19
20								·25	·02		·21			20
21	·03									·03	·13	·02		21
22								·03	·35			·04		22
23				·05		·07		·12	·13					23
24				·01					·05					24
25		·04	·08		·12			·22	·04					25
26	·06	·08	·12		·05		·02				·51			26
27	·15	·21			·05	·01						·22		27
28	·05	·01			·85	·22	·27	·47	·15		·06			28
29	·12				·05	·24	·04	·16						29
30	·14	✗			·28		·04		·07		·09			30
31	·03	✗	—	✗	·20	✗	—	·05	·30 ✗	·04	✗			31
TOTAL	·14 2·54	·45 ·59	·23	·08	2·20 ~~2·00~~	1·26	2·99	3·29	1·72 ~~1·47~~	~~1·39~~ 1·69	2·57	·27 3·00 ~~2·79~~	Year's Total ~~[illegible]~~	21·72 23·22
* Days with ·01 in. or more.	20	8	3	3	12	11	16	14	13	9	11	12	132	
* Days with ·04 in. or more.	15	4	2	1	12	7	13	13	10	8	11	10	106	

(2·39) (3·07)

† Spare column, no entries required.

(Signed) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2236

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ocle Court

in the County of Hereford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 10 in.

" Ground " Sea Level 300 ft.

~~WD~~

~~Days~~

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·27			·26	·12		·1	·2	·1		·2	·1		1
2	0·4			·6			·5	·22	·35		·19	·7		2
3	·8		·01	·30			·4	·14	[illegible]		·20	·37		3
4	·08		·12	·41	·15		·33	·5	·12		·8	·20		4
5	·06			·12			·37			·25	·42			5
6				·6			·51			·7	·14	·20		6
7	·49			·1			·29	·7			·45	·30		7
8		·14	·39			–	·59	·14		·83	·44	·4		8
9	·05							·36		·25	·2	·11		9
10	·49		·2			·2		·3	·2	·12		·12		10
11	·50		·12					·3		·1		·1		11
12		·3			·2	·20				·3				12
13				·21	·17		·15		·20	·33				13
14				·2	·2	·12	·28				·26			14
15	·39		·5	·4	·9	·31	·61			·7	·24			15
16	·76			·2	·18		·3				·31			16
17	·43	·6	·1				·6			·1	·1			17
18	·50	·2	·2			·3	·15							18
19	·46						1·31				·42			19
20	·18						·1	·10				·4		20
21	·50	·13				·30	·5	·13	·5					21
22	·2	·32	·16			·20	·17			·1	·11			22
23	·30			·9		·2	·20			·5	·76	·10		23
24	·4			·12			·2			·6	·24			24
25	·30	·2					·2	·3			·26			25
26	·34	·4		·3			·1			·12	·35			26
27	·02	·14	·6	·3		·2	·11	·2			·8	·20		27
28	·03	·7	·5	·2		·35	·21				·12	·3		28
29				·44		·19	·9			·11	·1			29
30		×		·24		·13		·11		·1	·1	·1		30
31		×	·26	·12 ×		× ·01	·02 ·4	·01 ·33	×	·7 ·02	× 1			31
TOTAL	6·06 ~~6·33~~	·97	1·27 ~~1·01~~	2·24 ~~2·38~~	·61 ~~·79~~	1·90 ~~1·89~~	5·72 ~~5·71~~	1·77 ~~1·78~~	·74 ~~·75~~	2·42 ~~2·40~~	5·13 ~~5·14~~	1·86 ~~1·61~~	Year's Total ~~30·90~~	30·69
* Days with .01 in. or more.	22	10	12	18	6	13	26	15	5	18	23	14	182	
* Days with .04 in. or more.	19	7	8	11	4	9	20	10	4	13	18	11	134	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edith J. Creswell (Mrs)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2236

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Ocle Court

in the County of Hereford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level ft.

Dup.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·03							·12	·02		1
2		Trace		·09 ·08	·01		·04			Trace	1.34	·04		2
3	·41	·42		·03 ·02			·01			·21	1.52	·01		3
4				·01						·11	·10			4
5				[illegible]	·17		·11		·01	·02	·52	·24		5
6	·26	·24								·20	·02			6
7		·26		·02			·28		·02			·13		7
8		Trace				·03				·20	·03	·18		8
9	Trace			·04			·27	·22		·29	·40			9
10			·08				·45				·12	·90		10
11							·24			·13	·47	·02		11
12			·10				·15	·01		·03	·03			12
13		Trace	·33					Trace	·05	·02				13
14				·01	·45				·10	·10		·03		14
15					·46	·08	·15		·19	·10				15
16			·20	·03			·23		·10	·71	·12			16
17	Trace	·28	·16				·05			·10	·69			17
18			·17	·49			·01	·02	·58	·02		·40		18
19	·14		·08	·22			·40		·06		·09	·02		19
20				·03			·03			·20	·01			20
21			·03			·48	·18				1.10			21
22		·58	·08	·09	·06	·08			·40					22
23		·11		·04	·52	·01								23
24							·18		Trace	·01	·04			24
25														25
26	·25	·08			·01		·32	·01	Trace		·01			26
27	·80	·17		·11			·02				·03			27
28	1..	·13		·16	·01									28
29			·08	·76			·05			·02		·28		29
30	·15	✕	·02	·24	·07					·42				30
31		✕		✕		✕			✕	·75	✕	·01		31
TOTAL	4·01	2·27	1·28	2·40	1·76	·68	3.17	·26	1·51	3.64	6.76	1.60	Year's Total ~~24·24~~	29·34
* Days with .01 in. or more.	7	9	1·28 11	17	9	5	19	4	9	19	19	13	29·24	141
* Days with .04 in. or more.	7	9	8	10	6	3	15	1	7	13	13	7	99	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Edith J. Cresswell (Mrs)

[P.T.O.

Section **A** **for the entry of** … **tation No.** 2236/7
AIR MINISTRY … ORGANIZATION.
FORM 1090 **REGIST** … 5 commencing August 1st
Kept at Weobley (Garnstone)
in the County of Hereford
Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L
THE MORNING MEASURE
An observer who does not conform to … *following*
year in the space on the right of th

Jan. 1, following

2236/7
GARSTONE, WEOBLEY
1935 — 40

780403

Date	Jan.	Feb.	Mar.									Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								—	·11	·12	·01	·11		1
2								—	·14	·23	·13	·17		2
3								—	Trace	·39	·29	Trace		3
4								—	Trace	·18	·06	·13		4
5								—	·11	Trace	·01	Trace		5
6								—	—	·21	Trace	·20		6
7									—	·08	·02	·11		7
8								·06	—	·03	·08	·14		8
9								—	—	·37	·21	—		9
10								—	—	·04	·05	—		10
11								—	Trace	·01	·26	·01		11
12								·06		—	·19	—		12
13								—	·10	—	·06	—		13
14								—	·24	—	1·21	·11		14
15								—	·05	—	·02	·11		15
16								—	·61	·12	·79	·06		16
17								·01	·09	Trace	·07	—		17
18								Trace	·24	·06	—	—		18
19								—	·02	·05	·26	Trace		19
20								—	·01	Trace	1·13	—		20
21								—	·23	·01	·07	—		21
22								—	·16	Trace	Trace	—		22
23								·07	·09	·47	—	·17		23
24								·01	·59	·24	—	·34		24
25								—	—	·01	—	·21		25
26								·36	·10	·01	·02	·35		26
27								·18	·03	Trace	·03	·13		27
28								·15	·11	Trace	—	Trace		28
29								—	·05	·04	·12	·19		29
30		×						·33	·07	·18	·43	·24		30
31		×		×		×		Trace	×	·27	×	·55		31
TOTAL								1·23	3·14	3·12	5·52	3·33	Year's Total. [illegible]	
* Days with .01 in. or more.								9	20	21	23	18	—	
* Days with .04 in. or more.								7	17	16	16	17	—	

40-9999
* See Instruction 2 (f) on other side.

N.

† Spare column, no entries required.
(Signed) R.N. H Verdin Lt. Col (Retd.) [P.T.O.

Section **A** for the entry of Daily Observations. Station No. 2236/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1935 Commencing August 1st

Kept at Weobley (Garnstone)

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 442·2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								–	·11	·12	·01	·11		1
2								–	·14	·23	·13	·17		2
3								–	Trace	·39	·29	Trace		3
4								–	Trace	·18	·06	·13		4
5								–	·11	Trace	·01	Trace		5
6								–	–	·21	Trace	·20		6
7								–	–	·08	·02	·11		7
8								·06	–	·03	·08	·14		8
9								–	–	·37	·21	–		9
10								–	–	·04	·05	–		10
11								–	Trace	·01	·26	·01		11
12								·06		–	·19	–		12
13								–	·10	–	·06	–		13
14								–	·24	–	1·21	·11		14
15								–	·05	–	·02	·11		15
16								–	·61	·12	·79	·06		16
17								·01	·09	Trace	·07	–		17
18								Trace	·24	·06	–	–		18
19								–	·02	·05	·26	Trace		19
20								–	·01	Trace	1·13	–		20
21								–	·23	·01	·07	–		21
22								–	·16	Trace	Trace	–		22
23								·07	·09	·47	–	·17		23
24								·01	·58	·24	–	·34		24
25								–	–	·01	–	·21		25
26								·36	·10	·01	·02	·35		26
27								·18	·03	Trace	·03	·13		27
28								·15	·11	Trace	–	Trace		28
29								–	·05	·04	·12	·19		29
30		×						·33	·07	·18	·43	·24		30
31		×		×		×		Trace	×	·27	×	·55		31
TOTAL								1·23	3·14	3·12	5·52	3·33	Year's Total. nil	
* Days with .01 in. or more.								9	20	21	23	18	–	
* Days with .04 in. or more.								7	17	16	16	17	–	

40-9999

* See Instruction 2 (f) on other side.

N.

† Spare column, no entries required.

(Signed) R.N. Averdin Lt Col (Retd)

[P.T.O.

2236/7

cont 1935

FORM 1090. **B** Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At (Garnstone) - Weobley

In the County of Hereford

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 2 *in.*
- *Height of Ground above Sea Level* 442·2 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·7	·76	19	23	19
FEB.	2·21	·72	17	14	10
MAR.	2·65	·34	26	21	16
APRIL	2·45	·96	21	13	8
MAY	1·09	·34	15	13	7
JUNE	5·71	1·47	21	16	12
JULY	4·22	·71	12	16	12
AUG.	·28	·07	1919	7	4
SEPT.	2·88	·62	25	15	11
OCT.	1·57	·73	30	11	8
NOV.	2·81	·74	11	24	11
DEC.	2·76	·82	13	16	11
TOTAL	33·33			189	129

Signature R.N.H. Verdin

X - Lt. Col. R.N.H. Verdin - X.

Pnt √

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

X Lt Col R.N.H. Verdin X

Garnstone Weobley Herefordshire

Hour of observation by the clock—in Winter 9 am in Summer 10 am

Nearest Railway Station Moorhampton Distance 2 mi. 917 yds Direction from gauge S.W.

Nearest Parish Church at Weobley Distance 1 mi, 114 yds Direction from gauge N.

Nature of objects nearest to gauge	Low flowers.		Asparagus	
Height of objects			4' 6"	
Distances ...			10'	
Directions from gauge ...			West	

If gauge has been moved during the year state –

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
16 JAN 1937

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

2236/7

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1937

At Garnstone - Weobley

In the County of Hereford

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 2 *in.*
- *Height of Ground above Sea Level* 442·2 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·17	·55	17	23	19
FEB.	4·67	·75	7	24	20
MAR.	2·65	·58	16	17	12
APRIL	1·97	·53	20	16	11
MAY	1·89	·52	11	13	9
JUNE	·73	·19	12	7	5
JULY	3·18	1·61	15	17	10
AUG.	1·04	·56	12	5	3
SEPT.	1·69	·42	9	14	9
OCT.	4·29	·87	24	13	10
NOV.	1·48	·44	21	11	6
DEC.	2·09	·46	1	16	10
TOTAL	29·85 ✓			176 ✓	124 ✓

Signature R N H Verdin

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Lt-Col. R. N. H. Verdin
Garnstone - Weobley - Hereford

Hour of observation by the clock—in Winter 9 a.m in Summer 10 a.m

Nearest Railway Station Moorhampton Distance 2m. 91yds Direction from gauge S.W.

Nearest Parish Church at Weobley Distance 1m. 114yds Direction from gauge N.

Nature of objects nearest to gauge	dwarf plants			
Height of objects	9"			
Distances ...	2'			
Directions from gauge ...	N. W & S.			

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005 : this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090.

2236/7

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Garnstone-Weobley

In the County of Hereford

Rain Gauge:
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 2 *in.*
- *Height of Ground above Sea Level* 442·2 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·91	·52	11	22	14
FEB.	·59	·22	26	11	6
MAR.	·01	·05	25	4	1
APRIL	·18	·15	22	3	1
MAY	2·17	·83	27	14	9
JUNE	1·41	·74	6	12	6
JULY	2·59	·74	6	12	9
AUG.	2·66	·58	4	14	11
SEPT.	1·81	·33	30	17	11
OCT.	3·41	·59	3	18	15
NOV.	3·92	·67	12	19	15
DEC.	3·79	·76	9	23	17
TOTAL	25·45 ✓			169 ✓	115 ✓

Signature RNH Verdin

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter 9 a.m. in Summer 10 a.m

Nearest Railway Station Moorhampton Distance 2m 91 yds Direction from gauge S.W

Nearest Parish Church at Weobley Distance 1m 114 yds Direction from gauge N

Nature of objects nearest to gauge	dwarf	plants		
Height of objects	9"			
Distances ...	2'			
Directions from gauge ...	N & W & S			

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
-6 JAN. 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the* 24 *hours following* 9 *a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked* ·005; *this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this* ·005 *mark or between this* ·005 *and the* ·01 *mark are to be entered as* ·01 *even though they may be nearer to the* ·005 *mark than the* ·01 *mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.3079/2165 25,500 12/37 W.H.&S. 668/91
S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2236/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Garnstone - Weobley

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 442·22 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
1939	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr	–	·06	·24	·10	–	tr	·01	·02	–	·04	–		1
2	tr	–	·01	·04	–	–	tr	·14	·26	tr	·16	·06		2
3	·14	–	·01	·34	–	–	–	·10	·02	–	·18	·39		3
4	·06	–	[illegible]	·30	·23	–	·29	·03	·08	·34	·06	·14		4
5	–	tr	·11	·20	tr	–	·40	·04	–	·21	·50	·01		5
6	·61	–	tr	–	·02	–	·50	–	–	–	·06	–		6
7	·01	·09	~~·35~~	–	tr	–	·36	·07	–	–	·39	·31		7
8	–	·23	·35	–	·01	–	·42	·01	–	·73	·61	·05		8
9	–	·11	tr	–	–	–	tr	·30	–	·27	·04	·10		9
10	·56	tr	·04	–	–	·02	–	·02	·01	·36	tr	·02		10
11	tr	·04	·08	–	–	·04	–	–	–	·01	tr	·03		11
12	·04	·05	tr	tr	–	·08	–	–	·05	·01	·02	tr		12
13	tr	tr	–	·20	·03	[illegible]	·28	–	·03	·18	·26	–		13
14	·64	tr	–	·02	·05	·01	·27	–	·03	·08	–	·01		14
15	·61	–	–	·04	·04	·43	·89	–	–	·04	·24	–		15
16	·15	–	·04	–	·12	tr	tr	–	tr	·88	·26	–		16
17	·35	·01	·01	–	tr	·26	·03	–	–	–	·01	–		17
18	·30	·02	–	–	–	·02	·12	–	–	tr	·34	–		18
19	·20	–	–	–	–	tr	·18	tr	–	–	tr	–		19
20	·38	–	–	–	tr	·01	·09	·10	–	–	–	·02		20
21	·06	·11	·14	–	tr	·39	·02	–	·04	–	–	–		21
22	·22	·42	·05	·01	–	·20	·03	–	·01	·04	·50	–		22
23	–	·04	tr	·05	–	·04	·34	–	–	·01	·83	–		23
24	·35	tr	·01	·01	–	tr	·03	–	–	·09	–	–		24
25	·57	·11	–	·01	–	tr	·03	–	–	·13	·37	tr		25
26	·01	·06	–	·05	–	–	–	·08	·08	–	·27	·04		26
27	·02	·31	·04	tr	–	·02	·09	·05	·05	·07	·10	·08		27
28	·08	·15	·06	–	–	·08	·31	tr	tr	–	·20	·04		28
29	–	–	tr	·31	–	·20	·53	·01	·01	·10	·01	–		29
30	–		–	·14	–	·04	·01	·01	·01	·02	·03	·08		30
31	–		–		–		·03	·63		·09		·01		31
TOTAL	5·36	1·75	1·01	1·96	·60	1·84	5·25	1·60	·70	3·66	5·48	1·39	Year's Total 30·60	✓
* Days with .01 in. or more.	20	14	14	15	8	15	22	15	14	19	23	16	195	^
* Days with .04 in. or more.	17	12	10	11	5	10	15	9	6	15	19	10	139	^

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2236/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Garnstone – Weobley

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 442·22 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1940	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·02		·01	·01						·18			1
2		·08		·20			·02				1·34	·10		2
3		·33		·02			·01			·24	·41	·01		3
4		·11		·02			Tr			·11	·16	·01		4
5		·01			·26		·13			·07	·37	·18		5
6	·20	·35					·03			·19	·05	·04		6
7	·01	·15					·06		tr	·04		·02		7
8		Tr		·01					·03	·17	·03	·21		8
9				·04			·60	·11	·01	·24	·50	·12		9
10			·02			tr	·62			·22	·10	·21		10
11		·01		·02		·05	·27				·59			11
12			·06			·01	·11	·01	·04		·11			12
13		·04	·43						·01			·04		13
14		Tr	·02	·06	·19				·06	·18		·29		14
15			·02	Tr	1·12	·08			·14	·11	·21	·01		15
16	·01		·14	·01			·32		·06	·80	·74	·03		16
17		·47	·27				·10				·01			17
18	·12	·38	·24	·43			·01		·26	·15	·02	·07		18
19		·09	·07	·40					·02		·11	·01		19
20		Tr	Tr	·02				·02		·10				20
21			Tr	·15	·09	·53					1·39			21
22			·07	·05	·06	·01			·04	tr	Tr			22
23		·04	·02		·14	·01				Tr	·01			23
24					tr		·09		·01					24
25	·04				·02									25
26	1·22	·10			·10		·37		·01					26
27	·89	·20		·02	·04		·28				Tr			27
28	·89	·17		·18	·08									28
29	·09		·07	·48		·06	·05		~~·04~~	·01		·21		29
30	·03	×		·31						·49				30
31	·13	×	·08	×		×			×	·84	×	·02		31
TOTAL	3·63	2·55	1·51	2·43	2·11	·75	3·40	·14	·69	3·96	7·33	1·58	Year's Total 30·08	
* Days with .01 in. or more.	11	16	13	18	11	7	18	3	12	16	18	17	162	
* Days with .04 in. or more.	8	13	9	10	9	4	13	[illegible]	6	15	14	9	111	=111

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R.N.H. Verdin

P.T.O.

/29. 2237

Section **A** for the entry
AIR MINIST
FOR OFFICIAL USE.
ALL ORGANIZATION.
FORM 1090.

REGI

31.

—

2237

WEOBLEY, SARNESFIELD COURT

1931 — 40

Kept at Sarnesfie

in the County of H

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA

AY.

An observer who does not conform
year in the space on the right o
he following

Jan. 1, following

780403

Date	Jan.	Feb.	Marc							ct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	. .	½	1	·16	TR	·32			·41	·13		. .	1
2	·06			53½	07½	·00½		·10½	36½	TR	·15	·16	2
3	·02		TR	TR	·07	. .	·02		·04		1·42½	·02½	3
4			·08	04½	½	. .	·21	32	·07½		·28	TR	4
5		·06		·05	·04	1·09	·06	TR	TR		TR	·36½	5
6		13		·12	. .	·05	·45	·09	TR	·21	·16	·06	6
7		TR		TR	. .	·09	·52½	·45½		·02½	·43	·01½	7
8	·02½	·04½		·6	. .	·10	TR	·54		TR	·01½	·04	8
9	½	·20½		TR	. .	·05½		TR		·06½	·60	TR	9
10	·05	·01			·02	01	·03	TR	·12		·61	00	10
11	. .	·27½			. .	½	·06	TR	·06		·21	—	11
12	·03	·04½					·38		·05	·02½			12
13			·04		½	·05	TR	·10	01½		TR		13
14		·02			·04	·72	28½	·98	01		[illegible]		14
15		·07		·03½	·02	00½	·24	·74	·14½		TR	03½	15
16	·03	·19½		·07	·23	1·10	TR	12½	13				16
17	·04½	·05		18	41½	20½	10	TR	TR		·06		17
18	·05	·05	·06	24	TR	·36	TR	·19			34		18
19	TR			·03½	. .	·29	TR	2½			·02		19
20	·36	·09	·10½	·02½	. .			·03			·18½	·07	20
21				TR	·40	. .			—		19		21
22	·14	·02		. .	·06	. .	TR	·04	—		·04½	. .	22
23	·15			·37½	·45	·11	·03	. .	—		·11	06	23
24	·05½			·30	·19	TR	·21		—		TR	. .	24
25	·12		. .	·37	. .	. .	16		—		·01	. .	25
26	TR	TR	. .	·03		. .	07		—		·41		26
27	·07	58	·08	½	1·88	. .	·03¾		. .	02½	·06½	·02	27
28	·03½	07½	10	TR	·32	. .	TR			. .	TR	·05	28
29	·01	. .	13½	. .	·24½	. .	25½		TR	03½	·07½		29
30		✕	TR	02½	·01½	. .	½		03½				30
31	30	✕	. .	✕	·05½	✕	½		✕		✕		31
TOTAL	1·55	1·89½	·60	2·72	4·51½	4·50	3·22	3·96½	1·45½	·51½	5·78	·90	YEAR'S TOTAL 31·61½
*Days with ·01 in. or more.	17	15	7	17	17	14	17	12	12	7	21	11	167
*Days with ·04 in. or more.	11	13	7	12	14	11	13	13	9	3	18	7	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) William Marshall [P.T.O.

Section **A** for the entry

1/29 · FOR OFFICIAL USE. 2237

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Sarnesfield Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 378 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..	Tr		·44	TR	·32		..	·41	·13	..	..	1
2	·06	..		·53	07½	·00½		·10½	·36½	TR	·15	·16	2
3	·02		TR	TR	·07	..	·02	..	·04		1·42½	·02½	3
4			·08	·04½	Tr	..	·21	32	·07½		·28	TR	4
5		·06		·05	·04	1·03	·06	TR	TR		TR	·36½	5
6		13		·12	..	·05	·45	·09	TR	·21	·16	·06	6
7		TR		TR	..	·09	·52½	·45½		·02½	·43	·01½	7
8	·02½	·04½		·06	..	·10	TR	·54		TR	·01½	·04	8
9	·Tr	·30½		TR	..	·05½		TR		·06½	·60	TR	9
10	·05	·01			·02	01	·03	TR	·12		·61	00	10
11	..	·27½			..	Tr	·06	TR	·06		·21	—	11
12	·03	·04½					·38		·05	·02½		—	12
13			·04		Tr	·05	TR	·10	·01½		TR		13
14		·32			·04	·72	28½	·98	01		·31	..	14
15		·07		·03½	·02	00½	4	·74	·14½		TR	03½	15
16	·03	·19½		·07	·23	1·10	TR	12½	·13			..	16
17	·04½	·05		18	·41½	·20½	10	TR	TR		·06	..	17
18	·05	·05	·06	24	TR	·36	TR	·19			·34	..	18
19	TR			·03½	..	·29	TR	25	—		·02	..	19
20	·36	·09	·10½	·03½	..	..		·03			·18½	·07	20
21				TR	·40	..			—		19	..	21
22	·14	·0TR		..	·06	..	TR	·04	—		·04½	..	22
23	·15			·37½	·45	·11	·03	..	—		·11	06	23
24	·05½			·39	·19	TR	·21	..	—		TR	..	24
25	·12			·37	..	..	16		—		·01	..	25
26	TR	TR	..	·03	..	..	07		—		·41		26
27	·07	55	·08	Tr	1·88	..	·03		..	02½	·06½	·02	27
28	·03½	·07½	10	TR	·32	..	TR		..	..	TR	·05	28
29	·01	..	13½	..	·24½	..	25½		TR	03½	·07½	..	29
30		×	TR	02½	·01½	..	9½		03½	..		..	30
31	30	×	..	×	·05½	×	Tr		×		×	..	31
TOTAL	1·55	1·89½	·60	2·72	4·51½	4·50	3·22	3·96½	·45½	·51½	5·78	·90	YEAR'S TOTAL 31·61½
*Days with ·01 in. or more.	17	15	7	17	17	14	17	12	12	7	21	11	167
*Days with ·04 in. or more.	11	13	7	12	14	11	13	13	9	3	18	7	131

40-9999

(Signed) William Marshall [P.T.O.

*See Instruction 2 (*f*) on other side.

Form 1090.

*** The following
&c., is NOT
values are g

and also the space for

gister should be sent:—

RAINFA

HEREFORDSHIRE

A record rainfall for this Guage was made on May 27th 1931. viz 1·88½.

L Marshall

At

In the County of

obley Herefds

Rain Gauge
Diameter of
Height of Top ab
Height of Groun

in Summer 9-30 am

2½ Direction from gauge SW

ongds Direction from gauge NE

Month.	Total Depth.
	Inches.
Jan.	
Feb.	
Mar.	
April	
May	
June	
July	
Aug.	
Sept.	
Oct.	
Nov.	
Dec.	
Total	

Direction

etches of cross sections of
t from any of these please
ed **A** and **B**.)
pe please give particulars.

British Rainfall, please

F THE YEAR.

is desirable that answers

g of the measured rainfall?
end of this fall?

Signature

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

Section **A** for the entry of Daily Observations. Station Number 2237

COPY FOR ~~OFFICIAL~~ USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Sainfield Court
in the County of Hereford

August 2" high

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 278 ft.

Observer informed of Authenticated errors in total for March, August, Oct & Dec. 9/5/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	Tr	–	·06	1·75	TR	·02½	1·05	·02½	·05	·09	·02	1
2	·02½	–	–	·01	·22½		·01	·01½	·09	·01	Tr	·14	2
3	·02½	03	–	·41	Tr		·14			·01	00½	·03	3
4	Tr	–	–	·91½	–		·02				·52	·00	4
5	·53	..	..	·14	Tr				·09½	..		–	5
6	·42	–	·02	..	Tr		·05½		·35	·02		..	6
7	·03	..	·09	·10	·11		·01½		·27	1·33		–	7
8	..	..	·12	·01	..				·04	·23		–	8
9	·83	·04	·12½	·03	..				Tr	·13		..	9
10	·31½	..	–	·19	·03	·11½			·12	·16½	TR	·09	10
11	·06	..	..	·10½			·01½		TR	TR	·01	..	11
12	·25	·00½	–	..	·15		..	·01½	·20	·33½	·03	·01	12
13	·08½		..	·09			·69½	·20		·02	·06½	·16	13
14			..	·15½	·02		·04	·01		TR	·07	TR	14
15	TR		–	·02	·33		TR			TR	TR		15
16	·27		–	·31	Tr		·17						16
17			..	·02½	·02		·05½			·01½	Tr		17
18			..		·05½			..	TR		·29½	TR	18
19			..	·07	·07½					·07½	Tr	..	19
20			..	·14½	·68½		TR	2·84	–	·88	·02	·08	20
21	TR		·12	·15	·09			·42	..	·54½	TR	·17	21
22	·01		·01	Tr	·14		·08½		·68	·10	·21	·04	22
23	–	·02½	·17½		·37		TR		·05	·21½	·17½	·06	23
24	·07								·04	·02½	·01½		24
25	Tr			·09			·01	–	·01	·31	·01	·01	25
26	..	TR	·07½	·10	·08½		·06½		·08	·06		..	26
27	..		·47	·13½	·38½		TR	TR	..	·25	·11½	Tr	27
28	–		·09	·04	·20	·01	·10			TR	·01	..	28
29	..		·33½	·10	·28	·11½	·01	·36	·28	·40	·03½	·33	29
30	..	✕	·10	·16	·21½	·52½	·23	·03	·23	Tr	·23½	·07	30
31	..	✕	..	✕	TR	✕	·25	..	✕	·00½	✕	·43	31
TOTAL	2·92	·10	1·75	3·59	5·21	·76	1·99	~~5·09~~ 4·74	2·56	5·15	1·91	1·64	YEAR'S TOTAL 32·32
*Days with ·01 in. or more.	14	3	12	24	19	4	18	9	15	21	16	14	169
*Days with ·04 in. or more.	10	1	10	18	16	2	11	5	13	15	9	10	120

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) William Marshall

P.T.O.

Station Number 2237 File of 956239/29

2237

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Sarnesfield Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 378 ft.

Circ D.2/M.O.7. sent 18/1/34 J.W.U.

J.W.U. 17/1/34

BA

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·12	·02		Tr					·13½		·21½	1
2	·28½	·00	·33		·18	TR					Tr		2
3	·02	·15			·08½								3
4	·15	TR	·04		·11½			TR					4
5	·15½	·01½	·40		·04								5
6		·28½	·03½		·43								6
7	·05	·01½			Tr		·06½			·22½			7
8	TR	Tr	·08		·02		·18½			·25			8
9		·01			·03		·33	·03		·70	TR		9
10	·07½	·08					·01½			1·31			10
11	TR					·06	·07			2·46			11
12					TR		·18		·01			·03	12
13					·09	·01	·10½	·10		·42	·12		13
14	·02½		·01½				·04	1·11½		·20½	·07		14
15	·25		·03½				Tr	·01		·04½	TR	·04	15
16	·02		·39				·03			·03½	TR		16
17	·03	·04	·34			·02	·01½	·01 ~~TR~~	TR		·01½	TR	17
18	·04½		·20½			·07	·26				·01½		18
19			·28			·10½			·32		·30	·02½	19
20		·04	·03			·16½			·25		TR		20
21		·01½			·18½	·32		·04	·14½	·01½	TR		21
22				·02		TR		·15		·09			22
23		·80		·13		·37			·21½	·18½			23
24		1·05		·10	·04	·21			·02	·25			24
25		·65		·14½		·05½				·13½			25
26		·84		·03½	·25				·13			·01	26
27		·02½		·26	·07		·03		·01			·19	27
28		·10	00	·13½	TR				TR	·01		·32	28
29	·35	—	·02	·10½								TR	29
30	·01	×	·04½						·17			·08	30
31	·29	×	·06	×		×	·02½	·05½	×	·05½	×		31
TOTAL	~~1·94½~~ 1·99	4·23½	2·33	·93	1·53½ ~~1·50½~~	1·28½ ~~1·08½~~	1·35 ~~1·31½~~	1·51	1·42	5·82½ ~~5·72½~~	·52	·72½	23·65½ YEAR'S TOTAL ~~23·21½~~
*Days with ·01 in. or more.	15	16	16	8	12	10	~~12~~ 13	8	10	16	5	9	~~137~~ 138
*Days with ·04 in. or more.	~~9~~ 10	11	10	6	~~9~~ 10	8	8	5	7	~~12~~ 13	3	5	~~92~~ 96

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) William Marshall [P.T.O.

Station Number 2237. File number 958239/29 2237

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Samesfield Court

in the County of Hereford

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft — in.

„ Ground „ Sea Level 378 ft.

~~Day~~ Day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	—		—		—	—	·32	21½	03½	·03½	·33½		1
2	·01	—	·01	—		—	—	·01	·16	02	TR	·20		2
3		—		—		—	—			·11		·24		3
4	TR	—	07½	—	·27	—	—		·08½	·03½	·09	·35		4
5	·33½	—	·04½	TR	·15	—	—	·85		·01½	15½	·35½		5
6	TR	—	·01	—	·46	—	—	·01½	TR	15		·42		6
7	·04	—	—	—	·02	—	—	·07		·05		·22		7
8		—	—	—	·19	—	—	TR	07	TR	10	·67		8
9	00½	—	·17½	—	—	—	—	·02			·64	·07		9
10	·22	—	·12½	·47	—	—	—	·06			·07	TR		10
11	·64½	—	·05½	·46	—	—	·05½	·04½			TR	20		11
12	TR	—	TR	·01½		— ×	2·04	× TR			·01	TR		12
13	·58½	—	[illegible]	·26			TR			·01½		09½		13
14	·02	—	·40			·05				·04	25½			14
15	·01		·26½	TR	·15		TR			·07	·30	·10		15
16	·14		·23½ 5		TR		·13		·01½	TR	·14			16
17	·06		[illegible]	11	·01½				·18			·17		17
18	·27		·09	·21½					·02½			·13		18
19	·01½		·21	TR		·01			·08	·02½		·14		19
20			·01½	TR						·07½	01½	TR		20
21			·10			·01	TR	03	TR	·13½		01½		21
22	07½	—			·02½		TR	40½	·31			·31		22
23		—	·05	·17	TR	·69		·02½	·01½	TR		TR		23
24		·21	·01	·08½		·21			·30	·04		·01		24
25	·29	TR		·02½		TR			TR	·23½		·50		25
26	·02			·23		·11	TR		·05	·06½		·11		26
27				·16		·08			·05	·07	TR	·73½		27
28				·49		·11		20	·19	·03	03	·32		28 509½
29							·14½		·09½	·02½	·01	·02½		29
30	·02½	×					·03½		·01½	·06		·32		30
31		×	—	×		×		·13	×	·03½	×	10		31
TOTAL	2·57	·21	1·87	2·69	1·28	1·32	2·40½	2·19	1·69	1·33½	1·85	5·43	Year's Total 24·84	
*Days with ·01 in. or more.	17	1	16	12	8	8	5	13	16	21	13	25	154	
*Days with ·04 in. or more.	10	1	12	10	5	6	4	8	12	12	8	22	110	

40-9999

*See Instruction 2 (*f*) on other side.

× This fall was very local a thunderstorm lasting only 1½ hrs.

† Spare column, no entries required.

(*Signed*)

P.T.O.

Station No 2237
File No 96 6239/29

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2237

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

Kept at Samesfield Court

in the County of Wexford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 378 ft.

Avg. adjusted for minimum [illegible] August
Ces 14.ii.36

1·35" fell about [illegible] in half an hour on June 5th Thunder storm approaching from the E, preceded by a few minutes whirlwind W M

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		..	·08	·02	·08	·03	·10		·10	·17	·01	·15		1
2		..	·01	..		·12	--		·03	·22	·12	·19		2
3			·08	..		·17	..		·01	·35	·23	·01		3
4	·03	..	·01	·05		·09	..		·00	·17	·04	·21		4
5	·02	·28	·01	·05		1·37	..		·11	TR	·01	TR		5
6	..		·03	·37		·33	..		..	·48	TR	·18		6
7	..			·44		·16	..		..	·08	·03	·10		7
8	·01 s			·33		·02	~~·12~~	·12	..	·07	·09	·17		8
9	·06 s	·02		·32		·17	..		--	·38	·21			9
10	·03	..		·18		Tr	--		..	·07	·01			10
11	·27	Tr		..		·12	--		..	·01	·05	·01		11
12	·02	·02		..		·15	~~·12~~	1·06		..	·28	..		12
13	·07	TR		·16	·01	·07	..		·05	..	·09	..		13
14				·03	·10	..	--		·20	..	1·15	·11		14
15		·18		·53	·08	·17	--		·03	..	·03	·12		15
16		·08	·13	·44	·00	·22	..		..	·13	·83	·08		16
17		..	..	·23	..	·09	Tr		·54	..	·03	..		17
18		..	..	·25	·04	·06	..	TR	·09	·06	·00	..		18
19		..	..	·13	·11	·15	·36	..	·26	·06	·26	..		19
20		·33	..	·22	·02	·02	·02	..	·02	..	1·06	..		20
21		·30	..	·01	..	..	-	..	·01	·01	·09	..		21
22		·05	·04	·36	..	..	..	..	·23	TR	TR	..		22
23	·01	·16	·27	..	·05	..	..	·02	·18	·51		·23 s		23
24	·05	·40	·04	..	..	·03	..	·01	·10	·23		·26 s		24
25	·26 s	·28	..	·12	..	·77	--		·58	·01		·31		25
26	..	·26 s	--	--	..	TR	..	·37	·09	·01	·03	·26		26
27	..	·12	..	--	·11	--	..		·01	--	·04	·10		27
28	·02	·03	..	--	Tr	--	..	·14	·14	--	TR	Tr		28
29		..	--	--	--	--	--	·02	·05	·03	·13	·18		29
30	·01	×	..	·24	--	·04	..	·31	·08	·22	·52	·26		30
31		×	..	×	--	×	--	TR	×	·30	×	·54		31
TOTAL	·85	2·58	·70	4·48	·60	4·35	~~·48~~ ~~·56~~	1·85 ~~·87~~	3·01	3·57	5·34	3·47	Year's Total 30·48	
*Days with ·01 in. or more.	13	14	10	20	9	21	35	68	21	21	23	19	~~174~~	182
*Days with ·04 in. or more.	5	11	6	17	7	17	21	35	15	16	16	17	~~139~~	134

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) William Marshall

[P.T.O.

Station No 2237
File No 956239/29

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936

2237

T5-9/40

Kept at Sarnesfield Court
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 378 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·06	·01	·22	..	·80	·05	·12	--		·05	·03		1
2	·65	TR	01	·09	..	·45	·15	·01	..		·05	TR		2
3	02		·02		..	·02	TR	TR	·42		·TR	·01		3
4	·12		·08		..	·58	..		·38		·37	07		4
5	·42	04	·08		·24		·06	·02	·03		·01	11 S		5
6	·45		·04		TR	..	·13	·08	·05		·32	TR		6
7	·03		·03			·06	·57	--	·15		18	·21		7
8	20		·20				·08	--	TR	TR	·74	TR		8
9	·49		-			·05	·71	--	·12	..	·02	·02		9
10	·13		27	-			·24	--	TR	-	·11	·01		10
Easter Sunday 11		11 S	TR	07 S		·30	·02	--	·01	..	·71	.. S		11
12				·02	·03	·16	·71	---	·34		·11	29		12
13				02	·02	·01	·09	--	..	·02	01	68		13
14				25	...	·03	·17	·04	·04		·04	46		14
15		·01		·02	·39	--	TR	..	·13		·09	..		15
16	12 S	·10		·04	·09	..	·03	..	..		15	·02		16
17	10 S	·16	TR	·01	·02	--	·32	..	..		·01	·08		17
18		·19		..	..	--	·22	·02	..	13	--	..		18
19	S ·74	·08	·02	·10	..	01	TR	·07	·03	TR	..	..		19
20	..	27	·05	·06	..	S ·63		..	·21		01	TR		20
21			·09	91 S	..	1·24		--	·01		..	..		21
22	·01 S	·32 S	·19	TR	·20		38	--			..	02		22
23	08	·01	·16	·03	·14		·12	--	..	·04	TR	--		23
24	·22	·03	TR	TR	·02		·07	--	·31	·22	·01	--		24
25	·29	..	·37	41	..		·20	--	·50	·16		..		25
26	·11	06	·30		..	·15	·02	--	TR	·04	·02	--		26
27	·06	·02	·11	01	..	..	·05	--	·01	·15		..		27
28	·35	·13 S	23	TR	..	..	TR	--		·03	03	·16		28
29	·03	·02	·07	..	·03	·74	02	--		TR	·01	·09		29
30	·05	✕	TR	..	07	TR	TR	..		·75	TR	TR		30
31	·45	✕	24	✕	·19	✕	·03	--	✕	·02	✕	26		31 32·97
TOTAL	4·62	2·21	2·67	2·26	1·44	5·23	4·44	·36	2·71	1·56	3·05	2·42	Year's Total. 32·97	✓
* Days with .01 in. or more.	23	16	20	15	12	15	23	7	15	10	21	15	192	✓
* Days with .04 in. or more.	17	11	14	9	7	11	16	4	11	7	12	9	128	✓

40-9999 S = Snow

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W Marshall [P.T.O.

COPY FOR OFFICIAL USE.

File No. 956239/29

Section **A** for the entry of Daily Observations.

Station No. 2237

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Sarnesfield Court
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 378 ft.

Totals ✓

ARNESFIELD COURT
WEOBLEY, S.O.
HEREFORDSHIRE

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1 following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	10	·03	TR	..	·	·	..	..	·14	·7	·10	·57		1
2	·06	·24	..	·11		·	..	..	..	—	·01	·20		2
3	..	·19	·01	·09	23	TR	·04	..	·07	..	·	·01		3
4	·09	·05	..	TR	·06	..		·09		·	·	·23		4
5	·43	..	..	·02	·08	..	·05	..	·	·	·	..		5
6	·14	22	·12	17	—	..	..	..		·10	03	..		6
7	TR	·70	·04	·06	—	10	..	..	·		02	—		7
8	..	·25	·	TR	·16	TR	..	..	·02	·01	31			8
9	·01	·01	·	·05	·12	..	·09	..	·47			·02 S		9
10	·01	·06	58 S	..	..	·06	..	..	·			·17		10
11	·01	..	30	·03	..	·05	22	..	·			·07		11
12	·07	20	01	TR	·46	08	·01	·36	·05		01	·11		12
13	·05	·03	..	25	·01	·16	·	·10	04			·01		13
14	00	..	·05	·03	..		·01	·02	·02					14
15	·17	·13	..	30	..		1·80	..	·20			·27		15
16	·10	·09	·57	·03	..		—	18	·25					16
17	·52	·06	·22	..	..		·02	..	24		·03			17
18	·36	09	·17	·08	..		—	..	25		25	S ·18		18
19	·06	·05	·04	·02	..	·16	35	..			·03			19
20	·41	·10	16	·54	·12		·03	..	TR			·11		20
21	28	·24	32	·01	·		·11	..	TR	·08	..	·00		21
22	·09	·02	08	..	·14		·30	..	..	49	·42	·05		22
23	25	23	TR	..	·06		·02	..	..	15	16	01		23
24	33	56	·05	..	·		..	..	·01	1·02		01		24
4 25	·01	·49	..	..	04		..	..	..	·30		02		25
26	·01	·42	·01	..	42		..	..	..	·01		..		26
27	..	50 S	..	·10	TR	·	..	..	..	·64		·01		27
28	..	02 S	..	..	..		..	..	..	·18		01		28
29	20 S	..	..	..	..		..	..	..	·74	·03	01		29
30	33	✕	..	..	..	·02	..	..	..		06	..		30
31	·	✕	..	✕	..	✕	..	..	✕	·54	✕	..		31
TOTAL	4·09	5·09	2·73	1·89	1·90	·63	2·95	·75	1·76	4·64	1·46	2·07	Year's Total 29·96	✓
* Days with .01 in. or more.	24	25	16	16	12	~~8~~ 7	13	5	12	13	13	19	~~168~~	175 ✓
* Days with .04 in. or more.	19	20	13	10	11	6	6	4	9	10	6	10	124	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Marshall

[P.T.O.

File No 956239/29

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 223

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Sarnesfield Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 378 ft.

Jan. Feb. Oct. Dec. & Ann. Total Corr. for Arith. 1.3.39. EMF.
Rain day Ann. Total & Feb. Aug & Ann. Total Wet days Corr. for Arith. EMF.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07			--	·71		·51		·23	TR	·35		1
2		·02		03.	·10	Tr.		--		·19	·01	01		2
3	·01	--			·08	TR	02.	--		·53	·01			3
4		--			--		·25	·55		·29		·12		4
5	TR	--			--		10		·09	·15		·02		5
6	11	·06	Record Drought			04.	·75		·10	·13		·11		6
7	·05						·53	·32	·05	·06		·04		7
8	·25						[illegible]	·03		27		·08		8
9	·18	·09				·01	·21			·01		·65		9
10	·02				--	·10	·13	·26		·02		·36		10
11	·53	01				·04	01	·01		·01	20	·33		11
12	23				·07	TR				31	55	·03		12
13	TR				·01					TR	25	16 5		13
14	·33	--			·04		·27	--	01					14
15	·23				·05		·03				·03	81		15
16	·12	·04 5						·01		·03	·07	·08		16
17									·01	·06				17
18	·05				·04	06.		·18	·03	·02	·26			18
19	TR							·03	·01		20			19
20	·03				--		[illegible]				·22			20
21	·02				--			·02	·27	--	·13	S ·09		21
22	TR			·12	--			·07	·14	--	·33	S ·08		22
23	·06			·05	·01			TR	·16		·02			23
24		07	·06	--	·07			35	·03		·06			24
25	03	·08	·05	--	·13			TR		·24	·62	06	12	25
26	25	23		--	·07	·13			·07	·39		02		26
27	·03	·04		--	·58	15	·13	31	16	12	·33			27
28	13	·09		--		·09	--	·03	03	TR	·05	TR		28
29	17			--	·30	·01			·01		·08	05		29
30	·04	✕			·03	·13			31	TR	·32	S 10		30
31	·16	✕		✕	·24	✕		01	✕	·15	✕	28		31
TOTAL	3·~~4~~13	·~~6~~80	·11	·20	1·82	1·47	2·43	2·70	1·48	3·20	3·74	3·~~9~~83	Year's Total ~~25·13~~ 24·92	✓
* Days with .01 in. or more.	22	11	2	3	15	11	11	15	16	19	19	21	1~~5~~65	✓
* Days with .04 in. or more.	16	~~8~~9	2	2	12	9	8	~~9~~8	9	14	15	17	12~~4~~1	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) William Marshall

[P.T.O.

File No 956239/29.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2237

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Farnesfield Court

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 378 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	..		·05	·19	·11	..		·02	·03	..	·04	TR		1
2			·01	·05	..	..		·14	·30	·01	·20	·05		2
3	S ·12		·03	·39	..	..		·11	·05	..	·13	·48		3
4	S ·06		·11	·27	·18	..	·26	·05	·04	·35	·15	·15		4
5	..			·32	·03	..	·40	·07	..	·16	·41	TR		5
6	·55	·02		..	·01	..	·48	..	..		·04	TR		6
7	·02	·10		--		..	·33	·05	..		·20	·38		7
8	·02	·21	·35	..	·02		·40	·03	..	·60	·39	·08		8
9	..	·14	·01	..				·30	..	·28	·03	·10		9
10	·59		·04	..		TR		·03	·02	·36	·01	·03		10
11	..	·06	·11	--		·03	..	..	..	·02	TR	·05		11
12	·05	·08	..	..		·05	..	..	·06	·02	·02	TR		12
13			..	·18	·04		·30	--	·10	·17	TR			13
14	·56		·01	·01	·05	·05	·07	..	·05	·08	·27	·03		14
15	·41		..	·03	·02	·47	·80	..		·05	·17			15
16	·19		·04	..	·11	·01	·01	..	..	·64	·45			16
17	·30	·01	..	..	..	·03	·05	--	·03	·01	·02			17
18	·24	03	·01	..	..	·03	·13	--	--	..	·38			18
19	·21			..	..		·12	..	..	..	TR			19
20	·35			..	..		·14	·09		..		·03		20
21	·05	·10	·16	·02		·30	·08	..	..	..		..		21
22	·26	·60	·07	TR	..	·18	·64		..	·06	·61	..		22
23	TR	·05	..	·04	..	·06	·32		..	·02	·88	..		23
24	·27 S	·01	·04	·03	..		·03	..	..	·08	·01	..		24
25	S ·55	·10		·01	..		·06	..	--	·15	·48	..		25
26	·05 S	·08		·08	..		·09	·22	..	·01	·32	TR		26
27	·10 S	·27	·05		..	·01		·05	..	·05	·10	·04		27
28	·21	·16	·05		--	·09	·40	·01	..	·11	·18	·09 S		28
29	..	--	..	·34	—	·21	·32	..	..	·03	TR			29
30	..	✕	..	·13	--	·03	..	TR		TR	·05	·10 S		30
31	..	✕	--	✕	..	✕	·05	·67	✕	·12	✕	·01		31
TOTAL	4·96	2·02	1·14	1·89	·57	1·57	4·94	1·84	·66	3·38	~~6·77~~ 5·78	1·57	Year's Total ~~30·31~~	3032
* Days with .01 in. or more.	21	16	16	15	9	14	22	14	9	22	24	14	196	
* Days with .04 in. or more.	18	12	11	10	5	9	20	10	5	15	19	10	144	

S: Snow

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W Marshall

P.T.O.

COPY FOR OFFICIAL USE File No 95623a

Station No. A 2237

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 19~~3~~ 40

Dec. corr.d. for. Arith.

B.A. – Totals

Kept at Sarnesfield Grange

in the County of Wexford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	..	JR		JR	01	—	—	..	—	—	·33	..		1
2				·10		—	—	—	—	..	1.30	·14		2
3	..	·10		·01		—	—	..	—	·19	1.19	..		3
4	..	35		JR		—	—	—	—	·13	·32	..		4
5	..	10		..	25	—	·34	—	—	·24	·36	·15		5
6	·22	40		..		—	—	—	—	·24	·08	..		6
7	01	13		..	JR	—	·09	—	—	·05		·08		7
8				.02		—	..	—	·03	·13	05	·38		8
9				·01		—	·47	·08	·01	·20	·55	..		9
10			JR			—	·81		—	·14	·12	·20		10
11				·01		·14	·27			..	·44	—		11
12		52	·08	..		·01	..		·04	..	·13	—		12
13		01	43	..		—	..		·01		..	—		13
14			..	·07	15	..	..	·01	·03	·20	..	·85		14
15			..	..	1.02	·12	01	—	·10	·10	..	—		15
16			15	·01	·01	..	·31	—	·11	·42	..	—		16
17		45	·25	..		—	·01	—	—	..	..	—		17
18		35	23	42		—	—	—	·28	·15	·21	·10		18
19	08	08	08	39	—	—	·21	—	·05	..	·70	—		19
20			..	02		—	·13	·01	..	·10	·01	—		20
21			..	..	14	·47	·01	..	..		·05	..		21
22		01	·07	15	·05	·02	..	—	·05		·11	..		22
23		04	·04	04	17	..	·11	—		..	1.30	..		23
24		5	..	..	TR	..	·01				..	—		24
25	·54		..	..	·03		·07							25
26	·29	07	..	..	·09		·23	—		..	..	—		26
27	1.12	22	..	..	·05		·05	—			—	—		27
28	·59	16	..	·38	·13		—	—		..	..	—		28
29	·05	..	·06	·43	TR	07	·04	—		..	..	·25		29
30	·04	✗	..	·27			—	—		·41	—	..		30
31	·10	✗	·08	✗		✗	—	..	✗	·46	✗	—		31
TOTAL	3·54	2·53	1·47	2·33	2·09	·83	3·17	·10	·71	3·59	7·28	1·~~9~~6 5	Year's Total ~~29·59~~	29·29 ✓
* Days with .01 in. or more.	10	15	10	15	12	6	17	3	6	15	17	8	134	✓
* Days with .04 in. or more.	9	12	10	9	9	4	13	1	10	15	16	8	116	✓

† Spare column, no entries required.

(Signed) W Marshall

* See Instruction 3 (f) on other side.

[P.T.O.

WEOBLEY (THE GABL

Section **A** **for the entry o**
AIR MINISTR

FORM 1090.

REGIS

2237/5

WEOBLEY, THE GABLES

1934 → 35

7P 0403

Station No. 2237/5

L ORGANIZATION. Aut.

4.

VI/Hereford/1

C1934

Kept at The Gables, W

in the County of Her

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

Y.

An observer who does not conform t

year in the space on the right of t

following

Jan. 1, following

Date	Jan.	Feb.	March							.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	–	–	–	–	–	–	.37	.29	.06	.06	.42	1
2	.02	–	.03	–	–	–	–	.03	.25	.03	.03	.20	2
3	–	–	–	–	–	–	–	.05	–	.11	–	.33	3
4	.07	–	.10	–	.34	–	–	–	.05	.08	.12	.32	4
5	–	–	.08	.02	.20	–	–	1.20	–	.01	.17	.35	5
6	–	–	.01	–	.54	–	–	.05	–	.14	–	.35	6
7	.07	–	–	–	.01	–	–	.04	–	.12	–	.22	7
8	–	–	–	–	.20	–	–	.02	.22	–	.11	.55	8
9	–	–	.21	–	–	–	–	.03	–	–	.60	.08	9
10	.28	–	.13	.46	–	–	–	.06	–	–	.06	.01	10
11	.80	–	.05	.41	–	–	.07	.07	–	–	.01	.30	11
12	–	–	.01	.01	–	–	.68	–	–	–	–	–	12
13	.66	–	.02	.30	–	–	–	–	–	–	–	.14	13
14	.01	–	.55	–	–	.06	–	–	–	.10	.24	.11	14
15	.02	–	.38	–	.13	–	–	.01	–	.03	.31	.10	15
16	.19	–	.05	–	–	–	–	.01	–	–	.13	–	16
17	.05	–	–	.13	.08	–	.20	–	.21	–	–	.26	17
18	.26	–	–	.22	–	–	–	–	.05	–	–	~~.18~~ .16	18
19	–	–	.27	–	–	.07	–	–	.11	.05	–	.13	19
20	–	–	.36	–	–	–	–	.11	–	.06	.01	–	20
21	.05	–	–	–	.01	.04	–	.15	.01	.07	–	.02	21
22	.04	–	.13	–	.04	–	–	.26	.31	.04	–	.34	22
23	–	–	.09	.14	–	.78	–	–	.08	.05	–	–	23
24	–	.24	–	.19	–	.37	–	–	.15	.05	–	.03	24
25	.28	.01	–	.04	–	–	–	–	.03	.26	–	.54	25
26	.03	.01	–	.24	–	.13	–	–	.07	.09	–	.14	26
27	.01	–	–	.32	–	.13	.02	–	.06	.12	–	.13	27
28	–	–	–	.33	–	.08	–	.21	.15	.01	.03	.30	28
29	–		–	–	–	–	.19	.01	.11	.01	–	.02	29
30	.02	×	–	–	–	–	.07	.02	.03	.07	–	.23	30
31	–	×	–	×	–	×	–	.21	×	–	×	.09	31
TOTAL	2.97	.26	2.47	2.81	1.55	1.66	1.23	2.91	2.18	1.56	1.88	5.86	YEAR'S TOTAL 27.34
*Days with ·01 in. or more.	18	3	16	13	9	8	6	19	17	21	13	27	170
*Days with .04 in. or more.	12	1	12	11	7	8	5	12	14	16	9	23	130

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) Henry B Hall

P.T.O.

WEOBLEY (THE GAB

2237/5

Section **A** for the entry of Daily Observations. Station No. Unk.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

VI/Hereford/1

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Gables, Weobley

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 8 in.

,, Ground ,, Sea Level 336 ft.

Ok print C1934

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	–	–	–	–	–	–	.37	.29	.06	.06	.42	1
2	.02	–	.03	–	–	–	–	.03	.25	.03	.03	.20	2
3	–	–	–	–	–	–	–	.05	–	.11	–	.33	3
4	.07	–	.10	–	.34	–	–	–	.05	.08	.12	.32	4
5	–	–	.08	.02	.20	–	–	1.20	–	.01	.17	.35	5
6	–	–	.01	–	.54	–	–	.05	–	.14	–	.35	6
7	.07	–	–	–	.01	–	–	.04	–	.12	–	.22	7
8	–	–	–	–	.20	–	–	.02	.22	–	.11	.55	8
9	–	–	.21	–	–	–	–	.03	–	–	.60	.08	9
10	.28	–	.13	.46	–	–	–	.06	–	–	.06	.01	10
11	.80	–	.05	.41	–	–	.07	.07	–	–	.01	.30	11
12	–	–	.01	.01	–	–	.68	–	–	–	–	–	12
13	.66	–	.02	.30	–	–	–	–	–	–	–	.14	13
14	.01	–	.55	–	–	.06	–	–	–	.10	.24	.11	14
15	.02	–	.38	–	.13	–	–	.01	–	.03	.31	.10	15
16	.19	–	.05	–	–	–	–	.01	–	–	.13	–	16
17	.05	–	–	.13	.08	–	.20	–	.21	–	–	.26	17
18	.26	–	–	.22	–	–	–	–	.05	–	–	~~.18~~ .15	18
19	–	–	.27	–	–	.07	–	–	.11	.05	–	.13	19
20	–	–	.36	–	–	–	–	.11	–	.06	.01	–	20
21	.05	–	–	–	.01	.04	–	.15	.01	.07	–	.02	21
22	.04	–	.13	–	.04	–	–	.26	.31	.04	–	.34	22
23	–	–	.09	.14	–	.78	–	–	.08	.05	–	–	23
24	–	.24	–	.19	–	.37	–	–	.15	.05	–	.03	24
25	.28	.01	–	.04	–	–	–	–	.03	.26	–	.54	25
26	.03	.01	–	.24	–	.13	–	–	.07	.09	–	.14	26
27	.01	–	–	.32	–	.13	.02	–	.06	.12	–	.13	27
28	–	–	–	.33	–	.08	–	.21	.15	.01	.03	.30	28
29	–		–	–	–	–	.19	.01	.11	.01	–	.02	29
30	.02	×	–	–	–	–	.07	.02	.03	.07	–	.23	30
31	–	×	–	×	–	×	–	.21	×	–	×	.09	31
TOTAL	2.97	.26	2.47	2.81	1.55	1.66	1.23	2.91	2.18	1.56	1.88	5.86	YEAR'S TOTAL 27.34
*Days with ·01 in. or more.	18	3	16	13	9	8	6	19	17	21	13	27	170
*Days with .04 in. or more.	12	1	12	11	7	8	5	12	14	16	9	23	130

Ok print

40-9999

*See Instruction 2 (*f*) on other side,

N

(Signed) Henry B Hall

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2237/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Weobley

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 8 in.

,, Ground ,, Sea Level 336 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	.06	.09	.10	.03	.09	–	.14	.13	.01	.17		1
2	–	–	.01	–	–	.03	–	–	–	.26	.12	.20		2
3	–	.01	.10	–	–	.14	–	–	.01	.40	.32	–		3
4	.05	–	–	.10	–	.12	–	–	.08	.21	.06	.16		4
5	–	.34	.03	.08	–	.33	–	–	.04	.03	–	.01		5
6	–	–	.03	.36	–	.45	–	–	–	.21	.03	.16		6
7	–	–	–	.43	–	.13	–	–	–	.09	.03	.13		7
8	–	–	–	.35	–	.05	–	.10	–	.08	.10	.11		8
9	.06	.03	–	.33	–	.16	–	–	–	.36	.26	–		9
10	.03	–	–	.14	–	–	–	–	–	.08	.08	–		10
11	.21	.01	–	–	–	.13	–	–	–	–	.28	.01		11
12	.03	.02	–	–	–	.10	–	.09	–	–	.18	–		12
13	.08	.01	–	.20	.03	–	–	–	.09	.01	.08	–		13
14	–	–	–	.05	.12	.15	–	–	–	–	1.33	.12		14
15	–	.16	–	.67	.08	.16	–	–	.11	.05	.03	.16		15
16	–	.06	.10	.35	–	.11	–	–	.61	.08	.80	.08		16
17	–	–	–	.22	.02	.18	.10	–	.51	–	.03	–		17
18	–	–	–	.29	.15	–	–	–	.07	.09	–	–		18
19	–	–	–	.17	.17	.09	.28	–	.02	.08	.32	–		19
20	–	.33	–	.22	–	.02	.01	–	.02	.01	.96	–		20
21	–	.44	–	.04	–	–	–	–	.22	.02	.03	–		21
22	–	.05	.09	.45	–	–	–	–	.23	–	–	–		22
23	–	.09	.21	.03	.09	–	–	.10	.12	.49	–	.21		23
24	.12	.38	.05	–	–	.01	–	–	.59	.24	–	.30		24
25	.18	.22	–	.13	–	.72	–	–	–	–	–	.14		25
26	–	.25	–	–	–	–	–	.39	.10	.01	.06	.31		26
27	–	.16	–	–	.11	–	–	–	.04	–	.04	.08		27
28	–	.04	–	–	.01	–	–	.22	.11	.02	–	–		28
29	–		–	–	–	–	–	.01	.07	.04	.15	.20		29
30	.07	×	–	.22	–	.08	–	.36	.08	.25	.46	.27		30
31	–	×	–	×	–	×	–	–	×	.27	×	.57		31
TOTAL	.83	2.60	.68	4.92	.88	3.19	.48	1.27	3.26	3.51	5.76	3.39	Year's Total 30.77	
* Days with .01 in. or more.	9	17	9	21	10	20	4	7	20	24	23	19	183	
* Days with .04 in. or more.	7	12	6	20	7	16	3	6	17	18	17	17	146	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Henry B Hall

[P.T.O.

File Ref. 8

Section **A** for the entry

AIR MINIST

FORM 1090.

REGI

Kept at Ursa Ho

in the County of He

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEA

An observer who does not conform
year in the space on the right of

2238

2238

WEOBLEY, URSA HOUSE
1931 — 35

780403

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

31.

AY.

e following

Jan. 1, following

Date	Jan.	Feb.	March							t.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·03	—	·13	—	·19	—	Tr	·38	·18	—	—	1
2	·06	·03	—	·64	·09	·02	—	·10	·45	·01	·11	·13	2
3	·02	—	·02	·02	Tr	—	·03	Tr	·07	·01	1·46	·01	3
4	—	—	·07	·10	·11	·01	·25	·26	·07	—	·26	·01	4
5	—	·08	—	·06	—	·98	·03	·01	—	—	Tr	·32	5
6	Tr	·12	—	·11	·05	·05	·10	·02	·02	·25	·14	·06	6
7	—	·01	—	·01	—	·09	·79	·52	—	·05	·31	·03	7
8	·02	·04	—	·06	·05	·10	·01	·54	·01	Tr	·04	·07	8
9	·03	·17	—	·01	—	·09	Tr	·01	·02	·08	·55	·02	9
10	Tr	·01	—	—	·03	·01	·10	·01	·14	—	·68	Tr	10
11	·07	·25	—	—	·03	·01	·05	·01	·10	—	·22	—	11
12	·03	·04	—	—	—	—	·54	·03	·05	·03	—	—	12
13	Tr	Tr	·04	—	·02	·01	·01	·29	·03	—	·01	Tr	13
14	Tr	·03	·01	—	·06	·78	·30	·74	·02	—	·30	—	14
15	Tr	·07	—	·06	·05	·02	·24	·68	·05	—	·01	·06	15
16	·07	·21	Tr	·07	·21	·94	Tr	·13	·17	—	—	—	16
17	·01	·05	—	·19	·41	·20	·14	·01	·01	·01	·08	—	17
18	·05	·01	·09	·24	·01	·35	·01	·20	·01	—	·37	—	18
19	·01	·10	Tr	·04	—	·71	·01	·24	—	Tr	·04	Tr	19
20	—	·06	·12	·04	—	Tr	—	·05	—	Tr	·18	·04	20
21	·31	Tr	Tr	·01	·42	—	—	Tr	—	—	·20	Tr	21
22	·18	·01	·13	—	·06	—	·01	·04	—	—	·06	—	22
23	·12	—	Tr	·35	·55	·13	·02	—	—	—	·10	·09	23
24	·06	Tr	—	·59	·26	—	·25	—	—	—	·01	·01	24
25	·10	—	—	·41	·01	—	·07	—	—	—	·02	·01	25
26	Tr	·01	—	·01	—	—	·14	—	—	Tr	·48	—	26
27	·09	·52	·07	—	1·27	—	·01	—	—	·02	·07	·05	27
28	·05	·09	·10	·02	·28	—	·03	—	—	·03	Tr	·08	28
29	·07		·15	—	·19	—	·25	—	·05	—	·12	·01	29
30	·02	×	·01	·04	—	—	—	—	·04	—	Tr	—	30
31	·28	×	—	×	·09	×	—	—	×	—	×	·02	31
													YEAR'S TOTAL
TOTAL	1·62	1·94	·81	3·21	4·25	4·19	3·39	3·89	1·69	·67	5·82	1·02	32·50
*Days with ·01 in. or more.	21	21	11	22	21	18	23	19	18	10	24	17	225
*Days with ·04 in. or more.	12	13	8	16	16	12	13	12	11	4	20	9	146

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Alfred J Dean M.A.S.J. [P.T.O.

Section **A** for the entry File Ref. 8 2238

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ursa House Weobley

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

" Ground " Sea Level 320 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·03	—	·13	—	·19	—	Tr	·38	·18	—	—	1
2	·06	·03	—	·64	·09	·02	—	·10	·45	·01	·11	·13	2
3	·02	—	·02	·02	Tr	—	·03	Tr	·07	·01	1·46	·01	3
4	—	—	·07	·10	·11	·01	·25	·26	·07	—	·26	·01	4
5	—	·08	—	·06	—	·98	·03	·01	—	—	Tr	·32	5
6	Tr	·12	—	·11	·05	·05	·10	·02	·02	·25	·14	·06	6
7	—	·01	—	·01	—	·09	·79	·52	—	·05	·31	·03	7
8	·02	·04	—	·06	·05	·10	·01	·54	·01	Tr	·04	·07	8
9	·03	·17	—	·01	—	·09	Tr	·01	·02	·08	·55	·02	9
10	Tr	·01	—	—	·03	·01	·10	·01	·14	—	·68	Tr	10
11	·07	·25	—	—	·03	·01	·05	·01	·10	—	·22	—	11
12	·03	·04	—	—	—	—	·54	·03	·05	·03	—	—	12
13	Tr	Tr	·04	—	·02	·01	·01	·29	·03	—	·01	Tr	13
14	Tr	·03	·01	—	·06	·78	·30	·74	·02	—	·30	—	14
15	Tr	·07	—	·06	·05	·02	·24	·68	·05	—	·01	·06	15
16	·07	·21	Tr	·07	·21	·94	Tr	·13	·17	—	—	—	16
17	·01	·05	—	·19	·41	·20	·14	·01	·01	·01	·08	—	17
18	·05	·01	·09	·24	·01	·35	·01	·20	·01	—	·37	—	18
19	·01	·10	Tr	·04	—	·21	·01	·24	—	Tr	·04	Tr	19
20	—	·06	·12	·04	—	Tr	—	·05	—	Tr	·18	·04	20
21	·31	Tr	Tr	·01	·42	—	—	Tr	—	—	·20	Tr	21
22	·18	·01	·13	—	·06	—	·01	·04	—	—	·06	—	22
23	·12	—	Tr	·35	·55	·13	·02	—	—	—	·10	·09	23
24	·06	Tr	—	·59	·26	—	·25	—	—	—	·01	·01	24
25	·10	—	—	·41	·01	—	·07	—	—	—	·02	·01	25
26	Tr	·01	—	·01	—	—	·14	—	—	Tr	·48	—	26
27	·09	·52	·07	—	1·27	—	·01	—	—	·02	·07	·05	27
28	·05	·09	·10	·02	·28	—	·03	—	—	·03	Tr	·08	28
29	·02		·15	—	·19	—	·25	—	·05	—	·12	·01	29
30	·02	×	·01	·04	—	—	—	—	·04	—	Tr	—	30
31	·28	×	—	×	·09	×	—	—	×	—	×	·02	31
TOTAL	1·62	1·94	·81	3·21	4·25	4·19	3·39	3·89	1·69	·67	5·82	1·02	YEAR'S TOTAL 32·50
*Days with ·01 in. or more.	21	21	11	22	21	18	23	19	18	10	24	17	225
*Days with ·04 in. or more.	12	13	8	16	16	12	13	12	11	4	20	9	146

40-9999

(Signed) Alfred J Dean M.R.S.I.

[P.T.O.

*See Instruction 2 (*f*) on other side.

2238

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2238

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ursa House, Weobley
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 320 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	Tr	—	·11	1·94	·01	·02	·18	·03	·04	·07	·03	1
2	·12	Tr	—	·03	·26	—	Tr	·01	·11	·03	·02	·11	2
3	·04	·02	—	·32	—	—	·10	Tr	·06	·01	·02	·09	3
4	·01	Tr	—	·74	—	—	·03	—	—	—	·48	Tr	4
5	·45	Tr	·03	Tr	—	—	—	—	·12	—	·01	—	5
6	·39	—	·07	·15	·01	—	·06	—	·37	·07	Tr	—	6
7	·05	—	·16	·09	·12	—	·02	—	·21	1·08	·01	—	7
8	·01	—	·08	·03	Tr	—	Tr	—	—	·29	—	—	8
9	·72	·09	—	·05	Tr	—	—	—	—	·02	—	·01	9
10	·35	Tr	·01	·20	·05	·10	—	Tr	·12	·22	—	—	10
11	·06	·01	—	·09	·01	—	·03	—	Tr	Tr	·01	·09	11
12	·22	Tr	—	—	·14	—	·01	·02	·18	·33	·03	·01	12
13	·05	·02	—	·09	Tr	—	·65	·18	·01	·09	·70	·19	13
14	·22	—	—	·10	·03	—	·04	·02	—	·01	·09	·01	14
15	Tr	—	—	·03	·35	—	—	Tr	—	·04	Tr	Tr	15
16	·27	—	—	·37	—	—	·10	—	—	·01	—	—	16
17	·01	—	—	·01	·02	—	·06	Tr	—	·03	·01	—	17
18	—	—	—	—	·05	—	—	Tr	·02	—	·29	—	18
19	—	—	—	·03	·07	—	—	Tr	—	·08	·01	Tr	19
20	—	—	—	·18	·78	—	·01	1·78	—	·84	·01	·02	20
21	Tr	—	·12	·16	·14	—	—	·34	—	1·03	·03	·25	21
22	·01	—	·02	·01	·40	—	·07	—	·73	·10	x ·35	·05	22
23	Tr	Tr	·04	—	·51	—	·02	—	·02	·20	x	·07	23
24	·04	·02	—	·01	Tr	—	·01	—	·04	·03	·02	—	24
25	·02	—	—	·04	—	—	·02	—	·04	·26	·02	·01	25
26	Tr	·01	·07	·15	·06	—	·07	—	·05	·07	·10	Tr	26
27	—	—	·46	·20	·52	—	·03	—	—	·20	·01	Tr	27
28	—	—	·09	·04	·18	·02	·10	·01	—	·41	·01	·01	28
29	—	—	·33	·23	·13	·10	·02	·31	·26	x	·04	·25	29
30	Tr	X	·10	·14	·15	·62	x ·52	·05	·22	·02	·23	·09	30
31	—	X	·01	X	·01	X	x	·02	X	—	X	·42	31
													YEAR'S TOTAL
TOTAL	3·06	·17	1·59	3·60	5·63	·85	1·99	2·92	2·59	5·51	2·57	1·71	32·19
*Days with ·01 in. or more.	19	6	14	26	22	5	22	11	17	26	24	17	209
*Days with .04 in. or more.	13	1	10	19	17	3	11	6	13	~~[illegible]~~ 17	10	10	~~[illegible]~~ 130

40-9999
*See Instruction 2 (*f*) on other side,

(*Signed*) Alfred J Dean

P.T.O.

1/17 2238

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2238

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Weobley

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 320 ft.

Est March

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·23	·10	·10	·08	—	—	—	—	—	·10	·01	·15		1
2	·22	—	·34	·01	·27	—	—	—	—	—	·01	—		2
3	·02	·13	·05	Tr	·06	·04	—	—	—	—	Tr	—		3
4	·10	·01	✓	—	·16	—	—	—	—	—	—	—		4
5	·17	·02	+	—	·09	—	—	—	—	—	—	—		5
6	·01	·29	✓	—	·19	—	—	—	—	·29	—	—		6
7	Tr	·02		—	·01	—	·05	·01	—	·28	—	·01		7
8	·01	Tr	+	—	·02	—	·15	—	—	·02	—	Tr		8
9	—	·01		—	·04	·04	·37	—	—	1·17	·01	—		9
10	·08	·08		—	—	—	·03	·03	—	2·55	·06	—		10
11	—	—		—	—	·14	·09	·01	—	·02	—	—		11
12	—	—		—	—	—	·18	—	·02	Tr	—	·02		12
13	—	—		—	·11	·05	·09	·03	—	·39	·13	—		13
14	·02	—		—	—	—	·07	·63	—	·25	·08	—		14
15	·26	—	+·55	—	Tr	—	—	·01	—	·06	—	·04		15
16	·04	·02	·41	—	—	·04	·04	—	—	·03	·01	—		16
17	·01	·06	·36	—	—	·09	Tr	Tr	·01	—	·03	—		17
18	·06	—	·15	—	—	·14	—	·02	—	—	·03	·02		18
19	Tr	·02	·22	—	—	·02	·14	—	·25	—	·32	·01		19
20	—	·04	·01	—	—	·33	Tr	—	·18	—	Tr	·02		20
21	—	·02	—	—	·14	·19	—	·02	—	·06	·01	Tr		21
22	—	—	—	·04	·05	Tr	—	·17	·24	·08	·01	—		22
23	—	·29	—	·15	—	·28	—	—	·10	·27	Tr	—		23
24	—	1·05	—	·09	·04	·20	—	—	·02	·28	—	·02		24
25	—	1·06	—	·13	·01	·09	—	—	·12	—	—	·21		25
26	—	·69	—	·05	·25	—	—	—	·15	·13	—	·01		26
27	—	·04	—	—	·09	—	—	—	·02	—	—	·16		27
28	—	·11	—	·30	·03	—	·01	—	·01	·03	—	·02		28
29	·44		·02	·05	—	—	·01	—	Tr	·01	—	·01		29
30	·03	×	·06	·04	—	—	·03	—	·19	Tr	—	—		30
31	·16	×	·08	×	—	×	—	·09	×	·05	×	—		31
TOTAL	1·86	4·06	2·35	·94	1·56	1·65	1·28	1·02	1·31	6·02	·71	·70	Year's Total 23·46	
*Days with ·01 in. or more.	16	19	16	10	16	13	13	10	12	19	12	13	169 155	
*Days with .04 in. or more.	10	12	12	9	12	12	9	3	7	14	×4	4	96 108	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Alfred J Dean

[P.T.O.

W.W.W.J.
✓✓ JCK

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2238

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Weobley

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 320 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	—	—	—	—	—	—	·03	·10	·03	·10	·44		1
2	—	—	—	—	—	—	—	·33	~~·24~~ ·17	·06	·06	·15		2
3	·02	—	·02	—	—	—	—	·04	·23	·05	·04	·15		3
4	—	·01	—	—	—	—	—	—	tr	·11	—	·37		4
5	·06	tr	·09	—	·32	—	—	tr	·04	·06	·10	·28		5
6	—	—	·07	·01	·17	—	—	1·14	—	·02	·15	·39		6
7	·01	—	·01	—	·48	—	—	·04	·01	·13	—	·18		7
8	·06	—	—	—	·01	tr	—	·12	tr	·10	—	·47		8
9	—	—	—	—	·19	—	—	·02	·20	tr	·10	·08		9
10	·01	—	·20	—	tr	—	—	·09	—	—	·58	·01		10
11	·23	—	·12	·43	tr	—	—	·06	—	tr	·06	·27		11
12	·76	—	·04	·39	—	—	·05	·05	—	—	·01	·01		12
13	·01	—	·01	·02	—	—	·65	·01	—	—	·01	·12		13
14	·59	—	·02	·27	—	—	—	—	tr	·03	—	·08		14
15	·02	—	·55	tr	—	·05	—	—	—	·05	·23	·07		15
16	·02	—	·55	tr	—	—	·02	·01	—	·03	·27	·03		16
17	·18	—	·28	·25	·01	—	—	·02	tr	·01	·18	·25		17
18	·05	—	·10	·01	tr	—	·02	tr	·05	—	—	·13		18
19	·25	—	·10	·01	tr	—	·16	—	·18	tr	·01	·12		19
20	·01	—	·27	—	—	·05	—	·02	·11	·08	—	tr		20
21	—	—	·02	·01	—	tr	—	tr	—	tr	·01	·02		21
22	—	—	tr	—	—	·02	—	·05	tr	·05	tr	·32		22
23	·07	—	·11	—	·03	—	·01	·44	·30	·12	tr	·02		23
24	—	—	·07	·17	·01	·78	—	·02	·02	·01	tr	·03		24
25	—	·23	tr	·13	·02	·37	—	—	·17	·30	tr	·55		25
26	·26	—	tr	·05	—	tr	—	—	—	·30	—	·10		26
27	·04	·01	·01	·01	—	·11	—	—	·05	·05	tr	·14		27
28	—	—	—	·15	—	·10	·01	—	·05	·10	tr	·27		28
29	—	—	—	·45	—	·06	—	·17	·15	·01	—	·02		29
30	—	×	—	—	—	—	·02	·02	·05	·01	—	·22		30
31	·02	×	—	×	—	×	·20 ·83	·04 ·16	× ·83	·06 ·10	×	tr		31
TOTAL	~~2·84~~ 2·67 ✓	·25 ✓	~~2·84~~ 2·64 ✓	~~2·48~~ 2·36 ✓	~~1·39~~ 1·24	1·54 ✓	~~1·14~~ 1·12	~~2·72~~ 2·79	~~1·88~~ 1·81	~~1·94~~ 1·84	~~1·91~~ 1·81	5·29	Year's Total. ~~25·52~~	25·41 ✓
* Days with .01 in. or more.	~~22~~ 19 ✓	3 ✓	19 ✓	15 ✓	~~11~~ 9	8 ✓	~~9~~ 10	20 ✓	~~15~~ 16	23 ✓	~~15~~ 14	29 ✓	~~187~~ 185	✓
* Days with .04 in. or more.	~~12~~ 11	1 ✓	~~12~~ 13	~~10~~ 9	~~6~~ 4	7 ✓	4 ✓	~~12~~ 13	13 ✓	~~15~~ 16	~~11~~ 10	22 ✓	~~125~~ 123	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Alfred J Dean ✓ [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2238.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Weobley Urso House.

in the County of Hereford.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 320 ft.

Gauge moved to Much Marcle

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	-												1
2	-	-												2
3	·02	-												3
4	-	-												4
5	·06	-												5
6	-	·18												6
7	·01													7
8	-													8
9	-													9
10	·01													10
11	·23													11
12	·76													12
13	·01													13
14	·59													14
15	·01													15
16	-													16
17	-													17
18	-													18
19	-													19
20	-													20
21	·01													21
22	-													22
23	-													23
24	-													24
25	·11													25
26	·25													26
27	-													27
28	-													28
29	·03													29
30	-	X												30
31	-	X		X		X			X		X			31
TOTAL	2·27												Year's Total.	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

Moved to Much Marcle

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side. (*Signed*) [P.T.O.

2239

Section **A** for the entry of D

AIR MINISTRY.-

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

2239

PEMBRIDGE, MOOR COURT

1931 — 38, 1940

780403

Kept at Moor C

in the County of Heref

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE

An observer who does not conform to th

year in the space on the right of this

owing

Jan. 1, following

PI

Date	Jan.	Feb.	March	A							Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.03	2.00	·59	3.20	4.53	4.26	2.66	3.68	1.57	·50	6.31	·94	YEAR'S TOTAL 32.27
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

2239

Section **A** for the entry of D COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Moor Court
in the County of Hereford
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.03	2.00	·59	3.20	4.53	4.26	2.66	3.68	1.57	·50	6.31	·94	YEAR'S TOTAL 32.27
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) .... [P.T.O.

2239

Section | **A** | for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Pembridge, Moor Court

in the County of Herefordshire

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 400 ft.

Copied from Original in file. 740083/27.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			·10	1·55	·01	·03	·33	·02	·11	·03		1
2	·05			·01	·22				·08	·01		·12	2
3		·03		·15	·02		·20			·06		·09	3
4				·67			·05				·54		4
5	·32		·02						·10				5
6	·39		·10	·25			·14		·29	·02			6
7			·13	·09	·35		·02		·03	·62			7
8			·13	·03					·15				8
9	·46			·02	·01					·48			9
10	·32	·04		·36	·03	·16			·10	·12			10
11	·09			·08	·01		·03				·01	·04	11
12	·43				·16				·20	·30	·03		12
13	·05			·08	·02		·59	·20	–	·15		·14	13
14	·13			·06	·01		·09	·03	–		·10	·01	14
15				·03	·30					·03			15
16	·29			·33			·27						16
17					·09		·09			·03			17
18					·02						·29		18
19				·10	·03					·06	·03		19
20					·65			2·58		·83	·04	·07	20
21	·02		·11	·11	·10			·38		·59		·18	21
22				·19	·03		·05		·55	·31	·10	·08	22
23		·01	·08						·15	·13	·28	·05	23
24	·05						·05		·01	·08	·02		24
25	·04				·30				·04	·19	·01		25
26			·10	·15	·09		·02		·03	·17	·05		26
27			·38	·20	·43		·06			·18			27
28			·22	·10	·17	·05	·12						28
29			·25	·09	·29	·29	·01	·24	·25	·56	·04	·20	29
30		×	·13	·19	·08	·48	·11	·06	·16		·45	·07	30
31		×		×		×	·26		×		×	·33	31
TOTAL	2·76	·08	1·65	3·39	4·96	·99	2·19	3·82	2·16	5·03 ~~5·13~~	2·02	1·38	YEAR'S TOTAL 4 30·~~5~~3
*Days with ·01 in. or more.	14	3	11	22	23	5	18	7	16	21	15	12	167
*Days with ·04 in. or more.	13	1	10	18	14	4	13	6	11	17	9	11	127

40-9999

(Signed).. P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2239.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Pembridge (Moor Court)

in the County of Herefordshire

Diameter of Funnel of Gauge ...... in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level 400 ft.

Copied by B.R.O. from letter.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	.08	.06							.12		.19	1
2	.13		.40		.21	.04							2
3	.12	.14	.10		.09								3
4	.11		.01		.07								4
5	.20		.30										5
6	-	.31			.35					.18			6
7	.02						.18			.27			7
8		.01	.08				.14						8
9		.04			.03	.02	.40			1.44	.02		9
10	.09						.01			2.30	.07		10
11						.13	.14	.01		.08			11
12					.01		.10					.03	12
13					.08	.01	.24	.03		.09	.11		13
14	.04						.04	.45		.22	.08		14
15	.26		.05				.20	.09		.06		.01	15
16			.40							.05			16
17			.30			.08	.02		.06		.03		17
18	.08		.09			.15					.03		18
19			.36				.05		.21		.31		19
20		.08	.04			.07			.31				20
21		.02			.14	.93		.02		.06			21
22					.29	.03		.19	.10	.05			22
23				.15		.28			.22	.16			23
24		.95		.15		.19			.01	.29			24
25				.17	.02	.25			.12			.15	25
26		1.40		.08	.11				.20	.14		.01	26
27		.05			.05				.01			.14	27
28		.12		.18	.01		.01			.03		.03	28
29	.09	✕	.02	.09									29
30		✕	.07	.10			.09		.09	.01		.13	30
31	.20	✕	.09	✕		✕	.01	.08	✕	.05	✕		31
TOTAL	1.59	3.20	2.37	0.92	1.46	2.18	1.63	0.87	1.33	5.60	0.65	0.69	YEAR'S TOTAL 22.49
*Days with .01 in. or more.	12	11	15	7	13	12	14	7	10	18	7	8	134.
*Days with .04 in. or more.	11	9	13	7	9	9	10	4.	8	16	4	4	104.

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) ....

P.T.O.

Copy from MSS. in file 740083/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 2239

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Moor Court: Pembridge

in the County of Hereford.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

I hope to send you the rainfall of Kington Golf Links later. C. A. Benn

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07							·23	·05	·06	·02	·30		1
2			·02					·03	·15		·01	·14		2
3								·03		·13		·17		3
4	·05		·10		·15				·44	·10	·10	·33		4
5			·04		·10			·84			·11	·39		5
6					·37			·15		·16		·46		6
7	·02	·01			·02			·09		·04	·14	·15		7
8					·21			·01				·42		8
9			·21						·04		·47	·06		9
10	·13		·14	·45				·10			·10			10
11	·70		·05	·46			·01	·05				·16		11
12				·06			1·81	·05			·02			12
13	·54			·18			·10					·05		13
14	·01		·39			·05				·06	·17	·06		14
15	·04		·44		·16		·01				·16	·15		15
16	·17		·20		·02						·15	·02		16
17	·05		·02	·10	·02		·19		·15			·19		17
18	·25			·19					·02			·15		18
19			·24			·09			·07	·07		·20		19
20									·01			–		20
21						·02	·04	·03		·17		·02		21
22	·10							·30	·30	·09		·39		22
23			·08	·14	·06	·68		·01				·01		23
24		·23	·04			·29			·18	·02		·02		24
25	·30			·07						·23		·47		25
26	·02			·29		·14			·08			·02		26
27				·05		·16			·05	·07		·09		27
28				·50		·08		·21	·11	·04	·05	·57		28
29							·31	·02	·09		·01	·04		29
30		×					·01	·01	·05			·30		30
31		×		×		×	·03		×	·06	×	·13		31
TOTAL	2·45 ✓	·24 ✓	1·97 ✓	2·49 ✓	1·11 ✓	1·51 ✓	2·51 ✓	2·16 ✓	1·79 ✓	1·30 ✓	1·51 ✓	5·56 ✓	Year's Total. 24·60	✓
* Days with .01 in. or more.	14	2	13	11	9	8	9	16	15	14	13	28	152	
* Days with .04 in. or more.	11	1	11	11	6	7	5	9	13	13	9	24	120	

40-9999

† Spare column no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2239

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Pembridge (Moor Court)

in the County of Herefordshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Copied in M.O. 7. from original records sent by observer

~~Figures in Red are barrow figures which have been corrected~~ G.T.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·03	·01	·10	·01	·12		·11	·20		·19		1
2			·01							·09	·22	·20		2
3			·09			·19			·01	·28	·35			3
4	·04			·06		·05			·08	·25	·03	·20		4
5	·01	·34	·04	·07		·01			·07	·03	·02			5
6				·31		·45				·20		·13		6
7			·03	·40		·17				·13	·05	·12		7
8				·26		·04		·05		·16	·09	·17		8
9	·05			·52		·19				·30	·18			9
10	·01			·09						·10	·04			10
11	·20					·17					·16			11
12	·02	·02				·05		·07			·17			12
13	·06			·15					·20		·20			13
14					·10	·12			·22		1·20	·12		14
15		·20		·53	·07	·02			·35		·02	·16		15
16		·12	·11	·35		·04	·02		·35	·15	·67	·15		16
17				·35		·09	·05		·08		·68			17
18				·34	·05	·03			·35	·04				18
19				·12	·14	·16	·23		·01	·12	·20			19
20		·42		·20		·02					1·02			20
21		·33		·02					·25	·03	·15			21
22		·11		·15					·14					22
23		·10	·22		·05			·02	·05	·37				23
24		·34	·02					·01	·65	·38		·49		24
25	·31	·40		·12		·35				·03		·17		25
26		·22						·50	·11		·06	·35		26
27		·07							·01		·02	·14		27
28		·02						·24	·17			·02		28
29	·01								·13	·09	·12	·10		29
30		×		·22		·05		·27	·10	·11	·49	·17		30
31		×		×		×			×	·34	×	·49		31
													Year's Total.	
TOTAL	·71	2·69	·55	4·27	~~·49~~ ·51	2·21	·42	1·76	3·44	3·40	5·54	3·37	28·2~~5~~7	
* Days with .01 in. or more.	9	13	8	19	6	19	4	7	20	20	22	17	164	
* Days with .04 in. or more.	5	11	4	17	~~5~~6	14	3	5	17	17	18	16	13~~2~~3	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) G. A. BENN ESQ. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2239

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Pembridge (Moor Court)
in the County of Herefordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·05		·37		·40	·05	·06			·08	·02		1
2				·11		·52	·09	·01			·02			2
3						·02			·66					3
4	·07		·07			·45			·41		·45	·10		4
5	·36	·06	·12		·21		·03	·01	·05		·03	·16		5
6	·55		·05			·05	·20	·08			·40	·02		6
7	·06		·04				·40		·20		·20			7
8	·29		·23				·01				·61			8
9	·38		·12			·09	·64		·18	·01	·03	·01		9
10	·16						·12				·10			10
11		·14		·04		·23	·02		·05		·82			11
12				·01		·12	·73		·24		·10	·28		12
13							·18			·01	·01	·67		13
14				·16		·02	·09		·10		·05	·33		14
15					·43			·03	·06		·02	·05		15
16		·07		·10	·06		·03				·15	·01		16
17	·18	·51		·07	·01		·25			·05	·03	·24		17
18		·35				·02	·40	·03		·26		·03		18
19	·62	·11						·08						19
20	·05	·18	·14	·05		·70			·16					20
21	·06		·09	·75		1·99			·05					21
22		·28	·16		·09	·09	·30							22
23	·07		·21	·08	·20		·36			·05				23
24	·19	·03		·01	·01		·05		·17	·28				24
25	·30		·25	·39					·60	·14				25
26	·05	·03	·40			·51	·30			·04	·03			26
27	·06		·10				·06			·09				27
28	·32	·09	·13							·01	·02	·20		28
29	·01	·02	·07		·01	·82	·10				·01	·11		29
30	·06	✕								·63	·01			30
31	·64	✕	·27	✕	·18	✕	·03		✕		✕	·40		31
TOTAL	4·68	1·92	2·45	2·14	1·20	6·03	4·45	·30	2·93	1·57	3·17	2·63	Year's Total 33·46	
* Days with .01 in. or more.	21	13	16	12	9	15	22	7	13	11	20	15	174	
* Days with .04 in. or more.	20	10	16	10	6	12	17	3	13	8	10	10	135	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) J. A. Benn. [P.T.O.

Copied in B.R.O. from observer's record.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Copy by BRO. **Station No.** 2239

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Moor Court, Lyonshall

in the County of Hereford

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·04	·07	·10					·08	·09	·07	·41		1
2	·05	·25		·14							·01	·25		2
3		·35			·17		·02					·02		3
4		·11			·08			·03				·32		4
5	·35		·18	·01			·05							5
6	·12	·10	·09	·19	·04					·07				6
7		·80		·13		·11					·02			7
8		·20	·03		·11	·01	·02				·31			8
9		·04		·02	·17		·24		·42			·02		9
10	·07	·08	·40			·03						·20		10
11			·49	·01	43	·05	·18					·05		11
12	·20	·25	·04			·53		·20	·07		·01			12
13		·05		·27		·16		·22	·06			·04		13
14			05	·01				·02	·03					14
15	·12	·10		·35			1·75		·15			·25		15
16	·04	·25	·51					·20	·14					16
17	·35	·08	·24											17
18		·05	·20	·08			·01		·31		·33	·18		18
19	·05	·07	·14	·01		·26			·01		·02	·11		19
20		·11	·08	·51	·05					·01				20
21	·35	·21	·21				·20					·01		21
22	·06	·03	·10		·29		·35			·52	·48	·08		22
23	·15	·15			·07		·02			·12	·24			23
24	·28	·75	·05				·01			·98				24
25	·02	·53	·01		·01				·08	·26	·01	·04		25
26		·45			·29							·02		26
27		·25		·08						·59				27
28		·12												28
29		×				·01				·71				29
30	·27								·01	·01	·07			30
31	·30									·45				31
TOTAL	2·88	5·42 ~~5·38~~	2·89	1·91	1·71	1·16	2·85	·67	1·36	3·81	1·57	2·00	Year's Total 28·23	✓
* Days with .01 in. or more.	17	25	17	14	11	8	11	5	11	11	11	15	156	✓ 156
* Days with .04 in. or more.	16	24	15	9	10	5	6	3	8	9	6	11	122	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2239

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Moor Court, Lyonshall

in the County of Hereford

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Mar days est by surr. stns.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·10										·25		1
2		·04				·71		·39		·30		·27		2
3				·03	·10		·01			·14		·02		3
4	·01				·08		·01			·77	·04			4
5		·02					·31	·30		·33		·09		5
6	·12	·05					·04	·01	·07	·19		·01		6
7	·06					·13	·84		·14	·16		·10		7
8	·26						·69	·50	·07	·11		·01		8
9	·21	·02					·01			·25		·08		9
10	·10					·02	·09					·46		10
11	·56	·01				·13	·09	·45		·01		·31		11
12	·28					·03		·03		·03	·12	·33		12
13					·20					·32	·49	·01		13
14	·35				·10				·01		·27	·14		14
15	·28				·03		·20		·03					15
16	·12				·01		·05				·05	·40		16
17		·06			·01			·03	·14		·10	·03		17
18	·06											·04		18
19	·02					·06		·15			·35			19
20	·04							·07			·19			20
21					·74				·03		·34			21
22	·01										·13			22
23								·06	·04		·46	·09		23
24	·08	·06	(·05)	·04	·04				·22	·06	·08			24
25	·07	·17	(·10)					·34			·06			25
26	·28	·27			·05		·06		·05	·29	·67	·05		26
27	·03	·06			·10	·18				·33	—			27
28	·20	·07			·67	·11	·07	·35	·24	·16	·35			28
29	·21					·19		·02	·02		·08			29
30	·05	✕			·54	·02			·30		·08	·06		30
31	·10	✕		✕	·24	✕			✕	·13	✕	·10		31
TOTAL	3·50	·93	·15	·07	2·91	1·58	2·47	2·70	1·36	3·58	3·86	2·85	Year's Total 25·96	
* Days with .01 in. or more.	23	12	2	2	14	10	13	13	13	16	17	20	155	
* Days with .04 in. or more.	19	9	2	1	11	7	10	9	9	14	17	15	123	

† Spare column, no entries required.

(*Signed*) C. A. Beaux

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2239

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Pembridge, Moor Court

in the County of Herefordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

740083/27

Copy by B.R.O.

Jan + Feb. apportioned

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·01	·01	·03	-	-	-	-	-	·48	-		1
2	-	- ✓	-	·16	-	-	-	-	-	-	1·07	·08		2
3	-	~~·02~~ +	-	·04	-	-	·01	-	-	·13	1·12	·02		3
4	-	(·51) +	-	·06	-	-	-	-	-	·17	·12	-		4
5	-	-	-	-	·28	-	·12	-	-	-	·48	·29		5
6	·20	·67	-	-	-	-	-	-	-	·05	·05	·17		6
7	·02	·26	-	·01	·01	-	·19	-	-	·26	-	·05		7
8	-	-	-	·01	·02	-	-	-	·02	·09	·03	·25		8
9	-	-	-	·03	-	-	·82	·03	·01	·09	·54	·23		9
10	-	-	-	-	-	-	·88	·02	-	·17	·10	·31		10
11	-	-	-	·03	-	·13	·21	-	-	·16	·68	·01		11
12	-	·02	·09	-	-	·04	·17	-	·04	-	·17	-		12
13	-	-	·21	-	-	-	-	-	·02	-	-	-		13
14	-	-	·11	·06	·12	-	-	-	·05	·16	-	·46		14
15	-	-	-	·01	1·12	·09	-	-	·11	·06	·23	·02		15
16	-	-	·10	-	-	-	·27	-	·15	·84	·75	·02		16
17	-	-	·20	·36	-	-	·03	-	·04	-	·01	-		17
18	-	·66	·31	-	-	-	-	-	·29	·11	·09	·08		18
19	-	·33	·09	·35	-	-	·21	-	·03	-	·20	-		19
20	-	-	-	·04	-	-	·07	·02	-	·09	·02	-		20
21	-	-	-	-	·13	·39	·03	-	-	-	1·41	-		21
22	-	-	·08	·12	·08	·09	-	-	·05	-	-	-		22
23	-	-	·11	·04	·11	-	-	-	·03	-	·01	-		23
24	·20	·03	-	-	-	-	·06	-	-	-	-	-		24
25	-	-	-	-	·04	-	-	-	-	-	-	-		25
26	1·27	·18	-	-	·07	-	·15	-	-	-	·02	-		26
27	·90	·38	-	-	·04	-	·05	-	-	-	-	-		27
28	- +	·15	-	·25	·08	-	·03	-	-	-	-	-		28
29	- + (·88)	-	·07	·46	-	·03	-	-	-	·01	-	·16		29
30	- ✓	X	-	·44	-	-	-	-	-	·32	-	-		30
31	- +	X	·06	X	-	X	-	-	X	·91	X	·02		31
TOTAL	3·47 ~~2·59~~	3·19 ~~4·07~~	1·44	2·48	2·13	·77	3·30	·07	·84	3·62	7·58	2·17	Year's Total 31·06	
* Days with .01 in. or more.	5	11	12	18	13	6	16	3	12	16	20	15	147	
* Days with .04 in. or more.	4	9	11	12	0	5	12	-	7	15	15	10	110	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mrs. C. A. Benn

P.T.O.

2240

Section A for the entry of

AIR MINISTR

FOR OFFICIAL USE.

L ORGANIZATION.

FORM 1090.

REGIS

2240

HEREFORD, BURTON COURT

1931—40

78 0403

Kept at Burton Court

in the County of Heref

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform to … *following*
year in the space on the right of th

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	04	·00	13	00	09	00	00	55	16	00	00	1
2	06	05	00	69	10	03	00	08	42	02	14	20	2
3	02	00	02	00	00	00	03	00	11	02	1·34	10	3
4	00	00	04	05	04	01	26	50	10	00	35	00	4
5	00	07	00	06	04	1·15	04	00	00	00	01	32	5
6	00	15	00	14	04	03	30	04	04	28	14	09	6
7	00	00	00	01	01	03	81	50	00	06	24	03	7
8	05	07	00	05	11	18	00	59	00	04	08	05	8
9	02	18	00	01	00	07	01	01	00	09	60	00	9
10	00	02	00	00	04	08	03	04	12	00	72	00	10
11	08	38	·00	00	00	07	04	03	13	00	24	00	11
12	01	04	00	00	00	00	51	00	08	03	01	00	12
13	00	00	05	00	01	03	03	12	04	01	00	00	13
14	00	04	00	00	05	90	28	89	03	00	25	00	14
15	00	08	00	12	07	02	35	53	00	00	00	08	15
16	02	20	00	07	19	1·13	01	37	24	00	00	00	16
17	04	06	00	29	53	11	14	00	01	02	08	00	17
18	03	00	11	25	00	31	04	22	00	00	49	00	18
19	01	08	00	04	00	40	01	40	00	00	04	00	19
20	00	05	10	05	00	00	00	07	00	00	17	06	20
21	54	00	01	01	41	00	00	00	00	00	19	00	21
22	54	00	26	00	00	00	01	35	00	00	03	00	22
23	21	00	00	46	75	08	03	00	00	00	17	25	23
24	08	01	00	30	42	00	23	00	00	00	03	02	24
25	11	01	00	43	03	00	07	00	00	00	03	00	25
26	03	01	00	02	00	00	08	00	00	00	50	00	26
27	10	48	06	00	1·75	00	04	00	00	03	06	04	27
28	04	07	10	00	43	00	00	00	00	02	02	03	28
29	03		10	00	30	00	20	00	06	05	05	00	29
30	00	×	02	04	00	00	00	00	03	00	00	00	30
31	38	×	00	×	11	×	00	00	×	00	×	03	31
TOTAL	2·42	2·09	·87	3·22	5·43	4·72	3·55	4·74	1·96	·83	5·98	1·30	YEAR'S TOTAL 37,11
*Days with ·01 in. or more.	21	20	11	20	20	18	23	16	14	13	25	13	214
*Days with ·04 in. or more.	12	16	8	16	17	12	15	14	11	6	19	9	155

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

2200

Section **A** for the entry of [redacted]

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Burton Court

in the County of Hereford

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	04	00	13	00	09	00	00	55	16	00	00	1
2	06	05	00	69	10	03	00	08	42	02	14	20	2
3	02	00	02	00	00	00	03	00	11	02	1·34	10	3
4	00	00	04	05	04	01	26	50	10	00	35	00	4
5	00	07	00	06	04	1·15	04	00	00	00	01	32	5
6	00	15	00	14	04	03	30	04	04	28	14	09	6
7	00	00	00	01	01	03	81	50	00	06	24	03	7
8	05	07	00	05	11	18	00	59	00	04	08	05	8
9	02	18	00	01	00	07	01	01	00	09	60	00	9
10	00	02	00	00	04	08	03	04	12	00	72	00	10
11	08	38	00	00	00	07	04	03	13	00	24	00	11
12	01	04	00	00	00	00	51	00	08	03	01	00	12
13	00	00	05	00	01	03	03	12	04	01	00	00	13
14	00	04	00	00	05	90	28	89	03	00	25	00	14
15	00	08	00	12	07	02	35	53	00	00	00	08	15
16	02	20	00	07	19	1·13	01	37	24	00	00	00	16
17	04	06	00	29	53	11	14	00	01	02	08	00	17
18	03	00	11	25	00	31	04	22	00	00	49	00	18
19	01	08	00	04	00	40	01	40	00	00	04	00	19
20	00	05	10	05	00	00	00	07	00	00	17	06	20
21	54	00	01	01	41	00	00	00	00	00	19	00	21
22	54	00	26	00	00	00	01	35	00	00	03	00	22
23	21	00	00	46	75	08	03	00	00	00	17	25	23
24	08	01	00	30	42	00	23	00	00	00	03	02	24
25	11	01	00	43	03	00	07	00	00	00	03	00	25
26	03	01	00	02	00	00	08	00	00	00	50	00	26
27	10	48	06	00	1·75	00	04	00	00	03	06	04	27
28	04	07	10	00	43	00	00	00	00	02	02	03	28
29	03		10	00	30	00	20	00	06	05	05	00	29
30	00	×	02	04	00	00	00	00	03	00	00	00	30
31	38	×	00	×	11	×	00	00	×	00	×	03	31
TOTAL	2·42	2.09	·87	3.22	5·43	4·72	3·55	4.74	1.96	·83	5·98	1·30	YEAR'S TOTAL 37.11
*Days with ·01 in. or more.	21	20	11	20	20	18	23	16	14	13	25	13	214
*Days with ·04 in. or more.	12	16	8	16	17	12	15	14	11	6	19	9	155

40-9999

(Signed)

P.T.O.

*See Instruction 2 (*f*) on other side.

2240

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Burton Court

in the County of Herefordshire

Herefordshire

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	12	–	–	11	1.69	03	02	43	07	08	02	05	1
2	07	–	–	03	24	–	–	–	12	01	48	20	2
3	02	02	–	25	–	–	17	01	–	–	–	07	3
4	02	–	–	13	–	–	05	–	–	–	01	01	4
5	41	–	03	–	05	–	–	–	09	–	02	–	5
6	43	–	08	29	–	–	14	–	29	07	–	–	6
7	05	–	09	12	25	–	02	–	08	85	–	–	7
8	–	–	11	03	–	–	–	–	16	35	–	–	8
9	68	04	–	04	04	–	–	–	–	18	02	–	9
10	38	–	03	32	05	10	02	–	18	20	03	–	10
11	11	01	–	05	04	03	–	–	–	–	04	11	11
12	38	–	–	01	16	–	75	02	24	30	07	01	12
13	04	02	–	08	01	–	07	16	01	13	01	18	13
14	23	–	–	10	01	–	02	08	–	03	–	01	14
15	–	–	–	02	40	–	20	–	–	03	–	01	15
16	31	–	–	35	–	–	05	–	–	02	30	–	16
17	–	–	–	–	04	–	01	–	–	–	02	–	17
18	–	–	–	–	04	–	–	–	–	05	–	–	18
19	–	–	–	08	05	–	–	–	–	07	05	–	19
20	–	–	–	15	73	–	02	2.46	–	78	01	–	20
21	02	01	11	19	11	–	–	25	–	50	–	19	21
22	02	–	02	–	03	–	06	–	60	19	07	05	22
23	01	01	15	–	54	–	02	–	12	13	17	07	23
24	06	–	–	–	–	–	29	–	04	06	13	02	24
25	04	–	–	–	08	–	02	–	05	14	04	02	25
26	–	–	11	17	42	–	04	–	07	11	03	–	26
27	–	–	42	18	24	–	07	02	–	10	04	01	27
28	–	–	22	10	21	03	15	30	–	–	03	–	28
29	–	–	40	19	05	20	03	15	30	54	06	19	29
30	–	×	12	27	–	49	16	01	18	01	36	09	30
31	–	×	–	×	–	×	37		×	–	×	38	31
TOTAL	3.40	.11	1.89	3.26	5.58	.88	2.55	3.89	2.60	4.93	2.01	1.67	YEAR'S TOTAL 32.77
*Days with ·01 in. or more.	19	6	13	23	23	6	23	11	16	24	22	18	204
*Days with ·04 in. or more.	14	1	10	19	20	3	14	7	15	19	12	11	145

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Edith E Howes

[P.T.O.

2240

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Burton Court
in the County of Herefordshire
Diameter of Funnel of Gauge 4 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 400 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	23	07	06	02	02	–	–	–	–	10	–	–	1
2	18	–	39	–	18	–	–	–	–	–	–	–	2
3	09	15	08	–	06	–	–	–	–	–	–	–	3
4	25	02	03	–	20	–	–	–	–	–	–	–	4
5	25	–	36	–	05	–	–	–	–	–	–	–	5
6	–	31	03	–	27	–	–	–	–	15	–	–	6
7	03	01	01	–	02	–	–	–	–	31	–	–	7
8	02	–	09	–	01	–	23	–	–	02	–	–	8
9	–	02	–	–	01	03	40	–	–	1.60	02	–	9
10	09	15	–	–	–	–	04	02	–	2·64	–	–	10
11	02	–	–	–	–	11	22	–	–	04	02	–	11
12	–	02	–	–	03	–	15	–	–	–	–	03	12
13	–	–	–	–	–	03	20	03	–	10	11	–	13
14	02	–	02	–	–	–	06	67	–	30	07	–	14
15	22	–	10	–	03	–	03	05	–	06	01	04	15
16	–	05	40	–	17	03	02	–	–	10	04	01	16
17	09	07	36	–	–	17	01	–	–	–	04	–	17
18	06	01	06	–	–	09	–	–	–	–	07	–	18
19	–	03	40	–	–	03	12	–	–	–	16	–	19
20	–	02	06	–	–	32	–	04	20	–	02	–	20
21	–	–	–	–	10	44	–	03	15	09	01	–	21
22	–	–	–	02	–	01	–	19	–	06	01	–	22
23	–	02	–	17	–	26	–	–	20	27	–	–	23
24	–	93	–	13	02	28	–	–	03	31	–	–	24
25	–	85	–	16	03	26	–	–	16	–	–	18	25
26	–	66	–	05	09	–	–	–	20	11	–	–	26
27	–	03	–	01	05	–	–	–	02	05	–	11	27
28	01	09	–	24	30	–	03	–	01	04	–	04	28
29	25		01	05	01	–	–	–	–	–	–	–	29
30	07	×	–	03	–	–	09	–	07	01	–	09	30
31	28	×	–	×	–	×	–	10	×	02	×	–	31
TOTAL	2.16	3.51	2.46	.88	1.65	2.06	1.60	1.13	1.04	6.38	.58	.50	YEAR'S TOTAL 23.95
*Days with ·01 in. or more.	17	19	16	10	19	13	13	8	9	20	12	7	163
*Days with ·04 in. or more.	12	10	11	6	10	8	9	5	6	9	6	5	95

40-9999

*See Instruction 2 (*f*) on other side.

(Mrs) (Signed) Sibyl Clowes

D

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2240

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Burton Court

in the County of Herefordshire

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.07	-	-	-	-	-	-	-	07	06	04	38		1
2	.02	-	.03	-	-	-	-	-	15	02	03	17		2
3	.02	-	-	-	-	-	-	08	-	11	-	19		3
4	.05	-	08	-	30	-	-	02	17	03	10	38		4
5	-	-	09	01	16	-	-	86	-	10	15	32		5
6	.01	.02	02	02	63	-	-	02	-	07	-	42		6
7	.04	-	-	-	02	-	-	12	-	01	02	18		7
8	-	-	-	-	23	03	-	03	09	-	12	40		8
9	.01	-	17	-	-	-	-	03	-	-	47	07		9
10	.25	-	10	41	-	-	-	10	-	-	10	-		10
11	.90	-	09	35	-	-	02	05	-	-	02	25		11
12	-	-	02	03	-	-	92	06	-	01	02	-		12
13	.60	-	-	23	-	-	06	-	-	08	-	08		13
14	.02	-	32	-	-	-	-	-	-	-	24	08		14
15	.04	-	42	-	20	-	02	-	01	03	20	11		15
16	.14	-	25	-	04	-	-	-	-	02	10	02		16
17	.07	-	05	06	06	-	15	-	26	-	-	25		17
18	.34	-	03	20	-	-	-	-	05	-	-	16		18
19	-	-	20	01	-	08	-	02	05	10	-	22		19
20	-	-	-	-	-	02	-	-	-	-	02	-		20
21	.08	-	-	-	-	-	03	-	02	-	-	02		21
22	-	-	07	-	-	-	02	55	28	11	-	33		22
23	-	-	06	20	14	81	-	03	01	10	-	-		23
24	.30	.27	03	03	-	23	-	-	20	04	-	04		24
25	.07	-	-	04	01	-	-	-	02	19	-	52		25
26	.03	-	02	35	-	18	-	-	10	05	-	18		26
27	-	-	-	11	-	15	-	-	06	09	-	15		27
28	-	-	-	55	-	04	-	22	14	06	05	38		28
29	.02		-	01	-	-	40	02	12	04	01	07		29
30	-	×	-	-	-	-	02	02	04	02	-	.30		30
31	.02	×	-	×	-	×	31	03	×	07	×	.13		31
TOTAL	3.10	.29	2.05	2.61	1.79	1.54	1.95	2.26	1.84	1.41	1.69	5.80	Year's Total 26.33	
*Days with ·01 in. or more.	21	2	18	16	10	8	10	17	18	22	16	24	185	
*Days with ·04 in. or more.	13	1	12	10	8	6	5	8	14	15	10	25	127	

40-9999

† Spare column, no entries required

*See Instruction 2 (*f*) on other side.

(*Signed*) Clowes 5

[P.T.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2240

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Burton Court

in the County of Herefordshire

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	02	05	15	03	09	-	06	17	01	10		1
2	-	-	08	02	-	04	-	-	01	34	11	18		2
3	-	-	-	-	-	42	-	-	08	25	38	01		3
4	05	-	17	06	-	20	-	-	07	05	02	18		4
5	-	38	-	07	-	22	-	-	07	03	05	01		5
6	-	[illegible]	10	33	-	46	-	-	-	12	01	16		6
7	10	-	-	46	-	16	-	-	-	10	03	17		7
8	-	-	-	27	-	06	-	02	-	37	08	08		8
9	05	02	-	46	-	16	-	-	-	07	17	-		9
10	04	-	-	18	-	-	-	[illegible]	-	01	06	-		10
11	31	02	-	01	-	17	-	-	-	-	01	-		11
12	06	05	-	-	-	22	-	09	-	-	28	-		12
13	08	01	-	14	03	-	-	-	20	-	23	-		13
14	-	17	-	02	19	10	-	-	23	-	1.54	13		14
15	-	15	-	53	15	32	-	-	23	-	03	19		15
16	-	-	14	28	-	06	02	-	47	16	64	16		16
17	-	-	-	27	-	11	06	-	14	-	10	-		17
18	-	-	-	34	06	04	-	-	32	04	-	-		18
19	-	-	-	15	37	14	28	-	02	06	22	-		19
20	-	47	-	18	01	03	04	-	03	-	1.00	-		20
21	-	31	-	04	-	-	-	-	24	06	10	-		21
22	-	05	08	38	06	-	-	16	21	01	-	-		22
23	01	-	30	03	-	-	-	14	06	46	-	-		23
24	08	36	09	14	-	-	-	03	75	25	-	46		24
25	22	38	-	-	-	45	-	-	11	01	-	15		25
26	-	11	-	-	-	-	-	60	03	02	01	46		26
27	-	20	-	-	-	-	-	02	12	-	05	13		27
28	04	04	-	-	04	-	-	14	11	-	04	02		28
29	-	-	-	-	-	-	-	-	10	04	12	15		29
30	02	×	-	33	-	07	-	30	40	16	50	21		30
31	-	×	-	×	-	×	-	02	×	35	×	50		31
TOTAL	1.06	2.72	.98	4.64	1.06	3.46	.49	1.52	3.66	3.13	5.79	3.45	Year's Total 31.96	
*Days with ·01 in. or more.	12	15	8	23	9	20	5	10	22	22	25	19	190	
*Days with .04 in. or more.	10	12	7	19	7	18	4	6	18	17	18	16	152	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Faith E Clowes

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2240

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Days.

Kept at Burton Court
in the County of Herefordshire
Diameter of Funnel of Gauge 4 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	20	06	01	35	–	25	05	07	02	–	06	02		1
2	05	–	–	09	–	32	12	03	–	–	07	–		2
3	–	01	09	–	–	04	01	–	38	–	01	–		3
4	–	–	05	–	–	63	–	–	37	–	32	14		4
5	40	05	09	–	03	–	03	04	06	–	02	18		5
6	73	–	05	–	–	15	22	08	09	–	38	03		6
7	04	–	06	–	–	01	41	–	16	–	27	03		7
8	26	–	21	–	–	–	05	–	–	–	70	–		8
9	48	–	29	–	–	07	75	–	15	–	02	02		9
10	16	–	–	–	–	–	11	–	–	–	03	–		10
11	–	13	–	10	–	31	07	–	03	–	75	–		11
12	–	–	–	04	03	22	82	–	57	–	07	31		12
13	–	–	–	05	–	03	18	–	–	02	02	62		13
14	–	–	–	18	02	02	10	04	05	–	06	40		14
15	–	–	–	–	17	–	01	04	24	–	03	09		15
16	10	08	–	03	15	–	05	–	–	–	16	04		16
17	05	60	–	01	04	–	20	–	–	06	02	35		17
18	–	16	–	–	–	–	25	03	–	19	–	04		18
19	54	11	05	–	–	02	01	11	–	02	–	–		19
20	03	25	08	05	–	–	01	–	26	–	–	02		20
21	–	–	10	71	–	27	–	–	07	–	–	–		21
22	08	25	11	01	12	29	30	–	01	–	–	02		22
23	05	01	29	07	11	02	48	–	–	06	02	–		23
24	25	03	–	01	04	–	05	–	–	23	01	–		24
25	28	–	41	55	01	–	27	–	35	16	02	–		25
26	07	05	07	–	–	–	02	–	–	01	–	–		26
27	06	03	21	–	–	19	–	–	03	12	08	–		27
28	30	10	11	01	–	–	02	–	–	04	–	15		28
29	05	05	01	–	01	1.08	22	–	–	–	04	06		29
30	57	×	–	–	03	07	06	–	–	55	–	–		30
31	01	×	26	×	40	×	07	–	×	03	×	53		31
TOTAL	4.76	1.97	2.55	2.26	1.16	3.99	4.94	–.44	2.84	1.49	3.16	3.05	Year's Total. 32.61	✓
* Days with .01 in. or more.	22	16	19	15	13	18	28	8	16	12	22	18	207	✓
* Days with .04 in. or more.	20	12	17	10	7	13	21	6	12	8	12	12	150	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Clowes

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2240.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Burton Court

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	07	07	-	11	-	-	04	-	15	06	08	50		1
2	06	26	-	13	-	-	-	-	-	-	02	23		2
3	-	37	01	-	20	-	08	-	01	-	02	02		3
4	07	12	-	-	05	-	-	03	-	-	-	34		4
5	30	-	26	-	-	-	06	-	-	-	-	-		5
6	06	10	07	19	15	-	-	-	-	08	02	-		6
7	-	90	04	09	-	12	-	-	-	-	01	-		7
8	-	16	-	02	09	06	02	-	03	-	30	-		8
9	02	06	-	04	12	-	23	-	41	-	-	-		9
10	05	07	07	05	-	05	01	-	-	-	-	22		10
11	09	-	52	-	48	11	16	-	-	-	-	05		11
12	02	18	01	-	02	15	02	98	13	-	-	12		12
13	11	05	-	23	-	20	-	40	03	-	-	04		13
14	-	-	04	03	-	-	02	04	04	-	-	01		14
15	15	14	-	22	-	-	1.37	-	20	-	-	33		15
16	03	16	54	02	-	04	-	13	11	-	02	01		16
17	45	13	28	-	-	-	-	-	26	-	-	-		17
18	31	05	21	05	-	-	05	01	68	03	29	18		18
19	06	06	02	03	-	16	40	-	02	01	03	-		19
20	47	15	11	55	04	-	-	-	-	01	-	13		20
21	29	22	17	-	-	-	25	-	-	02	-	02		21
22	12	07	02	-	06	03	32	-	-	63	39	08		22
23	21	15	08	-	12	-	04	-	-	22	22	-		23
24	44	50	04	-	-	-	02	-	04	78	-	01		24
25	05	48	-	-	06	-	-	-	09	78	01	03		25
26	-	50	-	-	40	-	-	-	-	-	02	02		26
27	-	42	-	10	-	-	-	-	-	40	-	01		27
28	-	05	-	-	-	-	-	-	-	15	-	-		28
29	-	-	-	-	-	03	-	-	-	75	-	01		29
30	20	✕	-	-	-	-	-	-	02	02	08	-		30
31	30	✕	-	✕	-	✕	-	-	✕	37	✕	-		31
TOTAL	3.93	5.42	2.49	1.86	1.79	.95	3.09	1.59	2.22	4.31	1.51	2.36	Year's Total 31.52	✓
* Days with .01 in. or more.	23	25	17	15	12	10	16	6	15	15	14	20	188	✓
* Days with .04 in. or more.	20	25	13	11	11	8	11	4	10	10	6	11	140	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edith E Flowers [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2740

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Burton Court

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	08	02	03	-	86	-	35	-	25	04	30		1
2	-	02	-	-	08	-	02	-	-	20	03	02		2
3	01	-	-	-	07	03	02	37	-	65	01	-		3
4	-	-	-	-	-	-	27	-	-	35	-	08		4
5	-	02	-	-	-	02	02	08	04	16	-	05		5
6	12	02	-	-	-	07	72	-	04	20	-	08		6
7	05	-	-	-	-	-	42	67	02	08	-	04		7
8	23	-	-	-	-	-	11	11	-	34	-	04		8
9	19	02	02	-	-	02	07	02	-	-	-	68		9
10	10	-	-	-	-	30	14	22	-	-	-	40		10
11	58	02	-	-	-	14	01	15	-	02	19	27		11
12	33	-	-	-	15	01	-	13	-	34	45	06		12
13	01	-	-	-	04	-	-	-	-	02	41	21		13
14	38	-	-	-	03	-	30	-	03	-	10	-		14
15	30	-	-	-	04	-	15	02	-	-	03	48		15
16	17	-	-	-	01	-	-	04	-	02	10	04		16
17	01	05	-	-	03	-	02	-	05	07	01	01		17
18	08	-	-	-	02	07	-	18	06	05	35	-		18
19	02	-	-	-	-	-	-	14	04	-	09	-		19
20	03	-	-	-	-	-	-	01	03	-	28	-		20
21	03	-	-	-	-	-	-	02	25	-	10	-		21
22	01	-	-	11	-	-	-	09	32	03	43	12		22
23	-	-	-	03	02	02	-	-	15	-	05	-		23
24	05	08	06	-	27	-	-	37	05	-	05	-		24
25	05	18	10	-	11	-	03	-	02	26	13	08		25
26	21	18	-	-	09	14	-	-	05	30	-	01		26
27	03	05	-	-	48	17	14	35	12	14	38	-		27
28	25	05	-	-	-	24	-	02	04	-	07	-		28
29	23		-	-	41	03	-	-	-	10	15	01		29
30	04	×	-	-	01	05	-	-	30	-	32	04		30
31	13	×	-	×	24	×	-		×	14	×	35		31
													Year's Total	
TOTAL	3.64	.77	20	.17	2.10	2.17	2.44	3.34	1.61	3.72	3.77	3.37	27.30	✓
* Days with .01 in. or more.	26	12	4	3	17	15	15	19	17	20	22	21	191	✓
* Days with .04 in. or more.	18	7	2	1	11	9	9	14	13	16	18	17	135	✓

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2240

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Burton Court

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	.06	.23	.17	-	.02	.03	.03	-	-	.02		1
2	-	-	.01	.05	-	-	.01	.15	.35	.02	.16	.03		2
3	.11	-	.02	.22	-	-	-	.13	.03	-	.09	.60		3
4	.06	-	.16	.19	.14	-	.28	.02	.22	.29	.17	.15		4
5	-	-	-	.12	.13	-	.27	.10	-	.13	.38	.02		5
6	.65	.02	-	.01	.01	-	.94	.01	-	-	.12	-		6
7	.03	.07	-	-	-	-	.34	.06	-	-	.25	.39		7
8	.02	.22	.37	-	-	-	.40	.10	-	.54	.63	.06		8
9	.01	.11	-	-	-	-	.02	.41	-	.38	.05	.10		9
10	.03	-	.02	-	-	-	-	.08	.03	.36	.01	.02		10
11	.06	.06	.08	-	-	.03	-	.02	-	.01	-	.04		11
12	-	.04	-	-	-	.08	-	-	.03	.02	.02	-		12
13	.56	-	-	.22	.06	-	.32	-	.13	.09	-	-		13
14	.59	-	-	.02	.05	.09	.16	-	.02	.08	.22	.02		14
15	.65	-	.02	.02	.04	.60	.40	-	-	.04	.18	-		15
16	.08	-	.09	-	.12	.02	.02	-	-	.80	.47	-		16
17	.31	.02	-	-	-	.08	-	-	-	.03	.02	-		17
18	.16	.02	-	-	-	.07	.08	-	-	-	.37	-		18
19	.22	-	-	-	-	-	.26	-	-	-	-	-		19
20	.43	-	-	-	-	.01	.27	.09	-	-	-	.05		20
21	.06	.07	.18	.03	-	.25	.03	-	.06	-	-	-		21
22	.21	.37	.08	.02	-	.25	.05	-	-	.06	.56	-		22
23	.02	-	-	.08	-	.02	20	-	-	.10	87	-		23
24	-	.02	.02	.05	-	.01	.03	-	-	.08	-	-		24
25	.61	.08	-	-	-	-	.06	-	-	.07	.34	-		25
26	.02	.04	-	.07	-	-	.01	.11	-	.05	.23	.05		26
27	-	.31	.05	.02	-	.05	.10	.02	-	.07	.05	-		27
28	-	.24	.05	-	-	.07	.35	.05	-	-	.17	.15		28
29	-	X	-	.24	-	.08	.46	.06	-	.10	.02	-		29
30	-	✕	-	.11	-	.11	.02	.02	-	01	.04	.05		30
31	-	✕	-	✕	-	✕	.07	.70	✕	.10	✕	02		31
TOTAL	4.92	1.69	1.21	1.70	.72	1.82	5.17	2.16	.90	3.43	5.42	1.77	Year's Total 30.91	
* Days with .01 in. or more.	22	15	14	17	8	16	26	18	9	22	23	16	206	
* Days with .04 in. or more.	15	11	9	11	7	11	18	12	4	17	19	10	144	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Edith Clowes [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2240

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Burton Court

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

,, Ground ,, Sea Level 400 ft.

Dalys

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	0.2	-	0.3	0.4	-	-	-	-	-	38	01		1
2	-	0.7	-	1.5	0.1	-	0.2	-	-	-	1:13	1.0		2
3	-	2.8	-	0.2	-	-	-	-	-	1.6	1.06	02		3
4	-	0.9	-	-	-	-	-	-	-	1.7	14	01		4
5	-	0.2	-	-	21	-	27	-	-	0.6	66	25		5
6	22	3.7	-	-	-	-	0.1	-	-	27	06	1.4		6
7	0.1	2.6	-	-	0.1	-	18	-	-	06	-	07		7
8	-	0.2	-	0.3	-	16	0.1	-	0.2	1.5	0.1	25		8
9	-	-	-	0.6	-	-	65	05	0.2	20	43	20		9
10	-	-	0.3	-	-	0.9	74	0.1	-	17	11	20		10
11	-	-	0.2	0.3	-	1.5	1.3	-	-	-	84	02		11
12	-	-	0.9	-	-	0.3	20	0.1	0.5	-	16	-		12
13	-	0.3	3.0	-	-	-	-	-	0.3	-	-	02		13
14	-	0.1	0.4	0.8	1.1	-	0.1	-	0.6	17	02	38		14
15	-	-	-	0.2	1.04	0.7	-	-	1.1	13	26	01		15
16	-	6.2	1.2	0.3	-	-	22	-	16	83	70	-		16
17		-	3.4	0.3	-	-	0.2	-	06	-	01	-		17
18	1.8	4.1	2.4	3.2	-	-	22	-	32	15	03	10		18
19	-	1.2	1.0	3.7	-	-	0.3	-	0.3	-	16	01		19
20		02	-	0.4	-	-	-	0.4	-	12	04	-		20
21	-	-	0.2	-	1.0	53	03	-	-	-	1.27	-		21
22	-	-	1.0	1.2	12	1.1	-	-	-	-	-	-		22
23	-	0.4	0.9	0.4	22	0.1	-	-	0.2	02	01	-		23
24	-	-	0.1	-	-	-	25	-	-	-	-	-		24
25	0.8	-	-	-	0.5	-	15	-	-	-	-	-		25
26	1:35	0.7	-	-	0.8	-	-	-	0.1	-	0.1	-		26
27	8.8	3.0	-	0.1	0.3	-	06	-	-	-	02	-		27
28	4.6	1.2	-	1.0	0.3	-	-	-	-	-	-	0.1		28
29	0.9	-	0.8	55	-	0.9	0.6	-	-	02	-	1.7		29
30	-	×	-	40	0.1	-	-	-	-	37	-	0.1		30
31	1.6	×	.11	×	-	×	-	-	×	97	×	02		31
TOTAL	3.43	2.87	1.69	2.43	2.06	1.24	3.26	.11	.89	4.02	7.57	2.00	Year's Total 31.51	
* Days with .01 in. or more.	9	18	15	19	14	9	19	4	12	17	22	20	178	
* Days with .04 in. or more.	8	12	11	11	9	7	12	2	6	15	15	19	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Mrs. Edith E Clowes

[P.T.O.

Hope under Dinm

Section **A** for the entr
AIR MINI

FORM 1090

REC

Kept at ~~Messrs Cadbury Br~~
in the County of ......Heref
Diameter of Funnel of Gauge.
Height of top of Gauge above
„ Ground „

THE MORNING MEAS

An observer who does not conf
year in the space on the right

—

2240/7

HOPE UNDER DINMORE
1939-40

780403

Station No. 2240/7
FALL ORGANIZATION
39

by refce to nearby stns.

39/35

US DAY
the following

Jan. 1, following

Date	Jan.	Feb.	Mar.								Nov.	Dec.		Date
	in.	in.	in.								in.	in.	†	
1		None	Trace	·09	None	None	Trace	None	·06	None	Trace	Trace		1
2		None	Trace	·50	None	None	–	·21		None	·16			2
3	·20	None	·02		None	None	None	·09	·38	None	·16	·46		3
4		None	·10	·25	·16	None	·24	·04	·02	·15	·50	·21		4
5		Trace		·12	Trace	None	·18	None	None	·12		·01		5
6	·65	·01	None	None	None	None	·54	None	None	Trace	·22	None		6
7	Trace	·05	None	None	None	None	·30	None	None	·56	·33	·43		7
8	Trace	·19	·32	None	None	None	·55	·15	None		·84	·04		8
9	–	·06	Trace	None	None	None	None	Trace	None	·34	·02	·16		9
10	·40	Trace	·10	None	None	None	None	·24	Trace	·30	Trace			10
11	Trace	Trace	None	None	None	None	None	·09	None	·03	Trace	·01		11
12	·02	·03	None	·01	None	Trace	None	Trace	Trace	Trace		Trace		12
13	Trace	None	Trace	·15	·13	·18	None	None	·19	·16	None	None		13
14	·48	None	Trace	None		·04	·13	None	None	·04	·25	·01		14
15	·65	None	·03	·03	·10	·43	·23	None	None		·19	None		15
16	·14	Trace	Trace	None	·12	1·35	·40	None	None	·26	·38			16
17	·58	·02	·02	None	None	None	None	None	None	·35	·01	None		17
18	·15	·01	None	None	None	None	·11	None	None	None	·32	None		18
19	·62	Trace	None	None	None	None	·26	None	None	None	None	None		19
20		Trace	None	None	None	Trace	·25	·11	None	None	None	·02		20
21	·36	·34	·16	·06	None	·15	Trace	None	·04	·35	None	None		21
22				·01	None	·24	·09	None	Trace		·23	None		22
23	·03	Trace	Trace	·08	None	Trace	·21	None	None	·01	1·05	None		23
24	·32	·03	Trace		None	None	Trace	None	None	·05	None	Trace		24
25	·65	·39	·05	None	None	None	Trace	None	None	·10	·45	None		25
26	Trace		·07	·04	None	None	Trace	None	None	·04		None		26
27	·06	·13		Trace	None	·03	·08	·05	None	·45	·02	·10		27
28	Trace	·04	Trace	Trace	None	·05	·18	None	None	·12	·14	·20		28
29	Trace		Trace	·05	None	·08	·34	None	None		Trace	None		29
30	Trace	✕	None		None	·23	None	·01	None	Trace	·02	·15		30
31	Trace	✕	Trace	✕	None	✕	·25	·44	✕	·08	✕	Trace		31
													Year's Total	
TOTAL	5·05	1·30	·84	1·39	·51	2·81	4·64	1·46	·69	3·51	5·29	1·80	29·35	
* Days with .01 in. or more.	14	12	9	12	4	10	14	10	5	18	18	12	141	
* Days with .04 in. or more.	12	4	6	9	4	9	14	9	4	15	14	8	114	

Pmt
"d"

+ [illegible] Bros

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Edna E. Jackson

Messrs Cadbury Bros Ltd

P.T.O.

Hope under Dinmore

Section **A** for the entr

Station No. 2200/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ~~Messrs Cadbury Bros. Concentrating Station~~

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level ~~234.45~~ ft. 246

Jan 1st–5th est'd by ref. to nearby station.

4 67239/35

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		None	Trace	·09	None	None	Trace	None	·06	None	Trace	Trace		1
2		None	Trace	·50	None	None	–	·21		None	·16			2
3	·20	None	·02		None	None	None	·09	·38	None	·16	·46		3
4		None	·10	·25	·16	None	·24	·04	·02	·15	·50	·21		4
5		Trace		·12	Trace	None	·18	None	None	·12		·01		5
6	·65	·01	None	None	None	None	·54	None	None	Trace	·22	None		6
7	Trace	·05	None	None	None	None	·30	None	None	·56	·33	·43		7
8	Trace	·19	·32	None	None	None	·55	·15	None		·84	·04		8
9	–	·06	Trace	None	None	None	None	Trace	None	·34	·02	·16		9
10	·40	Trace	·10	None	None	None	None	·24	Trace	·30	Trace			10
11	Trace	Trace	None	None	None	None	None	·09	None	·03	Trace	·01		11
12	·02	·03	None	·01	None	Trace	None	Trace	Trace	Trace		Trace		12
13	Trace	None	Trace	·15	·13	·18	None	None	·19	·16	None	None		13
14	·48	None	Trace	None		·07	·13	None	None	·04	·25	·01		14
15	·65	None	·03	·03	·10	·43	·23	None	None		·19	None		15
16	·14	Trace	Trace	None	·12	1·35	·40	None	None	·26	·38			16
17	·58	·02	·02	None	None	None	None	None	None	·35	·01	None		17
18	·15	·01	None	None	None	None	·11	None	None	None	·32	None		18
19	·62	Trace	None	None	None	None	·26	None	None	None	None	None		19
20		Trace	None	None	None	Trace	·25	·11	None	None	None	·02		20
21	·36	·34	·16	·06	None	·15	Trace	None	·04	·35	None	None		21
22				·01	None	·24	·09	None	Trace		·23	None		22
23	·03	Trace	Trace	·08	None	Trace	·21	None	None	·01	1·05	None		23
24	·32	·03	Trace		None	None	Trace	None	None	·05	None	Trace		24
25	·65	·39	·05	None	None	None	Trace	None	None	·10	·45	None		25
26	Trace		·07	·04	None	None	Trace	None	None	·04		None		26
27	·06	·13		Trace	None	·03	·08	·05	None	·45	·02	·10		27
28	Trace	·04	Trace	Trace	None	·05	·18	None	None	·12	·14	·20		28
29	Trace		Trace	·05	None	·08	·34	None	None		Trace	None		29
30	Trace	×	None		None	·23	None	·01	None	Trace	·02	·15		30
31	Trace	×	Trace	×	None	×	·25	·44	×	·08	×	Trace		31
TOTAL	5·05	1·30	·84	1·39	·51	2·81	4·64	1·46	·69	3·51	5·29	1·80	Year's Total 29·35	
* Days with .01 in. or more.	14	12	9	12	4	10	14	10	5	18	18	12	141	
* Days with .04 in. or more.	12	4	6	9	4	9	14	9	4	15	14	8	114	

Print "d"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Edna E. Jackson

Messrs Cadbury Bros Ltd

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2240/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~38~~40

Kept at Cadbury Bros Ltd Marlbrook (Hope-under-Dinmore)

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 246 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	tr	-	-	.01	-	-	-	-	-	.10	-		1
2	-	.05	-	.22	-	-	tr	-	-	-	.95	.04		2
3	tr		-	.01	-	-	-	-	-	.21	.94	.03		3
4	tr	.34	-	-	-	-	tr	-	-	.10	.35	.03		4
5	tr	.01	-	-	.12	-	.10	-	-	.22	.47	.16		5
6	-	.37	-	-	-	-	-	-	-	-	.07	.12		6
7	.23	.16	-	.01	-	-	1.08	-	-	tr	-	-		7
8	tr	tr	-	-	-	.36	-	-	tr	.25	.03	.22		8
9	tr	-	-	.07	-	-	.06	.06	tr	.27		.12		9
10	-	-	.01	-	-	-	.04		.01	.17	.43	.16		10
11	-	-	-	.03	-	-	.16	.01	tr	tr	.53	.01		11
12	-	-	.08	tr	-	tr	.22	-	.02	-	.09	-		12
13	-	.01	.27	-	-	-	-	tr	.04	-	tr	-		13
14	-	tr	.06	.06	.16	-	-	-	tr	.06	.02	-		14
15	-	-	-	tr	.75		-	-	.18	tr	.22	.37		15
16	-	.41		.06	TR	.04	.22	-	.10	.74	.64	.02		16
17	-	-	.33	.01	-	-	tr	-	.01	.02		-		17
18	-	.40	.26	.39	-	-	-	tr	.30	.07	.05	.06		18
19	-	.11	.08	.34	-	-	.37	-	.12	-	.13	tr		19
20	-	tr	-		-	-	.25	.05	tr	.12	tr	-		20
21	-	tr	tr	.02	.06	.39	-	-	-	.01	1.22	-		21
22	-	-	.01	.06	.12		-	-	.08	tr	-	-		22
23	-	.04	-	.03	.27	.02	-	-	tr	-	-	-		23
24	.18	-	-	tr	-	-	.12	-	-	-	-	-		24
25	.02	tr	-	-	-	-	-	-	.06	-	-	-		25
3.10 26	1.30	.12	-	-	.05	-	.30	-	tr	-	-	tr		26
27	.83	.15	-		.06	-		tr	-	-	-	-		27
28	.72	.08	-	.29	.18	-	.06	-	-	-	-	-		28
29	.06	-	.09	.61	.04	~~.07~~	.03	-	-	-	-	.18		29
30	.07		-	.23	-	~~.07~~	-	-	-	.58	-	tr		30
31	.10		.10		-		-	-		.98		tr		31
TOTAL	3.51	2.25	1.29	2.44	1.82	.88	3.01	.12	.92	3.80	6.24	1.52	Year's Total 27.8~~0~~8	
* Days with .01 in. or more.	9	1~~3~~4	1~~0~~1	1~~6~~7	11	5	13	3	10	14	1~~6~~8	13	13~~3~~8	
* Days with .04 in. or more.	8	1~~4~~2	~~8~~9	1~~0~~1	10	4	12	2	7	12	1~~4~~6	9	~~107~~ 112	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) Edna E. Jackson [P.T.O.

2241

Section **A** for the entry

AIR MINIST

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIS

1.

5/26

2241

Kept at Birchfie

in the County of H

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

—

2241

BROMYARD, BIRCHFIELDS

1931 — 40

7P0403

THE MORNING MEAS

Y.

An observer who does not conform

year in the space on the right of

following

Jan. 1, following

Date	Jan.	Feb.	March							.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·	-	·13	·04	·24	-	-	·53	-	-	-	1
2	-	·04	-	·82	·12	·02	-	·20	·47	-	·	·06	2
3	-	-	-	-	·	·	·08	-	·36	-	·95		3
4	-	·	-	·15	·02	-	·29	-	·20	-	·08	·39	4
5	-	·12	-	·	·05	·94	·	·	·05	-			5
6	-	·15	-	·18	·01	-	Thunder ·79	-	-	·26	·20	-	6
7	Snow ·11	·07	-	-	-	·08	·02	·62	-	-	·23	·05	7
8	-	·03	·	·04	·04	·03	-	·62	-	·	·09	·	8
9	-	·17	-	·05	-	·21	-	·	·02	·17	·43	·02	9
10	-	·07	-	-	·15		-	·06	·08	-	·52	·02	10
11	·10	-	-	-	-	·07	-	·	·15	-		-	11
12	·08	-	·	-	-	-	Thunder ·26	-	·20	·	·01	-	12
13	-	·	·	·	·02	·07	·29	·10	·08	·	-	-	13
14	-	·34	·03	·	·	Thunder ·38	·41	·80	·02	-	·43	-	14
15	-	·07	-	·16	·20	-	·28	·32	·02	-	·07	-	15
16	·	-	-	·04	·30	·96	·00	·20	·17	~~·04~~	~~·05~~	-	16
17	·07			Hail ·15	·35	·04	·18	-	·04	·07	·05	-	17
18	-		·07	Pt Snow ·16	-	·11	·02	·22	-	-	·42	-	18
19	-	·30		-	-	·18	-	·33	·07	-	·07	-	19
20	-		·12	·05	-	·	-	·	·	·	·	-	20
21	·20		·	-	·42	-	-	·20	-	·	·20	-	21
22	·16		·	-	·16	-	-	·42	-	·	·02	-	22
23	·11	·02	·03		·24	·	-	·22	-	·	·17	·38	23
24	·05	-	·	·20	·38	-	·17	-	·	·	-	·02	24
25	·	-	·	·55	·	-	·09	-	-	-	·08	-	25
26	·	-	·	·11	·	-	·	·	-	·	·45	-	26
27	·	·53	·	·	-	-	·10	-	-	-	·05	-	27
28	·	Snow ·20	·	·	THUNDER 1·09	-	-	-	-	·08	·	-	28
29	·	-	·04	·	·36	·	·20	-	-	·21	·	·	29
30	-	×	-	·	·20	·	-	-	·05	-	·	-	30
31	Pt Snow ·50	×	-	×	·05	×	-	-	×		×	·04	31
TOTAL	1·38	1·99	·29	2·76	4·20	3·04	3·18	4·32	2·45	·73	4·40	·98	YEAR'S TOTAL 29·72
*Days with ·01 in. or more.	~~9~~	~~16?~~	~~5~~	~~14~~	~~20~~	~~14~~	~~14~~	~~13~~	~~16~~	~~5~~	~~21~~	~~10~~	~~157~~
*Days with ·04 in. or more.	9	11	3	14	17	10	12	13	12	4	17	7	(129)

40-9999

*See Instruction 2 (*f*) on other side.

Mr J. E Knott D.S.O. (*Signed*) J E Knott P.T.O.

X J. E. KNOTT. ESQ D.S.O. X

2241

Section **A** for the entry COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at BIRCHFIELDS BROMYARD

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 565 ft.

File Ref 698870/26

STATION No 2241

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·13	·04	·21	-	-	·53	-	-	-	1
2	-	·04	-	·82	·12	·02	-	·20	·47	-	-	·06	2
3	-	-	-	-	-	-	·08	-	·36	-	·95		3
4	-	-	-	·15	·02	-	·29	-	·20	-	·08	·39	4
5	-	·12	-	-	·05	·94	-	-	·05	-			5
6	-	·15	-	·18	·01	-	Thunder ·79	-	-	·26	·20	-	6
7	Snow ·11	·07	-	-	-	·08	·02	·62	-	-	·23	·05	7
8	-	·03	-	·04	·04	·03	-	·62	-	-	·09	-	8
9	-	·17	-	·05	-	·21	-	-	·02	·17	·43	·02	9
10	-	·07	-	-	·15	·07	-	·06	·08	-	·02	·02	10
11	·10	-	-	-	-		-	-	·15	-		-	11
12	·08	-	-	-	-	-	Thunder ·26	-	·20	-	·01	-	12
13	-	-	-	-	·02	·07	·29	·10	·08	-	-	-	13
14	-	·34	·03	-	-	Thunder ·18	·41	·80	·02	-	·43	-	14
15	-	·07	-	·16	·20	-	·28	·32	·02	-	·07	-	15
16	-	-	-	·04	·30	·06	·00	·20	·17	-	~~·05~~	-	16
17	·07			Hail ·15	·35	·04	·18	-	·04	·07	·05	-	17
18	-		·07	Pt Snow ·16	-	·11	·02	·22	-	-	·42	-	18
19	-	·30		-	-	·18	-	·33	·07	-	·07	-	19
20	-		·12	·05	-	-	-	-	-	-	-	-	20
21	·20		-	-	·42	-	-	·20	-	-	·20	-	21
22	·16		-	-	·16	-	-	·42	-	-	·02	-	22
23	·11	·02	·03		·24	-	-	·22	-	-	·17	·38	23
24	·05	-	-	·20	·38	-	·17	-	-	-	-	·02	24
25	-	-	-	·55	-	-	·09	-	-	-	·08	-	25
26	-	-	-	·11	-	-	-	-	-	-	·45	-	26
27	-	·53	-	-	-	-	·10	-	-	-	·05	-	27
28	-	Snow ·20	-	-	THUNDER 1·09	-	-	-	-	·08	-	-	28
29	-	-	·04	-	·36	-	·20	-	-	·21	-	-	29
30	-	×	-	-	·20	-	-	-	·05	-	-	-	30
31	Pt Snow ·50	×	-	×	·05	×	-	-	×		×	·04	31
TOTAL	1·38	1·99	·29	2·76	4·20	3·04	3·18	4·32	2·45	·73	4·40	·98	YEAR'S TOTAL 29·72
*Days with ·01 in. or more.	~~9~~	~~16?~~	~~5~~	~~14~~	~~20~~	~~14~~	~~14~~	~~13~~	~~16~~	~~5~~	~~22~~	~~10~~	~~157~~
*Days with ·04 in. or more.	9	11	3	14	17	10	12	13	12	4	17	7	(129)

40-9999

*See Instruction 2 (*f*) on other side.

Mr J. E. Knott D.S.O. (Signed) J E Knott

X J. E. KNOTT ESQ D.S.O. X

P.T.O.

2241

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

File No 698870/26

Kept at BIRCHYFIELDS, BROMYARD
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 545 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	-	-	.11	2.00	.07		.66	.05		.07	-	1
2	-	-	-	.07	.24	-	.06 }	-	.19	.16 }	-	.30	2
3	.03	-	-	.47	.04	-	.07	-	-	.01	.02	.07	3
4	-	-	-	.35	-	-	-	-	-	-	.48	.07	4
5	.53	-	-	-	.09	-	-	-	.11	-	-	-	5
6	.24	-	.04	.16	.02	-	.02	-	.51	-	-	-	6
7	.10	-	.12	.05	.07	-	-	-	.10	1.34 }	-	-	7
8	.03	-	.08	-	-	-	-	-	1.19		-	-	8
9	.40	-	-	.26	.12	-	-	-	-	-	-		9
10	.46	.04	.03	-	.08	.09	-	-	.14	.20	-		10
11	-	-	-	.08	.05	-	.03	.04	-	.07	.03	-	11
12	.28	.03	-	.07	.27	-	-		.12	.27	-	.18 }	12
13	.35 }	-	-	.05	.01	-	1.71	.21	-	.08	-		13
14		-	-	-		-	.01	.25	-	.03	-	.03	14
15	-	-	-		.63	-	-	-	-	.07		.07	15
16	.18	-	-	.33		-	.41	-	-	-	.18	-	16
17		-	-		.01	-	.06	-	.05	.03		-	17
18		-	-		.05	-	-	-	-	-	.43	-	18
19		-	-	-	.04	-	-	-	-	.07	-	-	19
20			-	.28	.83	-	-	.64	-	.46	.08	-	20
21		-	.12	.11	.30	-	-	.50	-	.30	-	.46	21
22		-	.02	-	.19	-	.22	.01	.53	.09	-	-	22
23	-	.02	-	-	.20	-	.04	-	.10	.06	-	.06	23
24	.07	.02	-	-	.02	-	.02	-	.19	-	.05	-	24
25		-	-	-	-	-	.04	-	.07	.30	-	-	25
26		-	.08	.31	.10	-	.04	-	.03	.06	.09	-	26
27			.58	.25	.40	-	.11	-	-	-	-	.03	27
28	-	-	.10	.10	.41	-	.07	.04	-	-	-	-	28
29	-	-	.27	.08	.10	.06	.04	.01	.26	.40	-	-	29
30	-	×	.09	.19	-	.96	.38	.07	.45	-	.19	.28	30
31	-	×	-	×	.07	×	.35	-	×	.03	×	.38	31
TOTAL	2.76	.11	1.53	3.25	6.25	1.12	3.68	2.52	3.96	3.97	1.86	1.45	YEAR'S TOTAL 32.16
*Days with ·01 in. or more.	13	4	10	21	27	4	19	10	16	21	12	12	(169)
*Days with .04 in. or more.	12	1	8	19	22	3	13	9	14	16	9	6	(132)

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Birchyfields, Bromyard

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ Ground „ Sea Level 545 ft.

Days estimated in accumulations and accumulation Jan - Feb allocated by neighbouring stations 12/6/34 J. W. V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·40	(·10) ~~·30~~	·07	–	–	–	–	–	–	–	–	–		1
2	·24	–	·36	–	·08	·26	–	–	–	–	–	–		2
3		·13	–	–	·06	–	–	–	–	–	–	–		3
4		–	–	–	·25	–	–	·04	–	–	–	–		4
5	·27	–	·41	–	·07	–	–	–	–	–	·06	–		5
6		·41	·02	–	·45	–	–	–	–	·11	·02	–		6
7	–	–	–	–	–	–	·07	–	–	·15	–	–		7
8	·03	–	·11	–	–	–	·47	–	–	–	–	–		8
9	–	–	–	–	·07	·07	·26	–	–	1·27	–	–		9
10	·10	·18	–	–	–	–	·03	·10	–	1·85	·11	–		10
11	·10	–	–	–	–	–	·06	–	–	·06	–	–		11
12	·02	–	–	–	–	–	·08	–	·08	–	–	–		12
13	–	–	–	–	·15	–	·20	–	–	·06	·15	–		13
14	·04	–	–	–	–	–	·06	–	–	·32	·16	–		14
15	·36	–	·04	–	–	·03	·20	·08	–	·02	–	·03		15
16	·06	·07	·54	–	–	·02	·06	–	–	·09	·07	–		16
17	–	–	·24	–	–	·05	–	–	·03	–	·02	–		17
18	·05	·05	·08	–	–	·08	–	–	–	–	·03	–		18
19	–	–	·18	–	–	·02	–	–	·20	–	·14	·03		19
20	–	·03	–	–	–	·19	–	–	·20	–	–	–		20
21	–	·02	–	–	·02	·18	–	·18	–	·03	–	–		21
22	–	–	–	–	–	–	–	·28	·04	·14	–	–		22
23	–	·02	–	·14	–	·15	–	–	·48	·49	–	–		23
24	–	·95	–	–	·02	·21	–	–	·06	·24	–	–		24
25	–	·10	–	–	·12	·20	–	–		–	–	·18		25
26	–	1·25	–	·50	·30	·02	–	–	·25	·17	–	·02		26
27	–	–	–	–	·16	~~·0~~	–	–		·06	–	·12		27
28	–	·19	–	·30	–	–	·03	–	·01		–	·03		28
29	·03	–	·11	·06	–	–	–	–	–	–	–	·02		29
30	–	×	–	–	·02	–	–	–	·10	·06	–	·05		30 "d"
31	(·25) –	×	·13	×	–	×	–	·06	×	–	×	–		31
TOTAL	1·70	3·69	2·29	1·00	1·7[illegible]	1·42	1·46	·74	1·45	5·12	·72	·48	Year's Total	21·78
*Days with ·01 in. or more.	~~15~~ 16	~~13~~ 15	~~13~~ 14	~~4~~ 6	~~12~~ 15	13	11	8 ~~6~~	12 ~~11~~	~~16~~ 17	9	8	(144)	~~131~~
*Days with ·04 in. or more.	~~11~~ 12	9	~~11~~ 13	~~4~~ 6	9	8	8	6	9	14	6	3	(103)	~~98~~

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) E Kn[illegible]

[P.T.O.

File No 698870/26

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No 2241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Birchyfields, BROMYARD

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

„ Ground „ Sea Level 545 ft.

Estimate Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	—	—	—	—	—	—	·33	·12	·05	·03	·66		1
2	—	—	·03	—	·08	—	—	—	·23	·01	—	·18		2
3	·07	·07	—	—	—	—	—	·07	·07	·17	·24	·20		3
4	·03	—	·07	—	·24	—	—	—	—	—	—	·32		4
5	—	—	·09	—	·11	—	—	·70	—	—	·12	·12		5
6	·07	—	—	—	·42	—	—	·02	·07	·06	—	·49		6
7	·08	—	—	—	—	—	—	·05	—	·20	·03	·27		7
8	—	—	— ·22 }	—	·18	—	—	—	·18	—	—	·27		8
9	—	—	X	—	—	—	—	—	—	·02	·71	·05		9
10	·18	—	—	·43	—	—	—	·10	—	—	·03	—		10
11	1·01	—	·07	·35	—	—	—	—	—	—	—	·37		11
12	—	—	·04	—	—	—	1·45	·06	—	—	—	·01		12
13	·56	—	—	·17	—	—	·07	—	—	—	·01	·16		13
14	·03	—	·33	—	·02	—	—	—	—	·05	·20	·10		14
15	—	—	·22	·01	·20	—	—	—	—	·10	·28	·02		15
16	·24	—	·20	—	—	—	—	·04	—	—	·10	—		16
17	·04	—	—	·07	—	—	·14	—	·25	·03	·01	·15		17
18	·24	—	·16	·15	—	—	·07	—	·18	—	—	·11		18
19	—	—	·20	·02	—	·12	—		·08	·02	—	·18		19
20	·07	—	—	·04	—	·02	—		·02	·07				20
21	·02	—	—	—	—	·07	TRACE	X	—	·07	—	·07		21
22	·03	—	·05	—	·09	—	—	X	·28	·07	—	·35		22
23	—	—	·07	X ·33 }	—	·26	—		·03	—	—	—		23
24	—	·33	·03	X	—	·13	—		·25	—	·01	—		24
25	·23	—	—	X ·14 }	—	·20	·16	·55	·01	·26	—	·62		25
26	·08	—	·06	X	—	·02	—		·07	·02	—	·02		26
27	—	—	—	·15	—	·09	—		·07	·17	—	—		27
28	—	—	—	·17	—	·13	·09	X	·05	·02	·02	·55		28
29	—	—	—	·01	—	—	—	✓	·30	—	·07	·02		29
30	·04	X	·02	—	—	—	·07	✓	—	·07	—	·32		30
31	—	X	—	X	—	X	—	X	X	·03	X	·13		31
TOTAL	2·89	·34	1·86	2·08	1·30	·98	1·93	1·86	2·14	1·45	1·80	5·72	Year's Total 24·36	
*Days with ·01 in. or more.	18	2	~~14~~ (16)	15	8	9	7	? (14)	17	19	14	25	? (164)	
*Days with .04 in. or more.	11	1	~~14~~ (13)	12	7	6	5	? (10)	12	12	6	20	? (115)	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Elliott

P.T.O.

2241

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Birchyfield BROMYARD

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 545 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·07	·08	·04	·12	–	·17	·10				1
2	–	–	·06	–	–	·09	–	–	–	·09	·37	·04		2
3	–	·02	·05	–	–	·15	–	–		·10				3
4	–	–	[illegible]	·11	–	·11	–	–		·17		·13		4
5	–	·31	·26	–	–	–	–	–	·21	·03	·06			5
6	–	–	·01	·40	–	·53	–	–		–		·16		6
7	–	–	–	·31	–	·10	–	–	–	·09	·01	·11		7
8	–	–	–	·35	–	–	–	·42	–	·04	·27	·09		8
9	·04	–	–	·36	–	·23	–	–	–	·61	·23	–		9
10	–	–	–	·12	–	·06	–	–	–	TRACE	·04	–		10
11	·28	·02	–	–	–	·05	–	·05	·01	·03	·26	–		11
12	·01	–	–	–	–	·04	–	–	TRACE	–	·02	–		12
13	·08	·06	–	·20	·01	–	–	–	·02	·02	·01	–		13
14	–	–	–	·02	·08		–	–	·03	–	1·00	·16		14
15	–	·05	–	·56	·05	·43	–	–	·30	–	·75	·23		15
16	–	·07		·36	–		–	–	·57	·18	·01			16
17	–	–	·17	·14	~~·10~~	·18	–	·01	·01	–	·30	–		17
18	–	–	–	·30	·10	·14	·13	–	·30	·03	–	–		18
19	–	–	–	·04	·23	·04	·25	–	·04	·13	·14	–		19
20	·01	·29	–	·10	·14	·02	·05	–	–	–	1·03	–		20
21	–	·23	~~·23~~	–	–	–	–	–	·19	·02	·05	–		21
22	–	–	–	–	–	–	–	–	·26	–	–	–		22
23	·01	–	·12	–	·02	–	–	·14	·14	·63	–	·20		23
24	·11	·30	–	–	–	·13	–	·01	·72	·17	–	·18		24
25	–	·18	–	·23	–	1·00	–	–	~~·08~~	–	–	·16		25
26	–	·22	–	–	–	–	–	·39	~~·08~~ ·08	·02	·06	·78		26
27	·01	·06	–	–	–	–	–	–	·11	–	·05			27
28	·09	–	–	–	–	–	–	·01	·07	–	–	–		28
29	–	–	·06	–	·02	–	–	·01	·04		·26	·32		29
30	·14	×	–	·12	–	·02	–	·32	·07	·29	·52	·41		30
31		×		×		×	–	–	×	·48	×		d	31
TOTAL	·78	1·81	·73	3·73	·73	3·36	·55	1·36	3·28	3·23	5·44	2·59	Year's Total. 27·97	
* Days with .01 in. or more.	10	12	7	17	9	20	4	9	21	20	22	17	(168)	
* Days with .04 in. or more.	6	10	6	15	6	17	4	5	17	14	18	16	(134)	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J E Knott

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Birchyfields

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ Ground „ Sea Level 545 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	·61	–	·44	–	·21	·04	·04	–	–	·10	·02		1
2	·01	·01	–	·08	–	·26	·33	·01	–	–	·14			2
3	–	–	–	–	–	·10	·07	·01	·78	–		·04		3
4	·43	–	·14	–	–	·20	–	–		–	·09	–		4
5		·06	–	–	·06	–	·05	·09	·21	–	–	·11		5
6	·10	–	·10	–	–	·11	·25	·03	·15	–	·29	·07		6
7	·06	–	·11	–	–	–	1·07	–		·07	·30	–		7
8	·24	·	·25	–	–	–	·07	–	–	·08	·62	·10		8
9	·33	–	·28	–	–	·02	·54	–	·19	–	·01	·01		9
10	·02	–	–	–	–	–	·18	–	·03	·01	·06	–		10
11	–	·09	–	·04	–	·15	·17	–	·62	–	·67	–		11
12	–	–	–	·02	·51	·39	·58			–	·12	·22		12
13	·	–	–	·09	·08		·15	–	–	·04	–	·58		13
14	–	–	–	·17			·14	·	·18	TRACE	·05	·43		14
15	–	·11	–	–		–	·02	–	·54	–	–	·06		15
16	·09	–	–	·14		–	·07	–	–	–	·18	·02		16
17	·11	·73	–	–	–	–	·18	TRACE	–	·12	·06	·45		17
18	–	–	–	–	–	·38	·35	·02	–	·08	–	·05		18
19	·43	·20	–	–	–		TRACE	·07	·08	–	–	–		19
20	·06	·15	–	–	–		–	–	·33	–	–	–		20
21	–	–	·18	·90	–	·50	–	–	–	–	–	·04		21
22	·01	·50			·20		·35	–	·	·	–	–		22
23	·03	–	·21	·07	·17	–	·30	·	·	·04	–	–		23
24	·32	·05	–	–	–	–	·30	–	·24	·39	–	–		24
25		·11	·31	·40	–	–		–	·36	–	·02	–		25
26	·13		·34	–	–	–	·05	–	–	·15	·01	–		26
27	·05	·08	·02	–	–	–	–	–	·02	·08	·	–		27
28	·30		·23	–	–	·02	·06	–	–	·05	·02	–		28
29	–	·04	·03	–	·01	·98		–	–	·03	·04	·12		29
30	·05	✗	·02	–	·08	·17	·22	–	–	·26	–	·38		30
31	–	✗	·24	✗	·29	✗	·05	–	✗	·25	✗			31 "d"
TOTAL	2·80	2·74	2·49	2·35	1·40	3·49	5·53	·27	3·73	1·59	2·78	2·67	Year's Total 31·84	✓
* Days with .01 in. or more.	21	14 ~~15~~	16	11	9 ~~11~~	17	25 ~~27~~	7 ~~8~~	16	14 ~~15~~	18	16 ~~18~~	(184) ~~193~~	✓
* Days with .04 in. or more.	16	13	12	10	7 ~~8~~	14	23	3	14	11	13 ~~14~~	12 ~~13~~	(148) ~~157~~	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J E Hewitt. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at BIRCHYFIELDS

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 545 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·03	-	·05	-	-	-	-	·04	·01	·09	·47		1
2	·02	·14	-	·08	-	-	·04	-	-	-	·01	·47		2
3	-	·10	-	-	·53	-	-	-	·02	-	-			3
4	·07	·14	-	·01	·03	-	·01	·02	-	-	-			4
5	·15	-	·12	-	-	-	·04	-	-	-	-	-		5
6	·04	·13	·09	·18	·12	·05	-	-	-	·14	·05	-		6
7	-	·22	·06	·08	-	·04	-	-	-	-	·03	-		7
8	-	·12	-	·01	·04	-	·10	-	·01	-	·27	-		8
9	-	·03	-	·10	·14	-	·23	-	·39	-	·02	TRACE		9
10	-	-	·60	·17	-	·04	-	-	-	-	-	TRACE		10
11	-	-	·16	TRACE	·49	-	-	-	-	-	·11	·13		11
12	·09	·28	·06	-	·02	·02	·06	1·11	·12	-	-	·62		12
13	·10		-	·10	-	·08	-	·04	-	-	-			13
14	-	-	·07	·01	-	-	-	~~·39~~	·02	-	-			14
15	·12	·11	-	·30	-	-	1·36	-	-	-	-			15
16	·01	·03	·61	·12	-	-	-	·14	·09	-	-			16
17	·31	·06	·47	-	-	-	·01	-	·66	-	-			17
18	·02	·05	·08	-	-	-	·02	-	·43	-	·26	·11		18
19	·41	·02	·16	·03	-	·24	·43	-	-	-	-	-		19
20	·48	·08	·07	·54	·13	-	-	-	-	-	-	·06		20
21	·22	·27	·12	-	·04	-	·15	-	-	-	-	·02		21
22	·14	·03	·12	-	·10	·06	·26	-	-	·66	·39	·03		22
23	·14	·08	·01	-	·14	-	-	-	-	·17	·15	-		23
24	·41	·54	-	-	-	-	·01	-	·08	·50	-	-		24
25	-	·42	-	-	·06	-	-	-	·07	·31	-	-		25
26	-	·38	·04	-	·52	-	-	-	-	-	-	-		26
27	-	·22	-	·11	-	-	-	-	-	·78	-	·05		27
28	-		-	-	-	TRACE	-	-	-	·15	-	-		28
29	·06	-	-	-	-	·02	-	-	-	·71	·01	·02		29
30	·15	✕	-	-	-	-	-	-	-		·23	-		30
31	·26	✕	-	✕	-	✕	-	-	✕		✕	·01		31
TOTAL	3·30	3·98	2·84	1·89	2·36	·55	2·72	1·70	1·93	3·43	1·62	1·99	Year's Total 28·31	✓
* Days with .01 in. or more.	20	24	16	15	13	8	13	5	11	11	9	16	161	✓
* Days with .04 in. or more.	17	19	15	11	11	6	9	4	8	10	6	11	127	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

FILE No 698870/26

Section A **for the entry of Daily Observations**

Station No. 2241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at BIRCHYFIELDS

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 545 ft.

Ays

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	-	·03	·01	-	-	·42		·40	-	·15	·01	·37		1	
2	-	-	-	·04	·04	-	·36	-	-		-	-		2	
3	-	-	-	-	·11	·03	·16	-	·01	1·00	-	-		3	
4	-	-	-	TRACE	-	-	·08	·61	-		TRACE	·20		4	
5	-	·04	-	-	-	-	·01	1·37	·03	·04	-	·04		5	
6	·14	·01	-	-	-	·03	1·06	-	·07	·08		·07		6	
7	-	-	-	-	-	-	·28	-	·10	-	-	·12		7	
8	·35	-	-	-	-	-	·11	·58	-	-	-	-		8	
9	·09	·05	-	-	-	TRACE	·07	·73	-	·02	-			9	
10	·15	·01	·01	-	~~·10~~	·10	·14	·60	-	·01		1·28		10	
11	·47	-	-	-	~~·02~~	·02	·01	-	-	·01	·18			11	
12	-	-	-	-	·09	-	TRACE	-	-	·31	·51	-		12	
13	-	-	-	-	·02	-	-	-	-	-	·07	·55		13	
14	·42	-	-	-	·06	-	·57	-	-	-	-	-		14	
15	·05	-	-	-	·18	-	·17	·01	-	-	·04	·27		15	
16	·27	-	-	-	-	-	-	-	-	-	·10	·05		16	
17	-	-	-	-	-	-	·02	-	·12	·14	-	-		17	
18	-	-	-	-	-	·09	-	·14	-	-	·25	-		18	
19	-	-	-	-	-	-	-	·13	-	-	·02	·02		19	
20	·08	-	-	-	-	-	-	-	·05	·03	·34	-		20	
21	-	-	-	-	-	-	-	·07	·30	-	·15	·03		21	
22	-	-	-	·05	-	-	-	·05	·08	-	·34	·04		22	
23	-	-	-	·01	·05	·02	-	-	·10	-	·05	·02		23	1·39
24	-	·01	·11	-	·07	~~·02~~	-	·29	·03	-	·04	-		24	·75
25	·08	·15	·07	-	·08	-	·05	·02	-	·14	·47	-		25	2·14
26	·11	·25	·04	-	·05	·22	·03	-	·05	·21	·10	·16		26	2·19
27	·20	·05	-	-	·36	·04	·27	·42	-	·06	·24	·03		27	
28	·10	·03	-	-	TRACE	·16	·03	·14	-	TRACE	-	-		28	
29	·19	-	-	-	·40	-	·01	-	-	·06	·15	·01		29	
30	·03	✕	-	-	-	·16	·03	-	·34	-	·28	-		30	
31	·19	✕	-	✕	·22	✕	-	-	✕	·13	✕	·34		31	
													Year's Total		
TOTAL	3·32	·66	·24	·10	1·83	1·29	3·48	5·56	1·28	2·29	3·34	3·60	26·99	✓	
* Days with .01 in. or more.	16	11	5	3	13	11	20.	15	12	17.	18	19.	160	✓	
* Days with .04 in. or more.	15	5	3	2	12	6	13.	13	9	13.	16	14.	121	✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. E. Knott

P.T.O.

2241.

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193....

At Bromyard (Birchyfields)

In the County of Hereford

Rain Gauge
- Diameter of Funnel........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level..................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·44				
FEB.	1·11				
MAR.	1·05				
APRIL	1·59				
MAY	·76				
JUNE	(1·70)				
JULY	5·34				
AUG.	·97				
SEPT.	·67				
OCT.	2·72				
NOV.	5·02				
DEC.	2·10				
TOTAL	28·47				

Signature ....

(signed) J. E. Knott Esq

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

....

....

Hour of observation by the clock—in Winter........................in Summer....................

Nearest Railway Station.................................. Distance.................. Direction from gauge............

Nearest Parish Church at.................................. Distance.................. Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

June estimated, observer lost record.

W.S.R.

Copied from enclosure 30a of file 698870/26

12 MAR. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

File No 658370/20

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at BIRCHYFIELDS BROMYARD
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 545 ft.

Reg.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·02							·14			1
2		✗		·18			✓				1·00	✓		2
3		✗ ·10		·06						·70	✗			3
4		✓					·03			·07	✗	·06		4
5		✓			·17		·13			✓	✗ 2·05	·13		5
6	·19	✗								✗	·28	·05		6
7		✗ ·58		✓			·07		·03	✓				7
8						·10			·20	·33	✓	·22		8
9				·09			·10	✗		·10	✗	✗		9
10			·04				·10			·25	✗	·25 ✗		10
11				·02			·45				✗	·08		11
12			·10				·18		✗	·03	✓			12
13			·29						·02			·35		13
14			~~·29~~	·04	·28				·05	·14	·07	·10		14
15			·02	·07	·67	✗			·45	·11	·13			15
16		·60	·18	·05			·15		·09	·60 ~~·60~~	·53	✓		16
17			·19				·02		·57	~~"~~	·08			17
18	✗	✗ ·20	·17	·35				✓	·15		✓	·09		18
19		✗	·03	·19			·22		✗		✗	·07		19
20			·10	·02			·02			·15	·05			20
21		✓	·05		·04	·03					1·24			21
22		·17	·03	·06	·30	·04			·55		·07			22
23		✗	·05	·06	·40						·02			23
24							·15							24
25	✓ 1·40													25
26	✗	·20		~~·06~~	✓		·50							26
27	✗	·20					✓	✓						27
Snow Thaw 28	✗	·08	·03	·06	·54		·17			·00 ~~·0~~	·02			28
29	✓ 1·97		·04	·08	·15		·06			·05		✗		29
30	·05	✕	·04	·12						·50				30
31	✗	✕	·08	✕		✕			✕	·83	✕			31
TOTAL	3·56	2·13	1·44	2·12	2·58	·17	2·67	·06	2·11	4·01	5·62 ~~[illegible]~~	1·40	Year's Total 28·07 ~~26·04~~	
* Days with .01 in. or more.	9 ~~7~~	~~8~~ 14	16	~~16~~ 17	~~8~~ 9	~~3~~ 4	~~16~~ 17	~~1~~ 3	~~8~~ 11	~~15~~ 16	~~19~~ 21	14 ~~11~~	151 ~~120~~	
* Days with .04 in. or more.	6 ~~7~~	~~8~~ 11	12	12	8	~~2~~ 3	12	1	~~7~~ 9	~~12~~ 13	~~13~~ 15	11 ~~10~~	113 ~~97~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E Hewitt

[P.T.O.

KINGTON (HUNTINGTO
N+Z Circ A

Section **A** for the entry of
AIR MINISTRY

ation No. 2241/5
ORGANIZATION

FORM 1090

REGIS

8

Kept at Huntington
in the County of Hereford
Diameter of Funnel of Gauge........
Height of top of Gauge above Gro
,, Ground ,, Sea

tals
Days.

THE MORNING MEASURE

DAY

An observer who does not conform t
year in the space on the right of thi

ollowing

Ple

Jan. 1, following

—
2241/5
KINGTON, HUNTINGTON PARK
1938-39

780403

Date	Jan.	Feb.	Mar.	Ap								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·24	—	—	—	·68	Tr.	·22	—	·43	·02	·48		1
2	—	—	·09	—	·10	—	·06	—	—	*	·02	—		2
3	—	—	—	—	·07	·04	Tr.	—	—	*·88	·01	—		3
4	—	—	—	—	—	—	·37	·74	—	·66	—	·18		4
5	—	·05	—	—	—	—	·13	·08	·12	·18	—	·06		5
6	—	—	—	—	—	·10	1·03	—	·04	·20	—	·19		6
7	·18	—	—	—	—	—	·69	·33	·15	·62	—	·10		7
8	·40	—	—	—	—	—	·01	·01	—	[illegible]	—	·02		8
9	·38	·09	—	—	—	—	·07	·15	—	·06	—	·32		9
10	*	—	—	—	—	·01	·18	·52	—	·02	—	·40	1·75	10
11	*·95	·05	—	—	·03	·02	Tr	Tr	—	·35	·27	·41		11
12	*	—	—	—	·28	·02	—	Tr	—	—	·69	—		12
13	—	—	—	—	·05 ~~·29~~	—	Tr	—	—	·03	·48	·38		13
14	·70	—	—	—	·054	—	·07	—	·02	—	—	·18		14
15	·32	—	—	—	·06	—	·22	—	—	·02	·03	·06		15
16	·20	—	—	—	—	—	—	—	—	·01	·18	—		16
17	·12	—	—	—	—	·02	—	—	·05	·12	[illegible]	[illegible]		17
18	—	·04	—	—	—	·05	—	·31	·01	·06	·42	[illegible]		18
19	·05	—	—	—	—	—	—	—	·01	—	·61	* "		19
20	·08	—	—	—	—	—	—	·04	·01	—	·10	"	Slight	20
21	—	—	—	—	—	—	—	—	·11	—	·15	(·09) ·09	Snow	21
22	·12	—	—	·10	—	Tr	—	—	—	—	·62	[illegible]	[illegible]	22
23	—	—	—	—	·05	—	·02	Tr	·07	—	·04	"	[illegible]	23
24	·20	·05	·09	—	·11	Tr.	·02	·33	·04	·07	·13	"	ally	24
25	—	·25	·02	—	·16	—	·06	·18	—	·22	·86	* "		25
26	—	·50		—	·31	·38	Tr	—	·18	·48	—	—	Thaw	26
27	·14	·07		—	·42	·02	·12	·35	—	Tr	·48			27
28	—	·17		—	—	·17	—	·05	—	—	—			28
29	·32	—		—	·70	·07	·02	—	·34	·10	*·45	*		29
30	·07	×		—	·11	Tr	—	—	*	—	*	·46		30
31	·13	×		×	·19	×	—	·10	×	·20	×	*		31
TOTAL	4·36	1·51	·20	·10	2·68	1·58	3·07	3·41	1·15	4·41	5·58	~~3·43~~	Year's Total 32·08	
* Days with .01 in. or more.	18	10	3	1	14	12	15	14	13	20	~~20~~ 19	5·53 20	159	
* Days with .04 in. or more.	18	10	2	1	13	7	11	13	9	16	15	18	132	

Print
GB
12/4/39

* See Instruction 3 (f) on other side.

2.68 N

† Spare column, no entries required.
(*Signed*) .... [P.T.O.

S. H. ROMILLY ESQ.

KINGTON (HUNTINGTO
N+Z Circa

Section **A** for the entry of Daily Observations

Station No. 2241/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Huntington Park
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 670 ft.

869808/39
Aus Totals
1 Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·24	—	—	—	·68	Tr	·22	—	·43	·02	·48		1
2	—	—	·09	—	·10	—	·06	—	—	} +	·02	—		2
3	—	—	—	—	·07	·04	Tr	—	—	·88	·01	—		3
4	—	—	—	—	—	—	·37	·74	—	·66	—	·18		4
5	—	·05	—	—	—	—	·13	·08	·12	·18	—	·06		5
6	—	—	—	—	—	·10	1·03	—	·04	·20	—	·19		6
7	·18	—	—	—	—	—	·69	·33	·15	·62	—	·10		7
8	·40	—	—	—	—	—	·01	·01	—	[illegible]	—	·02		8
9	·38	·09	—	—	—	—	·07	·15	—	·06	—	·32		9
10	} +	—	—	—	—	·01	·18	·52	—	·02	—	·40	1·75	10
11	+ ·95	·05	—	—	·03	·02	Tr	Tr	—	·35	·27	·41		11
12	+	—	—	—	·28	·02	—	Tr	—	—	·69	—		12
13	—	—	—	—	·05 ~~·28~~	—	Tr	—	—	·03	·48	·38		13
14	·70	—	—	—	·04	—	·07	—	·02	—	—	·18		14
15	·32	—	—	—	·06	—	·22	—	—	·02	·03	·06		15
16	·20	—	—	—	—	—	—	—	—	·01	·18	—		16
17	·12	—	—	—	—	·02	—	—	·05	·12	[illegible]	+ [illegible]		17
18	—	·04	—	—	—	·05	—	·31	·01	·06	·42	[illegible]		18
19	·05	—	—	—	—	—	—	—	·01	—	·61	+ 〃		19
20	·08	—	—	—	—	—	—	·04	·01	—	·10	〃	Slight	20
21	—	—	—	—	—	—	—	—	·11	—	·15	+ (·09) ·09	Snow	21
22	·12	—	—	·10	—	Tr	—	—	—	—	·62	[illegible]	off &	22
23	—	—	—	—	·05	—	·02	Tr	·07	—	·04	〃	[illegible]	23
24	·20	·05	·09	—	·11	Tr	·02	·33	·04	·07	·13	〃	ally	24
25	—	·25	·02	—	·16	—	·06	·18	—	·22	·86	+ 〃		25
26	—	·50		—	·31	·38	Tr	—	·18	·48	—	—	Thaw	26
27	·14	·07		—	·42	·02	·12	·35	—	Tr	·48			27
28	—	·17		—	—	·17	—	·05	—	—	—			28
29	·32	—		—	·70	·07	·02	—	}	·10 }	+	+		29
30	·07	✕		—	·11	Tr	—	—	·34 +	—	·45 +	·46		30
31	·13	✕		✕	·19	✕	—	·10	✕	·20	✕	+		31
TOTAL	4·36	1·51	·20	·10	2·68	1·58	3·07	3·41	1·15	4·41	5·58	~~3·63~~ 3·53	Year's Total 32·08	
* Days with .01 in. or more.	18	10	3	1	14	12	15	14	13	20	~~20~~ 19	20	159	
* Days with .04 in. or more.	18	10	1	1	13	7	11	13	9	16	15	18	132	

Print
GB
12/4/39

* See Instruction 3 (f) on other side.

2.68 N

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

S.H. ROMILLY ESQ.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2241/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Huntington Park

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 670 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·73	·32	·08	—	·02	·04	·12	—	·10	·14		1
2	—	—	—	·14	—	—	—	·24	·38	—	·10	·08		2
3	Snow	—	·09	·43	—	—	·08	·11	—	—	·10	·77		3
4	and	·20	·28	·19	·45	—	·28	·02	·01	—	·18	·27		4
5	hard	—	—	·21	·04	—	·59	—	—	—	·32	Tr		5
6	frost	—	—	—	—	—	·90	—	—	·67	·10	—		6
7	·05	·40	—	—	—	—	·52	·18	—	·21	·35	·40		7
8	·01		·56	—	·03	—	·22	·02	—	·95	—	·03		8
9	·03	·19	—	—	—	—	—	·47	—	·16	·01	·18		9
10	·64		—	—	—	Tr	—	—	·06	·25	—	·07		10
11	Tr	·06	—	—	—	—	—	—	—	—	·01	·04		11
12	—	·24	—	·18	—	—	—	—	·09	—	·01	—		12
13	—	—	·05	·14	·10	—	·43	—	·02	·10	·01	—		13
14	·98	—		·04	·05	·07	·31	—	·01	·06	·24	—		14
15	·43	—		·04	—	·47	·96	—	—	—	·45	5		15
16	·10	·01	×·09	—	·14	·06	·01	—	—	·11	·34	—		16
17	·83	·05		—	—	·06	·02	—	—	·01	·01	—		17
18	·07	·06		—	—	·10	·42	—	—	—	·52	—		18
19	·20	—	—	—	—	—	·20	·05	—	—	·01	·02		19
20	·33	—	—	—	·01	—	·45	·12	—	—	—	·03		20
21	·05	·04	·29	·07	—	·65	·07	·13	·03	·05	·01	—		21
22	·33	·50	·14	·10	—	·01	·28	—	—	·07	·82	—		22
23	—	·05	·04	—	—	·10	·06	—	—	·12	·47	—		23
24	—	—	—	·04	—	—	·04	—	—	·11	—	—		24
25	·75	·15	—	·12	—	·05	·04	—	—	—	·77	—		25
26		·05	—	—	—	—	—	·25	—	—	·41	—		26
27	—	·58	·07	—	—	·14	·05	·08	—	·01	·15	—		27
28	·08	—	·05	—	—	·05	·50	—	—	—	·21			28
29	—	—	—	·29	—	·23	·54	—	—	·16	·04	·08		29
30	—	×	—	·20	—	·08	·07	—	—	·04	·04	—		30
31	—	×	—	×	—	×	·02	·36	×	·08	×	·20		31
TOTAL	4·86	2·58	2·39	2·46	·90	2·07	7·08	2·02	·62	3·09	5·78	2·31	Year's Total 36[illegible]	
* Days with .01 in. or more.	16	14	12	15	8	13	25	13	8	17	26	14	181	
* Days with .04 in. or more.	13	13	11	15	6	12	21	12	3	15	19	11	151	

†Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

2242

Section **A** for the entry of Da

AIR MINISTRY.—

FORM 30.

REGISTE

N° 2242

BROMYARD

1931 - 1940

480403

FOR OFFICIAL USE.

ALL ORGANIZATION. 158

31.

Kept at Bromyard

in the County of Herefo

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASURE AY.

An observer who does not conform to this *he following*
year in the space on the right of this p

Ple

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2				·84					·57				2
3											·88		3
4													4
5						·90							5
6							·56			·25			6
7													7
8								·65					8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20			·09										20
21	·21												21
22													22
23												·30	23
24													24
25													25
26													26
27		·52			1·11								27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·45	2·13	0·16	3·36	4·17	3·72	3·40	4·45	2·44	0·74	4·52	1·10	YEAR'S TOTAL 31·64
*Days with ·01 in. or more.	18	17	6	16	18	15	18	15	16	8	23	15	185
*Days with ·04 in. or more.	14	13	1	15	14	10	14	14	10	5	17	8	135
40-9999	36·8	54·1	4·1	85·3	105·9	94·5	86·4	113·0	62·0	18·8	114·8	27·9	803·6

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

2242

158

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]o.

REGISTER OF RAINFALL IN 1931.

Kept at Bromyard

in the County of Hereford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2				·84					·57				2
3											·88		3
4													4
5						·90							5
6							·56			·25			6
7													7
8								·65					8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20			·09										20
21	·21												21
22													22
23												·30	23
24													24
25													25
26													26
27		·52			1·11								27
28													28
29		×											29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·45	2·13	0·16	3·36	4·17	3·72	3·40	4·45	2·44	0·74	4·52	1·10	YEAR'S TOTAL 31·64
*Days with ·01 in. or more.	18	17	6	16	18	15	18	15	16	8	23	15	185
*Days with ·04 in. or more.	14	13	1	15	14	10	14	14	10	5	17	8	135
40-9999	36·8	54·1	4·1	85·3	105·9	94·5	86·4	113·0	62·0	18·8	114·8	27·9	803·6

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

[P.T.O.

2242

Section A for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM No.

158

REGISTER OF RAINFALL IN 1932.

Kept at Bromyard

in the County of Hereford

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					2.15								1
2													2
3				·62									3
4													4
5	·58												5
6													6
7										1.30			7
8									1.16				8
9		·04											9
10													10
11													11
12													12
13							·86						13
14													14
15													15
16													16
17													17
18													18
19													19
20								·80					20
21													21
22													22
23													23
24													24
25													25
26													26
27			·62										27
28													28
29												·32	29
30		×				·84							30
31		×		×		×			×		×		31
TOTAL	2·79 ✓	0·15 ✓	1·62 ✓	3·69 ✓	6.55 ✓	1.05	2.71 ✓	2.34 ✓	3.91 ✓	4.21 ✓	1.54 ✓	1.46 ✓	YEAR'S TOTAL 32·02
*Days with ·01 in. or more.	16	8	13	22	22	4	17	8	15	23	19	18	185
*Days with ·04 in. or more.	10	1	8	18	20	3	9	8	12	18	11	8	126
40-9999	70·9	3·8	41·1	93·7	166·4	26·7	68·8	59·4	99·3	106·9	✓39·1	37·1	

(Signed) MISS M A PHILPOTT

P.T.O.

*See Instruction 2 (*f*) on other side

2242

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

158

Kept at Bromyard
in the County of Hereford
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level 393 ft.

Daily figures in pencil obtained from Room 25 for comparison purposes 12/6/34 J.W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39	·08	·06		tr					tr	·03	tr	1
2	·24		·36		·08	·16				tr	·04		2
3	·03	·12	·16		·08					tr	-		3
4	·12	tr	tr		·27			·02			tr		4
5	·27	·02	·48		·03						tr		5
6	·01	·39	·01		·40					·15	tr		6
7	·01	tr	tr		·02		·01			·13		tr	7
8	·03	tr	·12		tr		·54	tr		·03			8
9		·02		tr	·05	·03	·25			1·25	tr		9
10	·10	·18				tr	·04	·08		1·92	·14	tr	10
11		tr			tr		·06	tr		·02	tr	tr	11
12	·02				·02	tr	·19		·10	tr	tr	·02	12
13	~~tr~~				·12	tr	·07			·15	·13		13
14	·01				tr		·07	·06		·25	·13	tr	14
15	0·40		·03			·01	·20	·03		·05	tr	·01	15
16	·05	tr	·58		tr	·04	·08	·01		·07	·01	tr	16
17	·01	·04	·24			·08			·03	tr	·02	·01	17
18	·05	·02	·08			·06				tr	·02	tr	18
19		tr	·18			·04	tr		·20	tr	·13	·02	19
20		·02	·07			·25		·02	·10		tr	—	20
21		·03			tr	·09		·19		·03	·01		21
22		tr		·05		—		·27	·05	·15	tr		22
23		tr		·14		·10			·46	·47			23
24		·93		·17	tr	·25			·11	·19	tr		24
25		·66		·19	·13	·22			·09	tr	tr	·13	25
26		·85		·15	·28	·35			·11	·21	tr	·01	26
27		tr			·17				·03	·10	tr	·12	27
28	~~tr~~	·22		·24			·02		·01	·04		·02	28
29	·03	×	·10	·04						tr		·01	29
30	·04	×	·06	·01			·01		·08	·02		·05	30
31	·21	×	·08	×		×		·06	×	·04	×		31
TOTAL	2·02 ✓	3·58 ✓	2·61 ✓	0·99 ✓	1·65 ✓	1·68 ✓	1·54 ✓	0·74 ✓	1·37 ✓	5·27 ✓	·66 ✓	0·40 ✓	YEAR'S TOTAL 22·51 ✓
*Days with ·01 in. or more.	18	14	15	8	12	13	12	9	12	19	10	10	152 ✓
*Days with ·04 in. or more.	10	9	13	7	9	11	9	5	9	15	5	7	109 ✓

40-9999 51·3 90·9 42·7 39·1 34·8 133·9

*See Instruction 2 (*f*) on other side.

D

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~458~~ 2242

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bromyard

in the County of Hereford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 393 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												·72		1
2														2
3														3
4														4
5								·6~~7~~9						5
6					·43									6
7														7
8														8
9											·52			9
10				·38										10
11	1·08			·38										11
12							·64							12
13														13
14														14
15														15
16														16
17									·36					17
18														18
19						·25								19
20			·37											20
21														21
22														22
23														23
24		·30												24
25														25
26										·26				26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	2·79 ✓	·31 ✓	2·11 ✓	2·16 ✓	1·35 ✓	·95 ✓	1·25 ✓	2·04 ✓	2·13	1·44 ✓	2·05 ✓	5·73 ✓	Year's Total 24·31 ✓	
*Days with ·01 in. or more.	15	2	17	16	10	9	6	17	15	18	14	26	165 ✓	
*Days with .04 in. or more.	9	1	14	11	7	6	5	9	12	14	10	21	119	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 2242

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

158

Kept at Bromyard

in the County of Hereford

Diameter of Funnel of Gauge.......in.

Height of top of Gauge above Ground.......ft.......in.

,, Ground ,, Sea Level 393 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5			0.27											5
6														6
7														7
8								0.58						8
9										·75				9
10														10
11	·22													11
12														12
13														13
14														14
15				0·62										15
16														16
17														17
18														18
19					0·36		0·25							19
20											1·16			20
21														21
22														22
23														23
24		0·32							0·72					24
25						1·00								25
26												·49		26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	·85	1·99	0·72	3·99	0·90	3·35	0·54	1·53	3·41 ✓	3·47	5·84	3·08 ✓	Year's Total 29·67	✓
*Days with ·01 in. or more.	12	14	6	18	10	21	4	8	23	18	23	19	176	
*Days with .04 in. or more.	5	11	5	16	7	16	4	5	16	14	18	15	132	

40-9999

*See Instruction 2 (*f*) on other side

† Spare column, no entries required.

(*Signed*).......

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2242

158

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Bromyard

in the County of Hereford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 393 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3									0·62					3
4														4
5								0·08						5
6														6
7							1·05							7
8											·75			8
9														9
10														10
11											·75			11
12					0·57									12
13												·65		13
14														14
15														15
16														16
17		0·72												17
18														18
19														19
20														20
21				0·82										21
22														22
23														23
24														24
25														25
26			0·40											26
27														27
28														28
29						1·23								29
30		×								0·50				30
31	0·62	×		×		×			×		×			31
TOTAL	3·51	2·42	2·75	2·38	1·49	3·64	5·81	0·23	3·33	1·71	3·12	3·27	Year's Total. 33·66	
* Days with .01 in. or more.	21	16	18	13	9	16	25	6	15	15	21	19	194	
* Days with .04 in. or more.	17	13	17	10	6	12	21	3	15	10	14	13	151	

79·2

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2242

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

158

Kept at Bromyard (Dumbleton Cot.)

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 393 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1												·48		1
2														2
3														3
4														4
5														5
6														6
7		·85												7
8														8
9														9
10														10
11			·90		·61									11
12								1·58						12
13						·37								13
14														14
15							1·68							15
16														16
17									·63					17
18														18
19														19
20	·50			·48										20
21														21
22										·68	·36			22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
													Year's Total	
TOTAL	3·56	4·34	3·18	1·98	2·57	·91	2·98	1·99	2·01	3·69	1·44	2·12	30·77	✓
*Days with ·01 in. or more.	21	24	19	14	13	11	14	4	14	14	12	18	178	✓
*Days with ·04 in. or more.	17	20	13	12	9	7	8	4	10	9	6	10	125	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P. T. O.

158

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2242

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1030

REGISTER OF RAINFALL IN 1938

Kept at Bromyard (Dumbleton Cot.)

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 393 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·37	*							1
2							*							2
3										·51				3
4														4
5								1·26						5
6							·94							6
7												~~1·10~~		7
8														8
9												·61		9
10														10
11	·47													11
12											·51			12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21									·39					21
22														22
23														23
24			·13											24
25														25
26		·28												26
27					·46									27
28														28
29														29
30		☒		·12										30
31		☒		☒		☒			☒		☒			31
TOTAL	3·13	·68	·30	·24	1·85	1·39	3·69	5·52	1·38	2·87	3·54	3 4·91	Year's Total 28·50	
* Days with .01 in. or more.	23	11	3	4	14	12	16	16	16	16	18	23	172	
* Days with .04 in. or more.	17	5	3	2	13	7	13	13	10	15	17	15	130	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

~~158~~

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2242

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bromyard (Dumbleton Cot.)

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 393 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·15									1
2					—				·32					2
3				·36	—									3
4					·11		·38							4
5					·08		·37							5
6							·60							6
7					·04		·34					·52		7
8			·39				·77			·74				8
9								·37						9
10						·61								10
11														11
12						·02								12
13					·03		·14							13
14					·17	·11	·11							14
15	·97				·05	·40	·58							15
16					·13		·37							16
17					·02	·02	·02							17
18					·02	·06	·14							18
19							·88							19
20						·02	·24							20
21						·43								21
22						·21	·06							22
23							·25				·82			23
24							·03							24
25							·02							25
26														26
27						·02	·11							27
28		·24				·30	·18							28
29						·15	·11							29
30						·12								30
31							·07							31
TOTAL	6·34	1·09	1·13	2·43	·80	1·87	5·77	1·45	·61	2·74	5·29	1·91	Year's Total 31·43	
* Days with .01 in. or more.	24	14	13	19	10	13	21	13	8	18	23	15	191	
* Days with .04 in. or more.	17	9	7	12	7	8	18	7	3	12	19	9	128	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE 158

Section A for the entry of Daily Observations

Station No. 2243 √

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Bromyard (Dumbleton Cot.)

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 393 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3											1.54			3
4														4
5														5
6														6
7														7
8														8
9								·30						9
10							·52							10
11														11
12														12
13			·45											13
14												·33		14
15														15
16		·46												16
17														17
18									·51					18
19														19
20														20
21						·53								21
22														22
23					·69									23
24														24
25														25
26	1·36													26
27														27
28														28
29				66										29
30		✕												30
31		✕		✕		✕			✕	·83	✕			31
													Year's Total	
TOTAL	3·46	2·64	1·61	2·18	2·91	·69	2·78	·36	1·95	4·02	7·33	1·92	31·85	
* Days with .01 in. or more.	9	15	14	19	11	5	16	4	12	16	20	19	160	
* Days with .04 in. or more.	7	11	11	12	8	3	14	1	9	15	16	10	117	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

2243

—

2243

KINGTON LYNHALES

1931 —— 40

7P 0403

Section **A** for the entry of

AIR MINISTR

COPY FOR OFFICIAL USE.

L ORGANIZATION.

FORM 1090. REGIS

1.

Kept at Lynhal

in the County of Here

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to

year in the space on the right of th

ollowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			TR	·13	TR	·08			·52	·08			1
2		·01		·55	·12	TR	TR	·13	·37	TR	·20	·30	2
3	·10	TR	·02	TR	TR		·03		T ·11	TR	1·97	·05	3
4			S ·06	·07	·05	TR	·30	·43	·05	TR	·25	·02	4
5		·12		·07	TR	T 1·22	·16	·02	TR		·01	·33	5
6		·16		·13	·05	·02	T ·17	·15	·01	·22	·24	·05	6
7		·01	S TR	TR	TR	·04	T ·49	·36		·03	·38	·05	7
8	S ·01	·06	S TR	·07		·14		·40		·02	·05	·10	8
9		·37	S TR	TR		·12	TR	TR	TR	·09	·66	·02	9
10	·01	·01	S TR		·03	·02	·01		·16		·75	TR	10
11		·40			·01	·07	·08	TR	T ·11		·17	TR	11
12	·05	S ·08				TR	·33	TR	·07	·03	·02	TR	12
13			·07		·04	·01	T ·23	TR	·01	·01	TR		13
14	·01	·03	·01		·06	T ·95	·01	T 1·32	·02		·27		14
15	TR	SL ·10		·06	·07	·02		T ·39	·06		·01	·04	15
16	·05	S ·25		·12	·23	·75		·18	T ·13				16
17	·05	S ·08		·20	·41	·10	T ·13	·01	·01	TR	·09		17
18	·06		·11	·20	TR	·21	·07	·30		TR	·54	·01	18
19	·01	·04	TR	·03		T ·58	TR	·42	·04		·02	·01	19
20	TR	·09	·10	·02			TR	·05		TR	·23	TR	20
21	·34	TR	·01	·01	·46		TR	TR			·16		21
22	·40	·01	TR	TR	·06	TR	TR	·06			·05		22
23	·26			·61	·60	·10	·07	TR			·23	·05	23
24	·07	TR	TR	·41	·11		·47				·04	·01	24
25	·18	·01		·35	TR		·13				·02		25
26	·01	·02		·02			·02				·51		26
27	·10	·54	·07	TR	T 1·58		TR			TR	·06	·05	27
28	·05	S ·14	·12	·02	·42		·02			·04	TR	S ·09	28
29	·04		S ·10		T ·25		·15		TR	·04	·07	S ·01	29
30	TR	×	TR	·02	TR		TR		·03		TR		30
31	S ·38	×		×	·04	×			×	TR	×	·03	31
TOTAL	2·18	2·53	·67	3·11	4·59	4·43	2·88	4·22	1·70	·56	7·01	1·22	YEAR'S TOTAL 35·10
*Days with ·01 in. or more.	19	20	10	19	18	16	18	14	15	9	25	17	200
*Days with ·04 in. or more.	14	12	7	13	16	12	13	12	10	5	20	10	144

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Horace J. Hibbert

P.T.O.

2243

Section **A** for the entry of [redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Lynhales

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 620 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			TR	·13	TR	·08			·52	·08			1
2		·01		·55	·12	TR	TR	·13	·37	TR	·20	·30	2
3	·10	TR	·02	TR	TR		·03		T ·11	TR	1·97	·05	3
4			S ·06	·07	·05	TR	·30	·43	·05	TR	·25	·02	4
5		·12		·07	TR	T 1·22	·16	·02	TR		·01	·33	5
6		·16		·13	·05	·02	T ·17	·15	·01	·22	·24	·05	6
7		·01	S TR	TR	TR	·04	T ·49	·36		·03	·38	·05	7
8	S ·01	·06	S TR	·07		·14		·40		·02	·05	·10	8
9		·37	S TR	TR		·12	TR	TR	TR	·09	·66	·02	9
10	·01	·01	S TR		·03	·02	·01		·16		·75	TR	10
11		·40			·01	·07	·08	TR	T ·11		·17	TR	11
12	·05	S ·08				TR	·33	TR	·07	·03	·02	TR	12
13			·07		·04	·01	T ·23	TR	·01	·01	TR		13
14	·01	·03	·01		·06	T ·95	·01	T 1·32	·02		·27		14
15	TR	SL ·10		·06	·07	·02		T ·39	·06		·01	·04	15
16	·05	S ·25		·12	·23	·75		·18	T ·13				16
17	·05	S ·08		·20	·41	·10	T ·13	·01	·01	TR	·09		17
18	·06		·11	·20	TR	·21	·07	·30		TR	·54	·01	18
19	·01	·04	TR	·03		T ·58	TR	·42	·04		·02	·01	19
20	TR	·09	·10	·02			TR	·05		TR	·23	TR	20
21	·34	TR	·01	·01	·46		TR	TR			·16		21
22	·40	·01	TR	TR	·06	TR	TR	·06			·05		22
23	·26			·61	·60	·10	·07	TR			·23	·05	23
24	·07	TR	TR	·41	·11		·47				·04	·01	24
25	·18	·01		·35	TR		·13				·02		25
26	·01	·02		·02			·02				·51		26
27	·10	·54	·07	TR	T 1·58		TR			TR	·06	·05	27
28	·05	S ·14	·12	·02	·42		·02			·04	TR	S ·09	28
29	·04		S ·10		T ·25		·15		TR	·04	·07	S ·01	29
30	TR	×	TR	·02	TR		TR		·03		TR		30
31	S ·38	×		×	·04	×			×	TR	×	·03	31
TOTAL	2·18	2·53	·67	3·11	4·59	4·43	2·88	4·22	1·70	·56	7·01	1·22	YEAR'S TOTAL 35·10
*Days with ·01 in. or more.	19	20	10	19	18	16	18	14	15	9	25	17	200
*Days with ·04 in. or more.	14	12	7	13	16	12	13	12	10	5	20	10	144

40-9999

(Signed) Horace J. Hibbert

P.T.O.

*See Instruction 2 (*f*) on other side.

2243

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2243

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Lynhales

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 620 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	·02		·13	T 1·60	·02	·03	·24	TR	·04	·07	·06	1
2	·11			TR	·11			·02	·10	·02	·01	·15	2
3	·02	·03		SL ·19	·01		·21			·10	·01	·15	3
4	·02			S ·76			·08		TR	TR	·45	TR	4
5	·58	·01	·03		H ·01		TR		·09		TR		5
6	·54		·09	·28			·29		·33	·02			6
7	·03		·14	H ·16	H ·32		·02		·21	·81			7
8	S TR		·11	H ·06	·01		TR		TR	·26			8
9	·58	S ·04	S TR	·08	·01					·01			9
10	·31		S TR	H ·25	·04	·09			·15	·14			10
11	·10	S TR		S ·04	·01	TR	T ·01		TR	TR	·01	·09	11
12	·44			TR	·20			·02	·21	·33	·03	·01	12
13	·07	TR		·16	·02		T ·55	·20		H ·16	·04	·12	13
14	·13			·14	·03		·08	·04		·02	·07	·02	14
15	·02			·01	T ·33		·02			·04	TR	TR	15
16	·44		TR	·34						·01		·01	16
17	TR			TR	·06		·02			·04	TR		17
18	TR				·06				TR		·30		18
19				·10	·20		TR			·08	·01		19
20				·12	·66			T 1·75		·83	·03	·06	20
21	·02		·11	·20	·01			T ·46		·69	·01	·16	21
22			·01	·02	·05		·06		·67	·33	·23	·10	22
23		·02	·12		·39		·01		·02	·19	·24	·04	23
24	·08	TR	TR	·01	·01	TR	·09		·04	·04	·06	·01	24
25				·12		TR	·01		·05	·21	·04	TR	25
26		TR	·10	·32	·10		·01		·04	·16	·06		26
27		H TR	·47	·05	·42	TR	·08	TR		·16	·01	·02	27
28			·22	·04	·18	·03	·15			TR	TR	·01	28
29			·30	·13	·32	·22	·02	·27	·24	·62	·11	·29	29
30	TR	×	·14		·05	·50	·20	·05	·16	·01	·41	·07	30
31		×	·02	×	TR	×	·19	·01	×		×	·39	31
TOTAL	3·66	·12	1·86	3·71	5·21	·86	2·13	3·06	2·31	5·32	2·20	1·70	YEAR'S TOTAL 32·14
*Days with ·01 in. or more.	17	5	13	23	26	5	20	10	13	25	20	18	195
*Days with .04 in. or more.	12	1	10	20	17	3	11	7	12	19	11	12	135

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Florence J. Hibbert

P.T.O.

2243

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2243~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Lynhales

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 620 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.14	.06	.01	TR	.01			TR	.08	TR	S.20		1
2	.22		.31	TR	.17	.02				TR	.01			2
3	TH.20	.14	.11		.15						TR			3
4	H .15	.02	.03		.05									4
5	.15	TR	.27		.01		TR				TR			5
6	.01	.31	.03	TR	T.20					.13				6
7	.06	.02			TR		T.21			T.33	TR	TR		7
8	.01	.01	.05		.01		.21	TR		TR				8
9		.02			.03	T.02	.43	TR		1.60	.03			9
10	.08	.01			TR	TR	.03	.01		2.36	.01			10
11	.01					.05	.12	TR		.04		S.01		11
12	.01			TR	.01		.16		TR	TR		S.01		12
13	TR				.06	.01	.21	T.12		.20	.10			13
14	.09						.09	T.14		T.11	.09			14
15	.26		.05			T TR	T.82	.05		.10	TR	.02		15
16	S.01	TR	.44		TR	.01	.04			.05	.01	TR		16
17	S.02	S.05	.26			.07	.01	.01	.07		.02			17
18	S.04	S TR	.12	TR		.19	T.08				.03			18
19	.01	S TR	TH.48	S TR		.02		TR	.21		.39			19
20	TR	.05	H.02		TR	T.02			T.44	TR	.01			20
21		S.03			.16	T.50		.05		.03	.02			21
22		S.01		.03	T.18	T.06		T.14	.18	.06	.01			22
23		S.07		.16		.30		TR	.17	.10	TR			23
24		S.80		.15	.03	.21			.02	.32	TR	.01		24
25		S.12		.16	.01	T.22			.08	TR		.13		25
26		S1.25		.10	.16	T TR			T.15	.15		.01		26
27		.07		TR	.01				.01	SL.01		.13		27
28	S.01	.17		.19			.02		TR	TR		SL.04		28
29			.03	T.16		TR	TR		TR	.02		.02		29
30	SL.04	×	H.07	T.04			.07		.18	.08		.20		30
31	.38	×	.10	×		×	.02	.06	×	.01	×			31
TOTAL	2.01	3.29	2.43	1.00	1.24	1.71	2.52	.58	1.51	5.78	.73	.78	Year's Total 23.58	23.58
*Days with .01 in. or more.	20	18	16	9	15	15	15	8	10	19	12	11	168	
*Days with .04 in. or more.	12	11	12	7	8	8	11	5	8	15	3	5	105	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Florence A. Hibbert

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2243

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Lynholes Lyonshall
in the County of Hereford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 620 ft.

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07		TR					·25	T·09	·04	·04	·28		1
2	·01		·02					·07	·18	TR	·01	·21		2
3	·01		TR					·03	·03	·17		·14		3
4	·07		·15	TR	·12			·01	·52	·13	·09	·38		4
5	TR		·09	S·01	·11			·89		·02	·13	·37		5
6	·01		·02		·48	·01		·12	·01	·15	TR	·38		6
7	·06	·01	TR	TR	·02	TR		·07	TR	·05		·37		7
8	TR		·21		·16			·01	·04	TR	·18	T·59		8
9	·01	TR	T·11		TR			·06	TR	TR	·57	·07		9
10	·08	TR	·02	·45				·10	TR		·13			10
11	·73		·01	·52			·05	·06			·01	·27		11
12	·01	·01		·02			T1·14	·01			TR	·02		12
13	·58		·01	·16		T TR					TR	·04		13
14	·01		·41	TR	TR	·07				·03	·16	·19		14
15	·03		·52	TR	·21	TR	·01			·03	·20	·20		15
16	·20		SL·18		H·02						·11	TR		16
17	·10		H·03	T·10	·04		T·15		T·19	TR		·23		17
18	·32	·01	SL·06	·19	TR	·02	TR		·02			·25		18
19	·04		·17	TR	TR	·06		·02	·04	·01		·25		19
20	TR		TR	·01	TR	TR			TR		TR	·01		20
21			TR			·04	·07	·05	·01	·17		·01		21
22	·08		·08	·18	·04		T·02	·26	·31	·08	·01	·34		22
23	TR		·03			T·72		T·01	·09	TR	TR	·01		23
24		·19	TR	T·05		·25	TR		·14	·02		·01		24
25	·50			T·05	·01	TR			·04	·25		·45		25
26	·02	S·01	TR	·33		·12	·01		·08	·01	TR	·11		26
27	TR			·04		·15	·02		·05	·05	TR	·06		27
28				·52		·13	TR	·27	·08	·04	·08	·76		28
29							·30	·02	·08	TR	·02	·07		29
30	·01	×					·05	T·02	·07	·02	TR	·34		30
31		×		×		×	·02	TR	×	S·02	×	·11		31
TOTAL	2·95	·23	2·12	2·63	1·21	1·67	1·84	2·33	2·07	1·29	1·74	6·52	Year's Total 26·40	
*Days with ·01 in. or more.	21	5	17	14	10	10	11	19	19	18	14	29	187	
*Days with .04 in. or more.	12	1	10	11	7	8	6	11	15	10	10	24	125	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Florence J. Hibbert

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2243

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

TL

Kept at LYNHALES, LYONSHALL,

in the County of HEREFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 620 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	TR	·07	·01^{H}	·09	·02	·11^{T}		·31^{T}	·26	·01	·23		1
2		TR	·02			TR	TR		·01	·11	·16	·23		2
3		·02	·11	TR		·14			TR	·32	·33	·01		3
4	·05		·01	·08		·11	TR		·09	·13^{T}	·02	·18^{S}		4
5	·03	·32	·02	·07		TR^{T}			·06	TR^{T}	·02	·04		5
6			·02	·32		·54				·17TH	·02	·15		6
7			TR	·39		·21				·14	·02	·12		7
8			TR	·32		·04		·34^{T}		·10^{T}	·10	·18		8
9	·05^{S}	·01		·72		·15		TR		·47	·19	TR		9
10	·02			·22		·04		TR		·05	·04	TR		10
11	·27	·02				·21				·01	·16			11
12	·02	·03				·03		·08	TR	TR	·17			12
13	·07	·01		·14	·02				·15^{T}	·02	·21			13
14	TR	TR		·02	·08	·07			·29	TR	1·31	·17^{S}		14
15		·27		·47	·07	·02		TR	·20	TR	·03	·20		15
16		·19	·10	·41^{T}		·11	·02		·56	·16^{T}	·69	·12		16
17		TR	TR	·36	·02	·11	·03	TR	·08	TR	·03			17
18		TR		·35	·02	·03	TR	·01	·36	·05	TR			18
19		·01		·13	·25	·20	·22		·02	·17	·17			19
20		·52		·16^{T}		·01	·07		TR	·01	1·05			20
21		·45		·03		TR	TR		·30^{T}	·02	·15			21
22		·04	·04	·01^{T}					·14	TR	TR			22
23	·01	·13	·32		·02			·03	·05	·45		·15^{S}		23
24	·09	·36	·04			TR^{T}		TR	·62^{T}	·26		·37^{S}		24
25	·31^{H}	·50^{S}	TR	·10		·35^{T}				·01	TR	·20		25
26		·21^{S}				TR		·55	·13	·01	·06	·36		26
27		·07			·02				·02	TR	·05	·08		27
28	·02	·03			TR			·31^{T}	·18	TR	·01	·02		28
29								TR	·14	·06	·13	·11		29
30	·01	×		·21		·04		·28	·11	·25	·55	·17		30
31		×		×	TR	×		TR	×	·33	×	·60		31
TOTAL	·96	3·19	·75	4·52	·59	2·43	·42	1·60	3·82	3·56	5·68	3·69	Year's Total. 31.21	
* Days with .01 in. or more.	13	18	10	20	9	19	5	7	20	23	25	20	189	
* Days with .04 in. or more.	6	11	6	16	5	14	3	5	17	17	17	18	135	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Horace J. Hibbert

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2243

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Cor. B.A. annual total TL

Kept at LYNHALES. LYONSHALL.

in the County of HEREFORD.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 620 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.05	TR	.36		.44	T .06	.10	T TR		.04	.07		1
2	.04	S TR	.01	.12		TH .72	T .09	TR	.11		.02	.01		2
3	.02		.01			.02	T .02	TR	.62		.01	.02		3
4	.01	.01	.06			T .49	TR	TR	.33		.43	.14		4
5	.21	.05	.09		T .11	TR	.08	.06	.02		.04	.12		5
6	.70		.05		TR	.04	.23	.03	.04		.39	S .01		6
7	.07		.04			TR	T .33		.19	TR	.22	.01		7
8	.36		.25				.03		TR	TR	.77	TR		8
9	.50		.12				.65		.16	.03	.03	.01		9
10	.21		.01				T .12		TR		H .08	TR		10
11	TR	S .15		S .03		.23	.02	.02	.06		.79			11
12				H .02	T .02	.07	.82	TR	.21	.01	.13	S .25		12
13				H .02	TR	TR	.23			.01	.04	1.05		13
14				.18		.04	.06	TR	.08	TR	.04	.46		14
15	S .04	.01		H .01	.45		TR	.05	T .02		.07	.08		15
16	S .09	.06		SL .04	.10		.04	TR	TR	TR	.15	.03		16
17	S .13	.58		H .01	.01		T .25	TR		.08	.02	.40		17
18		.36				T .01	.60	.02		.21		.04		18
19	SL .50	.05	.01	.12			TR	.07		.01				19
20	S .09	.17	.09	.02		TH .61	TR		.18	TR		.01		20
21	S .03		.06	S .74		T .09	TR		TR			TR		21
22	S .02	S .34	.17	S TR	.14	.03	.60					.62		22
23	.05	.01	.18	.08	.15	TR	.24			.04		TR		23
24	.17	.03	T .12	.03	.02		.10		.21	.39	.01			24
25	.25		.33	.38		.05	.25	TR	1.16	.15	TR			25
26	.05	.04	.45	TR		.31	.02		TR	.08	.02			26
27	.07		.06	TR			.08		TR	.12		TR		27
28	.35	SL .09	.24	TR			T .02			.01	.01	.20		28
29	.02	.02	.14		.02	T .66				.01	.01	.16		29
30	.07	✕	.01		.06	T .13	TR			.65	.01	TR		30
31	.59	✕	.35	✕	T .08	✕	.03		✕	.01	✕	.46		31
TOTAL	4.85	2.02	2.85	2.16	1.16	5.94	4.97	.35	3.39	1.81	3.33	3.55	Year's Total ~~36.55~~	✓ 36.38
* Days with .01 in. or more.	26	16	22	15	11	16	24	7	14	15	22	20	208	✓
* Days with .04 in. or more.	21	11	17	8	7	13	18	4	12	8	13	12	144	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Florence J. Hibbert [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2243

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Lynhales

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 620 ft.

T. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·03		·12			·03		·07	·12	·07	·50		1
2	·08	·37		·18							TR	·26		2
3	TR	·25	TR		T ·14	TR	·01		TR		·01	·01		3
4	·08	·10	S ·01	TR	·08	·02					TR	·32		4
5	·55	TR	S ·18	·02			·05	·04			·02			5
6	·21	·16	S ·02	·25	·03		TR			·04	·01	S TR		6
7		·81	S ·05	·22		·08			TR		·28			7
8		·19	S TR	·01	·16	·08	·08		·03	·02				8
9		·62		·03	·16		·22		·41					9
10	·08	·06	S ·20		TR	·03	TR		TR			SL ·26		10
11	·01	TR	·40	·01	·38	·08	·25	TR				SL ·06		11
12	·25	·25	·03		TR	T ·02	·01	T ·16	·07		·01	SL ·12		12
13	·13	·03		·25		T ·07		T ·46	·03					13
14	TR	TR	·07	·03			T ·03	T ·01	·03			SL ·06		14
15	·14	·13	H TR	·29		TR	T 1·81		·11			S ·21		15
16	·08	·26	·53	TR	TR		·01	·23	·16					16
17	·37	·07	T ·26	TR	TR			TR	·20		·04			17
18	·39	·05	T ·29	·01			·02	TR	T ·55	TR	·30	SL ·16		18
19	·07	·05	T ·18	·03	TR	·21	T ·33		·01		·02	SL ·04		19
20	·38	·10	·10	·51	·11	TR	·11		TR			·12		20
21	·29	·22	·23	·01	·02		·11			·03	TR	·01		21
22	·12	·02	S ·12	TR	·21		·35			·45	·47	·07		22
23	·17	·21	S ·01		·07		·01			·10	·24	TR		23
24	·33	·75	·11		TR		·01			T 1·02		·02		24
25	·01	·65			·04				·08	T ·09		·03		25
26	TR	·49	S ·01		·29						·01	·02		26
27	S TR	S ·30		·08						·67	TR	TR		27
28		S ·35				·01				·15	·01	TR		28
29	S ·01					·04				·70	·01	TR		29
30	S ·26	✕				TR			TR	·01	·09	·01		30
31	·36	✕		✕		✕			✕	·56	✕	TR		31
TOTAL	4·47	5·92	2·80	2·05	1·69	·64	3·44	·90	1·75	3·98	1·59	2·28	Year's Total 31·51	✓
* Days with .01 in. or more.	23	25	18	16	12	10	17	5	12	13	15	18	184	✓
* Days with .04 in. or more.	20	22	13	8	10	6	9	4	8	9	7	12	128	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Florence J. Hibbert [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2243

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Copy by B.R.O.

A.L.

150

Met. Mag.

Kept at Kington, Lynhales

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 620 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·08	TR			T·69		·30	TR	·29	·01	·32		1
2		·03		·05	·08	TR	TR		TR	·15	·05	·03		2
3	TR					·01	.02		TR	·84	·04	TR		3
4	·01					·01	.34	·45	–	·43	·01	·10		4
5	TR	·01				TR	·06	·02	·05	·22	–	·01		5
6	·13	·04			TR	·09	·64		·07	·24	–	·14		6
7	·06	TR					T·65	·62	·07	·09	–	·02		7
8	·30		TR				·01	·02	–	·37	–	·07		8
9	·17	·05				·03	·08		–	TR	–	·54		9
10	S.13	·01				·07	·12	·65	–	·02	–	·36		10
11	·60	·01				·04	TR	·01	–	·03	·11	·31		11
12	·31					·01	TR		–	·35	·56	TR		12
13	·01	STR			.27				–	·03	·43	·20		13
14	·62				·06		·11		·01	–	TR	TR		14
15	·30		TR		·04		·06	·01	–	·01	·04	·28		15
16	·23		TR		·04			·02	–	·04	·11	·11		16
17	TR	S.04			·03		·01		·04	·13	TR	·09		17
18	·08	TR			·04	·05		·20	·15	·05	·35	–		18
19	·05							·04	·01	–	·21	TR		19
20	·06		TR						·01	–	·37	–		20
21	TR			TR				·05	·17	–	·12	·02		21
22	·01			·02		TR		·03	·01	·04	·50	·03		22
23				·03	·02			·01	·09	TR	·10	–		23
24	·10	·04	·07		·06	TR		·33	·04	–	·07	TR		24
25	·07	·21	·03		·09	·01	·06	·01	TR	·30	·80	·05		25
26	·32	·41	TR		·16	·39			·09	·30	TR	·01		26
27	·06	·07			·54	·02	·11	·43	·18	·16	·39	–		27
28	·25	·12			TR	·21		·03	·03	TR	.06	TR		28
29	H.25				·65	·04	TR		TR	·08	.08	·06		29
30	·06	✕			·05	TR			·26	TR	·34	·11		30
31	·15	✕		✕	·35	✕		·02	✕	·20	✕	·36		31
TOTAL	4·33	1·12	·10	·10	2·48	1·67	2·27	3·25	1·28	4·40	4·75	3·22	Year's Total 28·97	
* Days with .01 in. or more.	24	13	2	3	15	14	13	19	16	22	21	21	183	
* Days with .04 in. or more.	21	9	1	1	13	8	10	9	11	18	19	15	135	

† Spare column, no entries required.

* See Instruction 3 (f) on other side. p. 32

(*Signed*) Florence J. H. [illegible] [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2243

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

150 T.L

Copy by B.R.O. 400

Kept at Hingston, Lynhales

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 620 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	—	·21	·22	·17	-	·02	·04	tr	–	·04	·06		1
2	–	—	TR	·02	–	-	·01	·16	42	·01	·34	·07		2
3	·20	—	·07	·39	–	-	–	·10	·06	–	·13	·60		3
4	·06	—	·14	·19	·26	-	·33	·02	-	·42	·20	·19		4
5	–	·01	TR	·27	·04	-	·31	·15	-	·13	·28	·01		5
6	·75	tr	–	—	TR	-	·96	—	-	–	·13	–		6
7	·02	·04	·02	—	–	-	·40	·10	-	–	·24	·22		7
8	·01	·23	·35	—	·03	-	–	·03	-	·64	·55	·11		8
9	·02	·18	·01	—	TR	-	·35	·38	-	·29	·02	·15		9
10	·70	tr	·02	—	–	-	–	·01	·04	·25	tr	·02		10
11	·01	·06	·06	—	–	·10	tr	·01	-	tr	·01	·04		11
12	·09	·08	TR	tr	–	·02	–	—	·09	tr	·02	tr		12
13	–	—	–	·23	·05	-	·37	–	·04	·09	—	–		13
14	·69	Tr	TR	·01	·02	·04	·35	—	·01	·04	·22	·08		14
15	·54	—	·03	·02	·01	·46	·63	–	-	·01	·24	–		15
16	·10	—	·06	—	·08	·03	·02	–	-	·19 }	·47	–		16
17	·43	·02	–	tr	–	·06	tr	—	-	tr }	·02	–		17
18	·35	·03	TR	—	–	·06	·24	—	-	·01	·46	–		18
19	·23	—	–	—	–	-	·25	–	-	tr	—	–		19
20	·33	—	TR	—	–	tr	·54	·09	-	-	—	·03		20
21	·04	·06	·21	·04	03	·40	·02	—	02	-	—	–		21
22	·27	·38	·10	·04	–	·21	·03	—	tr	·03	·69	—		22
23	·02	·02	·01	·07	–	·05	·19	—	-	·03	·88	—		23
24	–	tr	·02 { TR	·01	–	·01	·04	—	-	·10	—	—		24
25	·17	·11	{ –	·01	–	tr	·08	—	-	·11	·67	–		25
26	·68	·04	{ ·04	·10	–	-	-	·20	-	-	·28	·02		26
27	TR	·47	{ ·04	·01	–	·11	·09	·04	-	·03	·06	·05		27
28	·05	·27	{ –	·04	–	·03	·36	tr	-	-	·21	·04		28
29	–	—	{ –	·18	–	·18	·65	—	-	·09	·03	-		29
30	–	×	{	·11	–	·12	·04	—	-	·02	·04	·10		30
31	—	×	—	×	–	×	·06	·59	×	·12	×	·01		31
TOTAL	5·77	2·00	1·42	1·96	·69	1·88	6·34	1·92	·68	2·61	6·23	1·80	Year's Total 33.30	✓
* Days with .01 in. or more.	23	15	16	18	9	15	24	14	7	19	24	17	201	✓
* Days with .04 in. or more.	17	11	10	12	5	11	19	10	5	12	19	12	143	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2243 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Kington, Lynhales,

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" Ground " Sea Level 620 ft.

TX

BRITISH RAINFALL ORGANIZATION.

150

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	.03	·01	–	–	–	–	–	·45	–		1
2	–	tr	–	22	–	–	tr	–	–	–	1·61	.08		2
3	–	·42	–	.04	–	–	02	–	–	.19	1·20	–		3
4	–	.06	–	05	–	–	–	–	–	.20	·05	·03		4
5	–	–	–	–	·30	–	·12	–	tr	.14	·54	·39		5
6	·30	·16	–	.02	–	–	·01	–	–	.33	·04	·10		6
7	.02	.30	–	.02	·01	–	·06	–	·02	.15	–	·07		7
8	·01	–	–	.01	–	–	tr	–	.02	·07	·05	·25		8
9	–	–	–	·02	–	–	(1·17)	·03	02	·18	·67	·20		9
10	–	–	·01	–	–	–	–	.02	–	·15	·11	·35		10
11	–	tr	tr	.04	–	.19	·72	–	–	–	·92	–		11
12	–	tr	·15	–	–	·05	29	–	·07	–	.21	tr		12
13	–	·05	·25	–	–	–	·17	tr	·02	–	–	·01		13
14	–	tr	·04	.08	·16	–	tr	tr	04	.17	–	·50		14
15	·01	–	·02	·02	1·01	·10	tr	–	·11	.07	·23	·03		15
16	·01	·31	·11	.01	[illegible]	–	·31	–	.23	.93	·76	·03		16
17	–	·10	·24	.08	–	–	.03	–	–	–	·01	–		17
18	·25	.39	·38	·37	–	–	–	tr	·33	.14	·10	·08		18
19	–	–	·13	.29	–	–	·21	–	·02	.01	·20	–		19
20	–	tr	tr	.04	–	–	·11	.02	–	·11	–	–		20
21	–	·01	tr	tr	·15	.46	·01	tr	–	–	1·30	–		21
22	–	tr	·10	·15	·05	.08	–	–	·06	–	tr	–		22
23	–	.01	·13	.03	·10	tr	–	–	.03	·01	.01	–		23
24	–	tr	–	–	TR	–	.07	–	tr	tr	–	tr		24
25	tr	–	–	–	·05	tr	–	–	tr	–	–	–		25
26	1.36	·34	–	–	·10	–	·25	·01	–	–	·01	–		26
2·97 27	1·11	.37	tr	–	·05	–	·02	–	–	–	·02	–		27
28	·36	.14	–	·47	·20	–	–	–	–	–	·01	–		28
29	.02	–	·08	.39	TR	.03	·03	–	–	·01	–	·27		29
30	tr	✕	tr	.32	–	–	–	–	–	·42	–	·01		30
31	·12	✕	·15	✕	–	✕	–	–	✕	1·05	✕	·03		31
TOTAL	3·57	3·26	1·79	2·70	2·19	·91	3·60	·08	·97	4·33	8·50	2·43	Year's Total 34·33	
* Days with .01 in. or more.	11	13	13	21	12	6	17	4	12	18	21	16	164	
* Days with .04 in. or more.	6	11	11	13	10	5	11	–	6	15	16	10	114	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Florence J. Hibbert

[P.T.O.

FORM 1090. **B**

2244

2244
KINGTON THE OVALS
1931

780403

*** **The following register of mo**
&c., is NOT required if daily
values are given on the other

on and also the space for

s register should be sent:—

RAINFALL IN 193

At The Orals – King
In the County of Hereford

Rain Gauge
Diameter of Funnel
Height of Top above Ground
Height of Ground above Sea Level

No Change

.............in Summer............
nce............ Direction from gauge ....
nce............ Direction from gauge ....

Directions from gauge ..

Month.	Total Depth.	Greatest Fall in 24 hours.		*	*
	Inches.	Inches.	Date.		
JAN.	2·25	·42	21		
FEB.	2·34	·50	27		
MAR.	·65	·12	28		
APRIL	3·24	·58	2		
MAY	4·67	1·58	27		
JUNE*	4·50	1·29	5		
JULY	3·35	·59	7		
AUG.	5·03	1·75	14		
SEPT.	1·79	·53	1		
OCT.	·70	·21	6		
NOV.	7·00	2·05	3		
DEC.	1·19	·35	5		
Total	36·71				

Signature S. Robinson

*See Instruction 2 (*f*) below.

If gauge has been moved during the year state—

Date of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following* 9 *a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B**

2244

, **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At The Orals – Kington

In the County of Hereford.

Rain Gauge
Diameter of Funnel .... in.
Height of Top above Ground .... *in.*
Height of Ground above Sea Level .... *ft.*

No Change from previous returns

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·25	·42	21		
FEB.	2·34	·50	27		
MAR.	·65	·12	28		
APRIL	3·24	·58	2		
MAY	4·67	1·58	27		
JUNE	4·50	1·29	5		
JULY	3·35	·59	7		
AUG.	5·03	1·75	14		
SEPT.	1·79	·53	1		
OCT.	·70	·21	6		
NOV.	7·00	2·05	3		
DEC.	1·19	·35	5		
Total	36·71				

Signature S. Robinson

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

LYONSHALL (CASTL

2244/5.

2244/5.

—

LYONSHALL-CASTLE WEIR

1935 – 1939

780403.

Section **A** for the entry of Dai ... ~~ation~~ No. 348699/34

AIR MINISTRY.— ... L ORGANIZATION.

FORM 1090.

REGIST ... 5.

1936 Herefords

Kept at ...... Castle Weir Lyo

in the County of ...... Hereford

Diameter of Funnel of Gauge...... 5

Height of top of Gauge above Ground.

„ Ground „ Sea Leve

THE MORNING MEASUREME

An observer who does not conform to this ... llowing
year in the space on the right of this par

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	·72	3·52	·57	4·27	~~2·94~~ ·54	2·84	·38	1·66	~~4·70~~	~~2·70~~	~~6·09~~	~~2·75~~	Year's Total	31.74
* Days with .01 in. or more.	·72								3·70	3·70	5·59	3·25	30·74	
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

N.

† Spare column, no entries required.

(*Signed*) ...... H R Pettit ...... [P.T.O.

COL. H. R. PETTIT.

LYONSHALL (CASTL [redacted] h 2244 5.

Section **A** for the entry of Dai [redacted] ~~ation~~ No. 348699/34
AIR MINISTRY.– [redacted] L ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Hereford // 2/36

Kept at Castle Weir LYONSHALL
in the County of Hereford
Diameter of Funnel of Gauge 5 in. Type A
Height of top of Gauge above Ground 1 ft. 0 in.
„ Ground „ Sea Level 580 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	~~1~~·72	3·52	·57	4·27	~~2·04~~ ·54	2·84	·38	1·66	~~4·70~~	~~2·70~~	~~6·09~~	~~2·75~~	Year's Total ~~[illegible]~~	31.74
* Days with .01 in. or more.	·72								3.70	3.70	5.59	3.25	30.74	
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

N.

† Spare column, no entries required.

(*Signed*) HRPettit [P.T.O.

COL. H.R. PETTIT.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2244/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at CASTLE WEIR, LYONSHALL

in the County of HERFFORD

Diameter of Funnel of Gauge.........in. as indicated within

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level 500 ft.

Reply to query says observer is away so no answer can be given. Adjustments made accordingly

Cw
15.3.37

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3						1.11								3
4														4
5														5
6												.17		6
7									.9					7
8														8
9											1.23			9
10	2.82							.37						10
11									.46					11
12														12
13							2.65							13
14											1.74	1.6		14
15														15
16														16
17														17
18										.12				18
19							1.23							19
20														20
21						1.66								21
22						2.17								22
23														23
24														24
25														25
26							1.06							26
27														27
28														28
29		2.55												29
30	1.87	✕		2.24		.97					.51			30
31		✕	2.57	✕	1.15	✕		.45	✕	1.59	✕	.81		31
TOTAL	4.69	2.55	2.57	2.24	1.15	5.91	4.94	~~.82~~	~~.55~~	1.71	3.48	~~2.58~~	Year's Total ~~33.17~~	
* Days with .01 in. or more.								(.35)	(~~[illegible]~~)			(3.58)	(36.57)	
* Days with .04 in. or more.									(3.40)					

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. H. Little

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 224/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Castle Weir Lyonshall

in the County of Hereford

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

December total altered by observer on query form sent 8/2/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2		·10										·05		2
3				·25										3
4														4
5														5
6														6
7														7
8														8
9		1·81			·24									9
10				·45										10
11														11
12							·63							12
13														13
14							1·65							14
15					·69									15
16														16
17				·61										17
18	1·85													18
19														19
20			2·25	·55						Trace				20
21														21
22					·14									22
23														23
24	1·35													24
25		2·55												25
26														26
27			·85											27
28		1·45												28
29														29
30		×		·09		·61			1·62	3·13	2·60	~~[illegible]~~		30
31	·53	×		×	·65	×	1·2	·68	×		×	1·21		31
TOTAL	3·73	5·91	3·10	1·95	1·72	·61	3·48	·68	1·62	3·13	2·60	~~1·26~~	Year's Total ~~29·79~~	✓
* Days with .01 in. or more.												2·26	30·79	
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2244/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at CASTLE WEIR

in the County of HEREFORD LYONSHALL

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....475....ft.

Aug. adjusted by nearby stns.

[illegible] adjusted [illegible]

Aug 2·72 [illegible] letter 2/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	~~2·55~~ 3·55	~~2·56~~ 1·56	·27	·11	2·37	1·89	2·30	~~1·72~~ (2·72)	1·63	4·52	4·09	3·25	Year's Total ~~27·3~~	28·~~31~~ 26
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2244/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

File Nº 348699/34

Kept at Castle Weir Lyonshall

in the County of Hereford

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level 475 ft.

August and September estimated. [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	5·61	1·88	1·51	1·74	·84	1·81	5·88	(1·80)	(·70)	3·42	5·96	1·69	Year's Total ~~30·34~~	32·84
* Days with .01 in. or more.								(15)	(7)					
* Days with .04 in. or more.								(11)	(4)					

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

2245

Section **A** for the entry of
AIR MINISTR

FORM 1090. **REGIST**

Kept at Hill Court

in the County of Heref

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea l

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

OPY FOR OFFICIAL USE.
L ORGANIZATION.

1.

ollowing

Jan. 1, following

2245

KINGTON, HILL COURT

1931 — 40

780403

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	TR	·01	—	·22	TR	·05	—	—	·41	·05	—	TR	1
2	·06	·03	·04	·60	·19	TR	—	·14	·71	TR	·20	·23	2
3	·03	TR	·03	·01	—	—	·03	—	·19	TR	1·71	·10	3
4	—	·09	·04	·08	·04	TR	·32	·70	·12	—	·21	·02	4
5	—	·22	·02	·10	·02	1·25	·18	·01	TR	—	TR	·30	5
6	—	·01	—	·16	·05	·01	·07	·03	·01	·22	·25	·05	6
7	—	TR	—	TR	TR	·09	·67	·39	—	·07	·33	·03	7
8	·01	·26	—	·07	—	·14	TR	·37	—	TR	·08	·13	8
9	·01	·02	—	—	—	·09	—	TR	·05	·12	·54	·01	9
10	TR	·41	·01	—	·04	·07	TR	·01	·19	—	·81	—	10
11	·06	·03	—	—	·01	·06	·09	TR	·15	—	·18	TR	11
12	·04	·11	—	TR	—	TR	·63	TR	·09	·03	·03	—	12
13	—	·03	·07	—	·09	·01	·18	·10	·01	·01	TR	—	13
14	·01	·03	TR	—	·06	1·37	·23	1·45	·04	—	·36	—	14
15	—	·16	—	·10	·09	TR	·10	·37	·03	—	TR	·05	15
16	·05	·43	—	·14	·30	·72	—	·20	·11	—	—	·02	16
17	·09	·08	—	·26	·62	·09	·16	·02	TR	·01	·09	—	17
18	·09	TR	·11	·37	—	·21	·04	·29	—	TR	·21	—	18
19	TR	·04	TR	·09	—	1·19	—	·78	—	—	TR	—	19
20	—	·11	·09	·02	—	—	—	06	·01	TR	·03	·01	20
21	·43	TR	TR	·03	·47	—	—	TR	—	—	·13	—	21
22	·33	·02	—	—	·08	—	TR	·05	—	—	·03	·08	22
23	·29	—	—	·44	·57	·07	·12	—	TR	·01	·32	—	23
24	·10	TR	—	·26	·17	TR	·44	—	—	—	·10	TR	24
25	·26	·01	—	·72	—	—	·17	—	—	—	·03	·01	25
26	·03	·03	—	·04	—	—	·03	—	—	—	·47	TR	26
27	·09	·58	·06	—	1·57	—	·04	—	—	·03	·07	·04	27
28	·11	·20	·10	·05	·47	—	·01	—	—	·02	TR	·11	28
29	·12	TR	·16	—	·33	—	·21	—	—	·07	·08	·04	29
30	TR	×	·01	·01	·02	—	TR	—	·04	—	—	—	30
31	·30	×		×	·04	×	—	—	×	—	×	·03	31
TOTAL	2·51	2·92	·74	3·77	5·23	5·42	3·61	4·97	2·16	·64	6·26	1·26	YEAR'S TOTAL 39·49
*Days with ·01 in. or more.	20 ~~5~~	22 ~~10~~	12 ~~4~~	20 ~~4~~	20 ~~3~~	15 ~~2~~	19 ~~3~~	16 ~~4~~	15 ~~4~~	11 ~~6~~	22 ~~3~~	17 ~~6~~	209 ~~54~~
*Days with ·04 in. or more.	15	12	8	16	17	13	17	12	11	5	18	10	154

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. E. Barendt [P.T.O.

2245

Section **A** for the entry of [redacted]OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hill Court, Knighton

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 8 in.

,, Ground ,, Sea Level 595 ft.

o/a 10

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr	·01	—	·22	TR	·05	—	—	·41	·05	—	TR	1
2	·06	·03	·04	·60	·19	TR	—	·14	·71	TR	·20	·23	2
3	·03	TR	·03	·01	—	—	·03	—	·19	TR	1·71	·10	3
4	—	·09	·04	·08	·04	TR	·32	·70	·12	—	·21	·02	4
5	—	·22	·02	·10	·02	1·25	·18	·01	TR	—	TR	·30	5
6	—	·01	—	·16	·05	·01	·07	·03	·01	·22	·25	·05	6
7	—	TR	—	TR	TR	·09	·67	·39	—	·07	·33	·03	7
8	·01	·26	—	·07	—	·14	TR	·37	—	TR	·08	·13	8
9	·01	·02	—	—	—	·09	—	TR	·05	·12	·54	·01	9
10	TR	·41	·01	—	·04	·07	TR	·01	·19	—	·81	—	10
11	·06	·03	—	—	·01	·06	·09	TR	·15	—	·18	TR	11
12	·04	·11	—	TR	—	TR	·63	TR	·09	·03	·03	—	12
13	—	·03	·07	—	·09	·01	·18	·10	·01	·01	TR	—	13
14	·01	·03	TR	—	·06	1·37	·23	1·45	·04	—	·36	—	14
15	—	·16	—	·10	·09	TR	·10	·37	·03	—	TR	·05	15
16	·05	·43	—	·14	·30	·72	—	·20	·11	—	—	·02	16
17	·09	·08	—	·26	·62	·09	·16	·02	TR	·01	·09	—	17
18	·09	TR	·11	·37	—	·21	·04	·29	—	TR	·21	—	18
19	TR	·04	TR	·09	—	1·19	—	·78	—	—	TR	—	19
20	—	·11	·09	·02	—	—	—	·06	·01	TR	·03	·01	20
21	·43	TR	TR	·03	·47	—	—	TR	—	—	·13	—	21
22	·33	·02	—	—	·08	—	TR	·05	—	—	·03	·08	22
23	·29	—	—	·44	·57	·07	·12	—	TR	·01	·32	—	23
24	·10	TR	—	·26	·17	TR	·44	—	—	—	·10	TR	24
25	·26	·01	—	·72	—	—	·17	—	—	—	·03	·01	25
26	·03	·03	—	·04	—	—	·03	—	—	—	·47	TR	26
27	·09	·58	·06	—	1·57	—	·04	—	—	·03	·07	·04	27
28	·11	·20	·10	·05	·47	—	·01	—	—	·02	TR	·11	28
29	·12	TR	·16	—	·33	—	·21	—	—	·07	·08	·04	29
30	TR	✕	·01	·01	·02	—	TR	—	·04	—	—	—	30
31	·30	✕		✕	·04	✕	—	—	✕	—	✕	·03	31
TOTAL	2·57	2·92	·74	3·77	5·23	5·42	3·61	4·97	2·16	·64	6·26	1·26	YEAR'S TOTAL 39·49
*Days with ·01 in. or more.	20 ~~5~~	22 ~~10~~	12 ~~4~~	20 ~~4~~	20 ~~3~~	15 ~~2~~	19 ~~3~~	16 ~~4~~	15 ~~4~~	11 ~~6~~	22 ~~3~~	17 ~~6~~	209 ~~54~~
*Days with ·04 in. or more.	15	12	8	16	17	13	17	12	11	5	18	10	154

40-9999

(*Signed*) J. E. Barendt

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2245

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

File No. 661673/26

Kept at Hill Court, Kington

in the County of Hereford

days

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 8 in.

,, Ground ,, Sea Level 595 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·02	—	·14	1·61	·03	·57	·03	·02	·06	·05	·02	1
2	·06	—	—	TR	·14	—	·10	·03	·13	·02	·04	·25	2
3	·61	·03	—	·25	·01	—	—	—	—	·04	—	·19	3
4	·03	TR	—	1·27	—	—	·20	—	—	—	·57	—	4
5	·57	—	·05	TR	·02	—	·05	—	·10	—	TR	—	5
6	·39	—	·13	·31	—	—	—	—	·37	—	—	—	6
7	·29	—	·11	·21	·20	—	·07	—	·06	—	—	—	7
8	TR	TR	·19	·06	TR	—	·02	—	·23	·95	—	—	8
9	·80	Snow	—	TR	·04	—	—	—	—	·26	—	—	9
10	·36	Snow	—	·41	·05	·06	—	—	·15	—	—	—	10
11	·13	Snow	—	·07	·03	·02	—	—	—	·16	·01	·09	11
12	·39	—	—	TR	·17	—	TR	·01	·23	—	·04	TR	12
13	·08	·01	—	·17	·02	—	TR	·26	·01	·34	·06	·13	13
14	·14	—	—	·11	·05	—	·56	·13	—	·22	·10	·02	14
15	·01	—	—	·03	·31	—	·07	—	—	·03	·02	·01	15
16	·49	—	TR	·49	—	—	·02	—	TR	·02	—	—	16
17	TR	—	—	TR	·04	—	·03	—	TR	·01	—	—	17
18	—	—	—	—	·17	—	·02	—	—	·09	·28	—	18
19	—	TR	—	·14	·25	—	—	—	—	—	·01	—	19
20	—	—	—	·15	·84	—	—	2·44	—	·09	·06	·09	20
21	·01	—	·11	·20	·12	—	TR	·47	—	·83	TR	·18	21
22	—	—	·01	·02	·01	—	·07	—	·57	·76	·22	·17	22
23	·01	·05	·09	TR	·46	—	·01	—	·14	·45	·34	TR	23
24	·10	TR	—	TR	·04	—	·12	—	·06	·14	·06	—	24
25	·01	TR	—	—	TR	—	TR	—	·04	·09	·04	TR	25
26	TR	—	·09	·16	·09	—	·05	—	·09	·25	·07	—	26
27	—	—	·53	·71	·47	—	·07	—	—	·20	·03	—	27
28	—	—	·10	·16	·06	—	·14	·29	—	—	—	·02	28
29	—	—	·35	·09	·50	·03	·03	·04	·30	·65	·12	·28	29
30	—	X	·21	·16	·05	·19	·13	—	·13	·01	·48	·12	30
31	—	X	·02	X	—	X	·39	—	X	—	X	·31	31
TOTAL	3·96	·11	1·99	5·29	5·75	·33	2·66	3·70	2·57	5·63	2·54	1·88	YEAR'S TOTAL 364~~X~~1
*Days with ·01 in. or more.	~~6~~19	~~3~~4	~~7~~13	~~7~~21	~~4~~25	~~3~~5	~~6~~20	~~3~~9	~~2~~16	5 22	~~4~~19	~~4~~14	~~45~~187
*Days with .04 in. or more.	13	1	11	X~~8~~19	20	2	14	6	14	17	15	10	14X2

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. E. Barendt

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2245

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Hill Court, Kington

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 8 in.

,, Ground ,, Sea Level 595 ft.

Form 906 sent 10/3/34 JWO suggesting 2·25 ins 23rd–27th Feb.

File No 66.1673/26

Observer agrees. 15/3/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ×

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·31	·16	·09	TR	TR	TR	—	TR	TR	·15	TR	SNOW		1
2	·25	—	·42	TR	·28	·06	TR	TR	—	—	·05	—		2
3	·14	·18	·10	—	·10	—	—	—	—	—	TR	—		3
4	·19	·01	·06	—	·07	—	—	—	—	—	—	—		4
5	·16	TR	·24	—	TR	—	—	—	—	—	TR	—		5
6	TR	·35	·04	—	·22	—	—	—	—	·12	—			6
7	·07	·05	TR	—	TR	—	·14	·02	—	·68	—	TR		7
8	·01	·01	·05	—	·04	—	·32	TR	—	TR	—	—		8
9	—	·02	TR	—	·05	—	·41	—	—	1·61	·02	—		9
10	·09	·02	—	—	TR	TR	·07	·02	—	2·27	·02	—		10
11	·04	—	—	—	—	·12	·25	—	—	·14	—	SNOW		11
12	·01	—	—	—	·01	TR	·06	·05	—	TR	—	—		12
13	—	—	TR	—	·06	·01	·25	·08	—	·13	·10	—		13
14	·09	—	·01	—	—	—	·11	·12	—	·14	·09	—		14
15	·24	—	·08	—	—	—	·24	TR	—	·10	TR	·02		15
16	SNOW	—	·50	—	TR	·03	·02	TR	—	·07	—	·01		16
17	·04	SNOW	·28	—	—	·14	·04	TR	·03	TR	·01	—		17
18	·06	·06	·12	—	—	·28	TR	—	—	—	·06	TR		18
19	TR	TR	·42	—	—	·02	·05	·01	·20	—	·32	—		19
20	—	·06	·04	—	—	·04	—	—	·37	—	·03	—		20
21	—	SNOW	TR	—	·16	·49	—	·08	TR	·04	·01	—		21
22	—	·05	—	·13	·36	·06	—	·14	·08	·06	·01	—		22
23	—	SNOW	—	·19	TR	·31	—	TR	·29	·10	—	—		23
24	—	〃	—	·10	·02	·21	—	—	—	·36	TR	·14		24
25	—	〃	—	·16	·02	·45	—	—	·09	TR	—	·01		25
26	—	〃	—	·06	·10	TR	—	—	·38	·13	—	·16		26
27	—	(2·25)	—	—	·08	—	—	—	·02	·05	—	—		27
28	SNOW	·06	—	·15	TR	TR	·03	—	TR	·01	—	·05		28
29	·03	TR	·05	·29	—	TR	TR	—	—	TR	—	·01		29
30	·07	×	·14	·04	TR	—	·08	—	·13	·02	—	·28		30
31	·24	×	·10	×	—	×	·03	·05	×	·06	×	—		31
TOTAL	2·04	(3·28) ~~1·03~~	2·74	1·12	1·54	2·22	2·10	·57	1·59	6·24	·72	·68	Year's Total ~~22·59~~	(24·84)
*Days with ·01 in. or more.	18 ~~17~~	18 ~~12~~	17	8	14	13	15	9	9	19	11	8	~~152~~	159
*Days with ·04 in. or more.	13 ~~14~~	12 ~~8~~	16	8	11	10	12	6	7	17	5	4	~~118~~	121

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. E. Barendt.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2245

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hill Court Kington

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

,, Ground ,, Sea Level 595 ft.

Days ok

File No. 66.1673/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ×

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	–	TR	–	TR	–		·36	·03	·11	·06	·24		1
2	TR	–	·06	–	TR	–	–	·07	·18	TR	·02	·19		2
3	·01	TR	TR	–	–	–	–	TR	TR	·30	–	·18		3
4	·08	–	·10	·02	·16	–	–	·14	·33	·13	·10	·46		4
5	TR	–	·10	·01	·06	–	–	1·10	–	·08	·22	·31		5
6	TR	–	·03	·01	·42	·02	–	·02	TR	·15	–	·41		6
7	·07	·02	TR		·03	TR	–	·06	–	·04	–	·64		7
8	TR	–	–		·12	TR	–	·01	·08	TR	·17	·43		8
9	TR	TR	·28		TR	–	–	·07	TR	–	·58	·10		9
10	·04	TR	·17	·52	TR	–	–	·11	–	–	·09	TR		10
11	·82	–	·05	·65	–	–	·01	·09		–	TR	·39		11
12	·02	TR	·03	·10	–	–	·85	·06		–	–	TR		12
13	·46	–	TR	·10	–	–	·03	–		·02	–	·04		13
14	·03	–	·38	·01	TR	·08	–	–		·06	·41	·18		14
15	·09	–	·67	TR	·22	TR	·02	TR	·02	·11	·17	·17		15
16	·23	–	·32	–	·02	–	–	–	–	TR	·14	·04		16
17	·10	–	·08	·15	·08	–	·17	–	·24	TR	–	·23		17
18	·26	–	·02	·52	TR	·01	TR	–	·03	–	–	·34		18
19	·05	–	·28	·02	TR	·09	–	·05	·06	TR	TR	·22		19
20	·01	–	TR	·01	TR	TR	–	–	·03	–	–	TR		20
21	TR	–	–	TR	TR	·08	·06	·08	TR	·09	–	·02		21
22	·07	–	·10	TR	TR	–	·07	·40	·39	·13	–	·41		22
23	TR	–	·04	·22	·04	·95	–	·01	TR	·01	–	TR		23
24	–	·18	·01	·13	TR	·35	–	–	·28	·05	–	·01		24
25	·49	·01	–	·07	·02	TR	TR	–	TR	·25	–	·69		25
26	·03	–	–	·30	–	·14	·03	–	·08	TR	TR	·17		26
27	·01	–	–	·03	–	·10	·01	·01	·03	·09	–	·14		27
28	–	–	–	·63	–	·10	·01	·36	·09	·07	·06	·71		28
29	–	×	–	TR	–	TR	·38	·05	·14	·02	·02	·05		29
30	·02	×	–	–	–	TR	·03	·08	·12	·05	–	·30		30
31	TR	×	–	×	–	×	·11	TR	×	·04	×	·16		31
TOTAL	2·99	·21	2·72	3·50	1·17	1·92	1·78	3·13	2·13	1·80	2·04	7·23	Year's Total. 30·62	
* Days with .01 in. or more.	20 ~~8~~	3 ~~2~~	14 ~~4~~	18 ~~6~~	10 ~~3~~	10 ~~2~~	13 ~~7~~	19 ~~4~~	16 ~~5~~	19 3	12 ~~2~~	24 ~~2~~	~~46~~	184
* Days with .04 in. or more.	13	1	13	11	7	8	6	15	11	16 ~~15~~	10	25	~~135~~	136

40-9999

† Spare column, no entries required.

(Signed) J. E. Barendt

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2245

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hill Court, Kington

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

„ Ground „ Sea Level 595 ft.

File, No 66 ·1673/26

do/rs

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	TR	TR	·09	·06	·10	·02	·19	—	·38	·21	TR	·29		1
2	—	TR	·01	·01	TR	TR	—	—	·09	·16	·15	·24		2
3	—	·05	·15	·01	—	·11	—	—	TR	·20	·24	TR		3
4	·11	—	·01	·10	—	·24	—	—	·18	·24	·06	Snow		4
5	·04	·28	·02	·09	—	·04	—	—	·07	TR	·05	·02		5
6	TR	TR	·02	·38	—	·59	—	—	TR	TR	·08	·14		6
7	—	—	—	·34	—	·28	—	—		·14	·02	·13		7
8	—	—	—	·29	—	·03	—	·47	TR	·13	·19	·22		8
9	·07	TR	—	·63	—	·16	—	TR	—	·46	·21	TR		9
10	·01	TR	—	·19	—	·07	—	TR	—	·11	·06	—		10
11	Snow	·01	—	—	—	·20	—	—	—	·02	·09	TR		11
12	·34	·04	—	—	—	·06	—	·10	—	TR	·23	TR		12
13	·08	·03	—	·09	·02	TR	—	TR	·11	TR	·26	—		13
14	TR	TR	—	·02	·03	·08	—	—	·24	TR	1·30	·16		14
15	—	·25	—	·54	·08	·05	—	TR	·19	TR	·03	·15		15
16	—	·12	·08	·40	—	·06	·01	—	·50	·20	·79	·12		16
17	—	TR	TR	·36	·11	·16	·05	TR	·13	TR	·08	—		17
18	—	TR	~~TR~~ —	·30	·02	·05	TR	·21	·38	·04	TR	TR		18
19	—	·02	—	·11	·20	·20	·21	TR	·03	·20	·20	TR		19
20	TR	·57	—	·14	·03	·04	·02	—	TR	TR	1·09	—		20
21	—	·59	TR	·10	TR	TR	TR	—	·40	·02	·10	—		21
22	—	·10	·01	·03	—	—	—	—	·15	TR	TR	TR		22
23	·01	·13	·29	TR	·05	—	—	·03	·07	·41	—	Snow		23
24	·04	·44	·02	—	—	TR	—	·01	·78	·38	—	Snow		24
25	·36	Snow	—	·10	—	·47	—	—	TR	TR	TR	·46		25
26	—	Snow	—	TR	—	TR	—	·59	·17	·01	·06	·47		26
27	—	·78	—	—	·01	TR	—	TR	·04	TR	·05	·17		27
28	—	·07	—	—	TR	—	—	·23	·14	TR	·02	TR		28
29	·01	—	—	—	—	—	—	TR	·20	·07	·14	·09		29
30	·01	✕	—	·23	—	·03	—	·29	·12	·27	·60	·13		30
31	—	✕		✕	—	✕	—	TR	✕	·32	✕	·30		31
TOTAL	1·08	3·42	·70	4·52	·65	2·94	·48	1·93	4·34	3·59	6·09	3·29	Year's Total 33·03	
* Days with .01 in. or more.	~~4~~ 11	15 ~~3~~	10 ~~6~~	22 ~~4~~	9 ~~4~~	21 ~~8~~	5 ~~2~~	8 ~~2~~	20 ~~1~~	19 ~~3~~	24 ~~3~~	15 ~~1~~	~~36~~	179
* Days with .04 in. or more.	7	12	4	18	5	18	3	6	19	16	24	14	143	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. E. Barendt.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2245

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Days.

Kept at Hill Court, KINGTON

in the County of HEREFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 8 in.

,, Ground ,, Sea Level 595 ft.

File No. 66—1673/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·12	TR	·37	—	·54	—	·11	TR	—	·04	·10		1
2	·03	·02	TR	·16	—	·48	·03	TR	—	—	·01	·02		2
3	TR	—	TR	TR	—	·05	·10	·01	·65	—	·01	·02		3
4	·02	—	·07	—	—	·41	TR	TR	·46	—	·63	·16		4
5	·25	·06	·11	—	·30	TR	TR	·03	·06	—	·04	·14		5
6	·45	—	·02	TR	TR	·08	·03	·13	·06	—	·39	·01		6
7	·04	—	·05	—	—	—	·38	—	·22	TR	·27	·01		7
8	·56	—	·33	—	—	—	·53	—	·01	TR	·85	TR		8
9	·44	—	·12	—	—	·08	·04	—	·18	·02	·04	TR		9
10	·16	—	TR	—	—	TR	·71	—	TR	—	·13	TR		10
11	—	Snow	—	·02	—	·22	·20	TR	·09	—	1·10	TR		11
12	—	—	—	·08	·05	·20	·04	·01	·31	—	·16	Snow		12
13	—	·02	—	·04	TR	—	·82	TR	TR	·03	·01	·90		13
14	—	—	—	·20	—	·06	·38	TR	·14	TR	·07	·80		14
15	—	TR	—	TR	·32	TR	·04	·10	·04	—	·05	·10		15
16	Snow	·04	—	·03	·14	—	TR	—	—	—	·14	·02		16
17	Snow	·86	—	TR	TR	—	·05	—	—	·07	·02	·38		17
18	—	·23	—	—	—	TR	·20	·03	—	·31	TR	·06		18
19	Snow	·14	·02	·08	—	—	·52	·07	—	·05	—	TR		19
20	·03	·19	·09	·07	—	·85	TR	—	·11	TR	—	TR		20
21	·06	—	·06	Snow	—	1·97	—	—	·05	—	—	TR		21
22	Snow	·38	·19	Snow	·06	TR	·37	—	—	—	—	·01		22
23	·05	·01	·12	·06	·24	TR	·55	—	—	·04	—	TR		23
24	·19	·02	TR	TR	·01	—	·08	—	·31	·32	—	TR		24
25	·17	TR	·23	·43	—	·21	·19	—	·69	·20	—	—		25
26	·02	·04	·57	—	—	·18	·07	TR	TR	·06	·02	—		26
27	·14	TR	·05	—	—	—	·08	—	·03	·15	—	—		27
28	·36	·11	·43	—	—	—	—	—	—	·01	TR	·19		28
29	·02	·06	·09	—	·04	·59	TR	—	—	·02	TR	·21		29
30	·05	✕	·02	—	·08	·02	—	—	—	·68	TR	TR		30
31	·56	✕	·28	✕	·14	✕	·05	—	✕	·02	✕	·46		31
TOTAL	3·78	2·30	2·85	1·54	1·38	5·94	5·41	·49	3·41	1·98	3·98	3·59	Year's Total 36·65	✓
* Days with .01 in. or more.	20 ~~5~~	15 ~~4~~	18 ~~3~~	11 ~~2~~	10 ~~x~~	15 ~~x~~	22 ~~3~~	8 ~~4~~	16 ~~2~~	14 ~~5~~	18 ~~5~~	17 ~~6~~	184 ~~41~~	✓
* Days with .04 in. or more.	15	11	15	9	9	14	19	4	15	9	13	11	144	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. E. Barendt. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2245

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~8~~7

Kept at Hill Court, Kington

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7½ in.

,, Ground ,, Sea Level 590 ft.

File No 66·1673/26

Days — Totals

J.A.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	14	03	Snow	14	—	—	03	—	06	15	06	34		1
2	06	23	—	29	—	—	TR	—	01	TR	—	57		2
3	TR	36	TR	—	08	TR	TR	—	TR	—	01	01		3
4	10	11	—	TR	12	05	—	08	TR	—	—	42		4
5	60	—	Snow	02	—	TR	05	—	—	—	—	—		5
6	19	10	Snow	21	04	—	—	—	—	04	03	—		6
7	TR	84	Snow	19	—	09	—	—	TR	TR	TR	—		7
8	TR	14	—	02	18	17	02	—	01	04	24	—		8
9	—	02	—	03	24	—	32	—	46	—	—	—		9
10	07	10	Snow	—	—	04	TR	—	TR	—	—	38		10
11	TR	—	52	01	40	11	27	—	—	—	—	08		11
12	21	25	03	—	TR	02	02	11	09	—	02	23		12
13	17	04	TR	25	—	16	—	15	18	—	—	TR		13
14	—	TR	·16	08	—	—	—	04	06	—	—	11		14
15	12	15	—	29	—	—	1·70	—	14	—	—	15		15
16	01	23	49	01	TR	TR	01	20	09	—	~~06~~	—		16
17	32	11	26	—	—	TR	TR	—	35	TR	06	—		17
18	65	05	27	07	TR	—	02	—	36	TR	25	11		18
19	08	10	15	03	01	30	28	—	01	TR	02	09		19
20	20	15	15	62	11	TR	TR	—	TR	TR	—	12		20
21	42	25	21	02	05	TR	91	—	TR	04	—	03		21
22	08	02	Snow	01	17	TR	40	—	TR	35	56	07		22
23	26	25	Snow	—	13	—	09	—	—	27	85	TR		23
24	57	89	13	—	—	—	01	—	TR	95	01	02		24
25	01	50	—	—	01	—	—	—	08	70	—	03		25
26	01	47	01	—	36	—	—	—	—	—	01	02		26
27	—	30	—	09	TR	—	—	—	TR	84	01	01		27
28	—	Snow	—	—	—	TR	—	—	—	13	—	TR		28
29	—	—	—	—	—	·06	—	—	—	75	02	TR		29
30	Snow	✕	—	—	—	TR	—	TR	01	01	12	—		30
31	44	✕	—	✕	—	✕	—	TR	✕	62	✕	—		31
TOTAL	4·65	5·69	2·38	2·38	1·90	1·00	3·43	·58	1·91	4·29	2·27	2·79	Year's Total 33·27	33·27 ✓
* Days with .01 in. or more.	21~~3~~	24~~3~~	11~~2~~	18~~7~~	13~~2~~	9	14~~5~~	5	14~~4~~	13~~1~~	15~~7~~	18~~5~~	175	✓
* Days with .04 in. or more.	18~~7~~	21	9	10	11~~10~~	8~~8~~	8	5	10	12	8	12	132	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. E. Barndt

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2245

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hill Court, Kington

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7½ in.

,, Ground ,, Sea Level 595 ft.

File No. 66 - 1673/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TR	·13	TR	—	—	·65	—	·29	—	·25	TR	·48		1
2	—	·05	—	·09	·11	TR	·04	TR	—	·20	·05	·07		2
3	TR	·01	—	—	·13	·05	·13	—	—	·90	TR	TR		3
4	·01	—	—	—	—	·02	·36	·47	—	·44	·02	·15		4
5	TR	TR	—	—	—	—	·11	·04	·02	·25	TR	·03		5
6	·25	·07	—	—	—	·11	·94	—	·11	·23	—	·15		6
7	·12	TR	—	—	—	—	·80	·76	·12	·16	—	·04		7
8	·37	TR	—	—	—	—	·06	·06	TR	·45	—	·10		8
9	·14	·09	—	—	—	·10	·10	·01	—	TR	—	·32		9
10	·12	·02	—	—	—	·07	·17	·49	—	·03	—	·39		10
11	·68	·01	—	—	—	·06	TR	·01	—	·09	·23	·42		11
12	·33	—	—	—	·23	·04	—	—	—	·41	·80	TR		12
13	·01	—	—	—	·04	—	—	—	—	·06	·63	·55		13
14	·80	—	—	—	·14	—	·10	—	TR	—	TR	·01		14
15	·37	—	—	—	·03	—	·12	·01	—	—	·06	·20		15
16	·32	—	—	—	·04	—	—	·04	—	·02	·16	·07		16
17	—	·05	—	—	—	—	TR	—	·05	·13	—	·05		17
18	·14	—	—	—	·01	·09	—	·11	·05	·08	·42	—		18
19	·03	—	—	—	TR	·01	—	·23	·02	—	·34	·06		19
20	·06	—	TR	—	—	—	—	—	·03	TR	·35	—		20
21	·03	—	—	TR	—	—	—	·03	·15	—	·15	·06		21
22	TR	—	—	·01	—	—	—	·09	TR	·01	·60	·03		22
23	—	—	—	·06	·03	—	—	TR	·07	—	·12	—		23
24	·01	·06	·05	—	·04	—	—	·31	·07	—	·08	—		24
25	·19	·22	·04	—	·11	·02	·08	·14	TR	·33	·95	·04		25
26	·41	·49	·01	—	·41	·17	TR	TR	·02	·22	—	·01		26
27	·09	·11	—	—	·74	·25	·13	·47	·17	·23	·50	—		27
28	·25	·19	—	—	TR	·24	·01	·03	·04	TR	·07	TR		28
29	·33	✕	—	—	·66	·01	·02	—	—	·10	·10	·09		29
30	·10	✕	—	—	TR	TR	—	—	·27	·01	·40	·15		30
31	·19	✕	—	✕	·32	✕	—	·07	✕	·28	✕	·40		31
TOTAL	5.35	1·50	·10	·16	3·04	1·89	3·17	3·66	1·19	4·88	6·03	3·87	Year's Total 34·84	✓
* Days with .01 in. or more.	24	13	3	3	15	15	15	19	14	22	19	23	185	✓
* Days with .04 in. or more.	19	10	2	2	12	11	13	14	10	18	18	19	148	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. E. Barendt

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 2245

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hill Court, Kington

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7½ in.

„ Ground „ Sea Level 575 ft.

Duff Potter

File No: 661/6/3/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	–	27	25	20	–	TR	TR	02	–	03	12		1
2	–	–	04	02	TR	–	01	20	41	01	18	74		2
3	20	–	05	55	–	–	–	07	TR	–	30	28		3
4	08	–	46	23	35	–	28	04	–	57	12	TR		4
5	–	–	01	22	12	–	55	01	–	19	25	–		5
6	82	–	05	–	–	–	90	–	–	TR	16	31		6
7	03	03	04	TR	–	–	44	07	–	–	28	06		7
8	02	32	38	–	·04	–	47	05	–	–	64	11		8
9	08	20	01	–	–	–	–	42	–	62	04	18		9
10	83	T.R	TR	–	–	01	–	01	06	49	TR	05		10
11	02	07	05	01	–	05	–	TR	–	25	TR	04		11
12	13	14	–	23	–	–	–	–	07	02	03	–		12
13	–	TR	–	02	07	TR	30	–	07	12	TR	–		13
14	95	–	TR	02	07	06	38	–	01	08	19	09		14
15	62	–	03	–	04	42	65	–	–	03	26	–		15
16	13	TR	05	–	09	02	03	–	–	12	57	–		16
17	54	05	–	–	–	06	–	–	–	TR	04	–		17
18	41	05	02	–	–	07	38	–	–	TR	59	–		18
19	23	TR	–	–	–	–	23	–	–	–	TR	–		19
20	35	–	–	04	–	TR	36	14	–	–	–	05		20
21	07	04	23	03	05	18	03	TR	03	–	–	–		21
22	26	55	15	10	–	38	04	–	TR	04	56	–		22
23	01	06	01	05	–	05	30	–	–	02	78	–		23
24	28	TR	TR	03	–	02	06	–	–	15	TR			24
25	70	16	–	11	–	01	04	–	–	08	80	–		25
26	04	09	–	01	–	–	–	20	–	06	36	03		26
27	02	65	07	05	–	12	10	02	–	01	07	08		27
28	02	31	05	02	–	10	45	05	–	–	22	07		28
29	–	×	TR	25	–	09	65	05	–	16	03	–		29
30	–	×	–	12	–	15	01	01	–	02	05	13		30
31	–	×	–	×	–	×	06	36	×	14	×	02		31
TOTAL	6·85	2·72	1·97	2·41	1.03	1.77	6·72	1·70	·67	3.18	6·45	2·06	Year's Total 37·53	✓
* Days with .01 in. or more.	25 ~~4~~	14 ×	18 ~~5~~	20 ~~8~~	~~4~~ 9	16 ~~4~~	23 ~~4~~	~~4~~ ~~8~~ 15	~~5~~ 7	20 ~~6~~	23 ~~3~~	~~2~~ 16	206	✓
* Days with .04 in. or more.	18	13	13 ~~14~~	12	9	12	19	11	4	14	20 ~~21~~	14	159	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. E. Barendt

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2245

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at HILL COURT – KINGTON.
in the County of HEREFORD
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
„ Ground „ Sea Level 595 ft.

Station No 2245
File No 66-1673/26

Days.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01	–	·04	·01	–	–	–	–	–	·61	–		1
2	–	·06	–	·25	–	–	–	–	–	–	1·86	·14		2
3	–	·42	–	·05	–	–	TR	–	–	·12	1·24	·05		3
4	TR	·12	–	·05	·24	–	–	–	–	·17	·20	·04		4
5	–	·05	–	–	–	–	·14	–	TR	·41	·49	·25		5
6	·23	·01	–	–	–	–	–	–	–	·13	·06	·23		6
7	·03	·56	–	·01	–	–	–	–	·03	·20	–	·08		7
8	·01	·14	–	·02	–	–	–	·14	–	·25	·05	·30		8
9	–	·01	–	·01	–	–	1·02	·02	·02	–	·71	·41		9
10	–	–	·01	–	–	–	·53	–	·03	–	·27	·02		10
11	–	–	TR	–	–	·02	·30	–	–	–	–	–		11
12	–	–	·10	·08	–	–	·30	–	·10	–	–	TR		12
13	–	·04	·25	–	–	–	·13	TR	·05	–	·02	·01		13
14	–	·02	TR	–	·09	–	–	·01	·04	·28	–	·67		14
15	–	–	·05	–	1·18	·22	TR	–	·08	·03	·27	–		15
16	–	·60	·25	·02	–	–	·26	–	·32	·75	·87	·03		16
17	–	–	·62	·48	–	–	·08	–	·03	–	·02	–		17
18	·11	·39	·18	·38	–	–	–	TR	·21	·19	·05	·35		18
19	–	·12	TR	·06	–	–	·21	–	·04	TR	·20	TR		19
20	–	TR	–	TR	–	–	·11	·03	–	–	·03	–		20
21	–	TR	·18	–	·22	·34	–	–	–	·03	1·46	–		21
22	–	–	·01	·23	·02	·15	–	–	·14	–	–	–		22
23	–	·02	–	·04	·10	·01	·04	–	·04	–	·02	TR		23
24	–	–	–	–	·03	–	·10	–	·02	TR	–	–		24
25	·05	–	–	–	·02	–	–	–	–	–	–	–		25
26	·88	·28	·01	–	·10	–	·22	–	–	–	·01	–		26
27	·86	·26	–	·02	·04	–	·04	–	–	–	TR	–		27
28	·87	·14	–	·96	·42	–	–	–	–	–	–	–		28
29	·04	–	·25	·31	–	–	·06	–	–	TR	–	·32		29
30	–	✕	·10	·51	–	·04	–	–	–	·58	–	·02		30
31	·12	✕	TR	✕	–	✕	–	–	✕	1·26	✕	TR		31
TOTAL	3·20	3·25	2·01	3·52	2·47	·78	3·54	·20	1·15	6·40	8·44	2·92	Year's Total ~~[illegible]·78~~	35·88 ✓
* Days with .01 in. or more.	10 ~~2~~	18 ~~5~~	12 ~~3~~	18 ~~5~~	12 ~~4~~	6 ~~2~~	15	4 ~~3~~	14 ~~5~~	13 ~~2~~	19 ~~5~~	15 ~~4~~	156 ~~40~~	✓
* Days with .04 in. or more.	8	13	9	13	8 ~~9~~	4	15	1	9	11	14	11	11~~7~~6	✓

† Spare column, no entries required.

(*Signed*) J. E. Barendt [P.T.O.

* See Instruction 3 (f) on other side.

FORM 1090.

B Mo
Su

ion.

2246

N° 2246

KINGTON SUNSET

1931- 1936.

*** The following register of month
&c., is NOT required if daily o
values are given on the other si

section and also the space for

to this register should be sent:—

RAINFALL IN 1931

At Sunset Kington

In the County of Hereford

Rain Gauge
Diameter of Funnel Fiv
Height of Top above Ground 1 *ft.*
Height of Ground above Sea Level 4

in Summer

Distance 1/2 m. Direction from gauge S W

Distance 1 1/2 m Direction from gauge W

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2.33				
FEB.	2.39				
MAR.	.70				
APRIL	3.26				
MAY	4.77				
JUNE	5.02				
JULY	3.41				
AUG.	4.95				
SEPT.	1.86				
OCT.	.60				
NOV.	6.79				
DEC.	1.09				
Total	37.17				

	e		Hedge	
Heights of objects	35 ft	4 ft	8 ft	
Distances ..	14 yd	4 yds	5 yd	
Directions from gauge ..	N W.	S E	W.	

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature H Langston.

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

2246

FORM 1090. **B** Mo Summary.

Particulars of Station.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Sunset Kington

In the County of Hereford

Rain Gauge
- Diameter of Funnel five in.
- *Height of Top above Ground* 1 *ft.* 5 *in.*
- *Height of Ground above Sea Level* 495 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2.33				
FEB.	2.39				
MAR.	.70				
APRIL	3.26				
MAY	4.77				
JUNE	5.02				
JULY	3.41				
AUG.	4.95				
SEPT.	1.86				
OCT.	.60				
NOV.	6.79				
DEC.	1.09				
Total	37.17				

Signature H Langston.

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Kington Distance ½ m Direction from gauge S W

Nearest Parish Church at " Distance 1½ m Direction from gauge W

Nature of objects nearest to gauge	House	Hedge	Hedge	
Heights of objects	30 ft	4 ft	8 ft	
Distances ..	14 yd	4 yds	5 yd	
Directions from gauge ..	N W.	S E	W.	

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1932

At Sunset Kington

In the County of Hereford

Rain Gauge
- Diameter of Funnel five in.
- *Height of Top above Ground* one *ft* .... *in.*
- *Height of Ground above Sea Level* 495 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3.36				
FEB.	.17				
MAR.	1.84				
APRIL	4.52				
MAY	5.76				
JUNE	.78				
JULY	2.31				
AUG.	2.76				
SEPT.	2.26				
OCT.	5.48				
NOV.	2.32				
DEC.	1.77				
Total	33.33				

Signature H Langston

*See Instruction 2 (*f*) below.

No 2246

C **Particulars of Station.**

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Henry Langston

Sunset Kington. Herefordshire [illegible]

Hour of observation by the clock—in Winter 9 a m in Summer [illegible]

Nearest Railway Station Kington. Distance 1/4 mile Direction from gauge S.S.W.

Nearest Parish Church at Kington. Distance Mile Direction from gauge W.

Nature of objects nearest to gauge	House	Hedge	Hedge	
Heights of objects	30 ft	4 ft	8 ft	
Distances ..	14 yds.	4 yds	8 yds	
Directions from gauge ..	N.W.	S.E.	W.	

If gauge has been moved during the year state—

Date of move........ Distance........ Direction........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
3 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

FORM 1090.

B Monthly Summary.

C Particulars of Station.

Statia No 2246

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Sunset Kington

In the County of Hereford

Rain Gauge

Diameter of Funnel five in.

Height of Top above Ground 1 ft. in.

Height of Ground above Sea Level 495 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1.70				
FEB.	3.05				
MAR.	2.49				
APRIL	1.02				
MAY	1.22				
JUNE	1.73				
JULY	1.78				
AUG.	.32				
SEPT.	1.64				
OCT.	5.92				
NOV.	.66				
DEC.	1.01				
Total	22.54				

Signature H Langston

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

H Langston
Sunset Kington Herefordshire

Hour of observation by the clock—in Winter ...... in Summer ......

Nearest Railway Station Kington Distance ½ mile Direction from gauge S W

Nearest Parish Church at Kington Distance 1½ m Direction from gauge W

Nature of objects nearest to gauge	House	Hedge	Holly	
Heights of objects	30 ft	4 ft	8 ft	
Distances ..	14 yds.	4 yds.	5 yds	
Directions from gauge ..	N W	S E.	W.	

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

The rainfall is taken at 9 a.m on the first day of the month.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

M.O. 7
3 JAN 1934

D

no 707465/26

N° 2246

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934.

At Sunset Kington

In the County of Hereford.

Rain Gauge
- Diameter of Funnel 5 in in.
- *Height of Top above Ground* 1 *ft* – *in.*
- *Height of Ground above Sea Level* 495 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2.62				
FEB.	.17				
MAR.	2.39				
APRIL	2.70				
MAY	·97				
JUNE	1.54				
JULY	1.77				
AUG.	2.58				
SEPT.	1.67				
OCT.	1.38				
NOV.	1.75				
DEC.	6.74				
Total	26.28 ✓				

Signature H Langston

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
H Langston.
Sunset Kington Herefordshire

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Kington Distance 1/2 m Direction from gauge SW

Nearest Parish Church at Kington Distance 1 1/2 m Direction from gauge W

Nature of objects nearest to gauge	House	Hedges	Holly	
Height of objects	30 ft	4 ft	8 ft.	
Distances ..	14 yds.	4 yds.	8 yds.	
Directions from gauge ..	NW.	SE	W.	

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) **Is it known that the gauge was empty at the beginning of the measured rainfall?**
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(**B**) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

FORM 1090.

B Monthly Summary.

C Particulars of Station.

Nº 2246

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Sunset Kington

In the County of Hereford.

Rain Gauge

Diameter of Funnel five in.

Height of Top above Ground 1 *ft.* — *in.*

Height of Ground above Sea Level 495 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	.92				
FEB.	2.95				
MAR.	50				
APRIL	4.22				
MAY	.47				
JUNE	2.35				
JULY	.19				
AUG.	1.80				
SEPT.	4.03				
OCT.	3.45				
NOV.	5.80				
DEC.	3.64				
Total	30.52				

Signature H Langston

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Henry Langston
Sunset Kington Herefordshire

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Kington GWR Distance ½ mile Direction from gauge SW

Nearest Parish Church at " Distance 1½ mile Direction from gauge W.

Nature of objects nearest to gauge	House	Hedge	Holly	
Height of objects	30ft	3ft (3ft	8ft	
Distances ..	14 yds	4 yds.	5 yd.	
Directions from gauge ..	N W.	S E	W.	

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted **in British Rainfall, please** give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

The rainfall is taken at 9 a m on the first of the month.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Sunset Kington

In the County of Hereford

Rain Gauge {
Diameter of Funnel five in.
Height of Top above Ground 1 *ft.* *in.*
Height of Ground above Sea Level 495 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4.52				
FEB.	2.29				
MAR.	2.59				
APRIL	1.94				
MAY	1.07				
JUNE	6.62				
JULY	5.06				
AUG.	.26				
SEPT.	3.10				
OCT.	1.64				
NOV.	3.05				
DEC.	3.08				
TOTAL	35.52 ✓	✓			

Signature H Langston

*See Instruction 2 *(f)* below.

C Particulars of Station, No 2246

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
The rainfall is taken monthly — X
at 9 a.m. on first of month

Hour of observation by the clock—in Winter............in Summer............

Nearest Railway Station Kington G.W.R. Distance 1/2 m. Direction from gauge S.W.

Nearest Parish Church at Kington Distance 1 mile Direction from gauge S.W.

Nature of objects nearest to gauge	House	Hedge	Hedge	
Height of objects	30 ft	4 ft	8 ft	
Distances ...	14 yds.	4 yds.	5 yd	
Directions from gauge ...	N.W.	S.E.	W.	

If gauge has been moved during the year state—

Date of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
7 JAN. 1937

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

2247

Section **A** for the entry of

AIR MINISTRY

FORM 1090.

REGIST

Kept at Kington Golf

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

OPY FOR OFFICIAL USE.
ORGANIZATION.

llowing

Jan. 1, following

2247
KINGTON, GOLF LINKS
1931 — 39

780403

Rain ... on

Date		Jan.											Dec.	Date
		Jan	Feb	March	April	May	June	July	August	Sep				
		in.											in.	
1	1st	·02			·27					·78	·45			1
2	2nd	·06	·05		·54	·20	·05		·13			·26	·02	2
3	3rd			·04						·82		2·24	·36	3
4	4th					·04		·33	·72	·10		·23		4
5	5th		·10	·07			1·20	·16		·17			·35	5
6	6th				·30	·07		·06	·29		·20	·25	·05	6
7	7th		·21		·08		·10	·60	·40		·26	·36	·02	7
8	8th		·12				·14		·35			·04	·09	8
9	9th	·07	·24				·09					·62		9
10	10th					·04						·80		10
11	11th						·08					·14		11
12	12th		·47					·82		·04	·04	·01		12
13	13th			·09		·10		·17	·13	·20				13
14	14th						·07		1·69	·11		·36		14
15	15th				·11	·07	1·49	·27	·37				·03	15
16	16th	·05			·07	·39			·19	·07				16
17	17th				·23		·71	·15		·05		·08		17
18	18th	·10	·56	·14	·29			·04	·30	·16		·47		18
19	19th		·14		·05	·63	·28		·77	·11		·05		19
20	20th			·10			1·65		·06			·20		20
21	21st	·45				·47						·13		21
22	22nd	·42		·01		·08						·07		22
23	23rd	·24				·60	·05	·11				·41		23
24	24th	·06			·53	·16		·43				·01	·09	24
25	25th	·17			·39			·11					·02	25
26	26th		·05		·41									26
27	27th	·11	·56		·04	1·56		·05					·05	27
28	28th	·06	·27			·24								28
29	29th					·24		·22		·05	·11	·08		29
30	30th	·09		·30	·03									30
31	31st	·43				·05						1·36	·18	31
		2·33	2·74	·75	3·37	5·16	5·91	3·52	5·40	2·66	·76	7·17	1·26	
	Total			41·06 inches.						12 months				

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL													
*Days with ·01 in. or more.	~~14~~	~~11~~	~~7~~	~~14~~	~~16~~	~~12~~	~~14~~	~~12~~	~~12~~	~~5~~	~~21~~	~~11~~	~~149~~
*Days with ·04 in. or more.	13	11	6	13	16	12	14	12	12	5	19	7	140

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

2247

Section **A** for the entry of

AIR MINISTRY

OPY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Kington Golf Links

in the County of

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level 1284 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Rainfall. Bradnor Golf-Links Kington
1240 ft

	Jan	Feb	March	April	May	June	July	August	Sep	Oct	Nov	Dec
1st	·02			·27					·78	·05		
2nd	·06	·05		·57	·20	·05		·13			·26	·02
3rd			·04						·82		2·24	·36
4th					·04		·33	·72	·10		·23	
5th		·10	·07			1·20	·16		·17			·35
6th				·30	·07		·06	·29		·20	·25	·05
7th		·21		·08		·10	·60	·40		·26	·36	·02
8th		·12				·14		·35			·04	·09
9th	·07	·24				·09					·62	
10th					·04						·80	
11th						·08					·14	
12th		·47					·82		·04	·04	·01	
13th			·09		·10		·17	·13	·20			
14th						·07		1·69	·11		·36	
15th				·11	·07	1·49	·27	·37				·03
16th	·05			·07	·39			·19	·07			
17th				·23		·71	·15		·05		·08	
18th	·10	·56	·14	·29			·04	·30	·16		·47	
19th		·14		·05	·63	·28		·77	·11		·05	
20th			·10			1·65		·06			·20	
21st	·45				·47						·13	
22nd	·42		·01		·08						·07	
23rd	·24				·60	·05	·11				·41	
24th	·06			·53	·16		·43				·01	·09
25th	·17			·39			·11					·02
26th		·05		·41								
27th	·11	·56		·04	1·56		·05					·05
28th	·06	·27			·21							
29th					·24		·22		·05	·11	·08	
30th	·09		·30	·03								
31st	·43				·05						1·36	·18
	2·33	2·74	·75	3·37	5·16	5·91	3·52	5·40	2·66	·76	7·17	1·26

Total 41·06 inches. 12 months

	Jan.											Dec.	YEAR'S TOTAL
TOTAL													
*Days with ·01 in. or more.	~~14~~	~~11~~	~~7~~	~~14~~	~~16~~	~~12~~	~~14~~	~~12~~	~~12~~	~~5~~	~~21~~	~~11~~	~~149~~
*Days with ·04 in. or more.	13	11	6	13	16	12	14	12	12	5	19	7	140

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

2247

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kington Golf Links
Bradnor Hill.
Height 1285 ft.

Raintall 1932

Bradnor Golf Links.

	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
1st	·14	·02	—	·14	1·61	·03	·51	·03	·02	·06	·05	·0
2nd	·06	—	—	—	·14	—	·10	·03	·13	·02	·04	·25
3rd	·01	·03	—	·25	·01	—	—	—	—	·04	—	·19
4th	·03	—	—	1·27	—	—	·20	—	—	—	·51	—
5th	·51	—	·05	—	·02	—	·05	—	·10	—	—	—
6th	·39	—	·13	·31	—	—	—	—	·37	—	—	—
7th	·02	—	·11	·21	·20	—	·07	—	·06	—	—	—
8th	—	—	·19	·06	—	—	·02	—	·23	·95	—	—
9th	·30	Snow	—	—	·04	—	—	—	—	·26	—	—
10th	·36	Snow	—	·41	·05	·06	—	—	·15	—	—	—
11th	·13	Snow	—	·07	·03	·02	—	—	—	·16	·01	·09
12th	·39	—	—	—	·17	—	—	·01	·23	—	·04	—
13th	·08	·01	—	·17	·22	—	—	·26	·01	·34	·06	·13
14th	·14	—	—	·11	·05	—	·56	·13	—	·22	·10	·02
15th	·01	—	—	·03	·31	—	·07	—	—	·03	·02	·01
16th	·49	—	—	·47	—	—	·02	—	—	·02	—	—
17th	—	—	—	—	·04	—	·38	—	—	·01	—	—
18th	—	—	—	—	·17	—	·02	—	—	·07	·28	—
19th	—	—	—	·14	·25	—	—	—	—	—	·01	—
20th	—	—	—	·15	·84	—	—	2·44	—	·09	·06	·09
21st	·01	—	·11	·20	·12	—	—	·47	—	·33	—	·18
22nd	—	—	·01	·02	·01	—	·07	—	·51	·76	·22	·25
23rd	·01	·05	·09	—	·46	—	·21	—	·14	·45	·34	—
24th	·10	—	—	—	·04	—	·12	—	·06	·14	·06	—
25th	·01	—	—	—	—	—	—	—	·04	·07	·09	—
26th	—	—	·09	·16	·09	—	·05	—	·09	·25	·07	—
27th	—	—	·03	·41	·47	—	·07	—	—	·20	·03	—
28th	—	—	·10	·16	·06	—	·14	·27	—	—	—	·02
29th	—	—	·35	·09	·50	·03	·03	·04	·30	·66	·12	·36
30th	—		·21	·16	·05	·19	·13	—	·13	·01	·48	·12
31st	—		·02		—		·39	—		—		·31
	3·96	·11	1·99	5·29	5·75	·33	2·99	3·70	2·57	5·13	2·54	2·04
	19	4	13	21	25	5	20	9	16	22	19	14
	12	1	11	19	20	2	15	6	14	17	15	14

36·92

187

142

Total 36·92

TOTAL

P.T.O.

Copy from MSS in file 740083/27

2247

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Kington Golf Links

In the County of Herefordshire

Rain Gauge
Diameter of Funnel............in.
Height of Top above Ground......*ft*......*in*.
Height of Ground above Sea Level 1284 *ft*.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·05				
FEB.	4·28				
MAR.	2·63				
APRIL	·90				
MAY	1·55				
JUNE	2·00				
JULY	1·71				
AUG.	·94				
SEPT.	1·27				
OCT.	4·16				
NOV.	·86				
DEC.	1·10				
Total	23·45				

Signature C.A. Bean

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter............in Summer............

Nearest Railway Station............ Distance............ Direction from gauge ....

Nearest Parish Church at............ Distance............ Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

D

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2247

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kington Golf Club

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1284 ft.

Totals & Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·10							0·38	0·01	0·20	0·05	0·24		1
2			0·07					0·09	0·19	0·04	0·02	0·19		2
3	0·03								0·04	0·17		0·42		3
4	0·07		0·08					0·15	0·25	0·23	0·11	0·26		4
5			0·05		0·16			0·98		0·06	0·10	0·23		5
6	0·05			0·04	0·04			0·02		0·14		0·36		6
7	0·11				0·43			0·10		0·06		0·62		7
8					0·14			0·01			0·17	0·30		8
9			0·15					0·06	0·21		0·43	0·05		9
10	0·14	0·04	0·15	0·34				0·16			0·07			10
11	0·77		0·08	0·66				0·03				0·36		11
12	0·04		0·03	0·03			0·61	0·14						12
13	0·60			0·11			0·12			0·06		0·50		13
14			0·25	0·03		0·09				0·05	0·17	0·12		14
15			0·27		0·18		0·02			0·12	0·24	0·20		15
16	0·30		0·25		0·02				0·06	0·02	0·17			16
17	0·05		0·05	0·13	0·05			0·03	0·24			0·23		17
18	0·17			0·50			0·23		0·04			0·34		18
19			0·29			0·12			0·14			0·21		19
20								0·04	0·04					20
21				0·11	0·04	0·08	0·04	0·10		0·14		0·02		21
22	0·11		0·09				0·06	0·32	0·39	0·10		0·33		22
23			0·04	0·16	0·05	0·96		0·01						23
24		0·22	0·02	0·05		0·33			0·17					24
25	0·47			0·11	0·04					0·35		0·48		25
26	0·04			0·27		0·13	0·08		0·14	0·04	0·04	0·12		26
27				0·02		0·12			0·04	0·08		0·20		27
28				0·49		0·08	0·04	0·33		0·06	0·09	0·43		28
29							0·35	0·03	0·25	0·02	0·03	0·05		29
30	0·04	×						0·15	0·15			0·19		30
31		×		×		×	0·11	0·01	×	0·07	×	0·18		31
TOTAL	3·09	0·26	1·87	3·05	1·15	1·91	1·66	3·14	2·36	2·01	1·69	6·63	Year's Total 28·82 ✓	
*Days with ·01 in. or more.	16	2	15	15	10	8	10	20	16	19	13	25	169 ✓	
*Days with .04 in. or more.	15	2	13	12	9	8	9	13	15	17	11	24	148 ✓	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) C A Benn Esq.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 22·4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bradnor Golf Links Kington

in the County of Hereford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

Copied in M.O.7. from original records sent by observer.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·05	·05	·07		·21		·43	·25		·20		1
2		·03				·05			·04	·13	·12	·10		2
3		·05	·12			·17			·04	·07	·18			3
4	·07			·07		21			·10	·51	·07	·30		4
5	05	·19		·09		·03	·02		·06		·07			5
6				·29		·75				·02	·08	·17		6
7				·30		·22						·13		7
8				·19		·04		·41		·30	·11	·11		8
9	·07			·58		·20				·55	·17			9
10				·23		·08				·12	·05			10
11	·21					·25				·05	·14			11
12		·03				·05		·14	·02		·09			12
13	·12	·10		·07	·03				·31	·04	·40			13
14						·12			·05		1·10	·30		14
15		·33		·44	·07	·04		·04	·22		·05	·06		15
16		·14	·11	·39		·04			·61	·22	·74	·07		16
17				·25	·08	·15	·08		·13		·04			17
18				·26		·08	·02	·74	·41	·09				18
19				·10	26	·24	·20		·04	·11	·20			19
20		·47		·08	·03	·04					1·11			20
21		·53		·08					·53	·05	·11			21
22		·03	·03	·04					·12					22
23		·09	·25	"	·03			·05		·47				23
24	·12	·30	·05						·95	·29		·38		24
25	·11	·29		·08		·39						·27		25
26								·60	·22		·09	·36		26
27		·11			·03				·06		·06	·16		27
28		·07						·49	·14		·03			28
29									·27	·12	·14	·21		29
30	·03	✕		·21		·07		·30	·12	·22	·48	·17		30
31		✕		✕		✕			✕	·27	✕	·31		31
TOTAL	0·78	2·76	·61	3·90	·60	3·23	·53	2·77	4·87	3·88	5·63	3·30	Year's Total. 32·~~85~~86	
* Days with .01 in. or more.	8	15	6	19	8	20	5	8	21	19	23	16	168	
* Days with .04 in. or more.	7	12	5	19	4	19	3	8	20	18	22	16	153	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W. GRIFFITHS. ESQ

[P.T.O.

MO 2247

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

3 —

Dup.

Kept at Bradnor Golf Links

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 1248 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

1935

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·14	0·07		0·23		0·43	–	0·08			0·05	0·11		1
2		0·02		0·19		0·49	0·05	0·04						2
3	TR					0·04	0·04		0·60		0·05			3
4	0·08		0·06			0·38			0·37		0·62	0·12		4
5	0·17	0·04	0·08		0·30	[illegible]			0·07			0·16		5
6	0·36					0·08	0·40	0·15	0·09		0·40			6
7	0·05		0·08				0·43		0·37		0·31			7
8	0·41		0·33								0·75			8
9	0·70		0·10			0·09	1·02		0·13	0·07				9
10	0·08						0·14				0·14			10
11						0·28	0·09		0·11		0·93			11
12		0·12		0·06	0·10	0·13	0·61		0·24		0·12	0·24		12
13							0·31		0·05			1·20		13
14				0·14		0·11	0·03		0·09	0·08	0·12	0·48		14
15					0·27	[illegible]	0·03	0·12			0·06	0·11		15
16		0·04			0·12	[illegible]	0·06				0·14			16
17	0·09	0·08					0·14			0·11	0·06	0·50		17
18		0·55					0·68			0·25		0·03		18
19	0·55	0·33	0·05				0·06	0·14		0·04				19
20		0·20	0·11	0·12		0·61								20
21	0·15		0·05	0·33		1·60			0·21					21
22			0·20				0·26					0·03		22
23	0·08	0·27	0·13	0·08	0·16		0·37			0·06				23
24	0·13			0·04			0·04		0·27	0·40				24
25	0·14		0·11	0·32		0·15	0·14			0·20				25
26		0·08	0·70			0·22	0·08	0·04	0·68	0·11	0·06			26
27	0·25		0·04				0·17		0·02	0·10				27
28	0·10		0·40				0·02					0·18		28
29	0·12	0·12	0·12			0·53				0·04	0·03	0·21		29
30	0·20	✕			0·07	0·03				0·73				30
31	0·55	✕	0·38	✕	0·20	✕	0·06		✕		✕	0·58		31
TOTAL	4·36 5	1·92	2·94	1·51	1·28	5·17	5·33 2	0·57	3·30	2·19	3·84	3·95	Year's Total ~~36·30~~	36·19
* Days with .01 in. or more.	19	12	16	9	7	15	~~3~~ 23	6	~~1~~ 14	12	~~1~~ 15	13 ~~2~~	~~9~~	161
* Days with .04 in. or more.	19	11	16	9	7	14	20	6	13	12	14	11	152	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Griffiths [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2247

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

write 4/38

Kept at BRADNOR GOLF LINKS

in the County of HEREFORDSHIRE

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground ft. 10 ins

,, Ground ,, Sea Level 1284 ft.

D Dupp

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·12	0·5		0·12			0·8		0·8	0·17	0·10	0·56		1
2	0·13	0·35		0·22								0·36		2
3	0·2	0·23			0·7		0·4					0·30		3
4	0·8	0·7			0·10	0·5						0·40		4
5	0·51		0·19	0·3			0·6	0·13				0·1		5
6	0·20	0·10	0·12	0·24	0·4					0·7	0·8			6
7	[illegible]	0·80	0·5	0·15		0·7			0·5		0·2			7
8	[illegible]	0·11		0·2	0·23	0·10				0·3	0·24			8
9	[illegible]	0·5		0·3	0·18		0·36		0·47					9
10	0·11	0·13	0·29									0·26		10
11			0·36		0·32	0·9	0·28					0·5		11
12	0·26	0·36	0·11				0·2	0·24	0·14		0·2	0·15		12
13	0·17	0·6		0·27		0·8		0·33	0·7			0·2		13
14			0·10	0·6				0·4	0·7			0·5		14
15	0·12	0·17		0·27			1·64		0·19			0·17		15
16	0·6	0·20	0·26					0·22	0·15					16
17	0·40	0·8	0·26						0·25		0·5			17
18	0·25	0·9	0·31	0·9					0·25		0·30	0·7		18
19	0·7	0·4	0·20	0·5		0·33	0·38				0·4	0·7		19
20	0·36	0·6	0·7	0·54	0·18	0·2						0·14		20
21	0·32	0·23	0·6	0·4			0·23			0·11				21
22	0·5		0·18	0·2	0·14		0·34			0·49	0·73	0·10		22
23	0·23		0·3		0·18		0·4			0·13	0·26			23
24	0·33	0·65	0·7				0·4			0·85		0·4		24
25		0·41							0·9	0·7		0·3		25
26		0·39	0·3		0·34						0·4	0·5		26
27		0·10		0·7						0·99		0·3		27
28										0·14		0·2		28
29						0·13				0·82	0·4			29
30	0·33	✕				0·1			0·3	0·3	0·13			30
31	0·30	✕		✕		✕			✕	0·62	✕			31
TOTAL	4·42	4·73	2·69	2·22	1·78	0·88	3·51	0·96	1·84	4·52	2·05	2·88	Year's Total 32·48	
* Days with .01 in. or more.	~~1~~ 21	22	17 ~~2~~	~~16~~ 14	10	9 ~~8~~	12 ~~1~~	5	~~1~~ 12	13 ~~2~~	13 ~~2~~	20 ~~5~~	~~20~~ 170	
* Days with .04 in. or more.	20	22	15	12	10	7	11	5	11	11	11	15	150	

170

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) W. GRIFFITHS. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2247

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at BRADNOR GOLF LINKS

in the County of HEREFORDSHIRE

Diameter of Funnel of Gauge 6 ins

Height of top of Gauge above Ground 1 ft. 0 ins

,, Ground ,, Sea Level 1284 ft.

1937 [illegible] letter written 10/3

GB

f 630494/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0·9	0·2			0·65		0·29		0·22	0·3	0·26		1
2		0·5		0·6	0·10		0·12			0·17	0·4	0·5		2
3					0·9	0·6	0·37			0·78				3
4	0·2						0·34	0·36		0·37	0·4	0·14		4
5							0·8	0·4	0·4	0·19		0·4		5
6	0·16	0·8				0·13	0·91		0·6	0·28		0·9		6
7	0·6						0·67	0·83	0·9	0·9		0·5		7
8	0·34						0·7	0·8		0·33		0·4		8
9	0·8	0·12				0·11	0·7	0·2		0·2		0·25		9
10	0·16	0·4				0·50	0·21	0·39		0·4		0·8		10
11	0·60	0·2				0·5	0·3	0·5		0·8	0·34	0·41		11
12	0·31				0·24	0·2		0·2		0·36	0·72	0·2		12
13					0·4			0·57		0·4	0·62	0·44		13
14	0·60				0·13		0·14		0·5					14
15	0·37				0·5		0·14				0·8	0·19		15
16	0·13		0·3		0·6			0·6		0·2	0·14	0·3		16
17		0·4					0·3		0·10	0·11		0·34		17
18	0·12				0·4	0·9		0·24	0·26	0·8	0·42			18
19	0·3					0·3		0·20	0·3		0·3			19
20	0·4								0·3		0·28			20
21	0·2		0·2					0·7	0·10					21
22				0·4				0·6			0·41	0·9		22
23				0·7	0·6				0·8	0·4	0·7			23
24	0·7	0·5	0·8		0·5			0·40	0·5		0·4			24
25	0·13	0·17	0·3		0·15		0·11	0·26		0·38	0·72			25
26	0·15	0·20	0·3		0·25	0·31	0·3			0·29				26
27	0·12	0·7			0·61	0·6	0·24		0·17	0·14	0·38			27
28	0·11	0·13				0·27	0·11	0·10	0·4		0·4			28
29	0·18				0·43	0·3				0·10	0·6	0·5		29
30	0·7	✕				0·2			0·26		0·8	0·3		30
31	0·9	✕		✕	0·32	✕		0·10	✕	0·24	✕	0·30		31
TOTAL	3·96	1·06	0·21	0·17	2·62	2·36	3·67	4·14	1·36	4·27	4·81	2·97	Year's Total 31·60	
* Days with .01 in. or more.	23	12	6	3	15	14	17	19	14	22	19	19	26	183
* Days with .04 in. or more.	20	11	1	3	15	10	14	17	12	20	18	16	157	GB 6/3/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) .... [P.T.O.

68

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2247

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Kington Golf Links

in the County of Herefordshire

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground ft. 8 ins

,, Ground ,, Sea Level 1284 ft.

[illegible] 1937-8

630474/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Not in possession of Daily Returns for this month		0·23	0·29	0·21		0·3	0·2				0·6		1
2			0·2					0·18	0·42	0·4	0·17	0·11		2
3			0·8	0·66				0·8			0·13	0·32		3
4			0·30	0·18	0·24		0·27	0·4		0·68	0·26	0·15		4
5		0·5	0·2	0·18	0·4		0·53	0·2		0·18	0·24			5
6			0·3				0·83				0·10			6
7			0·2				0·55				0·24	0·24		7
8		0·23	0·16		0·3		0·38	0·13		0·83	0·26	0·14		8
9		0·11						0·47		0·35	0·6	0·15		9
10						0·3		0·2	0·6	0·29		0·6		10
11		0·4	0·6			0·5				0·2		0·5		11
12		0·3								0·2				12
13				0·25	0·7	0·2	0·27		0·14	0·8				13
14				0·3	0·6	0·6	0·20		0·4	0·12	0·14	0·6		14
15			0·3	0·2	0·4	0·45	0·62			0·2	0·25			15
16			0·3		0·6	0·2	0·19			0·8	0·50			16
17		0·3				0·6	0·2			0·2	0·3			17
18		0·3	0·3			0·8	0·26				0·47			18
19							0·24							19
20						0·2	0·70	0·16				0·6		20
21		0·8	0·15	0·4	0·6	0·16	0·6		0·7					21
22		0·14	0·5	0·4		0·18	0·4		0·3	0·6	0·58			22
23		0·5	0·3	0·7			0·22			0·8	0·62			23
24				0·2		0·6	0·6			0·12				24
25		0·8		0·4		0·3	0·6			0·9	0·39			25
26		0·3		0·10				0·26		0·4	0·21	0·4		26
27		0·67		0·2		0·19	0·11			0·3	0·6	0·3		27
28		0·10	0·5	0·1		0·8	0·46	0·8			0·2	0·7		28
29				0·10		0·18	0·55	0·4		0·12	0·5			29
30		✕		0·4		0·12				0·4	0·5	0·11		30
31		✕		✕		✕	0·13	0·29	✕	0·18	✕	0·4		31
TOTAL	5·47	1·67	1·29	2·09	0·81	1·79	6·78	1·79	0·76	3·47	5·02	1·69	Year's Total 32·63	[illegible]
* Days with .01 in. or more.	~~3~~ 19	14 ~~7~~	16 ~~8~~	17 ~~5~~	9 ~~1~~	17 ~~5~~	23 ~~2~~	~~3~~ 13	~~1~~ 6	~~5~~ 22	~~9~~ 21	~~7~~ 16	193 ~~40~~	[illegible]
* Days with .04 in. or more.	16	10	8	12	8	12	21	10	5	17	19	15	153	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. GRIFFITHS

[P.T.O.

2248

Section **A** for the entry of D

AIR MINISTRY.

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

2248

HEREFORD, HUMBER RECTORY

1931 — 35

780403

Kept at Humber Rector

in the County of Heref

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this

owing

Jan. 1, following

PI

Date	Jan.	Feb.	March	A						Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·25	—	·04	—	—	·36	·06	—	—	1
2	—	—	—	·65	·10	·07	—	·08	·60	—	·17	·15	2
3	—	—	·03	—	—	—	·05	—	·29	—	1·05	·05	3
4	—	—	—	·05	—	—	·08	·22	·18	—	—	·30	4
5	—	·12	—	·08	—	·97	·10	—	—	—	·11	—	5
6	—	·15	—	·12	·06	·05	·05	—	—	·35	·05	·05	6
7	—	·02	—	—	—	·06	—	·66	—	·10	·33	—	7
8	·05	·06	—	·07	—	·05	—	·61	—	·01	·15	—	8
9	—	·23	—	—	·17	·09	—	·01	—	·10	·70	—	9
10	—	·01	—	—	·09	·02	·03	·10	·12	—	·40	·05	10
11	·10	·30	—	—	·02	·02	·25	·08	·14	—	·22	·02	11
12	·02	·03	—	·10	—	—	·11	·08	·12	—	·01	—	12
13	—	·02	·04	—	·03	·01	·11	·18	·02	—	·05	—	13
14	—	·09	·02	—	·10	1·07	·42	·48	·03	—	·27	—	14
15	·02	·08	—	·10	·07	—	·37	·40	—	—	—	·05	15
16	·03	·15	—	·05	·29	·80	—	·05	·15	—	—	—	16
17	—	·05	—	·30	·45	·12	·17	·01	·02	·01	·12	—	17
18	·04	—	·05	·23	—	·21	—	·21	·02	—	·39	—	18
19	·02	·07	—	·04	—	·12	·09	·27	—	—	—	—	19
20	—	·06	·22	·03	—	—	—	·11	—	—	—	—	20
21	·37	—	·02	·02	·44	—	—	—	—	—	—	—	21
22	·17	—	—	—	—	—	—	·43	—	—	·25	—	22
23	·19	—	—	·42	·57	·22	·08	—	—	—	—	—	23
24	·03	—	—	·34	·20	—	·22	—	—	—	·01	·29	24
25	·12	·01	—	·37	—	—	·06	—	—	—	·09	—	25
26	·02	—	—	·04	—	—	·11	—	—	—	·48	—	26
27	·11	·48	·04	·02	1·30	—	·07	—	—	·03	—	·03	27
28	·04	05	·02	·04	·18	—	·02	—	—	·02	—	—	28
29	—	—	·08	—	·20	—	·22	—	—	·14	·05	—	29
30	—	×	—	·03	—	—	—	—	·02	—	·01	—	30
31	·25	×	—	×	·21	×	—	—	×	—	×	·03	31
TOTAL	1·58	1·98	·52	3·35	4·42	3·80	2·61	3·98	2·07	·82	4·91	1·02	YEAR'S TOTAL 31·06
*Days with ·01 in. or more.	16	18	9	21	17	16	19	17	13	9	20	10	~~184~~ 185
*Days with ·04 in. or more.	11	13	5	17	15	12	16	15	8	5	17	7	141

40-9999

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

22148

Section **A** for the entry of D … PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Humber Rectory

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·25	—	·04	—	—	·36	·06	—	—	1
2	—	—	—	·65	·10	·07	—	·08	·60	—	·17	·15	2
3	—	—	·03	—	—	—	·05	—	·29	—	1·05	·05	3
4	—	—	—	·05	—	—	·08	·22	·18	—	—	·30	4
5	—	·12	—	·08	—	·97	·10	—	—	—	·11	—	5
6	—	·15	—	·12	·06	·05	·05	—	—	·35	·05	·05	6
7	—	·02	—	—	—	·08	—	·66	—	·10	·33	—	7
8	·05	·06	—	·07	—	·05	—	·61	—	·01	·15	—	8
9	—	·23	—	—	·17	·09	—	·01	—	·10	·70	—	9
10	—	·01	—	—	·09	·02	·03	·10	·12	—	·40	·05	10
11	·10	·30	—	—	·02	·02	·25	·08	·14	—	·22	·02	11
12	·02	·03	—	·10	—	—	·11	·08	·12	—	·01	—	12
13	—	·02	·04	—	·03	·01	·11	·18	·02	—	·05	—	13
14	—	·09	·02	—	·10	1·07	·42	·48	·03	—	·27	—	14
15	·02	·08	—	·10	·07	—	·37	·40	—	—	—	·05	15
16	·03	·15	—	·05	·29	·80	—	·05	·15	—	—	—	16
17	—	·05	—	·30	·45	·12	·17	·01	·02	·01	·12	—	17
18	·04	—	·05	·23	—	·21	—	·21	·02	—	·39	—	18
19	·02	·07	—	·04	—	·12	·09	·27	—	—	—	—	19
20	—	·06	·22	·03	—	—	—	·11	—	—	—	—	20
21	·37	—	·02	·02	·44	—	—	—	—	—	—	—	21
22	·17	—	—	—	—	—	—	·43	—	—	·25	—	22
23	·19	—	—	·42	·57	·22	·08	—	—	—	—	—	23
24	·03	—	—	·34	·20	—	·22	—	—	—	·01	·29	24
25	·12	·01	—	·37	—	—	·06	—	—	—	·09	—	25
26	·02	—	—	·04	—	—	·11	—	—	—	·48	—	26
27	·11	·48	·04	·02	1·30	—	·07	—	—	·03	—	·03	27
28	·04	05	·02	·04	·18	—	·02	—	—	·02	—	—	28
29	—	—	·08	—	·20	—	·22	—	—	·14	·05	—	29
30	—	×	—	·03	—	—	—	—	·02	—	·01	—	30
31	·25	×	—	×	·21	×	—	—	×	—	×	·03	31
TOTAL	1·58	1·98	·52	3·35	4·42	3·80	2·61	3·98	2·07	·82	4·91	1·02	YEAR'S TOTAL 31·06
*Days with ·01 in. or more.	16	18	9	21	17	16	19	17	13	9	20	10	185 ~~184~~
*Days with ·04 in. or more.	11.	13	5	17	15	12	16	15	8	5	17	7	141 ~~124~~

40-9999

(Signed) ……………………………… P.T.O.

*See Instruction 2 (*f*) on other side.

2248

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 2248

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at Humber Rectory

in the County of Hereford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 450. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·05	—	·09	1·90	·01	·03	·39	·10	·06	—	·09	1
2	—	—	—	·09	·23	—	—	—	·18	·03	—	·09	2
3	—	—	—	·49	—	—	·05	—	—	—	·02	—	3
4	—	—	—	·46	—	—	·01	—	—	—	·43	—	4
5	·95	—	·02	·12	·12	—	—	—	·15	—	—	—	5
6	·20	—	·03	·03	—	—	·08	—	·46	·02	—	—	6
7	—	—	·12	—	·22	—	—	—	·11	·95	—	—	7
8	—	—	·10	·02	—	—	—	—	·40	·33	—	—	8
9	·61	·10	—	·02	—	—	—	—	—	—	—	—	9
10	·36	—	·01	·34	·11	·04	—	—	·10	·30	—	—	10
11	·02	·02	—	·05	·06	·02	·02	—	—	·23	·01	·03	11
12	·32	—	—	·02	·19	—	—	·02	·16	·09	—	·06	12
13	·05	—	—	·10	—	—	1·62	·28	—	—	—	—	13
14	·24	·03	—	·15	—	—	·03	·23	—	·02	·16	·14	14
15	—	·05	—	·05	·53	—	·05	—	—	—	—	—	15
16	·35	—	—	·37	·02	—	·53	—	—	—	—	—	16
17	—	—	—	·01	—	—	·03	—	—	—	·01	—	17
18	—	—	—	—	·07	—	—	—	—	·02	·23	—	18
19	—	—	—	·04	·15	—	—	—	—	·02	—	—	19
20	—	—	—	·14	·85	—	—	·44	—	·52	—	—	20
21	—	—	·10	·14	·27	—	—	·36	—	·35	·14	·28	21
22	—	·02	—	—	·15	—	·13	—	·54	—	—	—	22
23	—	—	·12	—	·43	—	·02	—	·10	·30	·25	—	23
24	—	—	—	—	·02	—	·01	—	·08	·02	—	—	24
25	—	·02	—	—	—	—	—	—	—	·21	—	·05	25
26	—	—	·12	·22	·15	—	·02	—	·04	·02	·09	—	26
27	—	—	·44	·32	·40	—	·11	—	—	·12	—	—	27
28	—	—	·10	·08	·20	—	·09	—	—	—	~~·02~~	·01	28
29	—	—	—	·10	·14	·15	·03	·29	·24	·45	—	·23	29
30	—	×	·12	·25	·01	·78	·30	·24	·26	—	·20	·04	30
31	—	×	·01	×	·01	×	·22	—	×	·02	×	·43	31
TOTAL	3·17	·29	1·29	3·70	6·23	1·00	3·38	2·25	2·92	4·08	1·56	1·45	YEAR'S TOTAL 31·32
*Days with ·01 in. or more.	10	7	12	24	22	5	19	8	14	20	11	11	162
*Days with .04 in. or more.	10	3	8	19	18	3	10	7	14	12	7	9	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Rev. B. G. Way. [P.T.O.

2248

Section **A**

COPY FOR OFFICIAL USE.
for the entry of Daily Observations.

Station No 2248.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Humber Rectory
in the County of Hereford.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	—	·10	—	·09	—	—	—	—	·09	·01	—	1
2	·24	·05	·30	—	—	·07	—	—	—	—	—	—	2
3	·03	·16	·07	—	·02	—	—	—	—	—	—	—	3
4	·07	·01	·20	—	·21	—	—	—	—	—	—	—	4
5	·20	—	·20	—	·03	—	—	—	—	—	—	—	5
6	—	·35	·02	—	·24	—	—	—	—	·19	—	—	6
7	·02	—	·05	—	—	—	·08	—	—	·17	—	·07	7
8	·03	—	·11	—	—	—	·17	—	—	—	—	—	8
9	—	·02	—	—	·05	—	·32	—	—	1·86	—	—	9
10	·09	·24	—	—	—	—	—	—	—	2·20	—	—	10
11	—	—	—	—	—	·02	·10	·03	—	·04	—	—	11
12	·02	—	—	—	·03	—	·15	—	·03	—	—	—	12
13	—	—	—	—	·13	—	·13	—	—	·21	·12	—	13
14	·10	—	—	—	—	—	·11	·34	—	·32	·11	—	14
15	·23	—	·03	—	—	—	·18	·03	—	·03	·01	—	15
16	·07	·01	·45	—	—	—	·04	—	—	—	—	·03	16
17	·02	—	·42	—	—	·01	—	—	·03	—	·06	—	17
18	—	—	·02	—	—	·06	—	·02	—	—	·02	—	18
19	—	—	·20	·01	—	·02	—	—	·32	—	·19	—	19
20	—	·01	—	—	—	·16	—	·06	·33	—	—	—	20
21	—	—	—	—	·15	1·01	—	·10	—	·05	—	·02	21
22	—	—	—	·03	—	—	—	·16	·10	·10	—	—	22
23	—	·20	—	·15	—	·15	—	—	·27	·55	—	—	23
Snow storm. 24	—	·92	—	·15	·02	·22	—	—	·04	·23	—	—	24
25	—	·20	—	·17	·05	·06	—	—	·15	·13	—	—	25
26	—	·75	—	·14	·20	—	—	—	·12	·03	—	·10	26
27	—	—	—	—	·05	—	—	—	·02	—	—	·15	27
28	—	·25	—	·36	·04	—	·01	—	—	—	—	·05	28
29	·32	—	·05	·02	—	—	·05	—	—	—	—	·01	29
30	—	×	·13	—	—	—	—	—	·05	—	—	·05	30
31	·32	×	·06	×	—	×	—	·08	×	—	×	—	31
TOTAL	1·92	3·15	2·41	1·03	1·31	1·78	1·34	·82	1·46	6·29	·52	·42	YEAR'S TOTAL 22·45
*Days with ·01 in. or more.	15 ~~5~~	13	16	8	14	10	11	8	11	15	7	8	136 ~~126~~
*Days with .04 in. or more.	10	9	13	5	10	7	10	5	8	13	4	4	98

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) B. G. Way.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2248.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at Humber Rectory

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	—	—	—	—	—	—	·35	—	·06	—	·53		1
2	·06	—	·01	—	—	—	—	·05	—	·02	—	·11		2
3	·03	·02	—	—	·01	—	—	·03	·01	·06	·23	·31		3
4	·04	—	·05	—	·24	—	—	—	—	·01	—	·12		4
5	—	—	·08	·01	·11	—	—	·94	—	·01	·17	·12		5
6	·07	—	—	—	·49	—	—	·04	—	—	—	·24		6
7	—	—	—	—	·02	—	—	—	·06	—	—	·23		7
8	—	—	—	—	·20	—	—	—	—	·21	·14	—		8
9	·01	—		—	—	—	—	·04	—	—	·49	·13		9
10	·16	—	·18	·37	—	—	—	·09	—	—	·13	—		10
11	·68	—	·17	·40	—	—	·05	·13	—	—	—	·38		11
12	—	—	·01	—	—	—	1·35	·02	—	—	—	·05		12
13	·53	—	·01	·12	—	—	—	—	—	—	—	·18		13
14	·02	—	·42	—	—	—	—	—	—	·08	·31	·13		14
15	—	—	·22	—	·22	·01	·01	—	—	·04	·29	—		15
16	·21	—	·28	—	—	—	—	—	—	—	—	—		16
17	·03	—	·01	·06	·03	—	—	—	·12	·01	—	·30		17
18	·20	—	—	·40	—	—	·10	—	·02	—	—	·13		18
19	—	—	·20	·05	—	·10	—	·01	·08	—	—	·18		19
20	—	—	·07	—	—	·01	—	—	—	—	—	—		20
21	·07	—	—	—	—	·06	·03	—	—	·13	—	—		21
22	—	—	·05	—	·06	—	—	·51	·23	—	—	·29		22
23	—	—	·08	·18	—	·35	—	·02	·04	—	—	—		23
24	—	·25	—	·20	—	·05	·07	—	·18	·02	—	—		24
25	·40	·03	·01	·06	—	—	—	—	·01	·23	—	·55		25
26	·04	—	·04	·11	—	·05	—	—	·10	—	—	·17		26
27	—	—	—	·45	—	·13	—	—	·01	·34	—	·12		27
28	—	—	—	·23	—	·03	·45	·17	·12	—	·06	·36		28
29	—	—	—	—	—	—	—	·03	·16	—	·02	·07		29
30	—	×	—	—	—	—	—	·07	—	—	—	—		30
31	·03	×	—	×	—	×	·02	·21	×	·05	×	·15		31
TOTAL	2·60	·30	1·89	2·64	1·38	·79	2·08	2·71	1·14	1·27	1·84	4·85	Year's Total 49	23·49
*Days with ·01 in. or more.	17	3	17	13	9	9	8	16	13	14	9	22		150
*Days with .04 in. or more.	11	1	12	12	6	6	5	11	9	9	8	22		122

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) B. G. Way

P.T.O.

~~COPY FOR OFFICIAL USE.~~

Section **A** for the entry of Daily Observations. Station No. 2248

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Humber Rectory

in the County of Hereford.

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	-	-	-	·06	·03	-						1
2	-	-	-	-	-	·23	·04	-						2
3	-	-	·08	-	-	·03	-	-						3
4	-	-	-	·05	-	·08	-	-						4
5	-	-	·18	·02	-	·13	-	-						5
6	-	·25	-	·30	-	·53	-	-						6
7	-	-	-	·32	-	·35	-	-						7
8	-	-	-	·22	-	·18	-	-						8
9	·05	-	-	·49	-	·14	-	-						9
10	·04	-	-	·09	-	·08	-	-						10
11	·25	·02	-	-	-	·10	-	-						11
12	·04	·03	-	-	-	·12	-	·04						12
13	·06	·03	-	·13	·03	-	-	-						13
14	-	-	-	·03	·03	·21	-	-						14
15	-	·13	-	·56	·04	·58	-	-						15
16	-	·10	·14	·25	-	·10	-	-						16
17	-	-	-	·15	·03	·08	·08	-						17
18	-	·01	-	·25	·12	·05	-	·03						18
19	-	·10	-	·05	·38	·12	·21	-						19
20	-	·26	-	·11	-	-	·08	-						20
21	-	·36	-	-	-	-	-	-						21
22	-	·01	·02	·33	-	-		-						22
23	-	·02	·17	-	-	-	-	·70						23
24	·01	·31	·08	-	·04	·28	-	-						24
25	·09	·40	-	·17	-	·90	-	·03						25
26	·10	·31	-	-	-	-	-	·06						26
27	-	·08	-	-	·03	-	-	·30						27
28	-	-	-	-	-	-	-	-						28
29	·06		-	-	-	-	-	·43						29
30	-	×	-	·15	-	-	-	·07						30
31	·02	×	-	×	-	×	-	-	×		×			31
TOTAL	·73	2·42	·67	3·67	·70	4·35	·44	1·66					Year's Total.	
* Days with .01 in. or more.	11	16	6	18	8	20	5	8						
* Days with .04 in. or more.	8	10	5	16	4	19	4	6						

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Copied in M.O.7 from observer's records.

P.T.O.

X MONKLAND X

Section **A** for the entry of Dai

AIR MINISTRY.—

FORM 1090.

REGIST

on No. 2248/5

ORGANIZATION.

Hereford 5/11

2248/5

LEOMINSTER, MONKLAND COTTAGE

1935 —— 40

780403

781/5.

Kept at Monkland Cottage,

in the County of Hereford

Diameter of Funnel of Gauge.......5...

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREM

An observer who does not conform to th
year in the space on the right of this p

Please

Jan. 1, following .45.

Date	Jan.	Feb.	Mar.	April								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr.	-	-	-	.23	-	.08	-	-	.08	.31	.43		1
2	-	-	-	.08	.04	-	.06	-	.04	.12	.01	.09		2
3	-	-	.09	.02	-	.08	-	-	.03	.13	.13	.14		3
4	-	-	.12	-	-	.12	-	-	.07	.42	.13	-		4
5	-	.28	-	.05	-	.20	-	-	.06	.19	.02	.22		5
6	-	-	.05	.03	-	.15	-	-	.07	.05	-	.01		6
7	-	-	.08	.31	-	.31	-	-	-	.02	.03	.16		7
8	.01	-	-	.40	-	.13	-	-	-	.11	.03	.16		8
9	.01	-	-	.22	-	.06	-	-	-	.08	.11	.05		9
10	.02	-	-	.31	-	.16	-	-	-	.28	.14	-		10
11	.22	-	-	.10	-	-	-	-	-	.05	.02	-		11
12	-	.01	-	-	-	.16	-	-	-	.02	.19	.01		12
13	.07	.03	-	-	-	.09	-	.07	-	-	.15	-		13
14	-	-	-	.08	.03	-	-	-	.08	-	.07	-		14
15	-	.12	-	.03	.11	.13	-	-	.29	-	1.19	.07		15
16	-	.06	-	.50	.09	.30	-	-	.04	-	.01	.18		16
17	-	-	.10	.24	-	.06	.01	-	.25	.14	.70	.08		17
18	-	-	-	.18	-	.04	.04	-	.06	.01	.08	-		18
19	-	-	-	.30	.05	.13	-	-	.21	.02	.01	-		19
20	-	-	-	.13	.45	.01	.23	-	.02	.03	.19	-		20
21	-	.38	-	.08	.01	-	-	-	.02	-	.91	-		21
22	-	.22	-	.01	-	-	-	-	.18	-	.07	-		22
23	-	.02	.01	.20	-	-	-	-	.24	-	-	-		23
24	.04	.01	.22	.10	.03	-	-	.09	.07	.42	-	.24		24
25	.12	.17	.06	-	-	-	-	.03	.62	.23	-	.20		25
26	-	.26	-	.15	-	.47	-	-	-	.01	-	.30		26
27	-	.07	-	-	-	-	-	.47	.07	-	.02	.26		27
28	.02	.03	-	-	-	-	-	.03	.05	-	.03	.13		28
29	-	-	-	-	.05	-	-	.18	.12	-	.01	.02		29
30	-	X	-	-	-	-	-	.04	.07	.02	.11	.12		30
31	-	X	-	X .23	-	X .08	-	.30	X .08	.13	X .43	.12		31
TOTAL	.51	1.66	.73	3.75 ~~3.52~~	.86 ~~1.09~~	2.6~~4~~ 8	.34 ~~.42~~	1.21	2.74 ~~2.66~~	.31 2.79 ~~2.56~~	79 4.6~~7~~	45 3.01 ~~2.99~~	Year's Total ~~24.66~~	2507
* Days with .01 in. or more.	8	13	8	22 ~~21~~	9 ~~10~~	18 ~~17~~	4 ~~5~~	8	22 ~~21~~	21	25	20	~~177~~	178
* Days with .04 in. or more.	4 ~~5~~	8	7	18 ~~17~~	6 ~~7~~	17 ~~16~~	3 ~~4~~	6	19 ~~18~~	14	15	17	~~132~~	134.

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) ....S. Goulding........ [P.T.O.

Capt N. J. Bengough.

X MONKLAND X

Section **A** for the entry of Da … on No. 2248/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Hereford 5/11

Kept at Monkland Cottage, Nr. Leominster,
in the County of Herefordshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" Ground " Sea Level 450 ft.

WD

also sends No 781/5.
Value in accord with neighbours
Am. 3/3/36

Letter was [illegible] 3/3

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: .45

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Tr.	-	-	-	.23	-	.08	-	-	.08	.31	.43		1
2	-	-	-	.08	.04	-	.06	-	.04	.12	.01	.09		2
3	-	-	.09	.02	-	.08	-	-	.03	.13	.13	.14		3
4	-	-	.12	-	-	.12	-	-	.07	.42	.13	-		4
5	-	.28	-	.05	-	.20	-	-	.06	.19	.02	.22		5
6	-	-	.05	.03	-	.15	-	-	.07	.05	-	.01		6
7	-	-	.08	.31	-	.31	-	-	-	.02	.03	.16		7
8	.01	-	-	.40	-	.13	-	-	-	.11	.03	.16		8
9	.01	-	-	.22	-	.06	-	-	-	.08	.11	.05		9
10	.02	-	-	.31	-	.16	-	-	-	.28	.14	-		10
11	.22	-	-	.10	-	-	-	-	-	.05	.02	-		11
12	-	.01	-	-	-	.16	-	-	-	.02	.19	.01		12
13	.07	.03	-	-	-	.09	-	.07	-	-	.15	-		13
14	-	-	-	.08	.03	-	-	-	.08	-	.07	-		14
15	-	.12	-	.03	.11	.13	-	-	.29	-	1.19	.07		15
16	-	.06	-	.50	.09	.30	-	-	.04	-	.01	.18		16
17	-	-	.10	.24	-	.06	.01	-	.25	.14	.70	.08		17
18	-	-	-	.18	-	.04	.04	-	.06	.01	.08	-		18
19	-	-	-	.30	.05	.13	-	-	.21	.02	.01	-		19
20	-	-	-	.13	.45	.01	.23	-	.02	.03	.19	-		20
21	-	.38	-	.08	.01	-	-	-	.02	-	.91	-		21
22	-	.22	-	.01	-	-	-	-	.18	-	.07	-		22
23	-	.02	.01	.20	-	-	-	-	.24	-	-	-		23
24	.04	.01	.22	.10	.03	-	-	.09	.07	.42	-	.24		24
25	.12	.17	.06	-	-	-	-	.03	.62	.23	-	.20		25
26	-	.26	-	.15	-	.47	-	-	-	.01	-	.30		26
27	-	.07	-	-	-	-	-	.47	.07	-	.02	.26		27
28	.02	.03	-	-	-	-	-	.03	.05	-	.03	.13		28
29	-	-	-	-	.05	-	-	.18	.12	-	.01	.02		29
30	-	X	-	-	-	-	-	.04	.07	.02	.11	.12		30
31	-	X	-	X .23	-	X .08	-	.30	X .08	.13	X .43	.12		31
TOTAL	.51	1.66	.73	~~3.52~~ 3.75	~~1.09~~ .86	2.6~~1~~ 8	~~.42~~ .34	1.21	~~2.66~~ 2.74	~~2.56~~ 2.79	4.6~~7~~ 79	~~2.99~~ 3.01	Year's Total ~~24.65~~	25.07
* Days with .01 in. or more.	8	13	8	~~21~~ 22	~~10~~ 9	~~17~~ 18	~~5~~ 4	8	~~21~~ 22	21	25	20	~~177~~	178
* Days with .04 in. or more.	~~5~~ 4	8	7	~~17~~ 18	~~7~~ 6	~~16~~ 17	~~4~~ 3	6	~~18~~ 19	14	15	17	~~132~~	134

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

N

(Signed) S. Goulding [P.T.O.

Capt N. J. Bengough.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. Copy 2265/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Monkland Nr Leominster

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 450 ft.

Corr. for WD

written 16/4/37.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 35

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	45	53	03	26	—	47	—	07	—	—	06	01		1
2	21	04	01	28	—	27	04	08	—	—	11	—		2
3	06	—	—	08	—	23	09	—	—	—	01	—		3
4	01	—	—	01	—	02	—	—	27	—	26	13		4
5	01	01	09	—	—	66	—	—	32	—	01	14		5
6	23	03	09	—	03	—	05	04	06	—	24	04		6
7	62	—	03	—	—	13	16	06	04	—	23	—		7
8	04	—	02	—	—	—	45	—	13	—	58	—		8
9	15	—	19	—	—	—	09	—	—	—	13	—		9
10	31	—	34	—	—	06	63	—	10	—	03	—		10
11	09	—	01	—	—	—	10	—	—	—	40	—		11
12	01	08	—	05	—	34	06	—	56	—	07	—		12
13	—	50	—	02	03	20	48	—	—	—	07	35		13
14	—	21	—	06	—	—	13	—	02	04	—	55		14
15	—	—	—	14	—	05	08	—	23	—	02	37		15
16	—	14	—	02	08	—	—	02	—	—	14	11		16
17	04	—	—	02	12	—	04	—	—	—	02	03		17
18	—	28	—	—	02	—	11	—	—	05	—	35		18
19	—	—	—	—	—	—	13	—	—	12	—	01		19
20	42	05	02	10	—	—	—	03	24	—	—	02		20
21	—	—	09	01	—	18	—	—	—	—	—	—		21
22	—	05	02	49	—	29	—	—	06	—	—	—		22
23	—	—	04	—	11	11	28	—	—	—	02	—		23
24	—	05	35	03	04	—	10	—	23	06	—	03		24
25	04	03	01	01	03	—	06	—	31	24	—	—		25
26	—	—	15	52	—	—	19	—	—	18	—	—		26
27	04	06	38	—	—	21	04	—	06	01	—	—		27
28	22	03	03	—	—	—	05	—	—	13	10	—		28
29	22	10	10	—	—	—	03	—	—	05	03	13		29
30	04	·03	02	—	—	1·04	15	—	—	—	—	04		30
31	04 ·53	✕	— ·26	✕	02	✕	08	—	✕	65	✕	— ·35		31
TOTAL	3·58 ~~3·50~~	1·75 ~~2·26~~	2·25 ~~2·02~~	1·84 ~~2·10~~	·47 ·98 ~~·57~~	3·79 ~~4·26~~	·07 3·69 ~~3·62~~	·23 ~~·30~~	2·63 ~~2·63~~	·06 1·59 ~~1·63~~	·01 2·40 ~~2·45~~	2·68 ~~2·34~~	Year's Total 27·42 ~~25·52~~	
* Days with .01 in. or more.	20	16	20	~~16~~ 15	~~9~~ 10	~~15~~ 14	~~24~~ 25	~~6~~ 5	14	~~10~~ 11	19	15	184 ~~244~~	
* Days with .04 in. or more.	17	~~12~~ 11	~~10~~ 11	~~9~~ 8	~~13~~ 5	~~14~~ 13	24 ~~23~~	~~4~~ 3	13	10 ~~5~~	11 ~~12~~	~~10~~ 11	137 ~~135~~	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. Goulding [P.T.O.

~~X Monkland Cottage X~~

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No 2248/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Monklands

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 450 ft.

1936 a.p. low. 175594/32

New site recommended (see overleaf)

Corrected for W.D

Circ. sent re. arithmetic 7.2.38.

Observer agrees with amendments.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: Trace

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	06	23	05	—	—	—	—	—	—	—	37	07		1
2	04	02	02	09	—	—	05	—	18	04	09	59		2
3	—	26	—	10	—	—	—	—	—	—	—	12		3
4	05	24	—	—	15	—	06	—	—	—	02	01		4
5	22	07	—	—	03	—	—	04	—	—	—	31		5
6	04	—	20	18	—	—	06	—	—	—	—	—		6
7	—	11	07	03	14	—	—	—	—	08	01	—		7
8	—	86	—	—	—	14	—	—	—	—	—	—		8
9	01	15	02	—	10	—	02	—	03	01	26	—		9
10	01	05	—	02	08	—	18	—	39	—	—	—		10
11	—	06	28	05	—	04	—	—	—	—	—	—		11
12	04	17	34	—	51	08	15	—	—	—	—	38		12
13	10	05	—	—	01	18	02	65	12	—	—	—		13
14	—	—	—	15	—	11	—	47	—	—	—	—		14
15	12	15	04	05	—	—	02	04	03	—	—	06		15
16	04	10	—	26	—	—	144	—	16	—	—	30		16
17	42	05	41	03	—	03	—	11	06	—	—	—		17
18	34	04	14	—	—	—	—	—	30	—	—	—		18
19	02	05	18	05	—	—	01	—	69	—	31	18		19
20	39	09	11	02	—	23	25	—	—	02	02	—		20
21	24	24	03	54	08	—	24	—	—	10	—	06		21
22	09	03	26	—	—	—	27	—	—	27	—	01		22
23	12	02	05	—	10	03	03	—	—	29	49	06		23
24	38	10	03	—	08	—	—	—	—	58	07	—		24
25	—	32	—	—	—	—	01	—	03	69	—	—		25
26	—	37	—	—	10	—	—	—	10	—	—	—		26
27	—	42	—	—	33	—	—	—	—	36	—	—		27
28	—	32	—	17	—	—	—	—	—	18	—	—		28
29	—	15	—	—	—	—	—	—	—	74	—	—		29 print
30	03	✕	—	—	—	04	—	—	—	01	06	04		30
31	21	✕	—	✕	—	✕	—	—	✕	04	✕	—		31
TOTAL	·23 ~~2.97~~ 3.20	·05 ~~4.72~~ 4.54	~~2.22~~ 2.19	1.74 ✓	1.71 ✓	88	2.81	1.31	2.09	·17 ~~3.61~~ 3.78	·07 ~~1.70~~ 1.40	2.17 ~~2.19~~	Year's Total 27 ~~23.85~~	~~27.74~~ 27.76
* Days with .01 in. or more.	~~4~~ 22	~~3~~ 27	~~4~~ 15	~~4~~ 14	~~2~~ 12	29	6 15	5	~~3~~ 11	~~3~~ 15	~~3~~ 10	2 12	~~36~~	167
* Days with .04 in. or more.	~~17~~ 18	24 ✓	~~12~~ 11	10 ✓	10 ✓	7 ✓	9 ✓	5 ✓	8 ✓	~~11~~ 12	7 ✓	~~11~~ 10	131 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) Observer S Goulding [P.T.O.

X Capt. N.J Bengough X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2248|5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Moutland Cottage

in the County of Staffordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 450 ft.

W.D.? ✓ WEGR.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 36

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	08	03	–	–	20	–	–	–	27	11	30		1
2	–	06	–	–	–	85	–	30	–	18	03	25		2
3	–	–	–	–	06	–	–	–	–	18	02	05		3
4	–	–	–	–	06	02	–	–	–	48	–	73		4
5	–	–	–	–	–	–	20	33	–	32	–	–		5
6	–	01	–	–	–	–	06	04	–	15	–	12		6
7	14	–	–	–	–	02	67	–	08	19	–	08		7
8	05	01	–	–	–	–	34	93	–	07	–	08		8
9	23	01	–	–	–	–	06	10	–	24	–	–		9
10	21	01	–	–	–	04	08	03	–	–	–	57		10
11	07	–	–	–	–	08	12	24	–	–	–	39		11
12	54	–	–	–	–	30	–	07	–	02	23	20		12
13	31	–	–	–	11	02	01	02	–	34	41	04		13
14	–	–	–	–	01	–	–	–	–	–	28	22		14
15	31	–	–	–	02	–	34	–	–	–	–	–		15
16	25	–	–	–	02	–	12	–	–	–	03	20		16
17	11	–	02	–	–	–	–	–	–	–	12	03		17
18	–	05	–	–	01	–	–	26	–	10	–	–		18
19	07	–	–	–	02	05	–	12	10	–	37	–		19
20	–	–	–	–	–	–	–	–	–	–	09	–		20
21	03	–	–	–	–	–	–	–	–	–	32	–		21
22	–	–	–	–	–	–	–	12	32	–	10	–		22
23	–	–	–	10	–	–	–	42	13	–	–	06		23
24	–	–	–	01	–	–	–	–	13	07	38	–		24
25	–	08	–	–	06	03	–	–	–	–	05	–		25
26	06	15	14	–	09	–	–	40	14	23	50	–		26
27	17	11	–	–	06	02	–	01	06	37	05	11		27
28	02	04	–	–	41	19	12	–	13	11	03	–		28
29	22	–	–	–	01	13	01	–	–	–	04	–		29
30	19	·05	01	–	35	02	–	–	05	10	12	–		30
31	03		–		01		–	–	·27	–	·30	·36 ~~–~~		31
TOTAL	·08 ~~3·01~~ ~~3·31~~	0·56 ~~0·61~~	0·17 ~~0·20~~	0 11	·20 ~~1·53~~ ~~1·30~~	1·77 ~~1·97~~	2·13 3 ~~2·22~~	3·39	1·41 ~~1·14~~	~~·11~~ 3·26 ~~3·42~~	3·47 ~~3·28~~	2·89 ~~2·85~~	Year's Total 23·75 ~~27·10~~	
* Days with .01 in. or more.	19	~~4~~ 11	3	2	16	~~6~~ 13	12	15	10	17	~~4~~ 19	16	152 ~~35~~	
* Days with .04 in. or more.	~~5~~ 16	~~7~~ 6	1	1	~~8~~ 9	~~8~~ 7	10	12	~~9~~ 10	16	15	15	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ……………………………… [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2248/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Monkland

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 450 ft.

Days ~~Feb 13?~~ ER

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	36	—	13	20	03	—	04	04	02	—	09	03		1
2	.04	—	02	04	—	—	01	15	37	—	06	02		2
3	—	—	—	16	21	—	—	08	—	—	—	—		3
4	—	—	—	21	—	—	—	—	—	—	15	60		4
5	—	—	13	06	—	—	19	01	—	03	35	15		5
6	—	—	—	—	09	—	13	04	—	38	10	01		6
7	50	02	—	—	—	—	69	03	—	—	—	—		7
8	16	05	—	—	—	—	26	07	—	—	44	37		8
9	—	17	36	—	—	—	45	05	—	55	64	04		9
10	—	09	—	—	—	—	—	—	—	31	05	10		10
11	51	05	03	—	—	—	—	—	—	—	—	03		11
12	01	03	—	—	—	01	—	—	—	—	—	01		12
13	05	~~09~~	—	—	—	06	—	—	03	12	—	01		13
14	—	—	—	23	—	—	17	—	18	03	—	—		14
15	49	—	—	—	08	08	.17	—	—	—	23	01		15
16	60	—	—	—	05	40	30	—	—	93	14	—		16
17	07	—	10	03	05	03	05	—	—	01	38	—		17
18	32	—	—	—	10	19	02	—	—	—	—	—		18
19	01	01	—	—	—	10	—	—	—	—	30	—		19
20	39	—	—	—	—	—	36	05	—	—	—	—		20
21	30	07	—	—	—	—	04	—	—	33	—	03		21
22	07	—	15	—	—	22	—	—	—	—	—	—		22
23	17	22	—	—	—	23	03	—	—	06	67	—		23
24	01	—	—	12	—	01	14	—	—	07	79	—		24
25	26	01	14	—	—	—	01	—	—	06	—	—		25
26	34	05	—	—	—	—	05	13	—	12	27	—		26
27	02	03	04	03	—	—	—	—	—	—	23	03		27
28	—	29	06	—	—	03	08	05	—	—	02	—		28
29	03	—	—	—	—	06	30	—	—	—	13	—		29
30	—	✕	—	26	—	04	48	—	—	18	01	—		30
31	—	✕	—	✕	—	✕	—	63	✕	02	✕	04		31
TOTAL	4.11	1.08	1.16	1.34	0.61	1.46	4.04	1.38	0.60	3.20	5.13	1.51	Year's Total ~~26.17~~	25.57
* Days with .01 in. or more.	~~05~~ 21	~~05~~ 13	~~02~~ 10	~~02~~ 10	~~0x~~ 4	~~04~~ 13	~~04~~ 21	~~02~~ 12	~~02~~ 4	~~04~~ 15	~~02~~ 19	~~09~~ 15	~~0.42~~	160
* Days with .04 in. or more.	.16	08	08	08	06	09	.17	.10	02	.11	.17	06	~~28~~	118

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) S. Goulding

P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 224 5/5 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Mowslamp

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 450 ft.

Corr. for W.D.

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—✓	—	.11	31	—	—	—	—	—	58	—		1
2	—	—x	—	—	02	—	—	—	—	—	35	—		2
3	—	—✓	—	14	—	—	—	—	—	—	98	8		3
4	—	.35	—	0.2	—	—	—	—	—	17	107	—x		4
5	—	.19	—	—	—	—	—	—	—	20	.9	—x		5
6	—	.01	—	—	19	—	25	—	—	02	56	30		6
7	.10	.34	—	—✓	—	—	—	—	—	23	.6	18		7
8	09	—	—	—✓	—	—	45	—	—	04	—	11x		8
9	—	—	—	—✓	—	—	—x	—	—	09	—	x		9
10	—	—	—	06	—	—	43x	.05	—	19	.7	08		10
11	—	—	—	—	—	✓	60	—	—	—	30	14		11
12	—	—	—	03	—	15	12	—	—✓	—	76	.1		12
13	—	—x	09	—	—	—	13	—	08	15	.7	—✓		13
14	—	—	22	—	—	—	—	—	04	—	—	—x		14
15	—	—	—✓	—✓	17	x	—	—	06	08	—x	27x		15
16	—	—	x	—x	94	—	—	—	09	10	—x	.1		16
17	—	37	3x8	—x	—	—	18	—	10	85	19	—		17
18	—	—	03	50	—	—	01	—	04	—	64	—		18
19	—	36	53	38	—	—	—✓	—	02	14	.1	—		19
20	—	16	08	04	—	—	22	—	—	—	.5	—		20
21	—	—	—	02	—✓		03	—	04	12	13	—		21
22	—	—	—	—	07	38	—	—	—	—	.2	—		22
23	—	—✓	09	10	12	27	—	—	02	—	124	—		23
24	—	—	06	04	20	—	—	—	—	—	—			24
25	—✓	—	—	—	—✓	—	—	—	—	—	—	—		25
26	07x	—	—	—	08	—	—	—	—	—	—	—		26
27	134	09	—	x	07	—	41	—	—	—	—	—		27
28	.95	27	—	—x	x	—	07	—	—	—	.2	—		28
29	.46	12	x—	09	02	—	—	—	—	—	—	—		29
30	—	✖	x10	68	—	—	05	—	—	—	—	20		30
31	-10	✖	(.11)x	✖ (+31)	01	✖	—	—	✖	46 88x	✖	.6		31 "d"
TOTAL	3.11	2.14	1.49 ~~1.38~~	2.41 ~~2.21~~	1.85 ~~2.16~~	.80	2.95	.05	.49	3.72 ~~2.64~~	6.61 ~~7.49~~	1.44	Year's Total ~~26.96~~	27.06
* Days with .01 in. or more.	7 8	15 ~~010~~	0X9	12 20 ~~2 3~~	15 14	4 ~~2 03~~	15 ~~9 13~~	1 0	~~8 2~~	14X	20 ~~14 2~~	14 8	~~. 19~~	~~12~~ 144
* Days with .04 in. or more.	.7	12 ~~0 4~~	10 ~~.8 5~~	12 ~~10~~	9 8	0 3	12 11	0 1	.7	.13	17 ~~16~~	12 9	~~102~~	115 ~~100~~

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. Goulding

[P.T.O.

S

2249

Section **A** for the entry of Daily

AIR MINISTRY.- ANIZATION.

FORM 1090.

REGIS 31:

FOR OFFICIAL USE.

2249

LEOMINSTER, HENOR

1931 — 40

780403

Kept at HENNOR -

in the County of HEREF

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea Le

THE MORNING MEAS **DAY.**

An observer who does not conform t *he following*

year in the space on the right of this

Jan. 1, following.

Date.	Jan.	Feb.	March								Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.04	.01^{S}	.18	.05	.03	TR.		.29	.06			1
2	.05	.04$^{H.}$		.66	.06	.01		.08	.53	.01	.09	.15	2
3	.02						.05		.38$^{T.}$	TR	1.20	.05	3
4		TR$^{S.}$		.05	.06	TR	.22	.33$^{T.}$	.18	TR	.11	TR	4
5		.07		.07	.07	.93	.17	TR	.01		TR	.28	5
6		.15		.11	.02	.03	.10$^{T.}$		TR	.33	.14	.05	6
7		.02	TR$^{S.}$		TR	.02	.05$^{T.}$	.66		.04	.15	.04	7
8	.05^{S}	.08		.08	.15	.07	TR	.59		.01	.04	.04	8
9	.02	.26	TR$^{S.}$	.03		.06		.01	.02	.09	.59	.01	9
10	TR	.01	TR$^{S.}$		.09	.91	.03	.05	.08		.45	TR	10
11	.08	.32$^{SL.}$	TR$^{H.}$		TR	.01	.20	TR	.17		.28	.01	11
12	TR	.04$^{S.}$		.03		TR	.15	.01	.10	.02	.02		12
13			.03		.03	.01	.08	.24	.03			TR	13
14		.10	.05		.07	.91$^{T.}$	.46$^{T.}$	.42$^{T.}$	.03		.28		14
15		.10		.11	.04	.01	.47$^{T.}$	.30			.02	.03	15
16	.01	.21$^{S.}$		.02	.30	.73	TR	.07	.17			TR	16
17	.04	.05^{SL}		.21	.47	.27$^{T.}$	.12		.01	TR	.06		17
18	.03	.01$^{S.}$	.02	.40	TR	.31	.02	.29	.02		.44		18
19	.01	.07	TR	.02		.16	.05	.25			.03		19
20		.04	.22	.02				.09			.09	.02	20
21	.24			.01	.42		TR				.17		21
22	.20		.01		.05	TR		.40			.03		22
23	.17			.45	.47	.25	.04		TR		.11	.28	23
24	.05	TR		.35	.19		.21				.01	TR	24
25	.12	TR		.38	TR		.06				.04		25
26	.01	TR		.03			.07				.40		26
27	.10	.46	.03	.01	1.04$^{T.}$		.05				.05	.12	27
28	.04	.08^{S}	.05	.03	.31		.01			.02	TR	.02^{S}	28
29	.03	X	.05$^{S.}$		.25$^{T.}$		.18		TR	.02	.02	.01$^{S.}$	29
30		X		.04	TR				.03	.16		TR$^{SL.}$	30
31	.24$^{SL.}$	X		X	.17	X			X		X	.01	31
TOTAL	1.51	2.15	.47	3.29	4.31	3.82	2.79	3.70	2.05	.76	4.82	1.12	YEAR'S TOTAL 30.79
Days with ·01 in. or more.	19	19	9	22	20	17	21	15	15	10	24	15	206
Days with ·04 in. or more.	12	16	4	13	18	9	18	13	8	4	18	8	140

40-12-1-27
144w)

M

(Signed) L R Hibbert Capt

[P.T.O.

S

2249

Section **A** **for the entry of Daily Observations.** 746994/27 **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at HENNOR - LEOMINSTER.

in the County of HEREFORD.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 1 in.

„ Ground „ Sea Level 440. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.04	.01^{S}	.18	.05	.03	TR.		.29	.06			1
2	.05	.04$^{H.}$		.66	.06	.01		.08	.53	.01	.09	.15	2
3	.02						.05		.38$^{T.}$	TR	1.20	.05	3
4		TR$^{S.}$		.05	.06	TR	.22	.33$^{T.}$	.18	TR	.11	TR	4
5		.07		.07	.07	.93	.17	TR	.01		TR	.28	5
6		.15		.11	.02	.03	.10$^{T.}$		TR	.33	.14	.05	6
7		.02	TR$^{S.}$		TR	.02	.05$^{T.}$	.66		.04	.15	.04	7
8	.05^{S}	.08		.08	.15	.07	TR	.59		.01	.04	.04	8
9	.02	.26	TR$^{S.}$	.03		.06		.01	.02	.09	.59	.01	9
10	TR	.01	TR$^{S.}$		.09	.01	.03	.05	.08		.45	TR	10
11	.08	.32$^{SL.}$	TR$^{H.}$		TR	.01	.20	TR	.17		.28	.01	11
12	TR	.04$^{S.}$		.03		TR	.15	.01	.10	.02	.02		12
13			.03		.03	.01	.08	.24	.03			TR	13
14		.10	.05		.07	.91$^{T.}$	.46$^{T.}$	.42$^{T.}$	.03		.28		14
15		.10		.11	.04	.01	.47$^{T.}$	.30			.02	.03	15
16	.01	.21$^{S.}$		.02	.30	.73	TR	.07	.17			TR	16
17	.04	.05^{SL}		.21	.47	.27$^{T.}$	.12		.01	TR	.06		17
18	.03	.01$^{S.}$	.02	.40	TR	.31	.02	.29	.02		.44		18
19	.01	.07	TR	.02		.16	.05	.25			.03		19
20		.04	.22	.02				.09			.09	.02	20
21	.24			.01	.42		TR				.17		21
22	.20		.01		.05	TR		.40			.03		22
23	.17			.45	.47	.25	.04		TR		.11	.28	23
24	.05	TR		.35	.19		.21				.01	TR	24
25	.12	TR		.38	TR		.06				.04		25
26	.01	TR		.03			.07				.40		26
27	.10	.46	.03	.01	1.04$^{T.}$		.05				.05	.12	27
28	.04	.08^{S}	.05	.03	.31		.01			.02	TR	.02^{S}	28
29	.03	X	.05$^{S.}$		.25$^{T.}$		.18		TR	.02	.02	.01$^{S.}$	29
30		X		.04	TR				.03	.16		TR$^{SL.}$	30
31	.24$^{SL.}$	X		X	.17	X			X		X	.01	31
													YEAR'S TOTAL
TOTAL	1.51	2.15	.47	3.29	4.31	3.82	2.79	3.70	2.05	.76	4.82	1.12	30.79
Days with ·01 in. or more.	19	19	9	22	20	17	21	15	15	10	24	15	206
Days with ·04 in. or more.	12	16	4	13	18	9	18	13	8	4	18	8	140

40-12-1-27
144w)

M

(Signed) LRS Hibbert Capt

[P.T.O.

Corrd. for Auth.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2249.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at HENNOR - LEOMINSTER

in the County of HEREFORD.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 440 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	TR		.08	1.90$^{\text{T.}}$	.01	.03	.22	.07	.07	.01	.02	1
2	.05			.07	.27			TR	.15	.02	TR	.16	2
3	TR	TR		.46			.05			.02	.03		3
4	.01			.75$^{\text{SL}}$							.43		4
5	.80		.03	.01	.14				.11				5
6	.22		.02	.16			.04		.47	.02			6
7	.02		.09	.94	.29		.01		.27	.84			7
8			.10	.01	.01		TR		.12	.32			8
9	.54	.05$^{\text{S.}}$		.01	.04				TR	TR			9
10	.42	TR$^{\text{S.}}$	.02	.32$^{\text{S.}}$	.04	.03			.13	.25			10
11	.04	.01$^{\text{S}}$		.02$^{\text{SL.}}$	.04	.02	.02		TR	.01	.01	.05	11
12	.30			.01$^{\text{SL.}}$	.18		.05	.05	.10	.25	.02	.01	12
13	.06	.06$^{\text{SL.}}$		.14	.01		2.31$^{\text{T.}}$	.25		.06	.03	.13	13
14	.22			.20	.01		.04	.19		.02	.09	.01	14
15	.01			.04	.50		.06			.02	TR	TR	15
16	.36			.38	.02		.36						16
17	.01		TR		.01		.03		TR	.01			17
18	TR				.03				TR		.21		18
19				.04	.12				TR	.06	TR		19
20				.11$^{\text{H.}}$	.83		TR	.55$^{\text{T.}}$		.52	.06	.02	20
21			.11	.16	.29			.30		.33	.01	.20	21
22	.02		.01		.10		.08		.56	.11	.11	.03	22
23	TR	TR	.03	TR	.40		.01		.05	.14	.03	.97	23
24	.02	.02		TR	TR	~~TR~~	TR		.08	.04	.02	.01	24
25		.01				TR	TR		.01	.16	TR	.01	25
26			.19	.19	.10		.01		.06	.08	.03		26
27			.42	.25	.43		.04			.09			27
28			.07	.06	.09	.03	.12	.01					28
29			.34	.98	.07	.14	.02	.29	.22	.43	.03	.21	29
30	.01	×	.11	.21$^{\text{T.}}$	.04	.70	.24	.10	.26	TR	.18	.05	30
31		×	.01	×	TR	×	.30		×		×	.41	31
TOTAL	3.19	0.15	1.46	3.80	5.96	0.93	3.82	1.96	2.66	3.87	1.30	1.39	YEAR'S TOTAL 30.~~51~~ 49
*Days with .01 in. or more.	18	5	14	24	25	6	18	9	15	23	16	15	188
*Days with .04 in. or more.	11	2	8	19	19	2	12	8	14	16	6	8	125

40-9999

M

*See Instruction 1 (f) on other side,

(Signed) J R Hibbert Capt.

P.T.O.

2249

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. ~~2249~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933

Kept at HENNOR - LEOMINSTER

in the County of HEREFORDSHIRE.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 440. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.32	.12	.07	TR	TR					.01	TR	.04$^{SL.}$		1
2	.21		.27		.08	.07					.02			2
3	.01	.13	.07		.02									3
4	.06	TR	.02		.21									4
5	.14	TR	.19		.03						TR			5
6	.01	.36	.03	TR	.19					.19	.01			6
7	.02	.01	TR		.01		.07$^{T.}$			.18		.02		7
8	.04	TR	.10		.01		.19	TR		.02				8
9		.02		TR	.03	TR	.32			$\boxed{1.64}$				9
10	.08	.23					.01	.01		2.13	.02			10
11	.01					TR	.14	TR		.08				11
12	.02			TR	.03		.16		.01	TR		TR$^{S.}$		12
13					.14	TR	.15	TR		.06	.09	TR$^{S.}$		13
14	.01						.08	.29$^{T.}$		.18$^{T.}$	.10			14
15	.33		.03				.10	.01		.05	TR	.03		15
16	.07^{S}	.02	.42		TR	.05		TR		.05	.01			16
17	.03$^{S.}$	.07^{S}	.37			.02	TR	.01	.02		.04			17
18	.03$^{S.}$	TR$^{S.}$	.02			.05					.02	TR		18
19		.01$^{S.}$	.22	TR		.01	.08		.23		.18	.01		19
20			.02	TR$^{S.}$		.13$^{T.}$		.03	.40$^{H.T.}$	TR	TR			20
21		TR$^{S.}$			.10	.28$^{T.}$		.02	TR	.04	.01			21
22				.04	TR	TR		.16	.15	.10				22
23		.10$^{S.}$		.11		.14			.22	.57				23
24		1.58^{S}		.15	.02	.20			.05	.34		TR		24
25		.49		.21	.08	.08			.19			.11		25
26		.65^{S}		.14	.13				.09	.13		.01		26
27		TR			.05				TR	.07$^{S.}$		.13		27
28	TR$^{S.}$	.13		.39	.03		.01		TR	.01		.06^{SL}		28
29	.16	✕	.02	.01$^{T.}$										29
30	.05	✕	.12$^{H.}$	TR		TR	.03		.13	.01		.07		30
31	.28	✕	.06	✕		✕	TR	.08	✕	TR	✕			31
TOTAL	1.88	3.92	2.03	1.05	1.16	1.03	1.34	0.61	1.49	5.86	0.50	0.48	Year's Total 21.35	
*Days with ·01 in. or more.	19	14	16	7	16	10	12	8	10	19	10	9	150	
*Days with .04 in. or more.	11	10	10	6	8	8	9	3	8	15	4	5	97	

40-9999

*See Instruction 2 (*f*) on other side.

D M

† Spare column, no entries required.

(*Signed*) LLHibbert Capt

P.T.O.

2249

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2249~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at HENNOR, LEOMINSTER,

in the County of HEREFORD.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 417.46 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07		.01					.26	.19 T	.08	.03	.48		1
2	.01		.01		Tr.			.01	.16	.01	.02	.12		2
3	.03	.01			.01				Tr.	.06		.24		3
4	.03		.05	Tr.	.23			.01	.01	.03	.14	.24		4
5			.09	.01 SL	.10			.86		.04	.18	.16		5
6	Tr.		.02	Tr. SL	.49	Tr.		Tr.	Tr.	.06		.26		6
7	.05				.03	Tr.		.04		.14	.02	.20		7
8		Tr.			.21			.02	.06	.01	.09	.22		8
9	.01		.13	Tr.				.05	Tr.	Tr.	.48	.10		9
10	.17		.15 T	.35				.05			.08	.01		10
11	.68		Tr.	.31			.05	.69			Tr.	.31		11
12	Tr.		.03	.02			1.74 T	Tr.				.01		12
13	.52		Tr.	.10			.01				Tr.	.16		13
14	.02		.36	Tr.	.01	.02				.03	.34	.10		14
15	Tr.		.20		.22					.08	.27	.04		15
16	.20		.24 SL		Tr. H			.02			.14			16
17	.03		.02 SL	.06	.03 H		.13 T		.10	.02		.25		17
18	.20		.02	.33		Tr.	Tr.		.01		Tr.	.13		18
19	Tr.		.16	.04		.05		.01	.07	.09		.15		19
20			.07	.01		.03				.01	Tr.			20
21						.08	.03	.04	.01	.04				21
22	.07		.05	Tr.	.09		.01	.50	.22	.07		.28		22
23			.07	.14	.05	.35		.01	.02	Tr.	Tr.	.02		23
24		.28	.02	.08 H	Tr.	.05	.09		.20	.01		Tr.		24
25	.35			.09	Tr.	.02	Tr.		Tr.	.23		.47		25
26	.06	Tr. S	.05	.13		.05	Tr.		.07	.07	.01	.17		26
27	.06			.44		.14	Tr.	Tr.	.02	.15	Tr.	.15		27
28				.31		.05		.18	.13	Tr.		.39		28
29	.0			.01			.41	.02	.15		.04	.02		29
30	.03	✕					.02	.07 T	.02	.01	Tr.	.22		30
31	Tr.	✕		✕		✕	Tr.	.09	✕	.02 S	✕	.09		31
TOTAL	2.59 ✓	0.29 ✓	1.75 ✓	2.43 ✓	1.47 ✓	0.84 ✓	2.49 ✓	2.33 ✓	~~2.34~~ 1.44	1.26 ✓	1.84 ✓	4.9~~8~~ 9	Year's Total. 23.~~61~~ 72	
* Days with .01 in. or more.	18	2	19	16	11	10	9	18	16	21	13	27	180	
* Days with .04 in. or more.	11	1	12	12	7	7	5	11	10	12	9	23	120	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(Signed) L R Hibbert Capt.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. 2249.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at HENNOR - LEOMINSTER
in the County of HEREFORD
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 417·46 ft.

amended height [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01				·06	·01	·95		·39$^{T.}$	·15	TR	·01		1
2	TR					·28			·01	·22	·18	·03		2
3			·10			·01			·04	·23	·19			3
4	·02	TR	TR	·07		·06			·02	·09	TR	·07		4
5		·25	·19	·01^{SL}		·26			·05	·01$^{T.}$	·02	·01		5
6			·02	·31		·47				·02	TR	·14		6
7				·31		·28$^{T.}$				·10	·04	·11		7
8				·23	TR	·02		TR		·08	·16	·15		8
9	·02^{SL}			·43		·14				·32	·15			9
10	·02			·08		·08				·02	·02			10
11	·32^{SL}	TR				·12		TR		·02	·19	·01		11
12	·02^{S}	·02				·12		·04			·05			12
13	·08	·06		·11	·06				·09	·01	·03			13
14				TR	·03^{SL}	·10			·16	TR	1·05	·10		14
15		·13		·49	·05	·51	TR	·01	·14		·01	·16^{SL}		15
16	TR	·03	·11	·18		·04	·02		·47	·16	·75	·06		16
17		TR		·13	·04	·08	·08	TR	·04	TR	·21			17
18				·28	·14	·01		TR	·27	·03	TR	TR$^{S.}$		18
19				·04	·41	·12	·23		TR	·14	·12	TR$^{S.}$		19
20	TR	·35		·12	TR	·02	·04		·02		·85			20
21		·31	·01	·02					·13$^{T.}$	·05	·06			21
22		·03^{SL}	TR	·19$^{T.}$				TR	·24		·01			22
23	·01	·01	·18	TR$^{T.}$	·03			·30	·07	·50		·14$^{S.}$		23
24	·07	·36	·08			·47$^{T.}$		·02	·66$^{T.}$	·19		·34		24
25	·15	·18^{SL}		·20		·91$^{T.}$				TR		·12		25
26		·19$^{S.}$		TR		TR		·40	·08	TR	·03	·45		26
27		·06			TR	TR			·14		·05	·17		27
28	·04	TR			·03			·06$^{T.}$	·13			·01		28
29	·01	✕	TR					·02	·04	·03	·10	·25		29
30	·03	✕		·14		·02		·31	·06	·20	·48	·17		30
31		✕		✕	TR	✕		TR	✕	·38	✕	·32		31
													Year's Total	
TOTAL	·80	1·98	0·69	3·34	9·85	4·13	0·42	1·16	3·25	2·95	4·75	2·82	27·14	
* Days with .01 in. or more.	13	13	7	18	9	22	5	8	21	21	22	20	179	
* Days with .04 in. or more.	5	9	5	16	6	16	4	5	18	14	16	15	129	

40-9999.

* See Instruction 2 (f) on other side.

M ✓

† Spare column, no entries required.

(*Signed*) L R Hibbert Capt. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2249

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 090.

REGISTER OF RAINFALL IN 1936.

Kept at Leominster, Hennor.
in the County of Hereford.
Diameter of Funnel of Gauge.................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·08	·02	·37	-	·65	·04	·13	tr	-	·09	·01		1
2	·05	·02	·01	·07	-	·15	·85 T.	TR	·01	-	·11	tr		2
3	·02	TR.	-	TR.	-	·04	·02	TR	·27	-	·01	·03		3
4	·01	-	·11	TR.	-	·47	-	TR	·24	-	·20	·07		4
5	·52	·02	·07	-	TR	TR	·05	·03	·04	-	TR	·26		5
6	·42	-	·01	-	·06	·15	·14	·05	·09	-	·23	·02		6
7	·03	-	·04	-	TR	TR	·72	-	·10	-	·26	·04		7
8	·18	-	·13	-	-	-	·03	-	tr	TR	·61	·01		8
9	·38	-	·20	-	-	·03	·73	-	·14	·01	·02	·01		9
10	·07	-	-	-	-	TR	·40	-	tr	-	·05	-		10
11	-	·07	-	·02	-	·27	·16	TR	·05	-	·69	-		11
12	-	-	-	·01	·12	·33	·61	TR	·47	TR	·05	·28		12
13	-	-	TR.	·03	·02	TR	·15	-	tr	·03	·01	·88		13
14	-	-	-	·23	-	·07	·12	TR	·07	TR	·06	·55		14
15	-	-	-	·01	TR	TR	TR	-	·03	-	·01	·08		15
16	·12	·12	-	·11	·01	-	·05	-	-	-	·14	·02		16
17	·07	·61	TR	TR.	·01	-	·22 T.	-	-	·04	·03	·79		17
18	-	·17	-	-	-	-	·28	·02	-	·09	-	·07		18
19	·42	·09	·06	·13	-	·02 T	TR	·05	-	TR	-	tr		19
20	·01	·17	·07	·01	-	·19 T.	·01	-	·23	-	-	tr		20
21	TR.	-	·02	·73	-	·40 T.	·02	-	·03	TR	-	-		21
22	·01	·43	·10	TR.	·21	TR.	·32	-	-	-	-	·02		22
23	·03	TR.	·31	·05	·09	-	·18	-	-	·05	-	-		23
24	·25	·04	-	TR	TR.	-	·03	-	·15	·35	·01	-		24
25	·15	-	·24	·42	-	-	·23	-	·19	·13	TR	-		25
26	·10	·07	·27	-	-	26	·04	-	tr	-	·01	-		26
27	·06	·03	·06	-	-	-	·02	-	·03	·06	-	-		27
28	·25	·16	·26	·01	-	TR	TR	-	tr	·05	·04	·14		28
29	·01	·08	·01	-	TR.	·30	·03 T.	-	-	TR	·03	·13		29
30	·08		-	-	·06	·04	·17	-	-	·60	-	tr		30
31	·55		·21		·32		·06	-		·04		24		31
TOTAL	3·94	2·16	2·20	2·20	·90	3·37	5·68	·28	2·14	1·45	2·66	3·60	Year's Total 3058	✓
* Days with .01 in. or more.	24	15	19	14	9	15	27	5	16	11	20	19	194	✓
* Days with .04 in. or more.	17	12	14	8	6	13	20	3	12	9	12	12	138	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....✓.......✓....................... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2249

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Leominster, Hennor

in the County of Herefordshire

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·02	–	·09	–	–	·08	–	·16	·02	·13	·34		1
2	·02	17	–	09	–	–	–	–	–	–	·01	·27		2
3	TR	·23	·01	–	·29	–	·07	–	–	–	–	·01		3
4	·09	·12	–	–	·08	–	–	·07	–	–	–	·26		4
5	·23	–	·13	TR	–	–	·04	–	–	–	–	–		5
6	·03	·07	·05	·20	·18	–	·01	–	–	·05	·01	–		6
7	–	·77	·05	·08	–	·07	–	–	–	–	–	–		7
8	–	·10	–	–	·06	–	·03	–	·03	–	·21	–		8
9	–	·04	–	·02	·09	–	·16	–	·39	–	–	–		9
10	·02	–	·39	·06	–	·03	–	–	–	–	–	·19		10
11	TR	–	·33	–	·43	·05	·04	–	–	–	–	·16		11
12	·05	·20	·04	–	·02	·02	·01	·53	·14	–	·01	·18		12
13	·05	·02	·04	·12	–	·05	–	·04	·04	–	–	·01		13
14	TR	–	·08	·05	–	–	·02	·03	·02	–	–	·09		14
15	·11	·09	–	·27	–	–	1·46	–	·10	–	–	·19		15
16	·01	·11	·63	·04	–	·02	–	·09	·08	–	–	–		16
17	·33	·05	·13	–	–	–	–	–	·55	–	–	–		17
18	·46	·03	·07	·02	–	–	·04	–	·29	–	·26	·12		18
19	·02	·02	·09	·04	–	·11	·29	–	–	–	·03	–		19
20	·34	·05	·10	·56	·26	–	·05	–	–	–	–	·03		20
21	·22	·27	·21	–	·01	–	·14	–	–	·02	–	·02		21
22	·08	·02	·13	–	·09	·01	·24	–	–	·53	·30	·04		22
23	·15	·10	·03	–	·10	–	·02	–	–	·14	·16	–		23
24	·26	·43	·01	–	–	–	–	–	·03	·48	–	–		24
25	–	·51	–	–	·12	–	–	–	·07	·22	–	·01		25
26	TR	·37	·01	–	·43	–	–	–	–	–	·01	–		26
27	TR	·28	–	·09	–	–	–	–	–	·52	–	–		27
28	–	·05	–	–	–	–	–	–	–	·18	–	–		28
29	·02	–	–	–	–	·02	–	–	–	·73	·01	·01		29
30	·19	✕	–	–	–	·03	–	–	–	–	·06	·01		30
31	·24	✕	–	✕	–	✕	–	–	✕	·27	✕	–		31
TOTAL	2·97	4·12	2·53	1·73	2·16	·41	2·70	·76	1·90	3·16	1·20	1·94	Year's Total 25·58	
* Days with .01 in. or more.	21	24	19	14	13	10	16	5	12	11	12	17	174	
* Days with .04 in. or more.	15	19	15	12	11	4	11	4	9	9	6	10	125	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2249

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

TL 400

Copy by B.R.O.

Kept at Leominster, Hennor

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 417 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·03				·65	tr	·25	TR	·20	·01	·21		1
2				·05	·09		tr	—	—	·20	TR	TR		2
3					·10	·02	·01	—	—	·48	—	—		3
4							·16	·31	—	·32	—	·15		4
5							·02	·02	·04	·13	—	·05		5
6	·12	·01				·03	·67	—	·04	·24	—	·05		6
7	·02						·32	·52	·08	·07	—	·09		7
8	·26						·07	·22	—	·21	—	·04		8
9	·12	·03				·04	·06	·05	—	tr	—	·54		9
10	·09	·01				·18	·10	·33	—	tr	—	·39		10
11	·56					·04	tr	·21	—	·02	·21	·13		11
12	·28				·11		tr	·09	—	·38	·47	TR		12
13					·02		—	—	—	—	·26	·51		13
14	·31				·05		·46	—	·03	—	—	·01		14
15	·12				·09		·10	tr	—	—	·02	·19		15
16	·16						—	·01	—	·01	·04	·02		16
17		·04					tr	—	·03	·09	—	TR		17
18	·03					·04	tr	·15	1·32	·01	·32	—		18
19							—	·08	·01	—	·05	TR		19
20	·02						—	—	TR	—	·30	TR		20
21							—	·08	·27	—	·11	·09		21
22				·12		·02	—	·04	·12	—	·39	·09		22
23					·07		—	tr	·08	—	·02	TR		23
24	·04	·08	·05		·06		—	·23	·02	—	·04	—		24
25	·03	·14	·05		·06		tr	—	·01	·19	·54	·01		25
26	·12	·16			·08	·16	—	—	·06	·26	—	·11		26
27	·03	·02			·48	·03	·21	·28	·12	·13	·38	—		27
28	·20	·06				·11	·02	·03	·02	tr	·05	·03		28
29	·18				·38	·04	tr	—	·02	·08	·06	·01		29
30	·02	✕			·04	·01	—	—	·17	—	·38	·03		30
31	·08	✕		✕	·20	✕	tr	tr.	✕	·15	✕	·27		31
TOTAL	2·79	·58	·10	·17	1·83	1·37	2·20	2·90	2·44	3·17	3·65	3·05	Year's Total 24·25	✓
* Days with .01 in. or more.	20	10	2	2	14	13	12	17	17	18	18	21	164	✓
* Days with .04 in. or more.	14	5	2	2	13	8	9	14	10	15	15	15	122	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L. R. Hibbert Capt.

[P.T.O.

·85

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2249

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

400

Kept at Leominster, Hennor

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 417 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TR	–	·02	·22	·12		–	tr	.07	–	·03	tr		1
2	–	–	tr	·05	–	–	·01	·20	·22	tr	·07	·05		2
3	·095	–	–	·27	–	–	–	·08	·09	–	·13	·42		3
4	·065	–	·15	·35	·17	–	·31	·05	.14	·20	·11	·15		4
5	–	·01	–	·05	–	–	·19	tr	tr	·12	·41	·05		5
6	·66	–	–	–	–	–	·72	–	–	tr	·10	–		6
7	TR	·09	–	–	TR	–	·30	·13	–	–	·37	·43		7
8	–	·17	·41	–	–	–	·47	·05	–	·59	·92	·03		8
9	–	·04	tr	–	·01	–	tr	·37	–	·27	·01	·12		9
10	·41	–	–	–	–	·01	–	·03	.02	·33	tr	·06		10
11	–	·02	·13	–	–	tr	–	tr	–	·02	tr	·02		11
12	·03	·02	–	–	–	·06	–	–	.04	tr	–	–		12
13	–	–	–	·11	·03	–	·14	–	.08	·15	–	–		13
14	·42	–	tr	·02	·16	·07	·25	–	tr	·06	·25	–		14
15	·61	–	·02	·04	·12	·30	·41	–	–	·01	·24	–		15
16	·13	–	tr	–	·17	·15	·20	–	–	·40	·25	–		16
17	·58	TR	–	–	TR	·09	tr	–	–	·04	·01	–		17
18	·17	·03	·02	–	–	·08	·08	–	–	tr	·36	–		18
19	·18	–	–	–	–	–	·25	–	–	–	tr	–		19
20	·36	–	–	–	TR	·01	tr	–	–	–	–	.04		20
21	·06	·10	·11	·06	–	·35	–	tr	.04	–	–	–		21
22	·18	·25	·05	TR	–	·01	·10	–	tr	.03	·29	–		22
23	·03	–	–	·08	–	–	·19	–	–	·04	1·06	–		23
24	·25	·02	tr	·01	–	–	·03	tr	–	·05	–	–		24
25	·43	·04	tr	·01	–	–	·04	–	–	.12	·19	–		25
26	·01	·03	tr	·02	–	–	–	·15	–	tr	·28	·03		26
27	·03	·28	·07	·03	–	·03	·08	·03	–	·06	·03	·15		27
28	·01	·10	·07	–	–	·09	·18	–	–	·tr	·12	·01		28
29	–		tr	·30	–	·15	·35	tr	–	·14	·04	–		29
30	–	✕	–	·15	–	·22	·03	·02	–	·02	·05	·11		30
31	–	✕	–	✕	–	✕	·01	·35	✕	·09	✕	–		31
TOTAL	4·70	1·20	1·05	1·77	·78	1·71	4·34	1·46	·70	2·74	5·32	1·67	Year's Total 27.44	✓
* Days with .01 in. or more.	20	14	10	16	7	14	21	11	8	19	22	14	176	✓
* Days with .04 in. or more.	15	8	7	11	5	10	17	8	7	15	19	10	132	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2249 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Leominster Hennor

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 417 ft.

BRITISH RAINFALL ORGANIZATION.

4 00

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	tr	-	-	·01	-	-	-	-	-	·26	-		1
2	-	·06	-	·16	-	-	·01	-	-	-	1·05	·09		2
3	-	·20	-	·03	-	-	tr	-	-	·16	1·08	·02		3
4	-	·14	-	-	-	-	tr	-	-	·23	·09	-		4
5	-	·01	-	-	·13	-	·08	tr	-	·04	·45	·10		5
6	·27	·37	-	-	-	-	·02	-	-	·19	·10	·07		6
7	tr	·13	-	·02	TR	-	·62	-	tr	·02	-	·05		7
8	-	-	-	-	-	·19	-	-	-	·26	·03	·21		8
9	-	-	-	·09	-	-	·05	·05	-	·22	·39	·07		9
10	-	-	·03	-	-	tr	·56	tr	tr	·08	·04	·13		10
11	-	tr	tr	·04	-	-	·17	-	-	-	·63	·03		11
12	-	tr	·07	-	-	tr	·21	-	·09	tr	·02	-		12
13	-	tr	·29	-	-	-	-	-	·08	-	-	-		13
14	-	·02	tr	·06	·30	-	-	tr	·15	·07	-	·35		14
15	tr	-	-	tr	·55	·05	-	-	·14	·01	·19	tr		15
16	-	·29	·12	tr	TR	-	·25	-	·06	·67	·60	tr		16
17	-	-	·20	-	TR	-	tr	-	tr	-	·05	-		17
18	·23	·45	·27	·37	-	-	-	·05	·30	·05	·09	·10		18
19	-	·20	·06	·34	-	-	·43	-	·02	-	·13	tr		19
20	-	tr	·02	·02	-	-	·05	-	-	·20	-	tr		20
21	-	tr	-	-	·09	·65	·05	-	-	-	1·23	-		21
22	-	-	·10	·08	·13	·03	-	-	·04	-	tr	-		22
23	-	·05	·08	·05	·25	tr	-	-	-	-	tr	-		23
24	tr	-	-	-	TR	-	·10	-	tr	-	-	-		24
25	·02	-	-	-	-	tr	-	-	-	-	-	-		25
2·95 26	1·23	·14	tr	-	·04	-	·31	-	-	-	-	-		26
27	·67	·23	tr	·64	·03	-	·02	·01	-	-	tr	-		27
28	·85	·09	-	·09	·12	-	-	-	-	-	-	-		28
29	·02	-	·10	·60	·08	·13	·04	-	-	·01	-	·20		29
30	·01	✕	-	·25	·01	-	-	-	-	·57	-	tr		30
31	·15	✕	·09	✕	TR	✕	-	-	✕	·95	✕	·01		31
TOTAL	3·45	2·38	1·43	2·84	1·74	1·05	2·97	·11	·88	3·73	6·43	1·43	Year's Total 28·44	✓
* Days with .01 in. or more.	9	14	12	15	12	5	16	3	8	16	17	13	140	✓
* Days with .04 in. or more.	6	12	10	12	9	4	13	2	7	13	15	10	113	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. R. Hibbert

[P.T.O.

2250

Section **A** for the entry of

AIR MINISTR

COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090.

REGIST

1931.

N° 2250

FAIRHOLME LEOMINSTER.

1931 - 34 ONLY.

Kept at Fairholme

in the County of Herefo

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea

THE MORNING MEASU

S DAY.

An observer who does not conform to

year in the space on the right of th

of the following

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	03	-	17	-	02	-	-	44	09	-	-	1
2	06	04	-	67	06	01	-	06	45	01	13	21	2
3	02	-	-	tr	-	-	02	-	03	tr	1·20	05	3
4	-	-	01	04	04	01	28	41	08	tr	17	-	4
5	-	06	-	06	02	99	03	-	tr	-	tr	26	5
6	-	16	-	14	02	03	10	-	tr	30	16	05	6
7	-	02	-	tr	tr	03	16	69	-	04	18	03	7
8	07	07	-	07	17	13	tr	65	-	03	05	04	8
9	-	28	-	02	-	07	-	tr	02	09	58	tr	9
10	-	01	-	-	04	02	01	10	13	-	64	-	10
11	06	31	-	-	-	01	07	tr	15	-	28	-	11
12	tr	06	-	-	-	-	24	-	12	-	tr	tr	12
13	-	-	03	-	01	tr	01	15	02	-	tr	-	13
14	tr	06	-	-	08	95	34	56	03	-	28	-	14
15	tr	13	-	11	03	tr	36	79	tr	-	tr	04	15
16	02	18	-	04	20	82	tr	09	15	-	-	-	16
17	04	07	-	28	45	07	12	-	01	tr	05	-	17
18	02	tr	04	33	-	22	08	19	01	-	36	-	18
19	tr	09	-	03	-	27	03	33	-	-	04	-	19
20	tr	05	18	04	-	-	-	09	-	-	12	03	20
21	34	-	-	tr	44	-	-	-	-	-	24	-	21
22	27	-	tr	-	08	-	-	35	-	tr	03	-	22
23	17	-	-	34	58	12	02	-	-	-	13	27	23
24	03	-	-	31	29	-	19	-	-	-	tr	tr	24
25	14	-	-	40	-	-	12	-	-	-	03	tr	25
26	02	-	-	03	-	-	03	-	-	-	44	-	26
27	10	45	03	01	1·11	-	04	-	-	02	05	04	27
28	04	07	06	01	34	-	tr	-	-	tr	tr	02	28
29	01	×	06	-	21	-	19	-	tr	12	02	01	29
30	-	×	-	03	-	-	-	-	03	-	tr	-	30
31	33	×	-	×	07	×	-	-	×	-	×	01	31
TOTAL	1·74	2·14	·41	3·13	4·24	3·77	2·44	4·46	1·67	·70	5·18	1·06	YEAR'S TOTAL 30·94
*Days with ·01 in. or more.	17	18	7	20	19	16	20	13	14	8	21	13	186
*Days with ·04 in. or more.	11	15	4	14	15	9	13	13	7	5	18	8	132

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E B Reynolds

P.T.O.

2250

Section **A** for the entry of ~~Daily Observations.~~ COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Fairholme Leominster

in the County of Herefordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level about 285 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	03	-	17	-	02	-	-	44	09	-	-	1
2	06	04	-	67	06	01	-	06	45	01	13	21	2
3	02	-	-	tr	-	-	02	-	03	tr	1·20	05	3
4	-	-	01	04	04	01	28	41	08	tr	17	-	4
5	-	06	-	06	02	99	03	-	tr	-	tr	26	5
6	-	16	-	14	02	03	10	-	tr	30	16	05	6
7	-	02	-	tr	tr	03	16	69	-	04	18	03	7
8	07	07	-	07	17	13	tr	65	-	03	05	04	8
9	-	28	-	02	-	07	-	tr	02	09	58	tr	9
10	-	01	-	-	04	02	01	10	13	-	64	-	10
11	06	31	-	-	-	01	07	tr	15	-	28	-	11
12	tr	06	-	-	-	-	24	-	12	-	tr	tr	12
13	-	-	03	-	01	tr	01	15	02	-	tr	-	13
14	tr	06	-	-	08	95	34	56	03	-	28	-	14
15	tr	13	-	11	03	tr	36	79	tr	-	tr	04	15
16	02	18	-	04	20	82	tr	09	15	-	-	-	16
17	04	07	-	28	45	07	12	-	01	tr	05	-	17
18	02	tr	04	33	-	22	08	19	01	-	36	-	18
19	tr	09	-	03	-	27	03	33	-	-	04	-	19
20	tr	05	18	04	-	-	-	09	-	-	12	03	20
21	34	-	-	tr	44	-	-	-	-	-	24	-	21
22	27	-	tr	-	08	-	-	35	-	tr	03	-	22
23	17	-	-	34	58	12	02	-	-	-	13	27	23
24	03	-	-	31	29	-	19	-	-	-	tr	tr	24
25	14	-	-	40	-	-	12	-	-	-	03	tr	25
26	02	-	-	03	-	-	03	-	-	-	44	-	26
27	10	45	03	01	1·11	-	04	-	-	02	05	04	27
28	04	07	06	01	34	-	tr	-	-	tr	tr	02	28
29	01	×	06	-	21	-	19	-	tr	12	02	01	29
30	-	×	-	03	-	-	-	-	03	-	tr	-	30
31	33	×	-	×	07	×	-	-	×	-	×	01	31
TOTAL	1·74	2·14	·41	3·13	4·24	3·77	2·44	4·46	1·67	·70	5·18	1·06	YEAR'S TOTAL 30·94
*Days with ·01 in. or more.	17	18	7	20	19	16	20	13	14	8	21	13	186
*Days with ·04 in. or more.	11	15	4	14	15	9	13	13	7	5	18	8	132

40-9999

(Signed) E B Reynolds

P.T.O.

*See Instruction 2 (*f*) on other side.

2250

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2250

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Fairholme Leominster

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level abt 285 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	tr	—	09	1·68	02	01	19	11	06	02	06	1
2	06	tr	—	03	31	—	–	—	13	05	—	17	2
3	tr	—	—	78	—	—	08	—	—	tr	02	02	3
4	01	—	—	34	—	—	—	—	—	—	47	tr	4
5	58	—	04	tr	06	—	—	—	09	—	tr	—	5
6	29	—	03	16	—	—	15	—	34	03	—	01	6
7	02	—	09	06	21	—	02	—	16	90	—	—	7
8	tr	—	09	01	—	—	—	—	13	43	—	—	8
9	49	05	—	02	03	—	—	—	—	tr	—	—	9
10	51	—	01	38	06	02	—	—	15	43	—	—	10
11	04	tr	—	05	03	05	03	—	—	—	01	07	11
12	40	—	—	tr	14	—	03	03	18	30	02	tr	12
13	05	02	—	09	—	—	1·89	18	tr	07	03	14	13
14	23	tr	—	09	02	—	05	19	—	03	06	01	14
15	tr	—	—	01	45	—	03	—	—	02	—	tr	15
16	35	—	—	34	—	—	27	—	—	tr	—	—	16
17	tr	—	—	tr	01	—	02	—	tr	04	tr	—	17
18	—	—	—	—	04	—	—	—	tr	—	26	—	18
19	—	—	—	05	07	—	—	—	—	05	01	—	19
20	—	—	—	15	68	—	—	65	—	59	06	03	20
21	—	—	12	18	27	—	—	22	—	39	01	12	21
22	02	—	02	—	03	—	05	—	64	07	13	05	22
23	—	02	08	—	74	—	tr	—	09	15	06	08	23
24	—	tr	—	—	—	—	tr	—	07	03	02	tr	24
25	05	tr	—	02	—	—	01	—	—	15	01	01	25
26	tr	tr	10	13	43	—	02	—	08	09	06	—	26
27	—	tr	46	22	17	—	07	—	—	09	01	tr	27
28	—	—	10	05	09	09	16	tr	—	—	—	—	28
29	—	—	21	31	—	12	02	30	22	49	06	23	29
30	—	×	25	17	—	70	28	10	19	tr	22	06	30
31	—	×	02	×	—	×	58	—	×	—	×	56	31
TOTAL	3·20	·09	1·62	3·73	5·52	1·00	3·77	1·86	2·58	4·46	1·54	1·62	YEAR'S TOTAL 30·99
*Days with ·01 in. or more.	15	3	14	23	20	6	19	8	14	21	19	15	177
*Days with .04 in. or more.	12	1	10	18	15	4	10	7	14	17	9	10	127

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) E B Reynolds

P.T.O.

2250

COPY FOR ✓159 OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2250

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at Fairholme Leominster

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level abt 285 ft.

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	25	10	07	—	—	—	—	—	tr	03	tr	02		1
2	21	—	33	—	07	01	—	—	—	—	tr	—		2
3	04	15	08	—	02	—	—	—	—	—	—	—		3
4	14	tr	03	—	19	—	—	—	—	—	—	—		4
5	19	tr	28	—	06	—	—	—	—	—	—	—		5
6	03	36	01	—	33	—	—	—	—	18	tr	—		6
7	02	tr	—	—	01	—	08	—	—	26	—	01		7
8	02	tr	07	—	—	—	18	—	—	tr	—	—		8
9	—	03	tr	—	02	—	35	—	—	1·52	tr	—		9
10	08	08	—	—	—	—	tr	02	—	2·74	02	—		10
11	—	—	—	—	—	09	17	tr	—	06	tr	—		11
12	tr	—	—	—	05	—	14	—	tr	tr	—	01		12
13	—	—	—	—	13	—	16	—	—	13	09	—		13
14	tr	—	—	—	—	—	06	23	—	20	11	—		14
15	26	—	06	—	—	—	21	01	—	05	tr	05		15
16	08	03	41	—	—	02	tr	tr	—	03	—	—		16
17	02	06	35	—	—	08	—	01	tr	—	05	tr		17
18	04	tr	04	—	—	03	—	—	—	—	04	—		18
19	—	02	31	—	—	02	10	tr	31	—	19	tr		19
20	—	tr	02	—	—	29	—	03	22	—	—	tr		20
21	—	03	—	—	12	32	—	02	—	07	01	tr		21
22	—	—	—	04	—	13	—	25	10	09	—	tr		22
23	—	55	—	16	—	26	—	—	21	40	tr	—		23
24	—	81	—	12	tr	26	—	—	03	33	—	—		24
25	—	57	—	14	11	10	—	—	20	tr	—	10		25
26	—	69	—	08	09	—	—	—	16	14	—	01		26
27	—	—	—	—	06	—	—	—	tr	04	—	09		27
28	tr	07	—	49	11	—	01	—	tr	01	—	04		28
29	29	×	tr	06	—	—	—	—	—	—	—	01		29
30	02	×	09	tr	—	—	05	—	13	01	—	07		30
31	23	×	06	×	—	×	—	10	×	tr	×	tr		31
TOTAL	1·92	3·55	2·21	1·09	1·37	1·61	1·51	·67	1·36	6·29	·51	·41	Year's Total 22·50 ✓.	
*Days with ·01 in. or more.	16 ✓	14 ✓	15 ✓	7 ✓	14 ✓	12 ✓	11 ✓	8 ✓	8 ✓	18 ✓	7 ✓	10 ✓	140 ✓	
*Days with .04 in. or more.	11 ✓	10 ✓	12 ✓	7 ✓	11 ✓	8 ✓	10 ✓	3 ✓	7 ✓	14 ✓	5 ✓	5 ✓	103 ✓	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) E. P. Regno Cdr

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2250

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Fairholme, Leominster

in the County of Hereford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level abt. 285 ft.

24. TL

Est Sept. days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	—	—	—	—	—	—	·30	·18	·08	·03	·43		1
2	·01	—	·01	—	—	—	—	·02	·20	·03	·01	·15		2
3	·04	tr	—	—	tr	—	—	—	—	·06	—	·29		3
4	·04	—	·06	tr	·27	—	—	—	tr	·07	·10	·24		4
5	tr	—	·07	—	·13	—	—	·98		·04	·19	·30		5
6	tr	—	tr	tr	·63	—	—	—		·08	—	·25		6
7	·05	—	—	—	·01	—	—	·05		·16	·01	·19		7
8	—	tr	—	—	·20	—	—	·04		·02	·08	·34		8
9	tr	—	·14	—	—	—	—	·04		—	·45	·08		9
10	·28	—	·10	·33	—	—	—	·07		—	·06	—		10
11	·71	—	·01	·36	—	—	tr	·10		—	tr	·30		11
12	tr	—	·02	·02	—	—	1·24	·01		—	—	—		12
13	·64	—	tr	·17	—	—	tr	—		tr	—	·17		13
14	·02	—	·35	tr	·02	·04	—	—		·06	·34	·11		14
15	·02	—	·24	—	·20	—	·01	—		—	·29	·05		15
16	·15	—	·22	—	—	—	—	—		tr	·10	—		16
17	·05	—	·05	·06	·04	—	·25	tr	·20	·08	—	·24		17
18	·27	—	tr	·27	—	—	·01	—	—	—	—	·15		18
19	—	—	·19	·04	—	·05	—	tr	·10	·08	—	·19		19
20	—	—	·02	tr	—	·03	—	tr	—	·01	—	—		20
21	tr	—	tr	—	—	·09	·04	·06	·28	·04	—	tr		21
22	·08	—	·06	—	·20	—	—	·45	tr	·09	—	·26		22
23	—	—	·08	·13	—	·45	—	·04	·25	—	—	—		23
24	—	·26	tr	·12	—	·11	·03	—	—	·02	—	·02		24
25	·34	—	—	·05	—	tr	—	—	·10	·17	—	·54		25
26	·08	—	·05	·28	—	·12	—	—	—	·07	tr	·10		26
27	·04	—	—	·42	—	·12	—	—	·08	·17	—	·14		27
28	—	—	—	·35	—	·05	—	·30	·15	tr	·04	·33		28
29	—		—	—	—	tr	·46	·08	·15	tr	—	·03		29
30	·01	×	—	—	—	—	·05	tr	·03	·02	—	·23		30
31	—	×	—	×	—	×	—	·17	×	·02	×	·08		31
TOTAL	2·92	·26	1·67	2·60	1·70	1·06	2·09	2·71	1·72	1·37	1·70	5·21	Year's Total. 25·01	
* Days with .01 in. or more.	18	1	16	13	9	9	8	15	~~11~~ 13	20	12	25	157 9	
* Days with .04 in. or more.	14	1	12	12	7	8	5	13	~~10~~ 11	14	9	23	128 2	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Annal C. Reynolds [P.T.O.